

C09B

ORGANIC DYES OR CLOSELY-RELATED COMPOUNDS FOR PRODUCING DYES {, e.g. PIGMENTS}; MORDANTS; LAKES (fermentation or enzyme using processes to synthesise a desired chemical compound [C12P](#))

Definition statement

This place covers:

- Dyes (coloured compounds being at least partially soluble in a liquid medium; thereby the chemical structure of the chromophore might be relevant for the sub-group given for a certain dye class [e.g. anthracene dyes ([C09B 1/00](#)), monoazo dyes ([C09B 29/00](#)), quinacridones ([C09B 48/00](#))] etc.) or functional groups attached to the chromophore might be relevant [e.g. reactive dyes ([C09B 62/00](#)), Dyes containing a splittable water solubilizing group ([C09B 69/08](#))]; further, polymeric dyes ([C09B 69/10](#)) are also enclosed in [C09B](#), which are reaction products of dyes with monomers or with macromolecular compounds; thereby the dye might be a repeating unit in the polymer chain or it might be connected by a covalent bond to the polymer chain as a pending group
- Pigments (coloured compounds being insoluble in liquid systems)
- Compositions comprising dyes and/or pigments and further additives (e.g. comprising polymeric dispersing agents ([C09B 67/009](#)))
- Blends of at least two dyes and/or pigments ([C09B 67/0033](#))
- Preparation processes to prepare dyes or pigments (e.g. special methods of performing the coupling reaction of azo dyes ([C09B 41/00](#)))
- Dye or pigment preparations of special physical nature, e.g. tablets, films, extrusion, microcapsules, sheets, pads, bags with dyes ([C09B 67/0097](#))
- Treatment of dyes or pigments without chemical reactions in order to influence the physical properties (classified in the main group [C09B 67/00](#)), e.g. acid pasting ([C09B 67/0017](#)), grinding, milling ([C09B 67/0002](#)), coating ([C09B 67/0004](#)), flushing ([C09B 67/0021](#)), etc.

In main group ([C09B 68/00](#)), the surface modification of pigments with chemical reactions is covered. Thereby the establishing of covalent/complex bonds of chemical groups on the surface of the pigment is the point of interest.

Certain fluorescent dyes or pigments of specific structure like Fluorescein derivatives ([C09B 11/08](#)), Rhodamine derivatives ([C09B 11/24](#)), Stilbene dyes ([C09B 23/148](#)) etc.); thereby it is mentioned, that there is no main- or subgroup which explicitly mentions properties like luminescence, fluorescence or phosphorescence; luminescent compounds are merely classified by the chemical structure of their chromophore

- Dyes, especially pigments having a certain crystal modification; special X-ray patterns ([C09B 67/0025](#))
- Purification, Precipitation, or Filtration of dyes or pigments ([C09B 67/0096](#))
- Dyestuff salts, e.g. salts of acid dyes with basic dyes; thereby the counter ion of the dye might not be a standard ion like Na⁺, K⁺, Ca²⁺, NH₄⁺ or Cl⁻, SO₄²⁻, NO₃⁻ etc., but rather a complex non-common ion like a charged dyestuff itself or similar ions ([C09B 69/02](#))
- The term "closely related Compounds" in the title of this sub class covers compounds, which could be seen as precursors for dyes becoming dyes after a minor modification, e.g. a chemical reaction or pH-change; so there is a clear structural similarity between the closely related compound and the dye.

Relationships with other classification places

The subclass [C09B](#) may overlap with many other subclasses relating to the use of dyes or pigments. In general, a [C09B](#) class is given to documents which describe dyes/pigments appearing to be novel as such or compositions/ preparations of dyes/pigments which appear to be novel; further, documents disclosing novel preparation processes for dyes/pigments should be put into [C09B](#).

Relationships with other classification places

E.g., a document describing inks ([C09D 11/00](#)), which comprise already known dyes or pigments, should only be put into [C09D 11/00](#); in case the inks comprise dyes or pigments not yet known in the prior art, the corresponding [C09B](#) sub-group should be given.

References

Limiting references

This place does not cover:

Preparation of the mordant compounds	C01F ; C07
Intermediate organic compounds to prepare dyes/pigments	C07C ; C07D
Inorganic dyes/pigments	C09C
Fermentation or enzyme-using processes to synthesise a desired chemical compound	C12P

Informative references

Attention is drawn to the following places, which may be of interest for search:

Places in relation to which this subclass is residual or which may be of interest for search:

Dyes/pigments for colouring foodstuff	A23L 5/42
Cosmetic or similar toilet preparations containing organic compounds (depending on the chromophore structure of the used dye/pigment, the corresponding sub group below A61K 8/30 should be identified for classification/search)	A61K 8/30
Medicinal preparations containing organic active ingredients (depending on the chromophore structure of the used dye/pigment, the corresponding sub group below A61K 31/00 should be identified for classification/search)	A61K 31/00
Preparations for testing in vivo Preparation for luminescence or biological staining (depending on the kind of the used dye/pigment, the corresponding sub group below A61K 49/001 should be identified for classification/search)	A61K 49/001
Preparations for temporary colouring the hair, e.g. direct dyes	A61Q 5/065
Preparations for permanently dyeing the hair	A61Q 5/10
Dyes/pigments used in thermography, e.g. in contact thermal transfer or sublimation processes	B41M 5/385
Mass colouring of high-molecular organic compounds, organic ingredients like optical brightening agents, organic pigments	C08K 5/0041
Coatings	C09D 5/00
Inks	C09D 11/00
Pigment pastes	C09D 17/00
Dyeing or printing textiles; dyeing leather, furs, or solid macromolecular substances in any form	D06P 1/00 , D06P 3/00
Dyes/pigments for dyeing paper, cardboard	D21H 21/28
Investigating or analysing materials by specific methods not covered by the preceding groups; with fluorescent label	G01N 33/533
Investigating or analysing materials by specific methods not covered by the preceding groups; involving labelled substances	G01N 33/58

Lenses	G02B 1/041
Contact lenses	G02B 1/043
Optical elements other than lenses, containing organic substances, e.g. dyes, inks or pigments	G02B 5/223
Optical elements other than lenses; Absorbing filters; absorbing filters, containing organic substances, e.g. dyes, inks or pigments	G02B 5/223
Dyes/pigments used in photosensitive materials	G03C 1/10
Dyes/pigments for colouring filters used e.g. in LCD's	G03F 7/0007
Dyes/pigments used in photoconductive layers	G03G 5/0664
Recording or reproducing by optical means, containing dyes, e.g. layers in DVD's, CD's, Blue rays	G11B 7/246
Electrolytic light sensitive devices using dyes (Dye Sensitized Solar Cells, DSSc)	H01G 9/20
Light sensitive devices; comprising an organic dye as the active light absorbing material, e.g. adsorbed on an electrode or dissolved in solution	H01G 9/2059
Solid state devices using organic materials (e.g. dyes) as the active part, or using a combination of organic materials with other materials as the active part (Organic solar cells, organic light emitting devices [OLEDs])	H10K 99/00

Special rules of classification

In this subclass, in the absence of an indication to the contrary, a compound is classified in the last appropriate place ('Last Place Rule')

As an example the following explanation is given: In the sub-group [C09B 1/02](#) hydroxy-anthraquinones are classified. We search a sub-group for the compound 1-hydroxy-2-chloro-anthraquinone. The correct sub-group is [C09B 1/10](#).

Now we search a sub-group for the compound 1-hydroxy-2-chloro-3-nitro-anthraquinone; again, the correct sub-group is [C09B 1/10](#). In case we search a sub-group for the compound 1-hydroxy-2-chloro-3-sulfo-anthraquinone, we have to choose, following the 'Last Place Rule', the sub-group [C09B 1/12](#); to avoid a loss of information, also the group [C09B 1/10](#) should be considered.

Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

Onium group	ionic groups bearing a positive charge comprising nitrogen, phosphor etc. as the charged atom
Aralkyl, arylalkyl	unless other specified (exception: C09B 1/526), both sequences alkyl-aryl and aryl-alkyl are meant (see e.g. C09B 1/514 and C09B 1/515)
Carbocyclic ring	here aromatic as well as a non-aromatic rings are mentioned (no heterocyclic rings)
Sulfonated	having a SO ₃ H or SO ₃ ⁻ group attached
Sulfo	SO ₃ H
Sulfonat	SO ₃ ⁻
Leuco form	the form of a reduced dye which is normally uncoloured or only slightly coloured compared to the dye itself (e.g. indigo and its leuco-form)

Vat dye/Leuco dye	sometimes insoluble dyes (e.g. indigoid dyes) are transferred into their soluble derivatives (e.g. leuco form) by e.g. reduction and then contacted with the material to be coloured; the soluble form is then converted into its insoluble form e.g. by oxidation; such dyes are called 'vat dyes' (in German: Küpenfarbstoff)
Cyanine dyes	specific polymethine dyes having N-heterocyclic rings at both end of the polymethin chain (push-pull-system)
Acid dyes	water-soluble anionic dyes
Basic dyes	water-soluble cationic dyes
Substantive dyes (or Direct dyes)	are directly applied to the fibre from aqueous solution; especially suitable for cellulosic fibres
Mordant dyes	see definition below in the Annex for C09B 65/00
Reactive dyes	see definition below in the Annex for C09B 62/00
Disperse dyes	are generally water insoluble; the dyes are finely ground in the presence of a dispersing agent; their main use is to dye polyester
Sulfur dyes	see definition below for C09B 49/00
Lakes	A dye made insoluble in order to have pigmentary properties by precipitating the water soluble form of the dye (bearing SO ₃ H resp. COOH groups) by salting out with cations of the rare earth metals (Ca ²⁺ , Mg ²⁺ , also Al ³⁺)

Synonyms and Keywords


In patent documents, the following abbreviations are often used:

LCD	Liquid Crystal Display
DSSc	Dye sensitised solar cells
LED	Light Emitting Diode
OLED	Organic Light Emitting Diode
2D	two dimensional
3D	three dimensional
C.I.	means Colour Index (C.I.); refers to colorants indexed in the Colour Index International [http://www.colour-index.org/login.aspx]
µm	micrometer (10 ⁻⁶ meter)
Nm	nanometer (10 ⁻⁹ meter)
CF	Color Filter
TFT	Thin Film Transistor
DPP	Diketopyrrolopyrrole (a type of pigment, see C09B 57/004)
DVD	Digital Versatile Disc
CD	Compact Disc

C09B 1/00**Dyes with anthracene nucleus not condensed with any other ring****Definition statement**


This place covers:

For example:

**Special rules of classification****Further details of subgroups:**

[C09B 1/002](#)


Dyes containing onium groups, e.g. ammonium groups:



[C09B 1/005](#)


Di-anthraquinonyl and derivatives compounds:

at least two anthraquinones linked directly (see example left) or by a chemical linker (right example); in case the linker is represented by -NH- or the substituted derivative thereof, [C09B 1/48](#) takes precedence




[C09B 1/007](#)

Seleno-anthraquinones




[C09B 1/02](#)

Hydroxy anthraquinones; Ethers or esters thereof




[C09B 1/08](#)

Dyes containing only OH groups




[C09B 1/10](#)

Dyes containing halogen




[C09B 1/12](#)

Dyes containing sulfonic acid groups




[C09B 1/14](#)

Dyes containing ether groups, e.g.:




[C09B 1/16](#)

Amino anthraquinones, e.g.:




[C09B 1/201](#)

Dyes with no other substituents than the amino groups



[C09B 1/202](#)


sulfonated amino anthraquinones, e.g.:



[C09B 1/205](#)


Dyes with an unsaturated C on the N atom attached to the nucleus; for C=O, C=S: [C09B 1/36](#) takes precedence

also in case of acylated amino groups: [C09B 1/36](#) takes precedence




[C09B 1/206](#)

Dyes with amino groups substituted by heterocyclic radicals; for triazinic or analogous heterocyclic radicals: [C09B 1/46](#) takes precedence




[C09B 1/207](#)

Dyes with amino groups and onium groups




[C09B 1/208](#)

amino groups substituted by inorganic radicals, e.g.:



[C09B 1/22](#)


Dyes with unsubstituted amino groups



[C09B 1/24](#)


sulfonated

sulfonated dyes with unsubstituted amino groups



[C09B 1/26](#)


Dyes with amino groups substituted by hydrocarbon radicals



[C09B 1/262](#)

Dyes with no other substituents than the substituted amino groups


Dyes with amino groups substituted by hydrocarbon radicals and no other substituents than the substituted amino groups



[C09B 1/264](#)


sulfonated dyes with amino groups substituted by hydrocarbon radicals:

in case that both the anthracene nucleus and its substituent are sulfonated



[C09B 1/28](#)


Dyes with amino groups substituted by alkyl, aralkyl, or cyclo-alkyl groups



[C09B 1/30](#)


Sulfonated dyes with amino groups substituted by alkyl, aralkyl, or cyclo-alkyl groups:

in case that both the anthracene nucleus and its substituent are sulfonated




[C09B 1/303](#)

Sulfonated dyes with amino groups substituted by alkyl, aralkyl, or cyclo-alkyl groups:
only sulfonated in the anthracene nucleus




[C09B 1/32](#)

Dyes with amino groups substituted by aryl groups (anthrimides [C09B 1/48](#) take precedence)




[C09B 1/34](#)

sulfonated dyes with amino groups substituted by aryl groups:
in case that both the anthracene nucleus and the aryl substituent are sulfonated




[C09B 1/38](#)

Urea or thiourea derivatives




[C09B 1/40](#)

the acyl groups being residues of an aliphatic or araliphatic carboxylic acid




[C09B 1/42](#)

the acyl groups being residues of an aromatic carboxylic acid



[C09B 1/425](#)

the acyl groups being residues of a dicarboxylic acid; this sub group does not contain any documents (see comment to sub group [C09B 1/43](#) below)




[C09B 1/43](#)

Dicarboxylic acids: this sub group covers in principle the same compounds as the sub group [C09B 1/425](#) above; however, this sub group contains documents. It is foreseen to bring this matter in accordance with the classification Rules in a later request.


[C09B 1/44](#)

the acyl groups being residues of a heterocyclic carboxylic acid



[C09B 1/46](#)


anthraquinone dyes with acylated amino groups, the acyl groups being residues of cyanuric acid or an analogous heterocyclic compound



[C09B 1/467](#)

attached to two or more anthraquinone rings


anthraquinone dyes with acylated amino groups, the acyl groups being residues of cyanuric acid or an analogous heterocyclic compound and being further attached to two or more anthraquinone rings



[C09B 1/473](#)

the acyl groups being residues of a sulfonic acid


anthraquinone dyes with acylated amino groups, the acyl groups being residues of a sulfonic acid



[C09B 1/48](#)


Anthrimides

two anthraquinone chromophores directly linked by -NH- or a substituted derivative thereof




[C09B 1/50](#)

Amino-hydroxy anthraquinones; Ethers or esters thereof [Seleno-anthraquinones [C09B 1/007](#) take precedence]




[C09B 1/503](#)

unsubstituted amino-hydroxy anthraquinone




[C09B 1/51](#)

N-substituted amino-hydroxy anthraquinone




[C09B 1/512](#)

N-substituted amino-hydroxy anthraquinone, with only amino and hydroxy groups




[C09B 1/514](#)

N-aryl derivatives of amino-hydroxy anthraquinones (N-aralkyl derivatives [C09B 1/515](#) take precedence)




[C09B 1/5145](#)

N-substituted amino-hydroxy anthraquinones, with only amino and hydroxy groups




[C09B 1/515](#)

N-alkyl, N-aralkyl or N-cycloalkyl derivatives of substituted amino-hydroxy anthraquinones



[C09B 1/5155](#)


N-alkyl, N-aralkyl or N-cycloalkyl derivatives of amino-hydroxy anthraquinone with only amino and hydroxy groups



[C09B 1/516](#)

N-acylated derivatives


of amino-hydroxy anthraquinones



[C09B 1/52](#)

sulfonated amino-hydroxy anthraquinones:


in case that both the anthracene nucleus and the substituent are sulfonated



[C09B 1/523](#)

sulfonated N-substituted amino-hydroxy anthraquinones:


with substituents not covered by [C09B 1/525](#) - [C09B 1/528](#) (like heterocyclic, see example)



[C09B 1/54](#)


etherified derivatives of amino-hydroxy anthraquinones

with substituents not covered by [C09B 1/542](#) - [C09B 1/547](#) (like heterocyclic, see examples)



[C09B 1/542](#)


Amino-hydroxy anthraquinones with aliphatic, cycloaliphatic, araliphatic or aromatic ether groups, e.g.:



[C09B 1/542](#) contains documents having both types of anthraquinones: compounds with aliphatic ether groups and compounds with aromatic ether groups (thereby cases are included, where the kind of ether group can vary). [C09B 1/545](#) contains only documents with compounds with aliphatic ethers, thereby [C09B 1/547](#) deals with compounds with aromatic ethers; in case documents contain compounds having both types of ether groups, the last place rule should be applied ([C09B 1/547](#)); in order to avoid a loss of information, also the sub group [C09B 1/542](#) should be considered here


[C09B 1/545](#)

Amino-hydroxy anthraquinones with aliphatic, cycloaliphatic or araliphatic ether groups




[C09B 1/547](#)

Amino-hydroxy anthraquinones with aromatic ether groups



[C09B 1/56](#)


Mercapto-anthraquinones



[C09B 1/58](#)


Mercapto-anthraquinones with mercapto groups substituted by aliphatic, cycloaliphatic, araliphatic or aryl radicals

for these sub groups [C09B 1/58](#), [C09B 1/585](#) and [C09B 1/60](#) the same classification rule applies as in the above mentioned case concerning the sub groups [C09B 1/542](#), [C09B 1/545](#) and [C09B 1/547](#)




[C09B 1/585](#)

substituted by aryl radicals




[C09B 1/60](#)

substituted by aliphatic, cycloaliphatic or araliphatic radicals;



[C09B 1/62](#)

Mercapto-anthraquinones with mercapto groups substituted by a heterocyclic ring




C09B 3/00

Dyes with an anthracene nucleus condensed with one or more carbocyclic rings

Definition statement

This place covers:

First, the anthracene nucleus is simply the aromatic ring system consisting of three 'fused' six-membered rings:





---> anthracene 'ground structure'

Condensed with one or more carbocyclic rings means, that, additionally to the ground structure, further rings are added by condensing them 'along to a bond'. In the three examples below an anthrone, which is based on an anthracene ground structure which additionally comprises a keto-group in the middle, is further condensed with saturated 'six-membered' rings (two compounds at the left) or with a saturated 'five-membered' ring (compound at the right). The term carbocyclic means, that hetero-atoms are excluded as members of the ring atoms (see here also the main group [C09B 5/00](#), which deals with anthracene nucleus condensed with heterocyclic rings).

The fourth compound at the bottom could be considered to comprise two basic anthracene ground structures:


For example, documents disclosing compounds like:





Special rules of classification


Care should be taken with view to the sub group [C09B 3/78](#), which comprises documents disclosing one (or possibly more) specific structures not covered by the preceding subgroups [C09B 3/02](#) up to [C09B 3/76](#), while [C09B 3/00](#) covers documents disclosing several structures falling under different subgroups from [C09B 3/02](#) - [C09B 3/76](#); all documents which are not covered by the groups [C09B 3/02](#) up to [C09B 3/76](#) should be put into [C09B 3/78](#)



Further details of subgroups:


[C09B 3/02](#)

Benzanthrones



[C09B 3/10](#)


Amino derivatives



[C09B 3/12](#)

Dibenzanthronyls


at least two benzanthrone moieties linked directly or by a chemical linker




[C09B 3/14](#)

Perylene derivatives

care has to be taken with view to sub group [C09B 5/62](#)



---> [C09B 3/14](#)




---> [C09B 5/62](#)

[C09B 3/22](#)


Dibenzanthrones, Isodibenzanthrones

at least two benzanthrone moieties condensed together




[C09B 3/40](#)

Pyranthrones




[C09B 3/48](#)

Amino derivatives of pyranthrones




[C09B 3/50](#)

Dibenzopyrenequinones




[C09B 3/56](#)

Amino derivatives of dibenzopyrenequinones




[C09B 3/58](#)

Benzantraquinones




[C09B 3/60](#)

Anthanthrones




[C09B 3/68](#)

Amino derivatives of anthanthrones




[C09B 3/70](#)

Benzo-, naphtho-, or anthra-dianthrones



[C09B 3/78](#)

Other dyes in which the anthracene nucleus is condensed with one or more carbocyclic rings (see the comment to main group [C09B 3/00](#))




C09B 5/00

Dyes with an anthracene nucleus condensed with one or more heterocyclic rings with or without carbocyclic rings

Definition statement


This place covers:

For example:

**Special rules of classification****Further details of subgroups:**[C09B 5/002](#)


the heterocyclic rings being condensed in peri-position and in 1-2 or 2-3 position

Dyes with anthracene nucleus condensed with one or more heterocyclic rings with or without carbocyclic rings, the heterocyclic rings being condensed in peri-position and in 1-2 or 2-3 position and not covered/provided by any of the [C09B 5/004](#) - [C09B 5/008](#) sub groups (e.g. N and S-containing hetero rings, example)

[C09B 5/004](#)

only O-containing heterorings


the heterocyclic rings being condensed in peri-position (see example) and in 1-2 or 2-3 position



[C09B 5/006](#)

only S-containing heterorings


the heterocyclic rings being condensed in peri-position and in 1-2 or 2-3 position



[C09B 5/022](#)

compounds not provided for in one of the sub groups [C09B 5/04](#) - [C09B 5/20](#)


the heterocyclic rings being only condensed in peri-position



[C09B 5/028](#)


with only N-containing heterorings

the heterocyclic rings being only condensed in peri-position



[C09B 5/04](#)


Pyrazolanthrones



[C09B 5/06](#)

Benzanthronyl-pyrazolanthronone condensation products


'condensation' in this context means obviously, that also two chromophores could be linked by a single covalent bond (see formula below)



[C09B 5/08](#)


Dipyrazolanthrones

at least two pyrazolanthrones moieties linked directly or by a chemical linker




[C09B 5/085](#)

Condensation products of dipyrazolanthrones




[C09B 5/10](#)

Isothiazolanthrones (see example); Isoxazolanthrones; Isoselenazolanthrones




[C09B 5/12](#)

Thiophenanthrones




[C09B 5/14](#)

Benz-azabenzanthrones (anthrapyridones)




[C09B 5/16](#)

Benz-diazabenzanthrones, e.g. anthraprimidones




[C09B 5/18](#)

Coeroxene (see example); Coerthiene; Coeramidene; Derivatives thereof



[C09B 5/20](#)


Flavanthrones



[C09B 5/24](#)

the heterocyclic ring(s) being condensed with an anthraquinone nucleus in 1-2 (see example) or 2-3 position


Dyes with an anthracene nucleus condensed with one or more heterocyclic rings with or without carbocyclic rings, wherein the heterocyclic ring(s) being condensed with an anthraquinone nucleus in 1-2 (see example) or 2-3 position



[C09B 5/2409](#)

not provided for in one of the sub groups [C09B 5/26](#) - [C09B 5/62](#)


the heterocyclic ring(s) being condensed with an anthraquinone nucleus in 1-2 (see example) or 2-3 position and not provided for in one of the sub groups [C09B 5/26](#) - [C09B 5/62](#)



[C09B 5/2418](#)

with only oxygen-containing heterorings


the heterocyclic ring(s) being condensed with an anthraquinone nucleus in 1-2 (see example) or 2-3 position



[C09B 5/2445](#)


Phthaloyl isoindoles

the isoindole ring being condensed with an anthraquinone nucleus in 1-2 or 2-3 position (see example)



[C09B 5/2454](#)


5,6-phthaloyl-dihydro-isoindoles



[C09B 5/2463](#)


1,3 oxo or imino derivatives

means that the oxo or imino function is independently located in the 1,3 - position (below you see the 1,3-oxo derivative)




[C09B 5/2481](#)

1-oxo-3-imino derivatives, e.g.:




[C09B 5/26](#)

Carbazoles of the anthracene series




[C09B 5/28](#)

Anthrimide carbazoles




[C09B 5/30](#)

1,2-azoles of the anthracene series



[C09B 5/32](#)


1,3-azoles of the anthracene series



[C09B 5/34](#)


Anthraquinone acridones or thioxanthenes

Anthraquinone acridones (see example below), anthraquinone thioxanthenes (with S instead of NH)




[C09B 5/36](#)

Amino acridones




[C09B 5/38](#)

Compounds containing acridone and carbazole rings




[C09B 5/40](#)

Condensation products of benzanthranyl-amino anthraquinones



[C09B 5/42](#)


Pyridino anthraquinones



[C09B 5/44](#)

Azines of the anthracene series


(example below: 1,3-diazine)



[C09B 5/46](#)


Para-diazines

condensed with 1,4-diazine



[C09B 5/48](#)


Bis-anthraquinonediazines (indanthrone)



[C09B 5/60](#)

Thiazines; Oxazines (the example below is the oxazine)


the example below is the oxazine; thiazines have S instead of O



[C09B 5/62](#)

Cyclic imides or amidines of peri-dicarboxylic acids of the anthracene, benzanthrene, or perylene series

care has to be taken with view to sub group [C09B 3/14](#)




C09B 6/00

Anthracene dyes not provided for above

Definition statement

This place covers:

As an example for a compound not falling under [C09B 1/00](#) - [C09B 5/00](#) see below (see e.g. US4113749):




C09B 7/00

Indigoid dyes

Definition statement

This place covers:

Indigoid dyes and derivatives not covered/provided by its sub-groups (example up: wherein X is O, S, etc., while Y means NH; O, S, etc. or example down)




Special rules of classification

Further details of subgroups:


[C09B 7/02](#)

Bis-indole indigos



[C09B 7/06](#)


Indone-thionaphthene indigos



[C09B 7/08](#)


Other indole-indigos

not covered by the upper groups: e.g. with other heteroatom instead of NH (like O, see bis-oxodihydro-indolylene-benzodifuranone from example)



[C09B 7/10](#)


Bis-thionaphthene indigos



[C09B 7/12](#)

Other thionaphthene indigos

not covered by the upper groups (see example with Se)




C09B 9/00

Esters or ester-salts of leuco compounds of vat dyestuffs

Definition statement

This place covers:

Esters or ester-salts of leuco compounds of vat dyestuffs of other dyes not covered by [C09B 9/02](#) and [C09B 9/04](#) (example)




Special rules of classification

Further details of subgroups:

[C09B 9/02](#)

of anthracene dyes


Esters or ester-salts of leuco compounds of vat dyestuffs of anthracene dyes



[C09B 9/04](#)

of indigoid dyes

Esters or ester-salts of leuco compounds of vat dyestuffs of indigoid dyes



C09B 11/00

Diaryl- or triarylmethane dyes

Definition statement

This place covers:


Diaryl- or triarylmethane dyes; generally the coloured forms of these dyes have a sp²-hybridisation at the central C-atom

Special rules of classification

Further details of subgroups:


[C09B 11/08](#)

Phthaleins, e.g. Phenolphthaleine (left) and Fluoresceine (right)




[C09B 11/12](#)

Amino derivatives of triarylmethanes without any OH group bound to an aryl nucleus




[C09B 11/22](#)

Amino derivatives of triarylmethanes containing OH groups bound to an aryl nucleus and derivatives thereof (like ethers (example) and esters)




[C09B 11/24](#)

Phthaleins containing amino groups (see left); example for a phthalane (see right):




thereby the phthalane itself has the structure:


fluorans:



phthalides:




example for rhodamine:




[C09B 11/245](#)

Phthaleins having both OH and amino substituent(s) on an aryl ring




[C09B 11/26](#)

Triarylmethane dyes in which at least one of the aromatic nuclei is heterocyclic



[C09B 11/28](#)

Pyronines (xanthon: X=O; thioxanthon: X=S; selenoxanthon X=Se; telluroxanthon X=Te)




C09B 13/00

Oxyketone dyes

Definition statement

This place covers:

Oxyketone dyes not covered by its sub groups (example)




Special rules of classification

Further details of subgroups:


[C09B 13/02](#)

Oxyketone dyes of the naphthalene series, e.g. naphthazarin




[C09B 13/04](#)

Oxyketone dyes of the pyrene series



[C09B 13/06](#)

Oxyketone dyes of the acetophenone series, means here: derivatives of:




C09B 15/00

Acridine dyes

Definition statement

This place covers:

Illustrative example of subject matter classified in this group.




C09B 17/00

Azine dyes

Definition statement

This place covers:

Illustrative example of subject matter classified in this group.




Special rules of classification

Further details of subgroups:

[C09B 17/005](#)


Azine dyes containing at least four ortho-condensed rings with at least two N-atoms in the system, e.g. fluoflavine (left), fluorubine (right)



[C09B 17/02](#)


Azine dyes of the benzene series

Nigrosines are black azine dyes closely related to indulines, thereby their structures are not clearly defined; they should be classified here in [C09B 17/02](#)




[C09B 17/04](#)

Azine dyes of the naphthalene series



[C09B 17/06](#)

Fluorindine or its derivatives




C09B 19/00

Oxazine dyes

Definition statement

This place covers:

Illustrative example of subject matter classified in this group.




Special rules of classification

Further details of subgroups:


[C09B 19/005](#)

Gallocyanine dyes



[C09B 19/02](#)

Bisoxazines prepared from aminoquinones




C09B 21/00

Thiazine dyes

Definition statement

This place covers:

Illustrative example of subject matter classified in this group.



C09B 23/00

Methine or polymethine dyes, e.g. cyanine dyes

Definition statement

This place covers:

Methine or polymethine dyes, e.g. cyanine dyes; thereby methine or polymethine dyes comprise one or more CH-moieties linked with each other in order to establish a conjugated system: $-CH[=CH-]_x-$, thereby x is zero or bigger.


Special rules of classification

Concerning the classification method with view to the sub groups [C09B 23/02](#) up to [C09B 23/086](#) and [C09B 23/10](#) up to [C09B 23/107](#): in case a document comprises at the same time dyes with one, three, five and seven methin groups in the chain, put it into the sub groups [C09B 23/04](#), [C09B 23/06](#), [C09B 23/083](#) and [C09B 23/086](#); in case a document comprises at the same time dyes with e.g. two and four methin groups in the chain, put it into the sub groups [C09B 23/105](#) and [C09B 23/107](#). Although this stays in contradiction to the classification philosophy of the last-place-rule, it has been done so in the past.

Further details of subgroups:


[C09B 23/0008](#)

[N :substituted on the polymethine chain]




[C09B 23/0066](#)

the polymethine chain being part of a carbocyclic ring, (e.g. benzene, naphthalene, cyclohexene, cyclobutenene-quadratic acid)



[C09B 23/0083](#)


the polymethine chain being part of an heterocyclic ring, thereby the heteroring being rhodanine (left) in the chain (see example right)



[C09B 23/0091](#)


[N :having only one heterocyclic ring atom at one end of the methin chain, e.g. hemicyanines, hemioxonol (styryl dyes see [C09B 23/14](#))]

Methine dyes having only one heterocyclic ring at one end of the methine chain, e.g. hemicyanine dyes (see formula below)




[C09B 23/04](#)

Monomethine dyes, wherein the polymethine chain contains only one >CH group




[C09B 23/06](#)

Cyanine dyes, wherein the polymethine chain contains three >CH group




[C09B 23/08](#)

Cyanine dyes, wherein the polymethine chain contains more than three >CH group



[C09B 23/083](#)

Cyanine dyes, wherein the polymethine chain contains five >CH group




[C09B 23/10](#)

The polymethine chain containing an even number of CH-groups styryl dyes [C09B 23/14](#) ([C09B 23/14](#) takes precedence)


[C09B 23/102](#)

two heterocyclic rings linked carbon-to-carbon ([C09B 7/00](#) takes precedence)




[C09B 23/105](#)

Cyanine dyes, wherein the polymethine chain contains an even number like two >CH groups




[C09B 23/12](#)

the polymethine chain being branched branched means that the substituent on the polymethine chain forms a new conjugated system, e.g. most trinuclear cyanine dyes




[C09B 23/14](#)

Styryl dyes



[C09B 23/141](#)

Bis styryl dyes containing two radicals $\text{C}_6\text{H}_5\text{-CH=CH-}$




[C09B 23/145](#)

the ethylene chain carrying a heterocyclic residue, e.g. heterocycle-CH=CH-C₆H₅


[C09B 23/146](#)

(Benzo)thiazolstyrylamino dyes




[C09B 23/148](#)

Stilbene dyes containing the moiety-C₆H₅-CH=CH-C₆H₅ (stilbene azo dyes [C09B 29/00](#))




[C09B 23/16](#)

the polymethine chain containing hetero atoms



[C09B 23/168](#)

containing only phosphorus atoms, i.e. phosphacyanine




C09B 25/00

Quinophthalones

Definition statement

This place covers:

Illustrative example of subject matter classified in this group.




C09B 26/00

Hydrazone dyes; Triazene dyes

Definition statement

This place covers:

Hydrazones could be considered as chemical entities resulting from a reaction of a ketone with hydrazine:





R = H : Hydrazone
R = C₆H₅: Phenylhydrazone

Hydrazone dyes represent therefore chromophores in which e.g. two aromatic systems are linked by such a hydrazone moiety (see formula below, left).

Triazene dyes could be considered as chromophores which comprise a chemical group (e.g. a linker) showing a sequence of three nitrogen atoms in a row; the conjugation (alternating double and single bonds) is still established over the whole chromophore (see formula below, right).

For example:




Special rules of classification

Further details of subgroups:


[C09B 26/02](#)

Hydrazone dyes (for hydrazone-azo dyes: [C09B 56/18](#) takes precedence)




[C09B 26/04](#)

Cationic



[C09B 26/06](#)

Triazene dyes (triazene-azo dyes [C09B 56/20](#))



C09B 27/00

Preparations in which the azo group is formed in any way other than by diazotising and coupling, {e.g. oxidation}

Definition statement

This place covers:


Further examples for preparing azo dyes could also be e.g. the condensation of nitro compounds under basic conditions; a coupling reaction starting from two amines and an oxidoreductase enzyme; reaction between e.g. an N-heterocyclic hydrazine with a phenanthrene quinone etc.

Special rules of classification

Further details of subgroups:

[C09B 27/06](#)

Tartrazines



C09B 29/00



Monoazo dyes prepared by diazotising and coupling

Definition statement

This place covers:

Azo dyes could be considered as compounds which are built up by aromatic or heteroaromatic systems which are connected with each other via one or more entities of the so-called azo group; the azo group is the bivalent linker -N=N- comprising two nitrogen atoms. Thereby the conjugation (alternating double and single bonds) is established over the whole chromophore. Monoazo dyes simply comprise merely one azo-group which links two chemical groups (e.g. aromatic systems like the phenyl group) to result in a coloured compound. The scheme below shows the synthesis of a typical mono-azo dye.

Monoazo Dyes prepared in the conventional manner as shown in the scheme here below:



Special rules of classification

Note(s): In these main groups (Azo dyes [C09B 29/00](#) - [C09B 39/00](#)) and related sub groups, arrows in the formulae of the various types of azo dyes indicate which part of an azo dye, prepared by


diazotising and coupling, is derived from the diazo component and which part is derived from the coupling component. The arrow is pointing to the part derived from the coupling component.

In case the "coupling direction" is not described in the document/application, both possible coupling directions should be classified

Further details of subgroups:


[C09B 29/0003](#)

from diazotized anilines




[C09B 29/0014](#)

from diazotized amino naphthalene




[C09B 29/0018](#)

[N :from diazotized aminopolycyclic rings]




[C09B 29/0022](#)

[N :from diazotized aminoanthracene]




[C09B 29/0081](#)

Isothiazoles or condensed isothiazoles




[C09B 29/0096](#)

from other diazotized amino heterocyclic rings




[C09B 29/02](#)

from diazotised o-amino-hydroxy compounds




[C09B 29/06](#)

from coupling components containing amino as the only directing group



[C09B 29/08](#)


Amino benzenes



[C09B 29/0813](#)

free of acid groups


substituted by (see formulas below), thereby X being O,S,NR; R being hydrocarbonyl



[C09B 29/0817](#)


substituted by -CO...

having the substitution below:




[C09B 29/0825](#)

having the substitution below:




[C09B 29/0826](#)

having the substitution below:




[C09B 29/0827](#)

having the substitution below:




[C09B 29/0828](#)

having the substitution below:




[C09B 29/0829](#)

having the substitution below:






[C09B 29/083](#)

having the substitution below:




; represents e.g. the following structures:




[C09B 29/0832](#)

having the substitution below:




[C09B 29/095](#)

Amino naphthalenes




[C09B 29/10](#)

from coupling components containing hydroxyl as the only directing group




[C09B 29/12](#)

of the benzene series




[C09B 29/14](#)

Hydroxy carboxylic acids




[C09B 29/16](#)

Naphthol-sulfonic acids




[C09B 29/18](#)

ortho-Hydroxy carbonamides




[C09B 29/20](#)

of the naphthalene series




[C09B 29/22](#)

of heterocyclic compounds




[C09B 29/26](#)

Amino phenols




[C09B 29/28](#)

Amino naphthols




[C09B 29/30](#)

Amino naphtholsulfonic acid




[C09B 29/32](#)

from coupling components containing a reactive methylene group




[C09B 29/33](#)

Aceto- or benzoylacetylaryldes



[C09B 29/34](#)

from other coupling components




[C09B 29/36](#)

from heterocyclic compounds


[C09B 29/3604](#)

containing only a nitrogen as heteroatom




[C09B 29/3608](#)

containing a five-membered heterocyclic ring with only one nitrogen as heteroatom




[C09B 29/3617](#)

containing a six-membered heterocyclic with only one nitrogen as heteroatom




[C09B 29/3643](#)

from quinolines or hydrogenated quinolines




[C09B 29/3652](#)

containing a 1,2-diazoles or hydrogenated 1,2-diazoles




[C09B 29/3656](#)

containing amino-1,2-diazoles




[C09B 29/3665](#)

containing a six-membered heterocyclic ring with two nitrogen atoms




[C09B 29/3669](#)

from a pyrimidine ring



[C09B 29/3673](#)

Barbituric acid and derivatives thereof



C09B 31/00

Disazo and polyazo dyes of the type A->B->C, A->B->C->D, or the like, prepared by diazotising and coupling

Definition statement

This place covers:

Disazo and polyazo dyes of the type A->B->C, A->B->C->D, or the like, prepared by diazotising and coupling and the following main groups up to [C09B 35/00](#):

the arrows (->) indicate the coupling direction; in most cases the letter K represents the coupling component of the last step.

In case the "coupling direction" is not described in the document/application, both possible coupling directions should be classified


Special rules of classification

Note(s): In these main groups (Azo dyes [C09B 29/00](#) - [C09B 39/00](#)) and related sub groups, arrows in the formulae of the various types of azo dyes indicate which part of an azo dye, prepared by diazotising and coupling, is derived from the diazo component and which part is derived from the coupling component. The arrow is pointing to the part derived from the coupling component.

Further details of subgroups:


[C09B 31/043](#)

Amino-benzenes




[C09B 31/047](#)

containing acid groups, e.g. -CO₂H, -SO₃H, -PO₃H₂, -OSO₃H, -OPO₂H₂; Salts thereof




[C09B 31/053](#)

Amino naphthalenes




[C09B 31/057](#)

containing acid groups, e.g. -CO₂H, -SO₃H, -PO₃H₂, -OSO₃H, -OPO₂H₂; Salts thereof




[C09B 31/062](#)

Phenols




[C09B 31/065](#)

containing acid groups, e.g. -CO₂H, -SO₃H, -PO₃H₂, -OSO₃H, -OPO₂H₂; Salts thereof




[C09B 31/068](#)

Naphthols




[C09B 31/072](#)

containing acid groups, e.g. -CO₂H, -SO₃H, -PO₃H₂, -OSO₃H, -OPO₂H₂; Salts thereof




[C09B 31/075](#)

ortho-Hydroxy carboxylic acid amides




[C09B 31/078](#)

containing acid groups, e.g. -CO₂H, -SO₃H, -PO₃H₂, -OSO₃H, -OPO₂H₂; Salts thereof




[C09B 31/08](#)

from a coupling component "C" containing directive hydroxyl and amino groups




[C09B 31/105](#)

containing acid groups, e.g. -CO₂H, -SO₃H, -PO₃H₂, -OSO₃H, -OPO₂H₂; Salts thereof




[C09B 31/11](#)

Aceto- or benzoyl-acetylarylates




[C09B 31/12](#)

from other coupling components "C"




[C09B 31/14](#)

Heterocyclic components




[C09B 31/143](#)

1,2-Diazoles




[C09B 31/147](#)

Pyrazoles




[C09B 31/15](#)

Indoles




[C09B 31/153](#)

containing a six-membered ring with one nitrogen atom as the only ring hetero-atom




[C09B 31/157](#)

Quinolines or hydrogenated quinolines




[C09B 31/16](#)

Trisazo dyes




[C09B 31/18](#)

from a coupling component "D" containing a directive amine group




[C09B 31/20](#)

from a coupling component "D" containing a directive hydroxyl group




[C09B 31/22](#)

from a coupling component "D" containing directive hydroxyl and amino groups




[C09B 31/24](#)

from a coupling component "D" containing reactive methylene groups




[C09B 31/26](#)

from other coupling components "D"




[C09B 31/28](#)

Heterocyclic compounds



[C09B 31/30](#)

Other polyazo dyes



C09B 33/00

Disazo and polyazo dyes of the types A->K<-B, A->B->K<-C, or the like, prepared by diazotising and coupling

Definition statement

This place covers:


The arrows (->) indicate the coupling direction; in most cases the letter K represents the coupling component of the last step.

In case the "coupling direction" is not described in the document/application, both possible coupling directions should be classified.

In the following scheme one can derive the diazotising and coupling direction carried out by the synthesis of C.I. Acid Black 1. The two aniline derivatives A1 (= 4-nitro-aniline) and A2 (= aniline) are transferred to their diazo components by diazotising with sodium nitrite under acid conditions (e.g. with HCl). The obtained diazo components are then coupled in the 2- and 7- position of the amino-naphthol coupling component to give C.I. Acid Black 1.

Definition statement

This is a typical synthesis for a disazo dye falling under the reaction scheme A--->K<--->B.




Special rules of classification

Note(s): In these main groups (Azo dyes [C09B 29/00](#) - [C09B 39/00](#)) and related sub groups, arrows in the formulae of the various types of azo dyes indicate which part of an azo dye, prepared by diazotising and coupling, is derived from the diazo component and which part is derived from the coupling component. The arrow is pointing to the part derived from the coupling component.

Further details of subgroups:


[C09B 33/04](#)

Disazo dyes in which the coupling component is a dihydroxy or polyhydroxy compound




[C09B 33/044](#)

the coupling component being a bis-phenol




[C09B 33/048](#)

the coupling component being a bis-naphthol




[C09B 33/052](#)

the coupling component being a bis-(naphthol-amine)




[C09B 33/056](#)

the coupling component being a bis-(naphthol-urea)




[C09B 33/06](#)

in which the coupling component is a diamine or polyamine




[C09B 33/08](#)

in which the coupling component is a hydroxy-amino compound




[C09B 33/10](#)

in which the coupling component is an amino naphthol




[C09B 33/12](#)

in which the coupling component is a hetero-cyclic compound




[C09B 33/147](#)

in which the coupling component is a bis -(-o-hydroxy-carboxylic- acid amide)




[C09B 33/153](#)

in which the coupling component is a bis-(aceto-acetyl amide) or a bis-(benzoyl-acetyl amide)




[C09B 33/16](#)

from other coupling components




[C09B 33/22](#)


Trisazo dyes of the type A->B->K<-C



[C09B 33/24](#)


Trisazo dyes of the type;






[C09B 33/26](#)

Tetrazo dyes of the type A->B->C->K-D




[C09B 33/28](#)


Tetrazo dyes of the type A->B->K-<C-<D



[C09B 33/30](#)



Tetrazo dyes of the type





[C09B 33/32](#)

Tetrazo dyes of the type



C09B 35/00

Disazo and polyazo dyes of the type A<-D->B prepared by diazotising and coupling

Definition statement

This place covers:


The arrows (->) indicate the coupling direction; in most cases the letter K represents the coupling component of the last step.

In case the "coupling direction" is not described in the document/application, both possible coupling directions should be classified.

In the following scheme one can derive the diazotising and coupling direction carried out by the synthesis of the disazo dye shown at the bottom of the scheme.

A 4,4'-diamino-biphenyl is twice diazotised, also called 'tetrazotised' with NaNO₂ under acid conditions (e.g. HCl), thereby the two amino groups are transferred to two N₂⁺ - groups at the left and at the right. This tetrazo compound is now coupled to two identical coupling components, namely 4-amino-naphthylsulfonic acid. The resulting disazo dye is finally obtained.

This is a typical synthesis for a disazo dye falling under the reaction scheme A<---D--->B.




Special rules of classification

Note(s): In these main groups (Azo dyes [C09B 29/00](#) - [C09B 39/00](#)) and related sub groups, arrows in the formulae of the various types of azo dyes indicate which part of an azo dye, prepared by diazotising and coupling, is derived from the diazo component and which part is derived from the coupling component. The arrow is pointing to the part derived from the coupling component.

Further details of subgroups:


[C09B 35/023](#)

Disazo dyes characterised by two coupling components of the same type in which the coupling component is a hydroxy or polyhydroxy compound




[C09B 35/025](#)

in which the coupling component is an amine or polyamine




[C09B 35/027](#)

in which the coupling component is a hydroxy-amino compound




[C09B 35/029](#)

Amino naphthol




[C09B 35/03](#)

in which the coupling component is a heterocyclic compound




[C09B 35/031](#)

containing a six membered ring with one nitrogen atom as the only ring hetero atom




[C09B 35/033](#)

In which the coupling component is an arylamide of an o-hydroxy-carboxylic acid or of a beta-keto-carboxylic acid




[C09B 35/035](#)

in which the coupling component containing an activated methylene group




[C09B 35/037](#)

characterised by two coupling components of different types




[C09B 35/04](#)

the tetrazo component being a benzene derivative




[C09B 35/06](#)

the tetrazo component being a naphthalene derivative




[C09B 35/08](#)

the tetrazo component being a derivative of biphenyl




[C09B 35/10](#)

from two coupling components of the same type




[C09B 35/12](#)

from amines




[C09B 35/14](#)

from hydroxy compounds




[C09B 35/16](#)

from hydroxy-amines




[C09B 35/18](#)

from heterocyclic compounds




[C09B 35/20](#)

from two coupling compounds of different types




[C09B 35/21](#)

the tetrazo component being a derivative of diarylmethane or triarylmethane




[C09B 35/215](#)

of diarylethane or diarylethene other stilbene-azo dyes, [C09B 56/04](#), [C09B 56/06](#)




[C09B 35/22](#)

the tetrazo component being a derivative of a diaryl ether




[C09B 35/227](#)

the tetrazo component being a derivative of a diaryl sulfide or a diaryl polysulfide




[C09B 35/233](#)

the tetrazo component being a derivative of a diaryl ketone or benzil




[C09B 35/24](#)

the tetrazo component being a derivative of a diaryl amine




[C09B 35/26](#)

the tetrazo component being a derivative of a diaryl urea




[C09B 35/30](#)

from two identical coupling components




[C09B 35/32](#)

from two different coupling components




[C09B 35/34](#)

the tetrazo component being heterocyclic




[C09B 35/35](#)

Trisazo dyes in which the tetrazo component is a diamino-azo-aryl compound




[C09B 35/36](#)

Trisazo dyes of the type




[C09B 35/362](#)

D is benzene




[C09B 35/364](#)

D is naphthalene




[C09B 35/366](#)

D is diphenyl




[C09B 35/368](#)

D is diarylether, a diarylsulfide or a diarylpolsulfide




[C09B 35/37](#)

D is diarylamine




[C09B 35/372](#)

D is diarylurea




[C09B 35/374](#)

D contains two aryl nuclei linked by at least one of the groups -CON-, -SO₂N-, -SO₂-, or -SO₂-O-




[C09B 35/376](#)


D is a heterocyclic compound




[C09B 35/378](#)

Trisazo dyes of the type






[C09B 35/38](#)




· Trisazo dyes of the types




[C09B 35/40](#)

the component K being a dihydroxy or polyhydroxy compound




[C09B 35/42](#)

the component K being a diamine or polyamine




[C09B 35/44](#)

the component K being a hydroxy amine




[C09B 35/46](#)

the component K being an amino naphthol





[C09B 35/48](#)

the component K being heterocyclic





[C09B 35/52](#)

Tetrazo dyes of the type




[C09B 35/54](#)


of the type



[C09B 35/56](#)



of the type






[C09B 35/58](#)


of the type



[C09B 35/60](#)



of the type






[C09B 35/62](#)


of the type



[C09B 35/64](#)

Higher polyazo dyes, e.g. of the types






C09B 37/00

Azo dyes prepared by coupling the diazotised amine with itself

Definition statement

This place covers:

Illustrative example of subject matter classified in this group.



Special rules of classification

Note(s): In these main groups (Azo dyes [C09B 29/00](#) - [C09B 39/00](#)) and related sub groups, arrows in the formulae of the various types of azo dyes indicate which part of an azo dye, prepared by diazotising and coupling, is derived from the diazo component and which part is derived from the coupling component. The arrow is pointing to the part derived from the coupling component.

C09B 39/00

Other azo dyes prepared by diazotising and coupling

Definition statement

This place covers:

Generally documents disclosing dyes which can not be classified in the foregoing groups [C09B 29/00](#) through [C09B 37/00](#).

For instance the reaction product of at least one diazonium salt with a carbon black will be introduced in [C09B 39/00](#) (here a diazo compound is coupled on the solid surface of a carbon black particle); as an other example, obtaining tanning dyestuffs by coupling a diazotised aromatic compound with a water-soluble tanning agent and reacting the product with a heavy-metal salt is classified here as well; [further illustrations can be derived from documents present in this group].

Special rules of classification

Note(s): In these main groups (Azo dyes [C09B 29/00](#) - [C09B 39/00](#)) and related sub groups, arrows in the formulae of the various types of azo dyes indicate which part of an azo dye, prepared by diazotising and coupling, is derived from the diazo component and which part is derived from the coupling component. The arrow is pointing to the part derived from the coupling component.

C09B 41/00

Special methods of performing the coupling reaction {(reaction of mixtures of diazo and coupling components, [C09B 67/0033](#))}

Definition statement

This place covers:

Coupling reactions e.g. carried out in specific solvents, in the presence of specific reaction assistants [e.g. urea, dispersing agents etc.]; automatically controlled processes, stepwise coupling, the help of mechanical resp. physical means are covered here as well.

C09B 43/00

Preparation of azo dyes from other azo compounds

Definition statement

This place covers:

Here the azo dye as produced is generally included already basically in the starting product; e.g. functional groups attached in the starting dye could be transferred into other functional groups leading to the final product [acylation of amino groups, acylation of hydroxyl groups etc.].


C09B 44/00

Azo dyes containing onium groups

Definition statement

This place covers:

To the dye e.g. ammonium, phosphonium, sulfonium or other 'onium' groups (see examples below) are covalently attached:




Special rules of classification

Further details of subgroups:

[C09B 44/005](#)


Special process features in the quaternization reaction

e.g. by treating an aromatic heterocycle which contains at least one nitrogen atom with an alkylating agent or e.g. by treating a benzothiazole azo compound with a dialkylsulfate or by a reaction below:




[C09B 44/02](#)

containing ammonium groups not directly attached to an azo group




[C09B 44/04](#)

from coupling components containing amino as the only directing group




[C09B 44/06](#)

from coupling components containing hydroxyl as the only directing group




[C09B 44/08](#)

from coupling components containing heterocyclic rings




[C09B 44/10](#)

containing cyclammonium groups attached to an azo group by a carbon atom of the ring system




[C09B 44/106](#)

derived from pyrazoles (left), pyrazolones (right)



[C09B 44/12](#)


having one nitrogen atom as the only ring hetero atom



[C09B 44/14](#)


1, 2-Diazoles or hydrogenated 1,2-diazoles Pyrazolium; Indazolium

3-Diazoles




[C09B 44/16](#)

1, 3-Diazoles or hydrogenated 1,3-diazoles (Benz)imidazolium




[C09B 44/18](#)

having three nitrogen atoms as the only ring hetero atoms



[C09B 44/20](#)

Thiazoles or hydrogenated thiazoles



C09B 45/00

Complex metal compounds of azo dyes

Definition statement


This place covers:

Here the azo dye functions as a ligand linked to a metal cation in a coordinative nature. Thereby the electron donating group in the dye can be the azo group, a hydroxyl group or an acid group (e.g. COO⁻) etc.

Special rules of classification

The sub-groups [C09B 45/04](#), [C09B 45/14](#) and [C09B 45/24](#) cover documents where the metal can vary, in this case don't use the respective lower sub-groups (e.g. [C09B 45/06](#), [C09B 45/08](#), [C09B 45/10](#)). The sub-groups [C09B 45/12](#), [C09B 45/22](#) and [C09B 45/32](#) should contain documents where the metal is not Cr, Cu or Co, i.e. for example Ni or Fe (maybe both together also).

A typical monoazo dye-metal complex is shown below:




Further details of subgroups:

[C09B 45/01](#)

Preparation from dyes containing ortho-position hydroxyl group and ortho'-position hydroxyl, alkoxy, carboxyl, amino or keto groups


[C09B 45/02](#)

[e.g. the dye below could be a possible ligand for metallisation]




[C09B 45/16](#)

containing chromium




[C09B 45/18](#)

containing copper




[C09B 45/20](#)

containing cobalt



[C09B 45/22](#)

containing other metals




[C09B 45/24](#)

Disazo or poly azo compounds


[C09B 45/26](#)

containing chromium




[C09B 45/28](#)

containing copper




[C09B 45/30](#)

containing cobalt




[C09B 45/32](#)

containing other metals




[C09B 45/34](#)

Preparation from o-monohydroxy azo compounds having in the o-position an atom or functional group other than hydroxyl, alkoxy, carboxyl, amino or keto groups




[C09B 45/40](#)

containing chromium




[C09B 45/42](#)

containing copper




[C09B 45/44](#)

containing cobalt



[C09B 45/46](#)


containing other metals



C09B 47/00**Porphines; Azaporphines {(non-dyeing compounds [C07D 487/22](#))}****Definition statement**

This place covers:

Illustrative example of subject matter classified in this group.


**Special rules of classification**



In case the preparation process of the disclosed phthalocyanine resp. naphthalocyanine is not described, all possible synthesis processes should be classified

C09B 47/04**Phthalocyanines {abbreviation: Pc}****Definition statement**

This place covers:

Phthalocyanine compounds, e.g. naphthalocyanines, azaphthalocyanines and subphthalocyanines as illustrated by the examples below.






C09B 47/10**Obtaining compounds having halogen atoms directly bound to the phthalocyanine skeleton****Definition statement**


This place covers:

Preparation from other phthalocyanine compounds, phthalocyanine compounds containing halogen atoms directly bound to the phthalocyanine skeleton as illustrated by the example below.

**C09B 47/12****Obtaining compounds having alkyl radicals, or alkyl radicals substituted by hetero atoms, bound to the phthalocyanine skeleton****Definition statement**

This place covers:

Preparation from other phthalocyanine compounds, phthalocyanine compounds containing alkyl radicals, or alkyl radicals substituted by hetero atoms, bound to the phthalocyanine skeleton as illustrated by the example below.




C09B 47/14

having alkyl radicals substituted by halogen atoms

Definition statement

This place covers:

Preparation from other phthalocyanine compounds, phthalocyanine compounds containing alkyl radicals substituted by halogen atoms, bound to the phthalocyanine skeleton as illustrated by the example below.




C09B 47/16

having alkyl radicals substituted by nitrogen atoms

Definition statement

This place covers:

Preparation from other phthalocyanine compounds, phthalocyanine compounds containing alkyl radicals substituted by nitrogen atoms, bound to the phthalocyanine skeleton as illustrated by the example below.




C09B 47/18

Obtaining compounds having oxygen atoms directly bound to the phthalocyanine skeleton

Definition statement

This place covers:

Preparation from other phthalocyanine compounds, phthalocyanine compounds containing oxygen atoms directly bound to the phthalocyanine skeleton as illustrated by the example below.




C09B 47/20

Obtaining compounds having sulfur atoms directly bound to the phthalocyanine skeleton

Definition statement

This place covers:


Preparation from other phthalocyanine compounds, phthalocyanine compounds containing sulfur atoms directly bound to the phthalocyanine skeleton as illustrated by the example below.



C09B 47/22**Obtaining compounds having nitrogen atoms directly bound to the phthalocyanine skeleton****Definition statement**


This place covers:

Preparation from other phthalocyanine compounds, phthalocyanine compounds containing nitrogen atoms directly bound to the phthalocyanine skeleton as illustrated by the example below.

**C09B 47/24****Obtaining compounds having —COOH or —SO₃H radicals, or derivatives thereof, directly bound to the phthalocyanine radical****Definition statement**

This place covers:


Preparation from other phthalocyanine compounds, phthalocyanine compounds containing -COOH or -SO₃H radicals, or derivatives thereof, directly bound to the phthalocyanine skeleton as illustrated by the example below.



C09B 47/26**Amide radicals****Definition statement**


This place covers:

Preparation from other phthalocyanine compounds, phthalocyanine compounds containing amide radicals, directly bound to the phthalocyanine skeleton as illustrated by the example below

**C09B 47/28****Phthalocyanine dyes containing —S—SO₃H radicals****Definition statement**

This place covers:


Phthalocyanine dyes containing -S-SO₃H radicals as illustrated by the example below.



C09B 47/30**Metal-free phthalocyanines****Definition statement**


This place covers:

Metal-free phthalocyanines as illustrated by the example below.

**C09B 47/32****Cationic phthalocyanine dyes****Definition statement**

This place covers:


Cationic phthalocyanine dyes as illustrated by the example below.



C09B 48/00**Quinacridones****Definition statement**

This place covers:

Illustrative example of subject matter classified in this group.

**C09B 49/00****Sulfur dyes****Definition statement**


This place covers:

Dyes/Colorants obtained by heating a variety of organic compounds with sulfur or alkali polysulfides. Also colorants bearing a disulfid bridge (-S-S-) or a terminal thiol group (or derivatives thereof) might be classified here.

C09B 50/00**Formazane dyes; Tetrazolium dyes****Definition statement**


This place covers:

Formazane dyes (left); Tetrazolium dyes (right)




Definition statement

The two structures above are merely examples of the two dye classes covered by [C09B 50/00](#) and sub groups; generally, formazane dyes comprise the basic structure as shown below, left, thereby tetrazolium dyes (below, right) show a heterocyclic ring comprising four N-atoms:



A few documents classified in [C09B 50/00](#) disclose the transfer of the (water soluble) tetrazolium precursor into its (water insoluble) formazane derivative (see scheme below):




Special rules of classification

Further details of subgroups:


[C09B 50/02](#)

Tetrazolium dyes:




[C09B 50/04](#)

Metal-free Formazane dyes:




[C09B 50/06](#)

Bis-formazan dyes




[C09B 50/08](#)

Meso-acylformazan dyes



[C09B 50/10](#)

Cationicformazandyes




C09B 51/00

Nitro or nitroso dyes

Definition statement

This place covers:

Illustrative example of subject matter classified in this group.




C09B 53/00

Quinone imides

Definition statement

This place covers:

Illustrative example of subject matter classified in this group.




Special rules of classification

Further details of subgroups:

[C09B 53/02](#)

Indamines;Indophenols




C09B 55/00

Azomethine dyes

Definition statement

This place covers:


Illustrative example of subject matter classified in this group.



Special rules of classification

Further details of subgroups:

[C09B 55/009](#)



C09B 56/00

Azo dyes containing other chromophoric systems

Definition statement

This place covers:


The dyes classified here show an azo-type chromophore which is covalently linked (in most cases by a common chemical linker) to a chromophore being of a different nature than the azo-type; examples might be here: azo - [chemical linker] - anthraquinone or azo - [chemical linker] - phthalocyanine etc.

Special rules of classification


Further details of subgroups:

[C09B 56/005](#)

Azo-nitro dyes




thereby, the following structure should be put into [C09B 29/081](#):




[C09B 56/02](#)

Azomethine-azo dyes 1,2-Complex dyes of AZOMETHINE and AZO dyes, [C09B 55/001](#)




[C09B 56/04](#)

Stilbene-azo dyes disazo dyes from diaminostilbene, [C09B 35/215](#)




[C09B 56/06](#)

Stilbene-azo dyes disazo dyes from diaminostilbene, [C09B 35/215](#)




[C09B 56/08](#)

Styryl-azo dyes




[C09B 56/10](#)

Formazane-azo dyes




[C09B 56/12](#)

Antraquinone-azo dyes from diazotised amino anthracene [C09B 29/0022](#), azo dyes containing hydroxyl groups acylated with polyfunctional anthraquinone derivatives [C09B 43/26](#)




[C09B 56/14](#)

Phthalocyanine-azo dyes




[C09B 56/16](#)

Methine- or polymethine-azo dyes




[C09B 56/18](#)

Hydrazone-azo dyes, e.g.



[C09B 56/20](#)

Triazene-azo dyes



C09B 57/00

Other synthetic dyes of known constitution

Definition statement

This place covers:

Documents dealing with colorants not belonging to the groups [C09B 1/00](#) through [C09B 56/00](#).


Special rules of classification

See here also the main group [C09B 59/00](#)

Further details of subgroups:


[C09B 57/001](#)

Pyrene dyes




[C09B 57/002](#)

Aminoketone dyes, e.g. arylaminoketone dyes ([C09B 13/00](#) takes precedence)




[C09B 57/004](#)

Diketo-pyrrolo-pyrrole dyes




[C09B 57/005](#)

N: Pyrocolline; Phthalcoylpyrocolline dyes




[C09B 57/007](#)

Squaraine dyes




[C09B 57/008](#)

Triarylamine dyes containing no other chromophores [N1006]




[C09B 57/02](#)

Coumarine dyes




[C09B 57/04](#)

Isoindoline dyes




[C09B 57/06](#)

Naphtholactam dyes



[C09B 57/08](#)


Naphthalimide dyes; Phthalimide dyes



[C09B 57/10](#)

Metal complexes of organic compounds not being dyes in uncomplexed form

in the formula below, the ligand itself is not coloured, the complex as such is coloured



C09B 59/00

Artificial dyes of unknown constitution

Definition statement

This place covers:

In some cases it is not possible to analyse a well defined chemical structure of a dye or pigment. To this class of dyes belong e.g. the nigrosine dyes (a mixture of benzo-quinoxaline type chromophores), melanin-type colorants, some aniline condensed dyes, some vat dyes etc. Documents dealing with such colorant matters should be classified herein.

Special rules of classification

See here also the main group [C09B 57/00](#)

C09B 61/00

Dyes of natural origin prepared from natural sources {, e.g. vegetable sources}

Definition statement

This place covers:

Dyes resp. pigments of natural origin being found e.g. in plants or animals (e.g. madder, brazilwood, logwood, weld, woad, indigo etc). Some natural dyes, such as cochineal, come from insects, or from mineral sources; they have to be isolated from the natural materials by common techniques like crushing, extracting, boiling with certain solvents, filtering, to mention only a few techniques. Documents dealing with those colorants should be classified here.

C09B 62/00

Reactive dyes, i.e. dyes which form covalent bonds with the substrates or which polymerise with themselves

Definition statement

This place covers:

A reactive dye comprises a chromophore as the color giving moiety and a substituent which is suitable to react directly with functional groups of the substrate to be coloured or printed. Such reactive dyes normally have good fastness properties, especially washing, wet or sweat fastnesses; most commonly they are used in dyeing of cellulose materials like cotton or flax, but also wool is dyeable with reactive dyes. Documents dealing with such reactive dyes should be classified here.

Special rules of classification

Further details of subgroups:

[C09B 62/4401](#)

with two or more reactive groups at least one of them being directly attached to a heterocyclic system and at least one of them being directly attached to a non-heterocyclic system


[C09B 62/465](#)

the reactive group being an acryloyl group, a quaternised or non-quaternised aminoalkyl carbonyl group or a $(-N)_n\text{-CO-A-O-X}$ or $(-N)_n\text{-CO-A-Hal}$ group, wherein A is an alkylene or alkylidene group, X is hydrogen or an acyl radical of an organic or inorganic acid, Hal is a halogen atom, and n is 0 or 1

[C09B 62/503](#)

the reactive group being an esterified or non-esterified hydroxyalkyl sulfonyl or mercaptoalkyl sulfonyl group, a quaternised or non-quaternised aminoalkyl sulfonyl group, a heterylmercapto alkyl sulfonyl group, a vinyl sulfonyl or a substituted vinyl sulfonyl group, or a thiophene-dioxide group;

examples for reactive dyes with a vinyl sulfonyl group or an esterified hydroxyalkyl sulfonyl group (sulfatoethyl) see below:



[C09B 62/517](#)

Porphines; Azaporphines ([C09B 62/5033](#), [C09B 62/5036](#) take precedence)

[C09B 62/523](#)

the reactive group being an esterified or non-esterified hydroxyalkyl sulfonyl amido or hydroxyalkyl amino sulfonyl group, a quaternised or non-quaternised amino alkyl sulfonyl amido group, or a substituted alkyl amino sulfonyl group, or a halogen alkyl sulfonyl amido or halogen alkyl amino sulfonyl group or a vinyl sulfonylamido or a substituted vinyl sulfonamido group

[C09B 62/62](#)

the reactive group being an ethylenimino or N-acylated ethylenimino group or a -CO-NH-CH₂-CH₂-X group, wherein X is a halogen atom, a quaternary ammonium group or O-acyl and acyl is derived from an organic or inorganic acid, or a beta-substituted ethylamine group

C09B 63/00

Lakes

Definition statement

This place covers:

Lakes generally are insoluble colorants which are obtained by transferring soluble colorants by certain binders/metal salts into insoluble ones, which have then the properties of pigments.

They can be manufactured by precipitating a dye with an inert binder or dyes made immobilised by e.g. adsorbing it on silica surfaces or concrete.

Water-soluble functional dyes could e.g. be incorporated in a silica matrix with a specified low bleeding rate ('immobilised').

Further, a water-soluble dye comprising acid groups could be transferred into a pigment/lake by precipitating it with certain metal salts (e.g. earth alkaline metals like Ca²⁺, Ba²⁺) into an insoluble salt (this is called 'laking' a dye), see here [C09B 63/005](#) below.

Special rules of classification

Further details of subgroups:

[C09B 63/005](#)

Metal lakes of dyes; e.g. azo dyes with SO₃H groups made insoluble by salting out with cations of alkaline earth metals like Ca²⁺, Mg²⁺ or also Al³⁺; metal complexes of azo dyes see main group [C09B 45/00](#) and sub groups; complexes of metals with ligands being colourless in uncomplexed form see [C09B 57/10](#)

C09B 65/00

Compositions containing mordants

Definition statement

This place covers:

Compositions containing mordants; thereby dyes are reacted with so-called mordants; mordants are in most cases metal salts already comprised in the material to be colored (textiles, fibres etc.) by pre-treatment; the dyes build complexes with these metals and are by this way fixed to the material

C09B 67/00

Influencing the physical, e.g. the dyeing or printing properties of dyestuffs without chemical reactions, e.g. by treating with solvents {grinding or grinding assistants, coating of pigments or dyes}; Process features in the making of dyestuff preparations; Dyestuff preparations of a special physical nature, e.g. tablets, films

Definition statement

This place covers:

Post-treatment of organic pigments, crystal modifications thereof, their preparation, blends of dyes and pigments, process features in the making of dyestuff/pigment preparations; solution of dyes/pigments; dispersions of dyes/pigments; dyes in solid form; purification, precipitation, filtration of dyes/pigments; dye/pigment preparation of special physical nature; organic pigments exhibiting interference colours (e.g. nacrous pigments). [C09B 67/00](#) does generally not enclose the chemical modification of pigments (see here: [C09B 68/00](#) and sub groups)

Special rules of classification

Further details of subgroups:

[C09B 67/0001](#)

After the synthesis the obtained organic pigment, the so-called raw-pigment does not have sufficient pigment properties (e.g. with view to colour strength, average particle size, dispersability, crystal modification etc.) to be applied to a material. Therefore further conditioning of the pigment is necessary, which can consist of milling, solvent treatment, acid treatment, tempering, combining with dispersants etc. and combinations thereof. Such conditioning processes ('post-treatment') are a major part of the this subgroup [C09B 67/0001](#).

[C09B 67/0096](#)

e.g. membrane processes like ultra-, micro-, nanofiltration; ultra-centrifugation; solvent extraction; combining precipitation and dissolution steps etc., for instance carried out in microreactors


C09B 68/00

{Organic pigments surface-modified by grafting, e.g. by establishing covalent or complex bonds, in order to improve the pigment properties, e.g. dispersibility or rheology}

Definition statement

This place covers:

Illustrative example of subject matter classified in this group.



Definition statement

This drawing illustrates e.g. the covalent attachment of a chemical group (might be an alkylene chain) with a terminal negative charge (might be an anionic SO₃⁻ group) to the surface of a pigment, e.g. to improve dispersibility. The organic pigment particle is here represented by the ring at the right.

Special rules of classification

In this main group, in order to emphasise the difference to the main group [C09B 67/00](#), which deals with the treatment of dyes/pigments without chemical reactions, the surface modification of pigments with chemical reactions is covered here.

Thereby in the sub groups of [C09B 68/20](#) until [C09B 68/28](#) the point of view is focussed on the kind of the treating process (e.g. oxidation, azo-coupling etc.), thereby the chemical nature of the introduced/ attached groups (e.g. ionic, non-ionic, cyclic, aromatic etc.) is treated in the sub groups [C09B 68/40](#) until [C09B 68/485](#).

C09B 69/00**Dyes not provided for by a single group of this subclass****Definition statement**

This place covers:


All dyes not falling under the preceding main groups

Special rules of classification**Further details of subgroups:**

[C09B 69/008](#)

Dyes containing a substituent, which contains a silicium atom (see formula below):

this sub group takes precedence vis à vis the sub group for the chromophore at which the Si-containing substituent is attached (here: [C09B 5/002](#))



[C09B 69/10](#)

This sub group covers the following compounds:

- 1) Polymers with at least one chromophoric system covalently linked to the polymer chain (could be attached as a pending group in the middle of the chain or as a terminal group at its end)
- 2) Polymers which comprise a chromophoric system as a monomer being part of the chain.

In case a polymeric polyalkylene oxid chain (e.g. -CH₂CH₂O- or -CH₂CH₂CH₂O-) is linked to a dye chromophore, please put the document into the group [C09B 69/00](#), as already indicated in this subgroup [C09B 69/10](#).