

## C08G

### MACROMOLECULAR COMPOUNDS OBTAINED OTHERWISE THAN BY REACTIONS ONLY INVOLVING UNSATURATED CARBON-TO-CARBON BONDS

#### Definition statement

*This place covers:*

Macromolecular compounds obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds, e.g. condensation polymers, where the polymers are:

Polymers from aldehydes or ketones, the polymers including polyacetals and phenol-formaldehyde-type resins such as novolaks or resoles,

Polymers from isocyanates or isothiocyanates, the polymers including polyurethanes and polyureas, Epoxy resins,

Polymers obtained by reactions forming a carbon-to-carbon link in the main chain, e.g. Polyphenylenes and polyxylylenes,

Polymers obtained by reactions forming a linkage containing oxygen in the main chain, e.g. Polyesters, polycarbonates, polyethers and copolymers of carbon monoxide with aliphatic unsaturated compounds,

Polymers obtained by reactions forming a linkage containing nitrogen in the main chain, e.g. Polyamides, polyamines, polyhydrazides, polytriazoles, polyimides, polybenzimidazoles and nitroso rubbers,

Polymers obtained by reactions forming a linkage containing sulphur in the main chain, e.g. Polysulphides, polythioethers, polysulphones, polysulphoxides, polythiocarbonates and polythiazoles,

Polymers obtained by reactions forming a linkage containing silicon in the main chain, e.g. Polysiloxanes, silicones or polysilicates,

Other polymers obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds, e.g. Polymers obtained by reactions forming a linkage containing other elements in the main chain, e.g. P, b, al, sn, block copolymers obtained by inter-reacting polymers in the absence of monomers, dendrimers and hyperbranched polymers.

Processes for preparing the macromolecular compounds provided for in this subclass.

#### Relationships with other classification places

Composition of polymers with organic or inorganic additives should not be classified here.

Relationship with other subclasses of class [C08](#) and [C09](#)

Subclasses [C08B](#) - [C08L](#) are generally function-oriented subclasses in relation to the polymers per se, while [C09D](#) - [C09K](#) are application-oriented subclasses in relation to the said polymers (see below for the special relationship with [C09D](#) and [C09J](#)).

Polysaccharides per se and their derivatives are classified in [C08B](#).

Treatment and chemical modification of rubbers, including conjugated diene rubbers, are classified in [C08C](#) – however synthesis of rubbers and treatment or chemical modification of non-rubbers are classified in subclasses [C08F](#) or [C08G](#).

Macromolecular compounds per se obtained by reactions only involving carbon-to-carbon unsaturated bonds (usually known as addition polymers) are in [C08F](#). Compositions based on monomers of such polymers are also in [C08F](#).

Macromolecular compounds per se obtained otherwise than by reactions only involving carbon-to-carbon unsaturated bonds (usually known as condensation polymers) are classified in [C08G](#). Compositions based on monomers of such polymers are also classified in [C08G](#).

Derivatives of natural macromolecular polymers per se, e.g. derived from proteins or vulcanised oils, are classified in [C08H](#).

Working-up, general processes of compounding and after-treatment are covered by subclass [C08J](#). These include making solutions, dispersions etc., plasticising, compounding with additives, e.g. colouring or masterbatching, crosslinking, manufacture of articles or shaped materials, chemical treatment or coating of such articles, making porous, cellular or foamed materials, and recovery or working up of waste materials.

Use or choice of inorganic or non-macromolecular organic materials as compounding agents are classified in [C08K](#); Compositions classified in [C08K](#) according to note 3 of [C08K](#), are not classified in [C08L](#). However, if a composition contains two polymers and an additive following [C08K](#), classification is made in [C08L](#). Only if the polymer itself is part of the invention (and not trivial), should the document be classified in [C08G](#) as well.

Coating compositions and other polymer compositions for similar uses, e.g. paints, inks, woodstains and printing pastes, are classified in [C09D](#).

[C09G](#) covers the application of the compositions of [C08L](#) when used as polishes.

Adhesives and adhesive processes are classified in [C09J](#).

Materials used in applications not otherwise provided for, are classified in [C09K](#). These include sealing or anti-slip materials, heat-transfer, heat-exchange or heat-storage materials, drilling compositions, luminescent or tenebrescent materials, etching, surface-brightening or pickling materials, antioxidant materials, soil-conditioning or soil-stabilising materials, liquid crystal or fireproofing materials.

### **Multiple classification**

Application of macromolecular compositions as biocides, pest-repellants, pest-attractants, or plant growth activity regulators is further classified in subclass **A01P**.

Therapeutic activity of macromolecular compounds is further classified in subclass [A61P](#) (as secondary classification).

The use of cosmetics or similar toilet preparations is further classified in subclass [A61Q](#). Processes using enzymes or microorganisms in order to (i) liberate, separate or purify a pre-existing compound or composition, or to (ii) treat textiles or clean solid surfaces of materials, are further classified in subclass **C12S**.

Relationship between [C08F](#), [C08G](#), [C08L](#), [C09D](#) and [C09J](#)

Polymers as such, or their preparations are classified in [C08F](#) or [C08G](#).

Polymer compositions are classified in [C08L](#).

Coating compositions are classified in [C09D](#) and adhesive compositions are classified in [C09J](#).

[C09D](#) and [C09J](#) are seen as "related fields" of [C08L](#) - this structure has implications on search and classification.

For classification:

if the claims only pertain to a "coating composition...", only the [C09D](#) class is given.

if the claims pertain to a composition as such and to coating (e.g. "composition for use as coating..."), both the [C09D](#) class and the corresponding [C08L](#) class are given.

For searching: both classes are to be searched, regardless of the wording of the claims, since in many documents of [C08L](#), a passage relating to the use of the composition for coating can be found.

These rules apply in analogy for the adhesive compositions of [C09J](#).

## References

### Application-oriented references

*Examples of places where the subject matter of this place is covered when specially adapted, used for a particular purpose, or incorporated in a larger system:*

Application of macromolecular compositions as pesticides or herbicides	<a href="#">A01N</a>
Application of macromolecular compositions as pharmaceutical compositions or cosmetics	<a href="#">A61K</a>
Application for golf balls	<a href="#">A63B</a>
Application for hollow fibres membranes	<a href="#">B01D 69/08</a>
Application for tyres	<a href="#">B29D 30/00</a>
Application of macromolecular compositions as explosive compositions	<a href="#">C06B</a>
Application of macromolecular compositions in coating compositions	<a href="#">C09D</a>
Application of macromolecular compositions in adhesive compositions	<a href="#">C09J</a>
Application of macromolecular compositions in lubricants	<a href="#">C10M</a>
Application for fibres	<a href="#">D01F</a>
Application for non-woven fabrics	<a href="#">D04H 1/00</a>
Application for the treatment of fibres with polymers	<b>D06M5/00</b>
Application for tubes	<a href="#">F16L</a>
Application for optical articles, optical parts, e.g. contact lenses	<a href="#">G02B 1/00</a>
Application for optical elements e.g. polarizer	<a href="#">G02B 5/30</a>
Application for cables or wires	<a href="#">H01B</a>
Application for printed circuits, in particular photosensitive compositions	<a href="#">H05K</a> , <a href="#">H05K 3/287</a>

### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Layered products	<a href="#">B32B</a>
Liquid crystal compositions	<a href="#">C09K 19/00</a>
Electrolytic processes, e.g. electrophoresis	<a href="#">C25</a>

### Special rules of classification

In this subclass, group [C08G 18/00](#) takes precedence over all other groups. A further classification is given if the polymers are obtained by reactions forming specific linkages for which an appropriate group is provided.

Within each main group of this subclass, in the absence of an indication to the contrary, classification is made in the last appropriate place.

In groups [C08G 61/00-C08G 79/00](#), in the absence of an indication to the contrary, macromolecular compounds obtained by reactions forming two different linkages in the main chain are classified only according to the linkage present in excess.

In group [C08G 18/00](#), for the purpose of groups [C08G 18/28-C08G 18/69](#), the addition of water for the preparation of cellular materials is not taken into consideration.

When classifying in group [C08G 18/00](#), it is desirable to add the Indexing Code of [C08G 2101/00](#) relating to manufacture of cellular products.

This subclass also covers compositions based on monomers which form macromolecular compounds classifiable in this subclass. In this subclass:

if the monomers are defined, classification is made in groups [C08G 2/00-C08G 79/00](#), [C08G 83/00](#) according to the polymer to be formed;

if the monomers are defined in a way that a composition cannot be classified within one main group of this subclass, the composition is classified in group [C08G 85/00](#);

if the compounding ingredients are of interest per se, classification is also made in subclass [C08K](#).

## Glossary of terms

*In this place, the following terms or expressions are used with the meaning indicated:*

Addition polymers	Polymers in which unsaturated monomer molecules join together to form a polymer in which the molecular formula of the repeat unit is identical (except for the double bond) with that of the monomer.
Block polymers	Polymers formed by polymerization of monomers on to a macromolecule having groups capable of inducing the formation of new polymer chains bound at one or both ends of the starting macromolecule, or by polymerization using successively different catalyst types or successively different monomer systems without deactivating the intermediate polymer.
Condensation polymers	Polymers in which water or some other simple molecule is eliminated from 2 or more monomer molecules as they combine to form the polymer or crosslinks between polymer chains.
Copolymers	Usually denotes polymers of 2 chemically distinct monomers, and sometimes denotes terpolymers containing more than 2 types of monomer unit.
Graft polymers	Macromolecular compounds obtained by polymerizing monomers on to preformed polymers or on to inorganic materials. Such preformed polymers could be rubbers, polysaccharides, condensation polymers, homopolymers or copolymers of the addition polymer type.

## Synonyms and Keywords

*In patent documents, the following abbreviations are often used:*

CPET	Crystallised polyethylene terephthalate
DABCO	1,4-diazabicyclo-2,2,2-octane or triethylene diamine (amine catalyst for PU foams)
DBP	Dibutyl phthalate

DOP	Diethyl phthalate
HDI	Hexamethylene diisocyanate
IPDI	Isophorone diisocyanate
MDI	Diphenylmethane-4,4'-diisocyanate
PBT	Polybutylene terephthalate
PEEK	Polyetheretherketone
PEG	Polyethylene glycol
PEI	Polyetherimide
PEK	Polyetherketone
PEO	Polyethylene oxide
PES	Polyethersulphone
PET	Polyethylene terephthalate
PPE	Polyphenylene ether
PPS	Polyphenylene sulphide
PPSU	Polyphenylene sulphone
PUR	Polyurethane
TETA	Triethylene tetramine
TDI	Toluene diisocyanate

## C08G 2/00

**Addition polymers of aldehydes or cyclic oligomers thereof or of ketones;  
Addition copolymers thereof with less than 50 molar percent of other  
substances**

### Definition statement

*This place covers:*

- Addition polymers from aldehydes or ketones, i.e. polyacetals and copolyacetals
- Catalysts used for such polymerisation
- Post-polymerisation treatments of such resins.
- Polymerization of aldehydes or ketones initiated by wave energy or particle radiation
- Chemical modification of such resins by after-treatment

### References

#### Limiting references

*This place does not cover:*

Addition polymers of heterocyclic oxygen compounds containing in the ring at least –O-C-O-	<a href="#">C08G 4/00</a>
Condensation polymers of aldehydes or ketones only	<a href="#">C08G 6/00</a>
Catalysts in general	<a href="#">B01J</a>


## C08G 2/12

### Polymerisation of acetaldehyde or cyclic oligomers thereof

#### Definition statement

*This place covers:*

Polymerisation of acetaldehyde or cyclic oligomers thereof e.g. polymerisation of trioxane




## C08G 4/00

### Condensation polymers of aldehydes or ketones with polyalcohols; Addition polymers of heterocyclic oxygen compounds containing in the ring at least once the grouping —O—C—O— (of cyclic oligomers of aldehydes [C08G 2/00](#))

#### Definition statement

*This place covers:*

- Condensation polymers of aldehydes or ketones with polyalcohols, e.g. the condensation product of formaldehyde and poly(alkylene oxides)
- Addition polymers of heterocyclic oxygen compounds containing in the ring at least once the grouping -O-C-O-, e.g. addition polymers of dioxolane, i.e. -



#### References

##### Limiting references

*This place does not cover:*

Cyclic oligomers of aldehydes	<a href="#">C08G 2/00</a>
-------------------------------	---------------------------

## C08G 6/00

### Condensation polymers of aldehydes or ketones only

#### Definition statement

*This place covers:*

- condensation polymers of aldehydes only
- condensation polymers of ketones only
- condensation polymers of aldehydes with ketones only

## C08G 6/02

### of aldehydes with ketones

#### Definition statement

*This place covers:*

Condensation polymers of aldehydes with ketones only, see for example WO2007141119 or US2005080222

## C08G 8/00

### Condensation polymers of aldehydes or ketones with phenols only

#### Definition statement

*This place covers:*

- For example condensation of polymers of
- phenol with ketones and aldehydes ([C08G 8/26](#))
- m-cresol with propionaldehyde ([C08G 8/04](#))
- formaldehyde with phenol ([C08G 8/10](#))
- resorcinol with formaldehyde ([C08G 8/22](#))
- 3,4-xylenol with formaldehyde ([C08G 8/10](#))
- aminophenol with formaldehyde ([C08G 8/16](#))

#### Glossary of terms

*In this place, the following terms or expressions are used with the meaning indicated:*

Novolac resin	Phenol-formaldehyde resin where the molar ratio of formaldehyde to phenol of less than one, prepared in the presence of an acid catalyst
Resol resin	Phenol-formaldehyde resin where the formaldehyde to phenol ratio is greater than one, prepared in the presence of a base

## C08G 10/00

### Condensation polymers of aldehydes or ketones with aromatic hydrocarbons or halogenated aromatic hydrocarbons only

#### Definition statement

*This place covers:*

For example,

Naphthalene-formaldehyde polymer ([C08G 10/02](#)).

## C08G 12/00

**Condensation polymers of aldehydes or ketones with only compounds containing hydrogen attached to nitrogen (aminophenols [C08G 8/16](#))**

### Definition statement

*This place covers:*

For example

- Aminoplast resins, i.e. urea-formaldehyde ([C08G 12/12](#))
- Melamine-formaldehyde ([C08G 12/32](#)) or
- Urea-melamine-formaldehyde ([C08G 12/38](#))

### References

#### Limiting references

*This place does not cover:*

Condensation polymers of aldehyde or ketone with aminophenol	<a href="#">C08G 8/16</a>
Reaction of polyamides with aldehydes	<a href="#">C08G 69/50</a>

### Special rules of classification

Within this main group, in the absence of an indication to the contrary, classification is made in the last appropriate place. This means that urea-melamine-formaldehyde resins are classified in [C08G 12/38](#).

### Synonyms and Keywords

*In patent documents, the following abbreviations are often used:*

MF	Melamine-formaldehyde
UF	Urea-formaldehyde

## C08G 14/00

**Condensation polymers of aldehydes or ketones with two or more other monomers covered by at least two of the groups [C08G 8/00](#) - [C08G 12/00](#)**

### Definition statement

*This place covers:*

for example

- Melamine-phenol-formaldehyde resins ([C08G 14/10](#))
- Urea-phenol-formaldehyde resins ([C08G 14/08](#)), see EP2197928.

## C08G 16/00

**Condensation polymers of aldehydes or ketones with monomers not provided for in the groups [C08G 4/00](#) - [C08G 14/00](#) (with polynitriles [C08G 69/38](#))**

### Definition statement

*This place covers:*

For example, condensation of aldehydes or ketones with natural products, oils, bitumens or residues.



## References

### Limiting references

*This place does not cover:*

Condensation polymers of aldehydes or ketones with polynitriles	<a href="#">C08G 69/38</a>
---	----------------------------

## C08G 18/00

**Polymeric products of isocyanates or isothiocyanates (preparatory processes of porous or cellular materials, in which the monomers or catalysts are not specific [C08J](#))**

### Definition statement

*This place covers:*

- Polyurethanes, polyureas and isocyanurates, i.e. polymeric products of isocyanates or isothiocyanates and compounds that are reactive towards isocyanates or isothiocyanates and some processes specific for these polymers.

## References

### Limiting references

*This place does not cover:*

Polymeric products containing ureide or urethane prepared without using isocyanate or isothiocyanate	<a href="#">C08G 71/00</a>
Preparation of isocyanates or isothiocyanates	<a href="#">C07C 263/00</a> , <a href="#">C07C 331/16</a>
Preparatory processes of porous or cellular materials, in which the monomers or catalysts are not specific	<a href="#">C08J</a>

### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Preparations for medical, dental or toilet purposes	<a href="#">A61K</a>
Processes for applying liquid materials to surfaces	<a href="#">B05D 1/00</a>
Shaping or joining plastics	<a href="#">B29C</a>
Mould release agents	<a href="#">B29C 33/60</a>
Layered products comprising polyurethanes	<a href="#">B32B 27/40</a>
Working up of polyurethanes to porous or cellular articles	<a href="#">C08J 9/00</a>
Use of inorganic or non-macromolecular organic substances as compounding ingredients	<a href="#">C08K</a>
Coating compositions characterized by their physical nature or their effects produced	<a href="#">C09D 5/00</a>
Adhesives processes	<a href="#">C09J 5/00</a>
Materials for sealing	<a href="#">C09K 3/10</a>

## Special rules of classification

In this group the Indexing Codes [C08G](#) are added, in particular [C08G 2101/00](#) - [C08G 2410/00](#).

## Synonyms and Keywords

CPP	Copolymer polyol
DABCO	1,4-Diazabicyclo(2.2.2)octane
DMPA	Dimethylol propionic acid
EDA	Ethylene diamine
EO	Ethylen oxide
HDI	Hexane diisocyanate
H12MDI	Dicyclohexylmethane diisocyanate
IEM	Isocyanato ethyl methacrylate
IPDI	Isophorone diisocyanate
JEFFAMINE	Amine capped polyether
MDI	4,4-Methylenebis(phenyl)isocyanate
PEG	Polyethyleneglycol
PIR	Polyisocyanurate
PMDI	Polymethylene poly(phenylisocyanate)
PO	Propylene oxide
PPG	Polypropylene glycol
PTMO	Polytetramethylene oxide
TDI	Toluene diisocyanate
TMP	Trimethylol propane
TMXDI	Trimethylol propane
TPU	Tetramethylxylylene diisocyanate
XDI	Xylylene diisocyanate

## C08G 18/02

### of isocyanates or isothiocyanates only

#### Definition statement

*This place covers:*

- Polymerisation of isocyanates or isothiocyanates in the absence of compounds that are reactive towards isocyanate or isothiocyanate.

#### References

##### Limiting references

*This place does not cover:*

Oligomerisation in the presence of compounds that are reactive towards isocyanate	<a href="#">C08G 18/09</a>
Use of oligomerised isocyanates	<a href="#">C08G 18/79</a>

Oligomerised isocyanates per se	<a href="#">C07C</a> or <a href="#">C07D</a>
---------------------------------	--

## C08G 18/08

### Processes

#### Definition statement

*This place covers:*

Process features such as catalysts which are specific for polymeric products of isocyanates or isothiocyanates and are not covered elsewhere

#### References

##### Limiting references

*This place does not cover:*

Working-up of polymeric products of isocyanates or isothiocyanates to foams	<a href="#">C08J 9/00</a>
---	---------------------------

## C08G 18/09

**comprising oligomerisation of isocyanates or isothiocyanates involving reaction of a part of the isocyanate or isothiocyanate groups with each other in the reaction mixture (use of preformed oligomers [C08G 18/79](#))**

#### Definition statement

*This place covers:*

Oligomerisation of isocyanates in the presence of compounds that are reactive towards isocyanate

#### References

##### Limiting references

*This place does not cover:*

Polymerisation of isocyanates in the absence of compounds that are reactive towards isocyanate	<a href="#">C08G 18/02</a>
Use of oligomerized isocyanates	<a href="#">C08G 18/79</a>

#### Special rules of classification

Additional information: oligomerisation to isocyanurate groups are classified in [C08G 2105/02](#).

## C08G 18/10

Prepolymer processes involving reaction of isocyanates or isothiocyanates with compounds having active hydrogen in a first reaction step ([C08G 18/0838](#) takes precedence); masked polyisocyanates [C08G 18/80](#))

### Definition statement

*This place covers:*

Prepolymer processes involving reaction of isocyanates or isothiocyanates with compounds having active hydrogen having a high molecular weight (more than 10 repeating monomer units or a molecular weight higher than 500) in a first reaction step

### References

#### Limiting references

*This place does not cover:*

Isocyanates or isothiocyanates reacted with low molecular weight active hydrogen compounds	<a href="#">C08G 18/80</a>
Masked polyisocyanates	<a href="#">C08G 18/80</a>

### Special rules of classification

In this subgroup combination sets can be used: see Note after [C08G 18/10](#) title.

[C08G 18/0838](#) takes precedence over this subgroup.

## C08G 18/30

Low-molecular-weight compounds ([C08G 18/2805](#) takes precedence)

### Definition statement

*This place covers:*

Compounds containing active hydrogen and having a molecular weight of less than 500 or have less than 10 repeating monomer units.

### Special rules of classification

[C08G 18/0838](#) takes precedence over this subgroup.

## C08G 18/32

Polyhydroxy compounds; Polyamines; Hydroxyamines

### Definition statement

*This place covers:*

Compounds having more than one group containing active hydrogen.

## C08G 18/40

**High-molecular-weight compounds** **{{[C08G 18/2805](#) takes precedence}}**

### Definition statement

*This place covers:*

Compounds having more than one group containing active hydrogen and having a molecular weight of more than 500 or having more than 10 repeating monomer units.

### Special rules of classification

[C08G 18/0838](#) takes precedence over this subgroup.

## C08G 18/63

**Block or graft polymers obtained by polymerising compounds having carbon-to-carbon double bonds on to polymers**

### Definition statement

*This place covers:*

What is known in industry as, "polymer polyols": polymers containing active hydrogen (polyol) with particles prepared from polymerised carbon to carbon unsaturated monomers grafted onto the active hydrogen polymer or forming a block copolymer with the active hydrogen polymer.

The polymerised carbon to carbon unsaturated monomer particles are dispersed in the active hydrogen containing polymer (polyol) which is reactive towards isocyanate. The polymerised carbon to carbon unsaturated monomer particles themselves are therefore not reactive towards isocyanate.

### References

#### Limiting references

*This place does not cover:*

Macromolecular compounds obtained by polymerising monomers on to polymers of <a href="#">C08G</a>	<a href="#">C08F 283/00</a>
---	-----------------------------

## C08G 18/65

**Low-molecular-weight compounds having active hydrogen with high-molecular-weight compounds having active hydrogen** **{{[C08G 18/2805](#) takes precedence}}**

### Definition statement

*This place covers:*

Mixtures of low molecular weight compounds having active hydrogen with high molecular weight compounds (more than 10 repeating monomer units or a molecular weight higher than 500) having active hydrogen where either the low molecular weight (less than 10 repeating monomer units or a molecular weight lower than 500) compound is essential for the invention or where the high molecular weight (more than 10 repeating monomer units or a molecular weight higher than 500) compound is not a compound of groups [C08G 18/42](#) , [C08G 18/48](#) or [C08G 18/52](#)

### Special rules of classification

[C08G 18/0838](#) takes precedence over this subgroup.

## C08G 18/66

Compounds of groups [C08G 18/42](#), [C08G 18/48](#), or [C08G 18/52](#)

### Definition statement

*This place covers:*

Mixtures of low molecular weight compounds having active hydrogen with high molecular weight compounds having active hydrogen from the groups [C08G 18/42](#) , [C08G 18/48](#) or [C08G 18/52](#)

## C08G 18/67

Unsaturated compounds having active hydrogen

### Definition statement

*This place covers:*

Compounds that have Carbon to Carbon unsaturation and groups that are reactive towards isocyanate/isothiocyanate

### Special rules of classification

In this subgroup, combination sets can be used following the note after the group title.

## C08G 18/79

characterised by the polyisocyanates used, these having groups formed by oligomerisation of isocyanates or isothiocyanates

### Definition statement

*This place covers:*

Use of oligomerised isocyanates.

### References

#### Limiting references

*This place does not cover:*

Oligomerisation of isocyanates in the absence of compounds that are reactive towards isocyanate	<a href="#">C08G 18/02</a>
Oligomerisation in the presence of compounds that are reactive towards isocyanate	<a href="#">C08G 18/09</a>
Oligomerised isocyanates per se	<a href="#">C07C</a> or <a href="#">C07D</a>

## C08G 18/80

Masked polyisocyanates

### Definition statement

*This place covers:*

Blocked polyisocyanates or polyisocyanates prereacted with low molecular weight compounds having active hydrogen.

## References

### Limiting references

*This place does not cover:*

Prepolymers, i.e. polyisocyanates prereacted with high molecular weight compounds having active hydrogen	<a href="#">C08G 18/10</a>
--	----------------------------

## C08G 18/83

### Chemically modified polymers

#### Definition statement

*This place covers:*

Chemical modification of polyurethanes other than through reaction with isocyanate or isothiocyanate

## References

### Limiting references

*This place does not cover:*

Compositions of unspecified macromolecular compounds having specific groups	<a href="#">C08L 101/00</a>
---	-----------------------------

## C08G 59/00

**Polycondensates containing more than one epoxy group per molecule (low-molecular-weight polyepoxy compounds [C07](#)); Macromolecules obtained by polymerising compounds containing more than one epoxy group per molecule using curing agents or catalysts which react with the epoxy groups**

#### Definition statement

*This place covers:*

Epoxy resins, i.e. all polycondensates having more than one epoxy groups per molecule (diepoxides and polyepoxides).

Epoxy resins characterized by special parameters.

#### Relationships with other classification places

The use or choice of inorganic or non-macromolecular organic materials as compounding agents are classified in subclass [C08K](#).

Compositions of macromolecular compounds, either with other macromolecular compounds or with other ingredients, including compositions of polysaccharides, rubbers or natural macromolecular compounds, are classified in subclass [C08L](#).

Coating compositions and other polymer compositions for similar uses, e.g. paints, inks, woodstains and printing pastes, are classified in subclass [C09D](#).

Adhesives and adhesive processes are classified in subclass [C09J](#).

Materials for applications not otherwise provided for, or applications of materials not otherwise provided for, are classified in subclass [C09K](#). These include sealing or anti-slip materials, heat-transfer, heat-exchange or heat-storage materials, drilling compositions, luminescent or tenebrescent

materials, etching, surface-brightening or pickling materials, antioxidant materials, soil-conditioning or soil-stabilising materials, liquid crystal or fireproofing materials.

Subclasses [C08B-C08L](#) are generally function-oriented subclasses in relation to the polymers they cover, while [C09D-C09K](#) are application-oriented subclasses in relation to the said polymers.

## References

### Limiting references

*This place does not cover:*

Low-molecular-weight polyepoxy compounds	<a href="#">C07</a>
Monoepoxide compounds, e.g. oxiranes or preparation of oxiranes	<a href="#">C07D 303/00</a>

### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Polymers containing ether groups, e.g. oxetanes	<a href="#">C08G 65/18</a>
Polymers containing S- link, e.g. thiiranes	<a href="#">C08G 75/08</a>
Compositions of homo- or copolymers of acrylic or methacrylic esters having pendent glycidyl groups	<a href="#">C08L 33/068</a>

## Special rules of classification

No Indexing Codes are used in this group.

Last place rule:

When an epoxy composition comprises a special hardener, or mixtures of special hardeners, catalysts or characteristic epoxy resins, classification is given in [C08L 63/00](#), but also the corresponding classes in subgroups of [C08G 59/00](#), since [C08G 59/00](#) is much more detailed.

## Glossary of terms

*In this place, the following terms or expressions are used with the meaning indicated:*

Epoxy resins	All polycondensates having more than one epoxy groups per molecule
--------------	--

## Synonyms and Keywords

Bisphenol A	4,4'-(Propane-2,2-diyl)diphenol
Bisphenol F	2-[(2-Hydroxyphenyl)methyl]phenol
Bisphenol S	4-(4-Hydroxyphenyl)sulfonylphenol
DGEBA	Diglycidyl ether of bisphenol A
Epoxide	Oxirane
Glycidyl-	2,3-Epoxypropyl-
Hardener	Crosslinker



**C08G 59/02****Polycondensates containing more than one epoxy group per molecule****Definition statement***This place covers:*

The preparation of epoxy resins, in a general way.

**References****Limiting references***This place does not cover:*

Chemical after-treatment of diepoxides or polyepoxides	<a href="#">C08G 59/14</a>
Polymers obtained by pre-reaction of diepoxides or polyepoxides with curing agents	<a href="#">C08G 59/18</a>

**C08G 59/022****{characterised by the preparation process or apparatus used}****Definition statement***This place covers:*

Polycondensates containing more than one epoxy group per molecule, characterised by the preparation or apparatus used.

**References****Limiting references***This place does not cover:*

Chemical after-treatment of diepoxides or polyepoxides	<a href="#">C08G 59/14</a>
Polymers obtained by pre-reaction of diepoxides or polyepoxides with curing agents	<a href="#">C08G 59/18</a>

**C08G 59/025****{characterised by the purification methods used}****Definition statement***This place covers:*

Polycondensates containing more than one epoxy group per molecule, characterized by the purification methods.

**References****Limiting references***This place does not cover:*

Chemical after-treatment of diepoxides or polyepoxides	<a href="#">C08G 59/14</a>
--	----------------------------

Polymers obtained by pre-reaction of diepoxides or polyepoxides with curing agents	<a href="#">C08G 59/18</a>
--	----------------------------

## C08G 59/027

{obtained by epoxydation of unsaturated precursor, e.g. polymer or monomer}

### Definition statement

*This place covers:*

Preparation of polycondensates containing more than one epoxy group per molecule, where an unsaturated precursor is epoxydized, e.g. by an oxidative step.

### References

#### Limiting references

*This place does not cover:*

Chemical after-treatment of diepoxides or polyepoxides	<a href="#">C08G 59/14</a>
Polymers obtained by pre-reaction of diepoxides or polyepoxides with curing agents	<a href="#">C08G 59/18</a>

## C08G 59/14

**Polycondensates modified by chemical after-treatment**

### Definition statement

*This place covers:*

The modification of epoxy resins, by further reaction with organic or inorganic compounds.

### References

#### Limiting references

*This place does not cover:*

Epoxy resins obtained by unsaturated monomeric or polymeric precursors	<a href="#">C08G 59/027</a>
Polymers obtained by pre-reaction of diepoxides or polyepoxides with curing agents	<a href="#">C08G 59/18</a>

## C08G 59/18

**Macromolecules obtained by polymerising compounds containing more than one epoxy group per molecule using curing agents or catalysts which react with the epoxy groups {; e.g. general methods of curing}**

### Definition statement

*This place covers:*

Polymers obtained by polycondensation of epoxy resins with curing agents or catalysts

Advancement polymers having end epoxy groups.

## References

### Limiting references

*This place does not cover:*

Macromolecules obtained by epoxydation of unsaturated precursor, e.g. polymer or monomer	<a href="#">C08G 59/027</a>
Chemical after-treatment of diepoxides or polyepoxides	<a href="#">C08G 59/14</a>

## C08G 61/00

**Macromolecular compounds obtained by reactions forming a carbon-to-carbon link in the main chain of the macromolecule ([C08G 2/00](#) - [C08G 16/00](#) take precedence)**

### Definition statement

*This place covers:*

- Polymers obtained by reactions forming a carbon-to-carbon link in the main chain otherwise than by addition polymerisation reactions only involving carbon-to-carbon unsaturated bonds (wherein in the latter case the reactive carbon-carbon group stays intact without cleavage of fragments). The polymers included in this main group are typically prepared by means of polycondensation reactions.
- Polyphenylenes
- Polyxylylenes
- Polyfluorenes
- Polynorbornenes prepared by ring-opening metathesis reactions
- Poly(ether ketone ketones) prepared from diacid chloride compounds and aryl comonomers by means of Friedel-Crafts reactions (classified in [C08G 61/127](#))
- Polymers prepared by polycondensation reactions involving the reactions between aryl compounds and co-monomers containing methylol groups or protected methylol groups or chloromethyl moieties.

### Relationships with other classification places

Relationship with other subclasses and main groups of classes [C08](#) and [C09](#):

Macromolecular compounds obtained by reactions only involving carbon-to-carbon unsaturated bonds under polyaddition reactions wherein the reactive carbon-carbon group stays intact without cleavage of fragments are classified in subclass [C08F](#).

Corresponding main groups for the polymers according to main group [C08G 61/00](#) can be found in the main groups [C08L 65/00](#) (compositions based on such polymers), [C09D 165/00](#) (coating compositions based on said polymers), and [C09J 165/00](#) (adhesive compositions based on such polymers).

Relationship with main groups of the same subclass [C08G](#):

Polymers prepared by condensation reactions of aldehydes or ketones with phenols only are classified in groups [C08G 8/00](#) - [C08G 8/38](#), since [C08G 2/00](#) - [C08G 16/00](#) takes precedence. For the same reasons, condensation polymers of aldehydes or ketones only are classified in [C08G 6/00](#) - [C08G 6/02](#). Polymers which may otherwise be formed by carbon-carbon bond formation, but which are prepared by condensation reactions other than those involving the formation of carbon-carbon bonds in the main chain, are classified in the appropriate groups, e.g. [C08G 73/0611](#) for polypyrroles formed from amines and polyketones. Polyketones are classified in [C08G 67/02](#).

## References

### Limiting references

*This place does not cover:*

Production of polymers using enzymes	<a href="#">C12P</a>
--------------------------------------	----------------------

### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Condensation polymers of aldehydes with phenols only	<a href="#">C08G 8/04</a>
Condensation polymers of aldehydes with aromatic hydrocarbons or halogenated aromatic hydrocarbons only	<a href="#">C08G 10/02</a>
Poly(ether ketones) obtained by reactions forming an ether link in the main chain of the macromolecule	<a href="#">C08G 65/4012</a>
Polycondensates having nitrogen-containing heterocyclic rings in the main chain of the macromolecules obtained by reactions forming a linkage containing nitrogen, including polypyrroles	<a href="#">C08G 73/06</a>
Complementary pieces of information concerning <a href="#">C08G 61/00</a>	<a href="#">C08G 2261/00</a> - <a href="#">C08G 2261/964</a>
Catalysts in general	<a href="#">B01J</a>
Polyacetylenes prepared by polyaddition	<a href="#">C08F 38/02</a>
Compositions, coating compositions and adhesive compositions based on polymers according to main group <a href="#">C08G 61/00</a> are classified in main groups	<a href="#">C08L 65/00</a> , <a href="#">C09D 165/00</a> , <a href="#">C09J 165/00</a>
Conductors characterised by the conductive material: Intrinsically conductive polymers	<a href="#">H01B 1/124</a>
Solid state devices using oligomeric or polymeric organic materials as the active part, or using a combination of organic materials including organic oligomers or polymers with other materials as the active part	<a href="#">H01L 51/0034</a>

### Special rules of classification

In the subclass [C08G](#), main group [C08G 18/00](#) takes precedence over all other groups. A further classification is given if the polymers are obtained by reactions forming specific linkages for which an appropriate group is provided.

Within each main group of this subclass, in the absence of an indication to the contrary, classification is made in the last appropriate place.

In main groups [C08G 61/00-C08G 79/00](#), in the absence of an indication to the contrary, macromolecular compounds obtained by reactions forming two different linkages in the main chain are classified only according to the linkage present in excess.

In the subgroup [C08G 61/12](#), the following peculiarities apply:

For polymers comprising different heterocyclic constituents in the polymer main chain, a classification will be put for each. For example, a polymer consisting of thiophene, pyrrole, and triphenylamine in polymerised form will be classified in [C08G 61/12](#) for the triphenylamine, [C08G 61/124](#) and [C08G 61/126](#).

Polymers according to [C08G 61/00](#) which have been obtained from five-membered heterocyclic monomers comprising more than one heteroatom in the heterocycle will be classified in [C08G 61/123](#).

When the macromolecular compounds are formed from condensed heterocyclic monomers, e.g. 2,1,3-benzothiadiazole, which comprise a five- or six-membered heterocycle, such a compound would still be considered derived from five- or six-membered heterocyclic compounds.

For example, a polymer derived from a 2,1,3-benzothiadiazole starting compound would be classified in [C08G 61/123](#). Complementary structural aspects, such as codification of condensed heterocycles, are classified in [C08G 2261/30](#) - [C08G 2261/376](#).

When assigning the main group [C08G 61/00](#) or subgroups thereof to a document, classification in the main group [C08G 2261/00](#) and/or subgroups thereof is obligatory.

In the absence of an indication to the contrary, classification is made in the last appropriate place within [C08G 2261/00](#) and subgroups. Classification in this main group is obligatory when classes in [C08G 61/00](#) and subgroups thereof are assigned to a document.

3,4-Ethylenedioxythiophene in polymerised form is classified in [C08G 2261/1424](#) plus [C08G 2261/3223](#) and not in [C08G 2261/344](#) (the aspect of cyclised ether side-chain is prominent).

[C08G 2261/46](#) is only used as an additional symbol for classifying Diels-Alder crosslinking reactions of polymers prepared by reactions falling within the scope of [C08G 61/00](#) - [C08G 61/128](#) (since polymerisations effected by Diels-Alder cycloadditions are polyaddition reactions per se covered by subclass [C08F](#) of the classification scheme).

In [C08G 2261/30](#), the following peculiarities apply: For polymers comprising different heterocyclic constituents in the polymer main chain, a classification will be entered for each. E.g. a polymer consisting of thiophene, pyrrole, and triphenylamine in polymerised form will be classified in [C08G 2261/3162](#) (triphenylamine), [C08G 2261/3221](#) (pyrrole), and [C08G 2261/3223](#) (thiophene).

When the macromolecular compounds are formed from condensed heteroaromatic monomers which comprise various aromatic heterocycles, each heterocycle will be classified (of course as condensed ring system). For example, thieno[3,4-b]pyrazine in polymerised form will be classified in [C08G 2261/3243](#) (a condensed thiophene unit) and in [C08G 2261/3241](#) (standing for the condensed pyrazine ring).

In condensed aromatic ring systems comprising aromatic and heteroaromatic condensed rings only the heteroaromatic rings will be specified in [C08G 2261/00](#) - [C08G 2261/964](#). For example, benzo[c]thiophene in polymerised form will be classified in [C08G 2261/3243](#).

When partially aromatic (or heteroaromatic) structural elements are incorporated into the polymeric main chain, which can be broken down into smaller main chain constituents, the latter should also be classified (unless specific pertinent subgroups such as [C08G 2261/3424](#) or [C08G 2261/3442](#) exist):

E.g. a 2,5-diethynylthiophene monomeric unit should be classified in [C08G 2261/344](#), [C08G 2261/3223](#), and in [C08G 2261/3328](#) (since the polymer could have been prepared from thienyl and ethynyl monomers instead).

## Glossary of terms

*In this place, the following terms or expressions are used with the meaning indicated:*

Addition polymer	Polymer which is formed by an addition reaction, where monomers bond together via rearrangement of bonds without the loss of any atom or molecule. This is in contrast to a condensation polymer which is formed by a condensation reaction where a molecule, such as water, is cleaved off during the formation.
Condensation polymer	Polymer in which water or some other simple molecule is eliminated from 2 or more monomer molecules as they combine to form the polymer.

## Synonyms and Keywords

In patent documents, the following abbreviations are often used:

ADMET	Acyclic diene metathesis
ROMP	Ring-opening metathesis polymerisation

## C08G 63/00

**Macromolecular compounds obtained by reactions forming a carboxylic ester link in the main chain of the macromolecule (polyester-amides [C08G 69/44](#); polyester-imides [C08G 73/16](#))**

### Definition statement

*This place covers:*

Polymeric products containing ester bonds in the backbone.

### References

#### Limiting references

*This place does not cover:*

Polyester-urethanes	<a href="#">C08G 18/42</a>
Polycarbonates	<a href="#">C08G 64/00</a>
Polyester-amides	<a href="#">C08G 69/44</a>
Polyester-imides	<a href="#">C08G 73/16</a>
Block- and graft copolymers containing polyester and polysiloxane sequences	<a href="#">C08G 77/445</a>
Block or graft copolymers containing ester bonds and sequences of polymers of <a href="#">C08C</a> and <a href="#">C08F</a>	<a href="#">C08G 81/027</a>
Polymers based on ethylenically unsaturated monomers containing ester bonds in the side chain	<a href="#">C08F 20/00</a> , <a href="#">C08F 120/00</a> , <a href="#">C08F 220/00</a> , <a href="#">C08F 18/00</a> , <a href="#">C08F 118/00</a> , <a href="#">C08F 218/00</a>
Graft polymers obtained by polymerizing unsaturated monomers on polyesters	<a href="#">C08F 290/061</a>
Polyhydroxycarboxylic acids obtained by fermentation or enzyme-using processes	<a href="#">C12P 7/625</a>

#### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Dendrimers, hyperbranched polymers, polyrotaxanes, polycatenanes or supramolecular polymers	<a href="#">C08G 83/00</a>
Preparation of medical dental or toilet purposes	<a href="#">A61K</a>
Chemical aspects of and materials for bandages, dressings, absorbent pads or surgical articles	<a href="#">A61L</a>

Layered products comprising polyesters	<a href="#">B32B 27/36</a>
Polyhydroxy compounds	<a href="#">C07C 31/00</a> - <a href="#">C07C 35/00</a> , <a href="#">C07C 39/00</a>
Polycarboxylic or hydrocarboxylic acids	<a href="#">C07C 69/00</a>
Use of inorganic or non-macromolecular organic substances as compounding ingredients	( <a href="#">C08K 3/00</a> , <a href="#">C08L 67/00</a> )- ( <a href="#">C08K 3/00</a> , <a href="#">C08L 67/08</a> ), ( <a href="#">C08K 5/00</a> , <a href="#">C08L 67/00</a> )-( <a href="#">C08K 5/00</a> , <a href="#">C08L 67/08</a> )
Degradable polymer compositions	<a href="#">C08L 101/16</a>
Coating compositions characterized by their physical nature or their effects produced	<a href="#">C09D 5/00</a>
Polyester fibres	<a href="#">D01F 6/62</a> , <a href="#">D01F 8/14</a>
Binders for toners	<a href="#">G03G 9/08755</a>

## C08G 63/02

### Polyesters derived from hydroxycarboxylic acids or from polycarboxylic acids and polyhydroxy compounds

#### Definition statement

*This place covers:*

Polyester not provided for in groups [C08G 63/06](#) - [C08G 63/6988](#).

## C08G 63/06

### derived from hydroxycarboxylic acids

#### Definition statement

*This place covers:*

Polyesters containing sequences obtained by polycondensation of one or more  $\omega$ -hydroxycarboxylic acid derivatives, e.g. hydroxyalkanoates

#### References

##### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Polyhydroxycarboxylic acids containing oxygen in the form of ether groups	<a href="#">C08G 63/664</a>
Polyhydroxycarboxylic acids containing atoms other than carbon, hydrogen and oxygen	<a href="#">C08G 63/68</a>

## C08G 63/08

### Lactones or lactides

#### Definition statement

*This place covers:*

Polyesters containing sequences obtained by ring-opening of one or more cyclic esters, e.g. polylactic acid or  $\epsilon$ -caprolactone.

#### References

##### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Processes for the preparation of polylactones and polylactides characterized by the catalyst used	<a href="#">C08G 63/823</a>
---	-----------------------------

## C08G 63/12

### derived from polycarboxylic acids and polyhydroxy compounds

#### Definition statement

*This place covers:*

Polyesters derived from polycarboxylic acids and polyhydroxy compounds which have been prepared in the presence of 10 wt% or more of ester forming compounds having more than two reactive groups.

#### References

##### Limiting references

*This place does not cover:*

Polyesters having been prepared in the presence of less than 10 wt% of compounds having more than two reactive groups	<a href="#">C08G 63/20</a> , <a href="#">C08G 63/21</a>
Polyesters containing oxygen in the form of ether groups	<a href="#">C08G 63/668</a>
Polyesters containing atoms other than carbon, hydrogen and oxygen	<a href="#">C08G 63/68</a>
Polyesters modified by chemical after-treatment	<a href="#">C08G 63/914</a>

## C08G 63/16

### Dicarboxylic acids and dihydroxy compounds

#### Definition statement

*This place covers:*

Polyesters containing sequences obtained by polycondensation of one or more dicarboxylic acids and one or more dihydroxy compounds.



## References

### Limiting references

*This place does not cover:*

Polyesters containing oxygen in the form of ether groups	<a href="#">C08G 63/672</a>
Polyesters containing atoms other than carbon, hydrogen and oxygen	<a href="#">C08G 63/68</a>
Polyesters modified by chemical after-treatment	<a href="#">C08G 63/916</a>

## C08G 63/20

**Polyesters having been prepared in the presence of compounds having one reactive group or more than two reactive groups**

### Definition statement

*This place covers:*

Polyesters derived from dicarboxylic acids and dihydroxy compounds which have been prepared in the presence of less than 10 wt% of compounds having one reactive group or more than two reactive groups.

## References

### Limiting references

*This place does not cover:*

Polyesters derived from dicarboxylic acids and dihydroxy compounds which have been prepared in the presence of 10 wt% or more of compounds having more than two reactive groups	<a href="#">C08G 63/12-</a> <a href="#">C08G 63/137</a>
---	--

## C08G 63/47

**by unsaturated monocarboxylic acids or unsaturated monohydric alcohols or reactive derivatives thereof**

### Definition statement

*This place covers:*

Polyesters chemically modified by esterification with unsaturated monoacids or monoalcohols.

## References

### Limiting references

*This place does not cover:*

Polymeric reaction products of polyesters which are chemically modified by esterification with unsaturated acids or alcohols with ethylenically unsaturated compounds	<a href="#">C08F 290/061</a>
---	------------------------------

**Informative references**

Attention is drawn to the following places, which may be of interest for search:

Polyesters derived from polycarboxylic acids and polyhydroxy compounds modified by chemical after-treatment	<a href="#">C08G 63/914</a>
---	-----------------------------

**C08G 63/64**

**Polyesters containing both carboxylic ester groups and carbonate groups**

**Definition statement**

*This place covers:*

Polymers containing carboxylic ester groups and carbonate groups, even if the carbonate groups are in excess.

**C08G 63/66**

**Polyesters containing oxygen in the form of ether groups ([C08G 63/42](#), [C08G 63/58](#) take precedence)**

**Definition statement**

*This place covers:*

Polyesters containing ether groups of any kind, e.g. sugar moieties, polyalkylene oxide sequences.

**References****Informative references**

Attention is drawn to the following places, which may be of interest for search:

Macromolecular compounds obtained by reactions forming an ether link in the main chain of the macromolecule	<a href="#">C08G 65/00</a>
---	----------------------------

**Special rules of classification**

[C08G 63/42](#) and [C08G 63/58](#) take precedence over [C08G 63/66](#).

**C08G 63/68**

**Polyesters containing atoms other than carbon, hydrogen and oxygen ([C08G 63/64](#) takes precedence)**

**Definition statement**

*This place covers:*

Polyesters containing heteroatoms at any place in the side- or main chain

**C08G 63/785****{characterised by the apparatus used}****Definition statement***This place covers:*

Preparation processes in which the process or a step thereof is characterized by the apparatus or a feature thereof

**References****Informative references***Attention is drawn to the following places, which may be of interest for search:*

Apparatuses for preparing polymers	<a href="#">B01J</a>
Extrusion molding	<a href="#">B29C 47/00</a>

**C08G 63/823****{for the preparation of polylactones or polylactides}****Definition statement***This place covers:*

Processes in which the preparation of polylactones or polylactides is characterized by the catalyst used.

**References****Limiting references***This place does not cover:*

Polylactones or polylactides	<a href="#">C08G 63/08</a>
------------------------------	----------------------------

**C08G 64/00****Macromolecular compounds obtained by reactions forming a carbonic ester link in the main chain of the macromolecule (polycarbonate-amides [C08G 69/44](#); polycarbonate-imides [C08G 73/16](#))****Definition statement***This place covers:*

Polymeric products containing carbonate bonds in the backbone.

**References****Limiting references***This place does not cover:*

Polycarbonate-urethanes	<a href="#">C08G 18/42</a>
Polyesters	<a href="#">C08G 63/00</a>
Polycarbonates containing ester groups in the backbone	<a href="#">C08G 63/64</a>

Polycarbonate-amides	<a href="#">C08G 69/44</a>
Polycarbonate-imides	<a href="#">C08G 73/16</a>

### **Informative references**

Attention is drawn to the following places, which may be of interest for search:

Dendrimers, hyperbranched polymers, polyrotaxanes, polycatenanes or supramolecular polymers	<a href="#">C08G 83/00</a>
Layered products comprising polycarbonates	<a href="#">B32B 27/00</a>
Carbonates	<a href="#">C07C 68/00</a> , <a href="#">C07C 69/96</a>
Use of inorganic or non-macromolecular organic substances as compounding ingredients	( <a href="#">C08K 3/00</a> , <a href="#">C08L 69/00(B)</a> ) ( <a href="#">C08K 5/00</a> , <a href="#">C08L 69/00(B)</a> )
Polycarbonate fibres	<a href="#">D01F 6/64</a>
Polycarbonate lenses	<a href="#">G02B 1/041</a>
Polycarbonate binders for toners	<a href="#">G03G 9/08757</a>
Polycarbonate record carriers	<a href="#">G11B 2007/25304</a>

## **C08G 64/18**

### **Block or graft polymers**

#### **Definition statement**

*This place covers:*

Block- and graft copolymers containing polycarbonate sequences and sequences of polymers of [C08G](#).

#### **References**

##### **Limiting references**

*This place does not cover:*

Polycarbonates containing blocks of ester groups in the backbone	<a href="#">C08G 63/64</a>
Block or graft copolymers containing carbonate bonds and sequences of polymers of <a href="#">C08C</a> and <a href="#">C08F</a>	<a href="#">C08G 81/027</a>
Graft polymers obtained by polymerizing unsaturated monomers on unsaturated polycarbonates	<a href="#">C08F 290/061</a> , <a href="#">C08F 283/01</a>

### **Informative references**

Attention is drawn to the following places, which may be of interest for search:

Block- or graft polymers containing polycarbonate and polysiloxane sequences	<a href="#">C08G 77/448</a>
--	-----------------------------

## C08G 65/26

### from cyclic ethers and other compounds

#### Definition statement

*This place covers:*

Preparation of polyether by ring opening reaction of cyclic ether in the presence of "other compound" e.g. active H containing compound which acts as an initiator for polymerisation. e.g. R-OH + n ethylene oxide → R-(O-CH<sub>2</sub>-CH<sub>2</sub>)<sub>n</sub>

#### References

##### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Preparation of ethers by reaction of an oxirane with hydroxy group	<a href="#">C07C 41/02</a>
--	----------------------------

#### Special rules of classification

(1) If the "other compound" contains two different active H containing groups, the compound should be classified in both relevant groups e.g. aminoethanol should be classified in [C08G 65/2609](#) and [C08G 65/2624](#).

(2) If the "other compound" is sugar or polysaccharide containing OH groups, classification should be made in [C08G 65/2606](#).

(3) Aniline is classified in [C08G 65/2627](#) which reads "Aromatic or arylaliphatic amine group".

(4) Pyridine or piperazine are classified in [C08G 65/263](#) which reads "Heterocyclic amine".

## C08G 65/2642

### {characterised by the catalyst used}

#### Definition statement

*This place covers:*

Compounds characterised by the catalyst used in the ring opening reaction between a cyclic ether and an "other compound".

#### References

##### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Catalysts per se	<a href="#">B01J 21/00</a> - <a href="#">B01J 27/32</a>
Cyanide catalysts	<a href="#">B01J 27/26</a>

#### Special rules of classification

(1) Classification is made according to the metal in the catalyst if any.

(2) Boron is considered a metal.

(3) Magnesium is to be considered an alkaline earth metal.

(4) If a catalyst is classified in [C08G 65/269](#) (mixed catalyst systems), then separate components should be classified as well; for example,

- iron/calcium based catalyst should be classified in [C08G 65/269](#), [C08G 65/266](#) and [C08G 65/2651](#)
- aluminium/SiCl<sub>4</sub> based catalyst are classified in [C08G 65/269](#), [C08G 65/2654](#) and [C08G 65/2687](#).

(5) If a catalyst should be classified in [C08G 65/2693](#) – then if possible both components should be classified, e.g. aluminium supported on clay based catalyst is classified in [C08G 65/2693](#), [C08G 65/2654](#) and [C08G 65/2657](#).

## Glossary of terms

*In this place, the following terms or expressions are used with the meaning indicated:*

DMC	Double Metal Cyanide
-----	----------------------

## C08G 65/30

### Post-polymerisation treatment, e.g. recovery, purification, drying

#### Definition statement

*This place covers:*

Post-polymerisation treatment of cyclic ethers made exclusively by ring opening reactions of cyclic ethers, e.g. recovery, purification, drying or removal of catalyst residues even if done by chemical means for example acidification.

#### References

##### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Separation or purification of ethers	<a href="#">C07C 41/34</a>
--------------------------------------	----------------------------

## C08G 65/40

from phenols (I) and other compounds (II), e.g. OH-Ar-OH + X-Ar-X, where X is halogen atom, i.e. leaving group

#### Definition statement

*This place covers:*

Polyethers made from phenols and other compounds e.g. OH-Ar-OH + X-Ar-X where X is a halogen leaving groups. It encompasses aromatic (Ar) polyethers or polyetherketones.

#### References

##### Limiting references

*This place does not cover:*

Polyetherketones made by Friedel -Krafts acylation	<a href="#">C08G 61/127</a>
Polyphenylene ether/oxide	<a href="#">C08G 65/44</a>
Polyketones from carbon monoxide	<a href="#">C08G 67/02</a>
Polyetherimides	<a href="#">C08G 73/1046</a>
Polythioether-ethers	<b>C08G75/15</b>

Polyethersulphones	<a href="#">C08G 75/23</a>
--------------------	----------------------------

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Polyethersulphones	<a href="#">C08G 75/23</a>
--------------------	----------------------------

### Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

PEK	Polyetherketones
PEEK	Polyetheretherketones
PES	Polyethersulphones
PEI	Polyetherimides
PAEK	Polyaryletherketones
PAES	Polyarylethersulphones

## C08G 67/00

**Macromolecular compounds obtained by reactions forming in the main chain of the macromolecule a linkage containing oxygen or oxygen and carbon, not provided for in groups [C08G 2/00](#) - [C08G 65/00](#)**

### Definition statement

*This place covers:*

- Copolymers of carbon monoxide and aliphatic unsaturated compounds
- Polyanhydrides

## C08G 67/02

**Copolymers of carbon monoxide and aliphatic unsaturated compounds**

### Definition statement

*This place covers:*

Polyketones made by reaction of from carbon monoxide with aliphatic unsaturated compounds

### References

#### Limiting references

*This place does not cover:*

Polyetherketones made by Friedel-Crafts acylation	<a href="#">C08G 61/127</a>
Polyaryletherketones	<a href="#">C08G 65/4012</a>


## C08G 67/04

### Polyanhydrides

#### Definition statement

*This place covers:*

Polymers containing the following repeat unit:



## C08G 69/00

**Macromolecular compounds obtained by reactions forming a carboxylic amide link in the main chain of the macromolecule (products obtained from isocyanates or isothiocyanates [C08G 18/00](#); polyamide-imides [C08G 73/14](#))**

#### Definition statement

*This place covers:*

Polyamides derived from

amino-carboxylic acids, e.g. alpha-amino-carboxylic acids

lactams, e.g. beta-lactams

from polyamines and polycarboxylic acids

Pyrrolidones or piperidones

Polyester-amides

Preparations of above polymers

Post-polymerisation treatment or polymers modified by chemical after-treatment

#### References

##### Limiting references

*This place does not cover:*

Products obtained from isocyanates or isothiocyanates	<a href="#">C08G 18/00</a>
Polysuccinimides	<a href="#">C08G 73/1092</a>
Polyamide-imides	<a href="#">C08G 73/14</a>
Artificial filaments or fibres	<a href="#">D01F</a>
Treatment of textiles	<a href="#">D06L</a> - <a href="#">D06Q</a>



## Synonyms and Keywords

In patent documents, the following words/expressions are often used as synonyms:

- "Polycaprolactam" and "Nylon 6"
- "Aramid" and "aromatic polyamide"

## C08G 73/00

**Macromolecular compounds obtained by reactions forming a linkage containing nitrogen with or without oxygen or carbon in the main chain of the macromolecule, not provided for in groups [C08G 12/00](#) - [C08G 71/00](#) {(polycarbodiimides prepared from isocyanates [C08G 18/025](#), [C08G 18/797](#))}**

### Definition statement

*This place covers:*

Polyamines, e.g. polyethyleneimines

Polyhydrazides, polytriazoles, polyamino-triazoles or polyoxadiazoles

Polyimides, polyester-imides or polyamide-imides

Unsaturated polyimide precursors

Polybenzimidazoles

Polybenzoxazoles

### References

#### Limiting references

*This place does not cover:*

Polycarbodiimides prepared from isocyanates	<a href="#">C08G 18/025</a> , <a href="#">C08G 18/797</a>
Macromolecular compounds obtained by reactions forming a carbon-to-carbon link in the main chain of the macromolecule, derived from five-membered heterocyclic compounds, containing one nitrogen atom in the ring	<a href="#">C08G 61/124</a>
Polythiazoles	<a href="#">C08G 75/32</a>

### Special rules of classification

The IPC group **C08G73/04** is not used, group [C08G 73/0206](#) or subgroups are used instead.

## C08G 77/00

**Macromolecular compounds obtained by reactions forming a linkage containing silicon with or without sulfur, nitrogen, oxygen or carbon in the main chain of the macromolecule**

### Definition statement

*This place covers:*

Polymers where there is a Si atom in the main chain; they are referred to with the MDTQ nomenclature.

## Relationships with other classification places

Compositions of polymers containing Si in the main chain and other polymers are classified in [C08L 83/00](#).

Coating of polymers containing Si in the main chain are classified in [C09D 183/00](#) and adhesives of polymers containing Si in the main chain are classified in [C09J 183/00](#).

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Application for medical or pharmaceutical purposes	<a href="#">A61J</a>
Application in cosmetics	<a href="#">A61K 8/89</a>
Application in layered products	<a href="#">B32B</a>
Application to construction materials	<a href="#">C04B 41/4905</a>
Preparation of aqueous siloxane emulsions	<a href="#">C08J 3/03</a>
Manufacturing of foams	<a href="#">C08J 9/00</a>
Compounding ingredients	<a href="#">C08K</a>
Compositions of polymers of other <a href="#">C08L</a> groups	<a href="#">C08L</a>
Application of siloxanes as pressure sensitive adhesives, i.e. PSA	<a href="#">C09J 7/38</a>
Release coating composition on which the PSA is applied	<a href="#">C09J 7/40</a>
Treating fibres and yarns	<a href="#">D06M 15/643</a>
Application in optical articles, optical parts, e.g. contact lenses	<a href="#">G02B 1/043</a>
Application in semiconductors e.g. as dielectric layer or encapsulation	<a href="#">H01L 21/3122</a> , <a href="#">H01L 23/296</a>

## Special rules of classification

When classifying within this group, a distinction has to be made structurally between polysilicates and siloxanes which contain Si-R groups, such as polymers, which contain only D-units, or resins which contain at least one branching unit such as T or Q.

Polysilicates are in [C08G 77/02](#), all kind of other polymers or resins are in [C08G 77/04](#) or its sub-groups.

It is obligatory to add the following additional indexing codes (CAA) where applicable:

- [C08G 77/70](#) for every document which uses the MDTQ nomenclature in the claims or the examples
- [C08G 77/80](#) for polysiloxanes having aromatic substituents such as phenyl side groups.

## Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

Condensation cure	The cure is established via condensation reactions such as $\text{Si-OR} + \text{HO-Si} \rightarrow \text{Si-O-Si}$ or $\text{Si-OH} + \text{HO-Si} \rightarrow \text{Si-O-Si}$ , e.g. $^{\text{HO}}\text{MD}_x\text{M}^{\text{OH}} + (\text{RO})_3\text{SiR} \rightarrow$ elastomer which is performed with the help of a variety of condensation catalysts, e.g. tin compounds, acids or bases.
Curing systems	The three most important ways to harden or cure siloxanes are hydrosilation-, condensation- or radical cure

Hydrosilation cure	The cure is established via the hydrosilation (or hydrosilylation or addition) reaction $\text{Si-CH=CH}_2 + \text{H-Si} \rightarrow \text{Si-CH}_2\text{-CH}_2\text{-Si}$ , e.g. $\text{V}_i\text{MD}_x\text{M}^{\text{Vi}} + \text{MD}^{\text{H}}\text{D}_x\text{M} \rightarrow \text{elastomeric material (3d x-linked)}$ , which is done in most cases with the help of a platinum catalyst, e.g. platonic acid, platinum compounds or Karstedt catalyst.
MDTQ nomenclature	The so called MDTQ nomenclature exists to facilitate the description of siloxane molecules. <div style="text-align: center;"> <math display="block">\begin{array}{cccc} \text{R} &amp; \text{R} &amp; \text{R} &amp; \text{O} \\   &amp;   &amp;   &amp;   \\ \text{R}-\text{Si}-\text{O} &amp; \text{O}-\text{Si}-\text{O} &amp; \text{O}-\text{Si}-\text{O} &amp; \text{O}-\text{Si}-\text{O} \\   &amp;   &amp;   &amp;   \\ \text{R} &amp; \text{R} &amp; \text{O} &amp; \text{O} \end{array}</math> <p style="text-align: center;">M                      D                      T                      Q</p> </div> <p>where R is an organic group O is an oxygen connected to other silicon atoms  M (<math>\text{R}_3\text{SiO}_{1/2}</math>) stands for monofunctional unit, i.e. monofunctional with respect to the connection to other Si atoms  D (<math>\text{R}_2\text{SiO}_{2/2} = \text{R}_2\text{SiO}</math>) is difunctional, T (<math>\text{RSiO}_{3/2}</math>) trifunctional and Q (<math>\text{SiO}_{4/2} = \text{SiO}_2</math>) is tetrafunctional</p>
MDTQ-resin	Contain all four elements
MQ-resin	A resin which contains M and Q units, i.e. prepared from tetraalkoxysilanes, e.g. TEOS and monoalkoxysilanes
Radical or peroxide cure	The cure is established via the reaction $\text{Si-CH}_3 + \text{CH}_3\text{-Si} \rightarrow \text{Si-CH}_2\text{-CH}_2\text{-Si}$ which is done in most cases with the help of a peroxide catalyst.
Silsesquioxane	Resin which falls under the stoichiometric formula $\text{RSiO}_{3/2}$ (silsesqui means one and a half), e.g. a T-resin
T-resin	A branched structure which contains only T-units, i.e. is prepared from trialkoxysilanes or trichlorosilanes

### Synonyms and Keywords

Polysiloxanes with organic substituents on the Si-O backbone are also commonly referred to in the literature as "polyorganosiloxanes" and "organopolysiloxanes". The terms "siloxanes" and "silocones" are also commonly encountered for these compounds.

$\text{MD}_x\text{M}$	Non functional PDMS, i.e. polydimethylsiloxane
MM	Hexamethyldisiloxane
$\text{V}_i\text{MD}_x\text{M}^{\text{Vi}}$	PDMS having vinyl end groups
$\text{MDH}_x\text{D}_x\text{M}$	PDMS having SiH side groups

*In patent documents the following expressions*

"platin+" or "karstedt" are often used as synonyms when searching for "platinum catalyst";

((alkoxy 2d cur+), (condens+ 2d cur+), tin+, stannous+ or (moisture 2d cur+)) are often used as synonyms when searching for condensation catalysts;

perox+ is often used when searching for radical or peroxide catalysts

## C08G 77/02

### Polysilicates

#### Definition statement

*This place covers:*

Polymers containing Si in the main chain where only Q groups are present, with no organic groups attached to the siloxane backbone, e.g. synthesis of polymers or gels via tetraethoxy orthosilicate (TEOS) condensation reactions.

#### References

##### Limiting references

*This place does not cover:*

Synthesis of silica particles	<a href="#">C01B 33/12</a>
-------------------------------	----------------------------

## C08G 77/04

### Polysiloxanes

#### Definition statement

*This place covers:*

Polysiloxanes, i.e. at least one M, D or T group present, e.g. T-resins, MQ-resins, D-polymers or silsesquioxanes, with more than 25 silicon atoms.

#### Special rules of classification

This group is used when a no more relevant group can be found.

## C08G 77/045

### {containing less than 25 silicon atoms}

#### Definition statement

*This place covers:*

Polysiloxanes with at least five silicon atoms present, e.g. cyclosiloxanes, polyhedral silsesquioxane (POSS, T8 cubes), or oligomers.

#### References

##### Limiting references

*This place does not cover:*

Polysiloxanes containing fewer than five units	<a href="#">C07F 7/00</a>
--	---------------------------

## C08G 77/10

### Equilibration processes

#### Definition statement

*This place covers:*

Processes referred to as redistribution, polymerization-depolymerization, resizing.

## C08G 77/14

containing silicon bound to oxygen-containing groups {(C08G 77/045 takes precedence)}

#### Definition statement

*This place covers:*

Polysiloxanes where the O atom is present in the substituents and not the backbone, e.g. direct or no direct silicon to oxygen bonding, epoxy groups, glycol or glycerol, polyhydric alcohol substituents or carbinols, i.e.

Si-CH<sub>2</sub>-OH

#### Special rules of classification

[C08G 77/045](#) takes precedence over this group.

## C08G 77/16

to hydroxyl groups

#### Definition statement

*This place covers:*

HO-PDMS-OH or condensed siloxane resins of the form RSiO<sub>x</sub>OH<sub>y</sub> having Si-OH groups.

## C08G 77/18

to alkoxy or aryloxy groups

#### Definition statement

*This place covers:*

RO-PDMS-OR or condensed siloxane resins of the form RSiO<sub>x</sub>OR<sub>y</sub> having Si-OR alkoxy groups.

## C08G 77/20

containing silicon bound to unsaturated aliphatic groups {(C08G 77/045 takes precedence)}

#### Definition statement

*This place covers:*

Polysiloxanes containing silicon bound to unsaturated aliphatic groups, e.g. vinyl or (meth)acrylate.

**Special rules of classification**

[C08G 77/045](#) takes precedence over this group.

**C08G 77/26****nitrogen-containing groups****Definition statement**

*This place covers:*

Polysiloxanes containing silicon bound to organic groups containing atoms other than carbon, hydrogen and oxygen, e.g. isocyanates or oximes

**C08G 77/32**

**Post-polymerisation treatment ({[C08G 77/045](#) takes precedence} chemical after-treatment [C08G 77/38](#))**

**Definition statement**

*This place covers:*

Physical post-polymerisation treatments which result in no change in length of polysiloxane backbone

**References****Limiting references**

*This place does not cover:*

Chemical after-treatment	<a href="#">C08G 77/38</a>
--------------------------	----------------------------

**Special rules of classification**

[C08G 77/045](#) takes precedence over this group.

**C08G 77/38**

**Polysiloxanes modified by chemical after-treatment ({[C08G 77/045](#) takes precedence})**

**Definition statement**

*This place covers:*

Polysiloxanes modified by chemical after-treatment which result in no change in length of polysiloxane backbone, but in polysiloxanes having substituents to be specified in sub-groups

**Special rules of classification**

[C08G 77/045](#) takes precedence over this group.

## C08G 77/42

**Block- or graft-polymers containing polysiloxane sequences (polymerising aliphatic unsaturated monomers on to a polysiloxane [C08F 283/12](#))**

### Definition statement

*This place covers:*

Preparation of block- or graft-polymers starting from a pre-existing polysiloxane backbone.

### References

#### Limiting references

*This place does not cover:*

Polymerising aliphatic unsaturated monomers on to a polysiloxane	<a href="#">C08F 283/12</a>
--	-----------------------------

## C08G 77/44

**containing only polysiloxane sequences**

### Definition statement

*This place covers:*

Preparation of block- or graft-polymers containing only polysiloxane sequences, e.g. from a MQ siloxane resin cocondensed with a D siloxane polymer.

## C08G 77/458

**containing polyurethane sequences**

### Definition statement

*This place covers:*

Preparation of block- or graft-polymers containing polyurethane sequences, e.g. urethane-urea type copolymers.

## C08G 77/50

**by carbon linkages {([C08G 77/485](#) takes precedence)}**

### Definition statement

*This place covers:*

Polymers where there is a Si atom in the main chain in which at least two but not all the silicon atoms are connected by carbon linkages, e.g. vinyl endblocked PDMS is reacted with Si-H endblocked PDMS in a stoichiometric ratio of >1:1 so that defined macromolecular species are build:



or the analog reaction scheme with  $\alpha,\omega$  vinyl endcapped aliphatic hydrocarbons:



**Special rules of classification**

[C08G 77/485](#) takes precedence over this group.

**C08G 77/52**

**containing aromatic rings**

**Definition statement**

*This place covers:*

Polymers where there is a Si atom in the main chain in which at least two but not all the silicon atoms are connected by carbon linkages containing aromatic rings, e.g.

$V_i R^{Vi} + H MD_x M^H \rightarrow V_i R^{CH_2-CH_2} MD_x M^{CH_2-CH_2} R^{Vi}$  with R being an aromatic hydrocarbon.

**C08G 77/58**

**Metal-containing linkages {(C08G 77/485 takes precedence)}**

**Definition statement**

*This place covers:*

Polymers where there is a Si atom in the main chain in which at least two but not all the silicon atoms are connected by metal-containing linkages, e.g. silane co-condensation with Ti, Al or Zr alkoxides

**Special rules of classification**

[C08G 77/485](#) takes precedence over this group.

**C08G 77/60**

**in which all the silicon atoms are connected by linkages other than oxygen atoms**

**Definition statement**

*This place covers:*

Polymers where there is a Si atom in the main chain in which all the silicon atoms are connected by linkages other than oxygen atoms, e.g. polysilanes or polysilcarbenes

**C08G 77/62**

**Nitrogen atoms**

**Definition statement**

*This place covers:*

Polymers where there is a Si atom in the main chain in which all the silicon atoms are connected by nitrogen atoms, e.g. polysilazanes



## C08G 79/025

### Polyphosphazenes

#### Definition statement

*This place covers:*

Polyphosphazenes are with the repeat unit



## C08G 79/04

### Phosphorus linked to oxygen or to oxygen and carbon

#### Definition statement

*This place covers:*

Polyphosphates

## C08G 81/00

**Macromolecular compounds obtained by interreacting polymers in the absence of monomers, e.g. block polymers (involving only carbon-to-carbon unsaturated bond reactions [C08F 299/00](#) {; polyester-amides [C08G 69/44](#); polyester-imides [C08G 73/16](#); polyamides-imides [C08G 73/14](#); block- or graft polymers containing polysiloxane sequences [C08G 77/42](#)})**

#### Definition statement

*This place covers:*

Block copolymers obtained by inter-reacting at least two preformed polymers in the absence of monomers.

#### Relationships with other classification places

Relationship between [C08G 81/00](#) and [C08F 299/00](#)

[C08F 299/00](#) refers to macromolecular compounds obtained by inter-reacting polymers involving only carbon-to-carbon unsaturated bond reactions.

[C08G 81/00](#) refers to macromolecular compounds obtained by inter-reacting polymers involving reactions other than carbon-to-carbon unsaturated bond reactions.

#### References

##### Limiting references

*This place does not cover:*

Crosslinking of polymers, i.e. crosslinked macromolecular products obtained by inter-reacting two polymers	<a href="#">C08J 3/24</a>
Intercrosslinking of at least two polymers	<a href="#">C08J 3/246</a>

**Application-oriented references**

Examples of places where the subject matter of this place is covered when specially adapted, used for a particular purpose, or incorporated in a larger system:

Block or graft polymers obtained by polymerising compounds having carbon-to-carbon double bonds on to polymers	<a href="#">C08G 18/63</a>
Compositions of graft polymers in which the grafted component is obtained by reactions only involving carbon-to-carbon unsaturated bonds; Compositions of derivatives of such polymers; Coatings or adhesives compositions thereof	<a href="#">C08L 51/00</a> , <a href="#">C09D 151/00</a> , <a href="#">C09J 151/00</a>
Compositions of block copolymers containing at least one sequence of a polymer obtained by reactions only involving carbon-to-carbon unsaturated bonds; Compositions of derivatives of such polymers; Coatings or adhesives compositions thereof	<a href="#">C08L 53/00</a> , <a href="#">C09D 153/00</a> , <a href="#">C09J 153/00</a>
Compositions of homopolymers or copolymers, obtained by polymerisation reactions only involving carbon-to-carbon unsaturated bonds, not provided for in groups <a href="#">C08L 23/00</a> - <a href="#">C08L 53/00</a>	<a href="#">C08L 55/00</a> , <a href="#">C09D 155/00</a> , <a href="#">C09J 155/00</a>

**Informative references**

Attention is drawn to the following places, which may be of interest for search:

Polyester-amides	<a href="#">C08G 69/44</a>
Polyamides-imides	<a href="#">C08G 73/14</a>
Polyester-imides	<a href="#">C08G 73/16</a>
Block- or graft polymers containing polysiloxane sequences	<a href="#">C08G 77/42</a>
Involving only carbon-to-carbon unsaturated bond reactions	<a href="#">C08F 299/00</a>

**C08G 81/02**

**at least one of the polymers being obtained by reactions involving only carbon-to-carbon unsaturated bonds**

**Definition statement**

*This place covers:*

Block or graft polymers containing sequences of polymers of [C08F](#) or [C08C](#) and of polymers of [C08G](#).

**C08G 81/022**

**{containing sequences of polymers of conjugated dienes and of polymers of alkenyl aromatic compounds}**

**Definition statement**

*This place covers:*

Block or graft copolymers obtained by coupling polymers containing sequences of conjugated dienes and of polymers containing vinyl aromatic monomers, e.g. SBR.

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Block or graft polymers containing sequences of polymers of <a href="#">C08C</a> or <a href="#">C08F</a> and of polymers of <a href="#">C08G</a>	<a href="#">C08G 81/024</a>
Macromolecular compounds obtained by inter-reacting polymers involving only carbon-to-carbon unsaturated bond reactions, in the absence of non-macromolecular monomers from polysiloxanes	<a href="#">C08F 299/08</a>
Compositions of graft copolymers	<a href="#">C08L 51/00</a>
Compositions of block copolymers	<a href="#">C08L 53/00</a>
Compositions of unspecific macromolecular , obtained otherwise than by polymerisation reactions only involving unsaturated carbon-to-carbon bonds	<a href="#">C08L 87/00</a>

## C08G 81/024

{Block or graft polymers containing sequences of polymers of [C08C](#) or [C08F](#) and of polymers of [C08G](#)}

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Macromolecular compounds obtained by inter-reacting polymers involving only carbon-to-carbon unsaturated bond reactions, in the absence of non-macromolecular monomers from polysiloxanes	<a href="#">C08F 299/08</a>
Compositions of unspecific macromolecular compounds, obtained otherwise than by polymerisation reactions only involving unsaturated carbon-to-carbon bonds	<a href="#">C08L 87/00</a>

## C08G 81/025

{containing polyether sequences}

## Definition statement

This place covers:

Block or graft polymers containing sequences of polymers of [C08F](#) or [C08C](#) and polyether.

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Macromolecular compounds obtained by inter-reacting polymers involving only carbon-to-carbon unsaturated bond reactions, in the absence of non-macromolecular monomers from polyurethanes	<a href="#">C08F 299/06</a>
---	-----------------------------

## C08G 81/027

{containing polyester or polycarbonate sequences}

### Definition statement

*This place covers:*

Block or graft polymers containing sequences of polymers of [C08F](#) or [C08C](#) and polyester or polycarbonate.

### References

#### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Macromolecular compounds obtained by inter-reacting polymers involving only carbon-to-carbon unsaturated bond reactions, in the absence of non-macromolecular monomers from unsaturated polyesters	<a href="#">C08F 299/04</a>
Macromolecular compounds obtained by inter-reacting polymers involving only carbon-to-carbon unsaturated bond reactions, in the absence of non-macromolecular monomers from polyurethanes	<a href="#">C08F 299/06</a>

## C08G 81/028

{containing polyamide sequences}

### Definition statement

*This place covers:*

Block or graft polymers containing sequences of polymers of [C08F](#) or [C08C](#) and polyamides

## C08G 83/00

Macromolecular compounds not provided for in groups [C08G 2/00](#) - [C08G 81/00](#)

### Definition statement

*This place covers:*

Unusual or so-called "exotic" polymers, including polymers not only of [C08G](#), but also of [C08F](#).

### Special rules of classification

In this group are classified documents not provided in any of the (sub)groups of [C08G](#) or [C08F](#).

## C08G 83/001

{Macromolecular compounds containing organic and inorganic sequences, e.g. organic polymers grafted onto silica}

### Definition statement

*This place covers:*

Macromolecular compounds containing organic and inorganic sequences, e.g. organic polymers grafted onto silica.

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Compositions of graft polymers in which the polymer, which is obtained by reactions only involving carbon-to-carbon unsaturated bonds, is grafted on to inorganic particles.	<a href="#">C08L 51/10</a>
Coating compositions based on compositions of graft polymers of <a href="#">C08L 51/10</a> .	<a href="#">C09D 151/10</a>
Adhesive compositions based on compositions of graft polymers of <a href="#">C08L 51/10</a> .	<a href="#">C09J 151/10</a>

## C08G 83/002

### {Dendritic macromolecules}

#### Definition statement

This place covers:

all types of dendritic polymers not classified already in [C08G 83/003](#) and [C08G 83/005](#), such as

- i) linear dendritic polymers
- ii) dendrigraft polymers
- iii) star-hyperbranched polymers
- iv) hypergraft polymers.

## References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

(see corresponding note under [C08G 83/003](#) or [C08G 83/005](#)):

Medicinal preparations in nanocapsules made of organic macromolecular compounds; dendrimers	<a href="#">A61K 9/513</a>
Medicinal preparations characterised by the non-active ingredients used, where the non-active ingredient is chemically bound to the active ingredient; starburst conjugates, dendrimers or cascade conjugates.	<a href="#">A61K 47/6885</a>
Preparations for testing in vivo; nuclear magnetic resonance (NMR) characterised by the carrier; dendrimers, dendrons, hyperbranched compounds	<a href="#">A61K 49/124</a>
Catalysts containing polymer immobilised coordination complexes; e.g. PEG or dendrimer, i.e. molecular weight enlarged complexes	<a href="#">B01J 31/1683</a>
Compositions of unspecified macromolecular compounds containing dendritic macromolecules	<a href="#">C08L 101/005</a>
Coating compositions of unspecified macromolecular compounds containing dendritic macromolecules	<a href="#">C09D 201/005</a>
Coating compositions of unspecified macromolecular compounds containing dendritic macromolecules	<a href="#">C09J 201/005</a>

## Special rules of classification

Dendritic polymers are materials with a highly branched structure. Dendritic polymers are characterised by structure and not by chemical nature. Since this particular technical field is growing rapidly, and the classification scheme cannot keep its pace with the developments, in the absence of a more suitable place, all types of dendritic polymers are classified in [C08G 83/002](#) or in one of the subgroups.

## Synonyms and Keywords

*In patent documents, the following words/expressions are often used as synonyms:*

- "Dendrigraft" and "dendritic polymers"
- "Hypergraft" and "idem"

## C08G 83/003

### {Dendrimers}

## Definition statement

*This place covers:*

Dendrimers; i.e. polymers having a core from which emanates an exponentially increasing number of dendritic branches.

## References

### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Medicinal preparations in nanocapsules made of organic macromolecular compounds; dendrimers	<a href="#">A61K 9/513</a>
Use of antigens or antibodies in immunisation	<a href="#">A61K 2039/645</a>
Medicinal preparations characterised by the non-active ingredients used, where the non-active ingredient is chemically bound to the active ingredient; starburst conjugates, dendrimers or cascade conjugates.	<a href="#">A61K 47/6885</a>
Preparations for testing in vivo; nuclear magnetic resonance (NMR) characterised by the carrier; dendrimers, dendrons, hyperbranched compounds	<a href="#">A61K 49/124</a>
Catalysts containing dendrimers	<a href="#">B01J 31/064</a>
Catalysts containing polymer immobilised coordination complexes; e.g. PEG or dendrimer, i.e. molecular weight enlarged complexes	<a href="#">B01J 31/1683</a>
Compositions of unspecified macromolecular compounds containing dendritic macromolecules	<a href="#">C08L 101/005</a>
Coating compositions of unspecified macromolecular compounds containing dendritic macromolecules	<a href="#">C09D 201/005</a>
Coating compositions of unspecified macromolecular compounds containing dendritic macromolecules	<a href="#">C09J 201/005</a>
Dendrimers	<a href="#">C10N 2220/03</a>

## Special rules of classification

See corresponding note under [C08G 83/002](#).

## Synonyms and Keywords

In patent documents, the following words/expressions are often used as synonyms:

- "Starburst" and "dendrimer"
- "Arborol(s)", "Dendritic polymer(s)", "Dendron(s)" and "idem"

## C08G 83/005

### {Hyperbranched macromolecules}

#### Definition statement

*This place covers:*

Hyperbranched polymers; i.e. polymers having a tree-like structure.

#### References

##### Informative references

Attention is drawn to the following places, which may be of interest for search:

Compositions of unspecified macromolecular compounds containing dendritic macromolecules	<a href="#">C08L 101/005</a>
Coating compositions of unspecified macromolecular compounds containing dendritic macromolecules	<a href="#">C09D 201/005</a>
Coating compositions of unspecified macromolecular compounds containing dendritic macromolecules	<a href="#">C09J 201/005</a>

#### Special rules of classification

See corresponding note under [C08G 83/002](#).

## C08G 83/007

### {Polyrotaxanes; Polycatenanes}

#### Definition statement

*This place covers:*

Polyrotaxanes; polycatenanes.

#### References

##### Informative references

Attention is drawn to the following places, which may be of interest for search:

Cosmetic or similar toilet preparations containing cyclodextrins	<a href="#">A61K 8/738</a>
Compositions of polyalkylene oxides	<a href="#">C08L 71/02</a>
Coating compositions of polyalkylene oxides	<a href="#">C09D 171/02</a>
Adhesive compositions of polyalkylene oxides	<a href="#">C09J 171/02</a>

#### Special rules of classification

A polyrotaxane comprises a linear molecule and cyclic molecules in which the linear molecule is included in cavities of cyclic molecules in a skewered manner, and capping groups, each of which locates at each end of the linear molecule in order to prevent the dissociation of the cyclic molecule.

## Synonyms and Keywords

*In patent documents, the following words/expressions are often used as synonyms:*

- "Rotaxane(s)" and "polyrotaxane(s)" or "polycatenane(s)"
- "Catenane(s)", "Cyclodextrin(s)", "Crown ether(s)" and "idem"

## C08G 83/008

### {Supramolecular polymers}

#### Definition statement

*This place covers:*

Supramolecular polymers, where the monomer units are held together by reversible secondary interactions in the main chain.

#### Special rules of classification

Supramolecular polymers are polymeric arrays of monomer units, held together by reversible and highly directional secondary interacting -that is, non-covalent bonds, such as hydrogen bonds.

## Synonyms and Keywords

*In patent documents, the following words/expressions are often used as synonyms:*

- "Self-assembling polymer(s)" and "supramolecular polymer(s)"

## C08G 85/00

### General processes for preparing compounds provided for in this subclass

#### Definition statement

*This place covers:*

Processes for treating polymers not classified in any of [C08G](#) or [C08F](#) groups.

#### Special rules of classification

[C08F](#) is referred to in this group because there is no group under [C08F](#) corresponding to [C08G 85/00](#). So although it would in principle not appear correct to classify here post- or after-treatment of such polymers ([C08F](#)), which have not already been classified elsewhere, a place must in practice be found here for such documents.

## C08G 85/002

### {Post-polymerisation treatment}

#### Definition statement

*This place covers:*

Post-polymerisation treatment of polymers not classified in any of [C08G](#) or [C08F](#) groups.



**C08G 85/004****{Modification of polymers by chemical after-treatment}****Definition statement***This place covers:*After-treatment of polymers, not classified neither in [C08G](#) nor [C08F](#), by chemical modification.**References****Informative references***Attention is drawn to the following places, which may be of interest for search:*

After treatment of condensation or polyaddition polymers	<a href="#">C08G 2/30</a> , <a href="#">C08G 59/14</a> , <a href="#">C08G 63/46</a> , <a href="#">C08G 63/91</a> , <a href="#">C08G 64/42</a> , <a href="#">C08G 65/32</a> , <a href="#">C08G 65/48</a> , <a href="#">C08G 69/48</a> , <a href="#">C08G 75/0286</a> , <a href="#">C08G 77/38</a> , <a href="#">C08G 85/004</a>
Chemical modification of membranes	<a href="#">B01D 67/0093</a>
After treatment of addition polymers, e.g. obtained by reactions involving polymers obtained by reactions involving carbon to carbon unsaturated bonds or purification	<a href="#">C08F 8/00</a> - <a href="#">C08F 8/50</a>
Recovery or working-up of waste polymers	<a href="#">C08J 11/04</a>

**C08G 85/006****{Scale prevention in polymerisation reactors}****Definition statement***This place covers:*

preventing the deposition of scale in polymerisation reactors.

**References****Informative references***Attention is drawn to the following places, which may be of interest for search:*

Scale prevention in a polymerisation reactor or its auxiliary parts	<a href="#">C08F 2/002</a> - <a href="#">C08F 2/007</a>
---	---

**C08G 85/008****{Cleaning reaction vessels using chemicals (mechanical methods [B08B 9/08](#))}****Definition statement***This place covers:*

Cleaning reaction vessels with chemicals, e.g. polymerisation reactors or extruders.

**References**

***Informative references***

*Attention is drawn to the following places, which may be of interest for search:*

Mechanical methods	<a href="#">B08B 9/08</a>
Cleaning extruder parts	<a href="#">B29C 47/0877</a>