

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

TRANSPORTING

B60 VEHICLES IN GENERAL

(NOTE omitted)

B60K ARRANGEMENT OR MOUNTING OF PROPULSION UNITS OR OF TRANSMISSIONS IN VEHICLES; ARRANGEMENT OR MOUNTING OF PLURAL DIVERSE PRIME-MOVERS IN VEHICLES; AUXILIARY DRIVES FOR VEHICLES; INSTRUMENTATION OR DASHBOARDS FOR VEHICLES; ARRANGEMENTS IN CONNECTION WITH COOLING, AIR INTAKE, GAS EXHAUST OR FUEL SUPPLY OF PROPULSION UNITS IN VEHICLES

NOTES

- In this subclass, the following terms or expressions are used with the meanings indicated:
 - "conjoint control of drive units" includes such control for vehicles or of general applicability;
 - "auxiliary drives" means drives of auxiliary or external machines or devices from the propulsion unit, transmission, or other parts of the vehicle, and includes the control of such drives;
 - "transmission" means all propulsion parts linking propulsion units, e.g. engines, to ultimate propulsive elements, e.g. wheels;
 - "drive unit" means propulsion unit conjoint with transmission, a "drive unit" can additionally include the ultimate driven unit;
 - "sub-unit" means, e.g. propulsion unit, clutch, gearing or brake system;
 - "hybrid vehicle" means vehicles with plural diverse prime-movers for mutual or common propulsion
- Attention is drawn to the Note following the title of class [B60](#)

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

Arrangement or mounting of propulsion units in vehicles (of control devices for such units [B60K 26/00](#); elastic mountings [per se F16F](#); propulsion units or their control [per se, see the relevant classes](#))

<p>1/00 Arrangement or mounting of electrical propulsion units (B60K 7/00 takes precedence; arrangement or mounting of plural diverse prime-movers for mutual or common propulsion B60K 6/00; electric transmission arrangements B60K 17/12; electric equipment or propulsion of electrically-propelled vehicles per se B60L; current-collectors for power supply lines of electrically-propelled vehicles B60L 5/00)</p> <p>2001/001 . {one motor mounted on a propulsion axle for rotating right and left wheels of this axle}</p> <p>2001/003 . {with means for cooling the electrical propulsion units}</p> <p>2001/005 . . {the electric storage means}</p> <p>2001/006 . . {the electric motors}</p> <p>2001/008 . {with means for heating the electrical propulsion units}</p> <p>1/02 . comprising more than one electric motor</p>	<p>1/04 . of the electric storage means for propulsion (exchanging batteries for electric propulsion of vehicles B60L 53/80; for auxiliary purposes only B60R 16/04; supplying batteries to, or removing batteries from, vehicles B60S 5/06)</p> <p>2001/0405 . . {characterised by their position}</p> <p>2001/0411 . . . {Arrangement in the front part of the vehicle}</p> <p>2001/0416 . . . {Arrangement in the rear part of the vehicle}</p> <p>2001/0422 . . . {Arrangement under the front seats}</p> <p>2001/0427 . . . {Arrangement between the seats}</p> <p>2001/0433 . . . {Arrangement under the rear seats}</p> <p>2001/0438 . . . {Arrangement under the floor}</p> <p>2001/0444 . . . {Arrangement on a trailer}</p> <p>2001/045 . . . {Arrangement in a wheel, e.g. a spare wheel}</p> <p>2001/0455 . . {Removal or replacement of the energy storages}</p> <p>2001/0461 . . . {from the side}</p> <p>2001/0466 . . . {from above}</p> <p>2001/0472 . . . {from below}</p> <p>2001/0477 . . . {from the back}</p> <p>2001/0483 . . . {from the front}</p> <p>2001/0488 . . . {with arrangements for pivoting}</p> <p>2001/0494 . . . {with arrangements for sliding}</p>
--	--

<p>3/00 Arrangement or mounting of steam or gaseous-pressure propulsion units (B60K 7/00 takes precedence; arrangement or mounting of plural diverse prime-movers for mutual or common propulsion B60K 6/00; gaseous-pressure transmission arrangements B60K 17/10)</p> <p>3/02 . of piston type</p> <p>3/04 . of turbine type</p> <p>5/00 Arrangement or mounting of internal-combustion or jet-propulsion units (B60K 7/00 takes precedence; arrangement or mounting of plural diverse prime-movers for mutual or common propulsion B60K 6/00)</p> <p>2005/003 . {the internal combustion or jet propulsion unit is arranged between the front and the rear axle}</p> <p>2005/006 . {the internal combustion or jet propulsion unit is arranged behind the rear axle}</p> <p>5/02 . with the engine main axis, e.g. crankshaft axis, substantially in or parallel to the longitudinal centre line of the vehicle</p> <p>5/04 . with the engine main axis, e.g. crankshaft axis, transversely to the longitudinal centre line of the vehicle</p> <p>5/06 . . with the engine main axis substantially vertical</p> <p>5/08 . comprising more than one engine</p> <p>5/10 . providing for ready detachment of engine</p> <p>5/12 . Arrangement of engine supports {supports comprising both a plastic spring and a fluid damper F16F 13/06}</p> <p>5/1208 . . {Resilient supports (B60K 5/1241 - B60K 5/1291 take precedence)}</p> <p>5/1216 . . . {characterised by the location of the supports relative to the motor or to each other (B60K 5/1225 takes precedence)}</p> <p>5/1225 . . . {comprising resilient rings surrounding a part of the unit}</p> <p>5/1233 . . . {comprising protective elements, e.g. for protecting against heat, dust}</p> <p>5/1241 . . {Link-type support (B60K 5/125, B60K 5/1275 take precedence)}</p> <p>5/125 . . {Telescopic supports, e.g. telescopic dampers (B60K 5/1275 takes precedence)}</p> <p>5/1258 . . {Wire-type supports (B60K 5/1275 takes precedence)}</p> <p>5/1266 . . {Supports comprising friction damping devices (B60K 5/125, B60K 5/1283 take precedence)}</p> <p>5/1275 . . {Plastically deformable supports}</p> <p>5/1283 . . {Adjustable supports, e.g. the mounting or the characteristics being adjustable}</p> <p>5/1291 . . {Supports comprising stoppers}</p>	<p>6/00 Arrangement or mounting of plural diverse prime-movers for mutual or common propulsion, e.g. hybrid propulsion systems comprising electric motors and internal combustion engines {; Control systems therefor, i.e. systems controlling two or more prime movers, or controlling one of these prime movers and any of the transmission, drive or drive units (arrangement or mounting in vehicles of electrical gearing, in which an electrical machine serves only as reduction gearing and not as the prime mover and in which no electrical storing means are used B60K 17/12; control and regulation of purely electrical prime movers B60L; prime-movers comprising electrical and internal combustion motors in a common engine block or housing <i>per se</i> F02B 65/00; electric motors or motor-generators used for starting the combustion engine F02N 11/04; electric motors for synchronising gearing F16H 3/12)}{Informative references: mechanical gearings with secondary electric drive F16H 3/72; arrangements for handling mechanical energy structurally associated with the dynamo-electric machine H02K 7/00; machines comprising structurally interrelated motor and generator parts H02K 51/00; dynamo-electric machines not otherwise provided for in H02K see H02K 99/00}</p> <p>NOTE</p> <p>In this subgroup, the following expressions are used, with the meanings indicated :</p> <ul style="list-style-type: none"> • "energy storing means" means apparatus for storing propulsive energy and providing stored energy to drive the prime mover or the ultimate propulsive elements • "hybrid electric vehicle" (HEV) means a vehicle with an electrical prime mover and a combustion engine, in which the electrical prime mover and the combustion engine either singly or in combination, drive the ultimate propulsive elements, e.g. wheels • "motor-generator" means an electric motor, or an electric generator, or an electrical machine which can be used for both functions, as a motor or a generator • "prime mover" means a propulsion unit or source of motive power providing a mechanical output, e.g. via a rotating shaft <p>6/08 . Prime-movers comprising combustion engines and mechanical or fluid energy storing means</p> <p>6/10 . . by means of a chargeable mechanical accumulator, e.g. flywheel</p> <p>6/105 . . . {the accumulator being a flywheel}</p> <p>6/12 . . by means of a chargeable fluidic accumulator</p> <p>2006/123 . . . {for driving pneumatic motors}</p> <p>2006/126 . . . {the hydraulic accumulator starts the engine}</p> <p>6/20 . the prime-movers consisting of electric motors and internal combustion engines, e.g. HEVs</p> <p>NOTE</p> <p>When classifying in one of groups B60K 6/22, B60K 6/42 or B60K 6/50, further technical information, which is considered to represent information of interest for search, should also be classified in the other subgroups of main</p>
--	---

B60K 6/20

(continued)

- group [B60K 6/00](#) to enable searching using a combination of classification symbols
- 6/22 . . characterised by apparatus, components or means specially adapted for HEVs
 - 6/24 . . . characterised by the combustion engines
 - 6/26 . . . characterised by the motors or the generators
 - 2006/262 {the motor or generator are used as clutch, e.g. between engine and driveshaft}
 - 2006/264 {with outer rotor and inner stator}
 - 2006/266 {with two coaxial motors or generators}
 - 2006/268 {Electric drive motor starts the engine, i.e. used as starter motor}
 - 6/28 . . . characterised by the electric energy storing means, e.g. batteries or capacitors
 - 6/30 . . . characterised by chargeable mechanical accumulators, e.g. flywheels
 - 6/32 . . . characterised by the fuel cells
 - 6/34 . . . characterised by the absence of energy storing means
 - 6/36 . . . characterised by the transmission gearings
 - 6/365 with the gears having orbital motion
 - 6/38 . . . characterised by the driveline clutches ([shift clutches within the gearing or transmission B60K 6/36](#) {, [B60K 6/54](#)})
 - 2006/381 {characterized by driveline brakes ([shift brakes in transmission B60K 6/54](#))}
 - 6/383 One-way clutches or freewheel devices
 - 6/387 Actuated clutches, i.e. clutches engaged or disengaged by electric, hydraulic or mechanical actuating means
 - 6/40 . . . characterised by the assembly or relative disposition of components
 - 6/405 Housings
 - 6/42 . . characterised by the architecture of the hybrid electric vehicle
 - 6/44 . . . Series-parallel type
 - 6/442 Series-parallel switching type
 - 6/445 Differential gearing distribution type
 - 6/448 Electrical distribution type
 - 6/46 . . . Series type
 - 6/48 . . . Parallel type
 - 2006/4808 {Electric machine connected or connectable to gearbox output shaft}
 - 2006/4816 {Electric machine connected or connectable to gearbox internal shaft}
 - 2006/4825 {Electric machine connected or connectable to gearbox input shaft}
 - 2006/4833 {Step up or reduction gearing driving generator, e.g. to operate generator in most efficient speed range}
 - 2006/4841 {the gear provides shifting between multiple ratios}
 - 6/485 Motor-assist type
 - 6/50 . . Architecture of the driveline characterised by arrangement or kind of transmission units
 - 6/52 . . . Driving a plurality of drive axles, e.g. four-wheel drive
 - 6/54 . . . Transmission for changing ratio
 - 2006/541 {without reverse ratio using instead electric reversing}
 - 2006/542 {with overdrive ratio}
 - 6/543 the transmission being a continuously variable transmission

6/547 the transmission being a stepped gearing

7/00 Disposition of motor in, or adjacent to, traction wheel (roller-skate driving mechanisms [A63C 17/12](#))

- 7/0007 . {the motor being electric}
- 7/0015 . {the motor being hydraulic}
- 7/0023 . {the motor being pneumatic}
- 2007/003 . {with two or more motors driving a single wheel}
- 2007/0038 . {the motor moving together with the wheel axle}
- 2007/0046 . {the motor moving together with the vehicle body, i.e. moving independently from the wheel axle}
- 2007/0053 . {the motor moving relative to the vehicle body and to the wheel axle}
- 2007/0061 . {the motor axle being parallel to the wheel axle}
- 2007/0069 . {the motor axle being perpendicular to the wheel axle}
- 2007/0076 . . {the motor axle being horizontal}
- 2007/0084 . . {the motor axle being vertical}
- 2007/0092 . {the motor axle being coaxial to the wheel axle}

8/00 Arrangement or mounting of propulsion units not provided for in one of the preceding main groups**Arrangements in connection with cooling, air intake, gas exhaust, fuel supply, or power supply of propulsion units in vehicles**

- 11/00 Arrangement in connection with cooling of propulsion units (heating the interior space [B60H](#); cooling internal combustion engines [per se F01P](#))**
- 11/02 . with liquid cooling
- 11/04 . . Arrangement or mounting of radiators, radiator shutters, or radiator blinds ({[B60K 11/085](#) takes precedence})
- 11/06 . with air cooling
- 11/08 . Air inlets for cooling; Shutters or blinds therefor ({[radiator or grille guards B60R 19/52](#)})
- 11/085 . . {with adjustable shutters or blinds}
- 13/00 Arrangement in connection with combustion air intake or gas exhaust of propulsion units (extensions for melting snow or ice on roads or like surfaces [E01H 5/00](#), [E01H 6/00](#); forming part of the engine [F01N](#); supplying combustion engines with combustible mixtures or constituents [F02M](#))**
- 13/02 . concerning intake
- 13/04 . concerning exhaust ({collecting exhaust gases with central suction systems not forming part of vehicles, e.g. in workshops or tunnels [B08B 15/002](#), otherwise along carriageways [E01C 1/005](#);} extensions for melting snow on roads [E01H 5/00](#), [E01H 6/00](#); exhaust or silencing apparatus for internal combustion engines [per se F01N](#);} {pipes, joints or supports therefor [F16L](#)})
- 13/06 . using structural parts of the vehicle as ducts, e.g. frame parts
- 15/00 Arrangement in connection with fuel supply of combustion engines {or other fuel consuming energy converters, e.g. fuel cells}; Mounting or construction of fuel tanks (tanks in general [B65D](#), [F17C](#); supplying combustion engines with combustible mixtures or constituents [F02M](#))**
- 15/01 . Arrangement of fuel conduits ([chassis frame forming fluid conduit means B62D 21/17](#))
- 15/013 . . {of gas conduits}

- 2015/016 . . {Fuel conduits having more than one internal passage, e.g. for different types of fuel}
- 15/03 . Fuel tanks ([chassis frame comprising fluid storage compartment B62D 21/16](#) ; [Details of the fuel feeding system related to the fuel tank F02M 37/0076](#))
- 15/03006 . . {Gas tanks ([B60K 15/07 takes precedence](#))}
- 2015/03013 . . . {Control systems for LPG tanks}
- 2015/03019 . . . {Filling of gas tanks}
- 2015/03026 . . . {comprising a valve}
- 2015/03032 . . {Manufacturing of fuel tanks}
- 2015/03039 . . . {made of a combination of non metallic and metallic materials}
- 2015/03046 . . . {made from more than one layer}
- 2015/03052 . . . {Fuel tanks made of two balloons, one inside the other}
- 2015/03059 . . . {Fuel tanks with double shells or more}
- 2015/03065 {with material filled between the walls}
- 2015/03072 . . {Arrangements for reducing evaporation}
- 2015/03078 . . . {Membranes, layers or the like covering the surface of the fuel}
- 2015/03085 {using inflatable bags or bladders in the tanks}
- 2015/03092 . . {with latent heat storages to reduce the evaporation of fuel}
- 2015/03098 . . {with a device for mixing liquids in the fuel tank, e.g. for mixing oil and fuel}
- 2015/03105 . . {with supplementary interior tanks inside the fuel tank}
- 2015/03111 . . {Swirl pots}
- 2015/03118 . . {Multiple tanks, i.e. two or more separate tanks ([supplementary tanks inside the fuel tank B60K 2015/03105](#))}
- 2015/03125 . . . {Suction lines for dual tanks}
- 2015/03131 . . . {Systems for filling dual tanks}
- 2015/03138 . . . {Pumping means between the compartments}
- 2015/03144 . . . {Fluid connections between the tanks}
- 2015/03151 . . . {Mechanical connection between the tanks}
- 2015/03157 . . . {for supply different types of fuel to the motor}
- 2015/03164 . . {Modular concepts for fuel tanks}
- 2015/03171 . . {Expansion tanks}
- 15/03177 . . {made of non-metallic material, e.g. plastics, or of a combination of non-metallic and metallic material ([B60K 15/03006 takes precedence](#))}
- 2015/03184 . . {Exchangeable tanks, i.e. the empty tank is replaced by refilled tank}
- 2015/0319 . . {with electronic systems, e.g. for controlling fuelling or venting ([for LPG tanks B60K 2015/03013](#))}
- 2015/03197 . . . {Systems for exchanging data}
- 2015/03203 {during refueling}
- 2015/0321 . . {characterised by special sensors, the mounting thereof}
- 2015/03217 . . . {Fuel level sensors}
- 2015/03223 {comprising at least two level fuel sensors}
- 2015/0323 . . . {Sensors for detecting presence or absence of the filling nozzle}
- 2015/03236 . . {characterised by special filters, the mounting thereof}
- 2015/03243 . . {characterised by special pumps, the mounting thereof}
- 2015/0325 . . . {Jet pumps}
- 2015/03256 . . . {characterised by special valves, the mounting thereof}
- 2015/03263 {Ball valves}
- 2015/03269 {Flap valves}
- 2015/03276 {Valves with membranes}
- 2015/03282 {Umbrella type valves}
- 2015/03289 {Float valves; Floats therefor}
- 2015/03296 {Pressure regulating valves}
- 2015/03302 {Electromagnetic valves}
- 2015/03309 . . . {Tanks specially adapted for particular fuels}
- 2015/03315 {for hydrogen}
- 2015/03322 {for methanol}
- 2015/03328 . . . {Arrangements or special measures related to fuel tanks or fuel handling}
- 2015/03335 {for fast filling of fuel tanks, e.g. specific filler pipes for pressurised fuelling}
- 2015/03342 {to allow automatic or robotised filling of the tank}
- 2015/03348 {for supplying additives to fuel}
- 2015/03355 {for supplying different types of fuel}
- 2015/03361 {for checking the quality or quantity of fuel during filling of fuel tank}
- 2015/03368 {for preventing overfilling of tanks}
- 2015/03375 {to improve security}
- 2015/03381 {for preventing explosions}
- 2015/03388 {in case of a roll over of the vehicle}
- 2015/03394 {for preventing expulsion of fuel during filling of the tank}
- 2015/03401 {for preventing electrostatic charges}
- 2015/03407 {to protect tanks against projectiles}
- 2015/03414 {associated with the fuel tank for cooling heated fuel}
- 2015/03421 {to protect the fuel tank against heat}
- 2015/03427 {for heating fuel, e.g. to avoiding freezing}
- 2015/03434 {for preventing theft of fuel ([locks for filler caps B60K 15/0409](#); [locking of the inlet cover B60K 2015/0561](#))}
- 2015/0344 {comprising baffles}
- 2015/03447 {for improving the sealing}
- 2015/03453 {for fixing or mounting parts of the fuel tank together}
- 2015/0346 {by welding}
- 2015/03467 {by clip or snap fit fittings}
- 2015/03473 {for draining or emptying a fuel tank}
- 2015/0348 {for returning the fuel from the motor}
- 2015/03486 . . . {characterised by the materials the tank or parts thereof are essentially made from}
- 2015/03493 {made of plastics}
- 15/035 . . . characterised by venting means
- 15/03504 {adapted to avoid loss of fuel or fuel vapour, e.g. with vapour recovery systems}
- 2015/03509 {with a droplet separator in the vent line}
- 2015/03514 {with vapor recovery means}
- 15/03519 {Valve arrangements in the vent line}
- 2015/03523 {Arrangements of the venting tube}
- 2015/03528 {Mounting of venting tubes}
- 2015/03533 {the venting tube being movable with the fuel level}
- 2015/03538 {the venting tube being connected with the filler tube}
- 2015/03542 {Mounting of the venting means ([mounting of venting tubes B60K 2015/03528](#))}

- 2015/03547 {the venting means are integrated in the fuel cap or inlet cover}
- 2015/03552 {the venting means are integrated into the fuel filler pipe}
- 2015/03557 {comprising elements of the venting device integrated in the fuel tank, e.g. vapor recovery means}
- 2015/03561 {Venting means working at specific times}
- 2015/03566 {comprising means for stopping the venting of fuel vapor, e.g. during refueling or engine stop}
- 2015/03571 {Venting during driving}
- 2015/03576 {Venting during filling the reservoir}
- 2015/0358 {the venting is actuated by specific signals or positions of particular parts}
- 2015/03585 {by gas pressure}
- 2015/0359 {by filler cap or inlet cover position}
- 2015/03595 {by filler nozzle}
- 15/04 Tank inlets ([B60K 15/077](#) takes precedence)
- 15/0403 {Anti-siphoning devices}
- 15/0406 {Filler caps for fuel tanks}
- 15/0409 {Provided with a lock}
- 2015/0412 {the key can only be withdrawn when the cap is placed on the filler neck}
- 2015/0416 {electrically actuated}
- 2015/0419 {Self-sealing closure caps, e.g. that don't have to be removed manually}
- 2015/0422 {actuated by the inlet cover}
- 2015/0425 {actuated by a motor}
- 2015/0429 {actuated by the nozzle}
- 2015/0432 {having a specific connection between the cap and the vehicle or tank opening}
- 2015/0435 {using a sliding connection}
- 2015/0438 {using screw or bayonet}
- 2015/0441 {with torque control}
- 2015/0445 {using hinges}
- 2015/0448 {comprising spherical valve type closures}
- 2015/0451 {Sealing means in the closure cap}
- 2015/0454 {combined closing of the fuel inlet and bodywork inlet by one element which is visible from outside}
- 2015/0458 {Details of the tank inlet}
- 2015/0461 {comprising a filler pipe shutter, e.g. trap, door or flap for fuel inlet}
- 2015/0464 {comprising a flexible or extendable filler pipes, e.g. corrugated, foldable or with bellows}
- 2015/0467 {Fuel tanks with more than one filler pipe}
- 2015/047 {Manufacturing of the fuel inlet or connecting elements to fuel inlet, e.g. pipes or venting tubes}
- 2015/0474 {Arrangement of fuel filler pipes in relation to vehicle body}
- 2015/0477 {Details of the filler neck tank side}
- 2015/048 {Arrangements for sealing the fuel inlet during filling}
- 2015/0483 {Means to inhibit the introduction of too small or too big filler nozzles}
- 2015/0487 {Means to shield vehicle bodywork from fuel, e.g. during filling}
- 2015/049 {Means for determining the position of the filler nozzle in the filler pipe}
- 2015/0493 {Means for checking absence or presence of closure cap}
- 2015/0496 {the fuel inlet being arranged on the top of the fuel tank}
- 15/05 Inlet covers
- 2015/0507 {Arrangements for adjusting the inlet cover}
- 2015/0515 {Arrangements for closing or opening of inlet cover ([locking means B60K 2015/0561](#))}
- 2015/0523 {with sliding connection to the vehicle body}
- 2015/053 {with hinged connection to the vehicle body}
- 2015/0538 {with open or close mechanism automatically actuated}
- 2015/0546 {Arrangements for checking the position of the inlet cover}
- 2015/0553 {Details concerning the inlet box or bowl in the vehicle car body panel}
- 2015/0561 {Locking means for the inlet cover}
- 2015/0569 {with actuator fixed to the inlet cover}
- 2015/0576 {with actuator fixed to the vehicle body}
- 2015/0584 {the locking bolt is linearly moved to lock or unlock}
- 2015/0592 {with storage means for the cap}
- 15/06 characterised by fuel reserve systems
- 15/061 {with level control}
- 2015/062 {Arrangement for filling the fuel reserve systems}
- 15/063 Arrangement of tanks
- 2015/0631 {the fuel tank forming at least part of the vehicle floor}
- 2015/0632 {the fuel tank is arranged below the front seat}
- 2015/0633 {the fuel tank is arranged below the rear seat}
- 2015/0634 {the fuel tank is arranged below the vehicle floor}
- 2015/0635 {the fuel tank is arranged between the seats}
- 2015/0636 {the fuel tank being part of the chassis or frame}
- 2015/0637 {the fuel tank is arranged in the front of the vehicle}
- 2015/0638 {the fuel tank is arranged in the rear of the vehicle}
- 2015/0639 {the fuel tank is arranged near or in the roof}
- 15/067 Mounting of tanks
- 2015/0675 {allowing deflection movements of the tank in case of a crash}
- 15/07 of gas tanks
- 15/073 Tank construction specially adapted to the vehicle ([B60K 15/077](#) takes precedence)
- 15/077 with means modifying or controlling distribution or motion of fuel, e.g. to prevent noise, surge, splash or fuel starvation
- 2015/0772 {Floats in the fuel tank ([float valves B60K 2015/03289](#))}
- 2015/0775 {for reducing movement or slash noise of fuel}
- 2015/0777 {in-tank reservoirs or baffles integrally manufactured with the fuel Tank}
- 15/10 concerning gas-producing plants

<p>16/00 Arrangements in connection with power supply of propulsion units in vehicles from forces of nature, e.g. sun or wind (electric propulsion with power supply from forces of nature, e.g. sun or wind B60L 8/00; marine propulsion by wind motors driving water-engaging propulsive elements B63H 13/00; wind motors specially adapted for installation on vehicles F03D 9/32)</p> <p>NOTE</p> <p>When classifying in this group, details of sail or rigging arrangements which are suited for marine wind propulsion are also classified in the relevant groups of subclass B63H, e.g. in groups B63H 8/00, B63H 9/04.</p> <p>2016/003 . {solar power driven}</p> <p>2016/006 . {wind power driven}</p> <p>Arrangement or mounting of transmissions or their control in vehicles (torque-transmitting axles B60B; combined transmission and steering gear for steering non-deflectable wheels B62D)</p> <p>17/00 Arrangement or mounting of transmissions in vehicles (clutches <i>per se</i>, e.g. construction thereof, F16D; gearing <i>per se</i>, e.g. construction thereof, F16H)</p> <p>17/02 . characterised by arrangement, location, or kind of clutch</p> <p>17/04 . characterised by arrangement, location, or kind of gearing (electric equipment or propulsion of electrically-propelled vehicles B60L)</p> <p>17/043 . . {Transmission unit disposed in on near the vehicle wheel, or between the differential gear unit and the wheel}</p> <p>17/046 . . . {with planetary gearing having orbital motion}</p> <p>17/06 . . of change-speed gearing (B60K 17/10 - B60K 17/16 take precedence)</p> <p>17/08 . . . of mechanical type</p> <p>17/10 . . of fluid gearing (of fluid clutches B60K 17/02)</p> <p>17/105 . . . {Units comprising at least a part of the gearing and a torque-transmitting axle, e.g. transaxles (B60K 17/14 takes precedence)}</p> <p>17/12 . . of electric gearing (of electrically-actuated clutches B60K 17/02)</p> <p>17/14 . . the motor of fluid or electric gearing being disposed in or adjacent to traction wheel (B60K 7/00 takes precedence)</p> <p>17/145 . . . {the electric gearing being disposed in or adjacent to traction wheel}</p> <p>17/16 . . of differential gearing</p> <p>17/165 . . . {provided between independent half axles (B60K 17/18, B60K 17/20 take precedence)}</p> <p>17/18 . . . {in which the differential movement is obtained by resilient means}</p> <p>17/20 . . . {in which the differential movement is limited}</p> <p>17/22 . characterised by arrangement, location, or type of main drive shafting, e.g. cardan shaft</p> <p>17/24 . . Arrangements of mountings for shafting</p> <p>17/26 . characterised by arrangement, location, of type of freewheel device</p> <p>17/28 . characterised by arrangement, location, or type of power take-off</p> <p>17/30 . the ultimate propulsive elements, e.g. ground wheels, being steerable</p>	<p>17/303 . . {with a gearwheel on the steering knuckle or kingpin axis}</p> <p>17/306 . . {with a universal joint in the axis of the steering knuckle}</p> <p>17/32 . the ultimate propulsive elements, e.g. ground wheels, being rockable about a horizontal pivot</p> <p>17/34 . for driving both front and rear wheels, e.g. four wheel drive vehicles (arrangement or mounting of control devices for changing number of driven wheels B60K 23/08)</p> <p>17/342 . . having a longitudinal, endless element, e.g. belt or chain, for transmitting drive to wheels</p> <p>17/344 . . having a transfer gear</p> <p>17/346 . . . the transfer gear being a differential gear</p> <p>17/3462 {with means for changing distribution of torque between front and rear wheels}</p> <p>17/3465 {self-actuated means, e.g. differential locked automatically by difference of speed}</p> <p>17/3467 {combined with a change speed gearing, e.g. range gear}</p> <p>17/348 . . having differential means for driving one set of wheels, e.g. the front, at one speed and the other set, e.g. the rear, at a different speed (B60K 17/346 takes precedence)</p> <p>17/35 . . . including arrangements for suppressing or influencing the power transfer, e.g. viscous clutches (differential gearing with locking devices {F16H 48/20})</p> <p>17/3505 {with self-actuated means, e.g. by difference of speed}</p> <p>17/351 {comprising a viscous clutch}</p> <p>17/3515 {with a clutch adjacent to traction wheel, e.g. automatic wheel hub}</p> <p>17/352 {manually operated}</p> <p>17/354 . . having separate mechanical assemblies for transmitting drive to the front or to the rear wheels or set of wheels</p> <p>17/356 . . having fluid or electric motor, for driving one or more wheels (disposition of motor in, or adjacent to, traction wheel B60K 7/00)</p> <p>17/358 . . {all driven wheels being steerable}</p> <p>17/36 . for driving tandem wheels</p> <p>20/00 Arrangement or mounting of change-speed gearing control devices in vehicles (movable cabs having special adaptations of vehicle control devices B62D 33/06; such control devices <i>per se</i> F16H)</p> <p>20/02 . of initiating means (control mechanisms in general G05G)</p> <p>20/04 . . floor mounted</p> <p>20/06 . . mounted on steering column or the like</p> <p>20/08 . . Dashboard means</p> <p>23/00 Arrangement or mounting of control devices for vehicle transmissions, or parts thereof, not otherwise provided for (movable cabs having special adaptations of vehicle control devices B62D 33/06; such control devices <i>per se</i> F16D, F16H)</p> <p>2023/005 . {Adjusting multiple pedals, e.g. for their initial position}</p> <p>23/02 . for main transmission clutches</p> <p>2023/025 . . {Adjusting of clutch pedal positions (clutch adjustment for removing slack F16D 13/75)}</p> <p>23/04 . for differential gearing</p>
---	--

2023/043	. . {Control means for varying left-right torque distribution, e.g. torque vectoring}	2026/027	. . {Acceleration input members mounted on a seat}
2023/046	. . {Axle differential locking means}	2026/028	. . {Acceleration input members mounted on steering wheel or column}
23/06	. for freewheel devices	2026/029	. . {Joystick type control devices for acceleration}
23/08	. for changing number of driven wheels {, for switching from driving one axle to driving two or more axles (B60K 17/3515 takes precedence)}	26/04	. of means connecting initiating means or elements to propulsion unit
23/0808	. . {for varying torque distribution between driven axles, e.g. by transfer clutch}	2026/043	. . {with mechanical gearings}
2023/0816	. . . {for varying front-rear torque distribution with a central differential}	2026/046	. . {with electrical transmission means}
2023/0825 {for adding torque to the front wheels}	28/00	Safety devices for propulsion-unit control, specially adapted for, or arranged in, vehicles, e.g. preventing fuel supply or ignition in the event of potentially dangerous conditions (for electrically-propelled vehicles B60L 3/00; road vehicle drive control systems for purposes not related to the control of a particular sub-unit B60W 30/00; drive control systems specially adapted for autonomous road vehicles B60W 60/00)
2023/0833 {for adding torque to the rear wheels}		WARNING
2023/0841	. . . {for locking a central differential, e.g. by using a lock-up clutch}		Groups B60K 28/00 - B60K 28/165 are impacted by reclassification into groups B60W 60/00 - B60W 60/007 , B60W 2300/00 - B60W 2530/213 , B60W 2540/041 - B60W 2540/049 , B60W 2552/00 - B60W 2556/65 , B60W 2710/00 - B60W 2720/406 , and B60W 2754/00 - B60W 2900/00 .
2023/085	. . {automatically actuated}		All groups listed in this Warning should be considered in order to perform a complete search.
2023/0858	. . . {with electric means, e.g. electro-hydraulic means}		
2023/0866	. . . {with hydraulic means only}	2028/003	. {inhibiting the starter motor, e.g. by controlling ignition or park lock circuits}
2023/0875	. . . {with mechanical means only}	2028/006	. {disconnecting the electric power supply, e.g. the vehicle battery}
2023/0883	. . {manually actuated}	28/02	. responsive to conditions relating to the driver
2023/0891	. . . {with actuator levers, e.g. shift levers or linkage for changing two-wheel to four-wheel drive}	28/04	. . responsive to presence or absence of the driver, e.g. to weight or lack thereof
25/00	Auxiliary drives (B60K 16/00 takes precedence; arrangements of tyre-inflating pumps mounted on vehicles B60C 23/10; driving tyre-inflating pumps B60C; driving engine auxiliaries F02B)	28/06	. . responsive to incapacity of driver
2025/005	. {driven by electric motors forming part of the propulsion unit}	28/063	. . . {preventing starting of vehicles}
25/02	. directly from an engine shaft	28/066	. . . {actuating a signalling device (B60K 28/063 takes precedence)}
2025/022	. . {by a mechanical transmission}	28/08	. responsive to conditions relating to the cargo, e.g. overload
2025/024	. . . {with variable ratio}	28/10	. responsive to conditions relating to the vehicle
2025/026	. . {by a hydraulic transmission}	28/12	. . responsive to conditions relating to doors or doors locks, e.g. open door
2025/028	. . {by a pneumatic transmission}	28/14	. . responsive to accident or emergency, e.g. deceleration, tilt of vehicle
25/04	. from static or dynamic pressure or vacuum, developed by the engine	28/16	. . responsive to, or preventing, skidding of wheels (brake control systems for vehicle drive stability B60T 8/1755 ; arrangements responsive to a speed condition for adjusting wheel braking force B60T 8/32 ; control of vehicle driving stability otherwise than by controlling the propulsion unit only B60W 30/02 ; preventing wheel slippage by reducing power in rail vehicles B61C 15/00)
25/06	. from the transmission power take-off (transmissions having power-take-off B60K 17/28)	28/165	. . . {acting on elements of the vehicle drive train other than the propulsion unit and brakes, e.g. transmission, clutch, differential (acting on brakes B60T 8/17)}
2025/065	. . {the transmission being fluidic, e.g. hydraulic}		
25/08	. from a ground wheel, e.g. engaging the wheel tread or rim		
25/10	. directly from oscillating movements due to vehicle running motion, e.g. suspension movement (resilient suspensions having dampers accumulating utilisable energy, e.g. compressing air, B60G 13/14)		
2025/103	. . {by electric means}		
2025/106	. . {by fluid means}		
26/00	Arrangements or mounting of propulsion unit control devices in vehicles		
26/02	. of initiating means or elements		
26/021	. . {with means for providing feel, e.g. by changing pedal force characteristics}		
2026/022	. . . {with tactile feedback from a controller, e.g. vibrations}		
2026/023	. . . {with electrical means to generate counter force or torque}		
2026/024	. . {Adjustable consoles, e.g. for changing position of mounting casings}		
2026/025	. . {Input devices for controlling electric drive motors}		
2026/026	. . {Adjusting of accelerator pedal positions}		

31/00 **Vehicle fittings, acting on a single sub-unit only, for automatically controlling vehicle speed, i.e. preventing speed from exceeding an arbitrarily established velocity or maintaining speed at a particular velocity, as selected by the vehicle operator** (fittings acting on two or more sub-units [B60W 30/14](#); speedometers [G01P](#); systems or devices for controlling speed in general [G05D 13/00](#) ; in traffic anti-collision system for road vehicles [G08G 1/16](#))

NOTE

In this group:

- the means ordinarily includes a device, e.g. a servomechanism, for operating a velocity-affecting element of the vehicle, e.g. the throttle;
- a means for preventing a vehicle from exceeding a particular speed is often referred to as a "governor", whereas a means for maintaining the vehicle within a relatively narrow speed range is generally designated as "speed control". Since these two functions are frequently interrelated, no attempt has been made to identify such means as being particularly adapted to perform only one, or the other of the functions.

- 31/0008 . {including means for detecting potential obstacles in vehicle path}
- 2031/0016 . . {Identification of obstacles; Selection of a target vehicle}
- 2031/0025 . . {Detecting position of target vehicle, e.g. vehicle driving ahead from host vehicle}
- 2031/0033 . . {Detecting longitudinal speed or acceleration of target vehicle}
- 2031/0041 . . {Detecting lateral speed of target vehicle}
- 2031/005 . . {Selecting more than one target vehicle, e.g. using several preceding vehicles as target}
- 31/0058 . {responsive to externally generated signalling}
- 31/0066 . {responsive to vehicle path curvature}
- 31/0075 . . {responsive to vehicle steering angle}
- 31/0083 . . {responsive to centrifugal force acting on vehicle due to the path it is following}
- 2031/0091 . {Speed limiters or speed cutters}
- 31/02 . including electrically actuated servomechanism {including an electric control system or a servomechanism in which the vehicle velocity affecting element is actuated electrically}
- 31/04 . . and means for comparing one electrical quantity, e.g. voltage, pulse, waveform, flux, or the like, with another quantity of a like kind, which comparison means is involved in the development of an electrical signal which is fed into the controlling means
- 31/042 . . . {where at least one electrical quantity is set by the vehicle operator}
- 31/045 {in a memory, e.g. a capacitor}
- 31/047 {the memory being digital}
- 31/06 . including fluid pressure actuated servomechanism {in which the vehicle velocity affecting element is actuated by fluid pressure}
- 31/08 . . and one or more electrical components for establishing or regulating input pressure

- 31/10 . . and means for comparing one electrical quantity, e.g. voltage, pulse, waveform, flux, or the like, with another quantity of a like kind, which comparison means is involved in the development of a pressure which is fed into the controlling means
- 31/102 . . . {where at least one electrical quantity is set by the vehicle operator}
- 31/105 {in a memory, e.g. a capacitor}
- 31/107 {the memory being digital}
- 31/12 . including a device responsive to centrifugal forces {(centrifugal force acting on the vehicle due to the path it is following [B60K 31/0083](#), motor speed limiting by governors [G05D 13/10](#))}
- 31/14 . . having an electrical switch which is caused to function by the centrifugal force
- 31/16 . having means to prevent or discourage unauthorised use or adjusting of the controlling means {(vehicle theft prevention in general [B60R 25/00](#))}
- 31/18 . including a device to audibly, visibly, or otherwise signal the existence of unusual or unintended speed {to the driver of the vehicle (devices primarily intended for indicating speed to other traffic [B60Q 1/54](#))}
- 31/185 . . {connected to the speedometer display, e.g. by sensors or switches responsive to the position of the indicator needle (arrangement of pointers in automobile speedometers for indicating predetermined speeds by the detection of the position of the indicator needle [G01P 1/11](#))}

**Instruments specially adapted for vehicles or dashboards;
Arrangement of instruments or dashboards in or on vehicles**

35/00 **Instruments specially adapted for vehicles;
Arrangement of instruments in or on vehicles**

NOTE

{In this group, it is desirable to add the indexing codes of [B60K 2360/20](#) - [B60K 2360/48](#), [B60K 2360/60](#) - [B60K 2360/62](#) and [B60K 2360/92](#) - [B60K 2360/96](#)}

WARNING

Group [B60K 35/00](#) is impacted by reclassification into groups [B60K 35/10](#), [B60K 35/20](#) - [B60K 35/29](#), [B60K 35/40](#) - [B60K 35/425](#), [B60K 35/50](#) - [B60K 35/53](#), [B60K 35/55](#), [B60K 35/60](#), [B60K 35/65](#) - [B60K 35/658](#), [B60K 35/70](#), [B60K 35/80](#) - [B60K 35/81](#), [B60K 35/85](#) and [B60K 35/90](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/10 . Input arrangements, i.e. from user to vehicle, associated with vehicle functions or specially adapted therefor

NOTE

{In this group, it is desirable to add the indexing codes of [B60K 2360/11](#) - [B60K 2360/149](#)}

<p>B60K 35/10 (continued)</p> <p>WARNING</p> <p>Group B60K 35/10 is incomplete pending reclassification of documents from group B60K 35/00.</p> <p>Groups B60K 35/00 and B60K 35/10 should be considered in order to perform a complete search.</p> <p>35/20</p> <ul style="list-style-type: none"> • Output arrangements, i.e. from vehicle to user, associated with vehicle functions or specially adapted therefor <p>NOTE</p> <p>{In the groups B60K 35/20 – B60K 35/22 and B60K 35/26, it is desirable to add the indexing codes of B60K 2360/151 - B60K 2360/1526}</p> <p>WARNING</p> <p>Groups B60K 35/20, B60K 35/21, B60K 35/211, B60K 35/212, B60K 35/213, B60K 35/214, B60K 35/215, B60K 35/22, B60K 35/223, B60K 35/25, B60K 35/26, B60K 35/265, B60K 35/28, B60K 35/285 and B60K 35/29 are incomplete pending reclassification of documents from group B60K 35/00.</p> <p>All groups listed in this Warning should be considered in order to perform a complete search.</p> <p>35/21</p> <ul style="list-style-type: none"> • using visual output, e.g. blinking lights or matrix displays <p>35/211</p> <ul style="list-style-type: none"> • {producing three-dimensional [3D] effects, e.g. stereoscopic images} <p>35/212</p> <ul style="list-style-type: none"> • {displaying on manual operation elements, e.g. on a knob} <p>35/213</p> <ul style="list-style-type: none"> • {Virtual instruments} <p>35/214</p> <ul style="list-style-type: none"> • {Variable gauge scales, e.g. scale enlargement to adapt to maximum driving speed} <p>35/215</p> <ul style="list-style-type: none"> • characterised by the combination of multiple visual outputs, e.g. combined instruments with analogue meters and additional displays <p>35/22</p> <ul style="list-style-type: none"> • Display screens <p>35/223</p> <ul style="list-style-type: none"> • {Flexible displays} <p>35/23</p> <ul style="list-style-type: none"> • Head-up displays [HUD] (optical aspects of head-up displays G02B 27/01) <p>WARNING</p> <p>Group B60K 35/23 is incomplete pending reclassification of documents from group B60K 35/00.</p> <p>Group B60K 35/23 is also impacted by reclassification into groups B60K 35/231, B60K 35/232, B60K 35/233, B60K 35/234 and B60K 35/235.</p> <p>All groups listed in this Warning should be considered in order to perform a complete search.</p>	<p>35/231</p> <ul style="list-style-type: none"> • characterised by their arrangement or structure for integration into vehicles <p>WARNING</p> <p>Group B60K 35/231 is incomplete pending reclassification of documents from groups B60K 35/00 and B60K 35/23.</p> <p>Groups B60K 35/00, B60K 35/23 and B60K 35/231 should be considered in order to perform a complete search.</p> <p>35/232</p> <ul style="list-style-type: none"> • controlling the projection distance of virtual images depending on the condition of the vehicle or the driver <p>WARNING</p> <p>Group B60K 35/232 is incomplete pending reclassification of documents from groups B60K 35/00 and B60K 35/23.</p> <p>Groups B60K 35/00, B60K 35/23 and B60K 35/232 should be considered in order to perform a complete search.</p> <p>35/233</p> <ul style="list-style-type: none"> • controlling the size or position in display areas of virtual images depending on the condition of the vehicle or the driver <p>WARNING</p> <p>Group B60K 35/233 is incomplete pending reclassification of documents from groups B60K 35/00 and B60K 35/23.</p> <p>Groups B60K 35/00, B60K 35/23 and B60K 35/233 should be considered in order to perform a complete search.</p> <p>35/234</p> <ul style="list-style-type: none"> • controlling the brightness, colour or contrast of virtual images depending on the driving conditions or on the condition of the vehicle or the driver <p>WARNING</p> <p>Group B60K 35/234 is incomplete pending reclassification of documents from groups B60K 35/00, B60K 35/23 and B60K 2360/349.</p> <p>All groups listed in this Warning should be considered in order to perform a complete search.</p> <p>35/235</p> <ul style="list-style-type: none"> • with means for detecting the driver's gaze direction or eye points <p>WARNING</p> <p>Group B60K 35/235 is incomplete pending reclassification of documents from groups B60K 35/00, B60K 35/23 and B60K 2360/149.</p> <p>All groups listed in this Warning should be considered in order to perform a complete search.</p>	<p>35/25</p> <ul style="list-style-type: none"> • using haptic output <p>35/26</p> <ul style="list-style-type: none"> • using acoustic output <p>35/265</p> <ul style="list-style-type: none"> • {Voice}
--	---	---

- 35/28 . . characterised by the type of the output information, e.g. video entertainment or vehicle dynamics information; characterised by the purpose of the output information, e.g. for attracting the attention of the driver

NOTE

{In this group, it is desirable to add the indexing codes of [B60K 2360/16](#) - [B60K 2360/179](#)}

- 35/285 . . . {for improving awareness by directing driver's gaze direction or eye points}
- 35/29 . . Instruments characterised by the way in which information is handled, e.g. showing information on plural displays or prioritising information according to driving conditions

NOTE

{In this group, it is desirable to add the indexing codes of [B60K 2360/18](#) - [B60K 2360/199](#)}

- 35/40 . Instruments specially adapted for improving the visibility thereof to the user, e.g. fogging prevention or anti-reflection arrangements

WARNING

Groups [B60K 35/40](#) - [B60K 35/425](#) are incomplete pending reclassification of documents from group [B60K 35/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/405 . . {Fogging prevention}
- 35/415 . . {Glare prevention}
- 35/425 . . {Anti-reflection arrangements}
- 35/50 . Instruments characterised by their means of attachment to or integration in the vehicle ([B60K 35/231](#) takes precedence)

NOTE

{In this group, it is desirable to add the indexing codes of [B60K 2360/816](#) - [B60K 2360/834](#)}

WARNING

Group [B60K 35/50](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#) and [B60K 35/60](#).

Group [B60K 35/50](#) is also impacted by reclassification into groups [B60K 37/00](#), [B60K 37/10](#) and [B60K 37/20](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/53 . . Movable instruments, e.g. slidable

WARNING

Group [B60K 35/53](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Group [B60K 35/53](#) is also impacted by reclassification into group [B60K 35/55](#).

Groups [B60K 35/00](#), [B60K 35/53](#) and [B60K 35/55](#) should be considered in order to perform a complete search.

- 35/55 . Instruments with parts that can change their shape or position to configure an active screen, e.g. by folding or by rolling

WARNING

Group [B60K 35/55](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#) and [B60K 35/53](#).

Groups [B60K 35/00](#), [B60K 35/53](#) and [B60K 35/55](#) should be considered in order to perform a complete search.

- 35/60 . Instruments characterised by their location or relative disposition in or on vehicles ([arrangements of lighting devices on dashboards B60Q 3/10](#))

NOTE

{In this group, it is desirable to add the indexing codes of [B60K 2360/77](#) - [B60K 2360/797](#)}

WARNING

Group [B60K 35/60](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Group [B60K 35/60](#) is also impacted by reclassification into groups [B60K 35/50](#) and [B60K 37/00](#) - [B60K 37/20](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/65 . Instruments specially adapted for specific vehicle types or users, e.g. for left- or right-hand drive

NOTE

{In the groups [B60K 35/65](#) - [B60K 35/658](#), it is desirable to add the indexing codes of [B60K 2360/731](#) - [B60K 2360/741](#)}

WARNING

Groups [B60K 35/65](#), [B60K 35/652](#), [B60K 35/654](#), [B60K 35/656](#) and [B60K 35/658](#) are incomplete pending reclassification of documents from group [B60K 35/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 35/652 . . {for left- or right-hand drive}
- 35/654 . . {the user being the driver}
- 35/656 . . {the user being a passenger}
- 35/658 . . {the instruments being ergonomically adjustable to the user}

- 35/70 . Instrument provisions for avoiding injuries to vehicle occupants in case of accidents

WARNING

Group [B60K 35/70](#) is incomplete pending reclassification of documents from groups [B60K 35/00](#) and [B60K 2360/652](#).

Groups [B60K 35/00](#), [B60K 2360/652](#) and [B60K 35/70](#) should be considered in order to perform a complete search.

- 35/80 . Arrangements for controlling instruments

NOTE

{In this group, it is desirable to add the indexing codes of [B60K 2360/55](#) - [B60K 2360/577](#)}

WARNING

Groups [B60K 35/80](#) and [B60K 35/81](#) are incomplete pending reclassification of documents from group [B60K 35/00](#).

Groups [B60K 35/00](#), [B60K 35/80](#) and [B60K 35/81](#) should be considered in order to perform a complete search.

- 35/81 . . for controlling displays
- 35/85 . Arrangements for transferring vehicle- or driver-related data

NOTE

{In this group, it is desirable to add the indexing codes of [B60K 2360/583](#) - [B60K 2360/595](#)}

WARNING

Group [B60K 35/85](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Groups [B60K 35/00](#) and [B60K 35/85](#) should be considered in order to perform a complete search.

- 35/90 . Calibration of instruments, e.g. setting initial or reference parameters; Testing of instruments, e.g. detecting malfunction

WARNING

Group [B60K 35/90](#) is incomplete pending reclassification of documents from group [B60K 35/00](#).

Groups [B60K 35/00](#) and [B60K 35/90](#) should be considered in order to perform a complete search.

- 37/00 **Dashboards** (as road-vehicle superstructure sub-units [B62D 25/14](#))

NOTE

{In this group, it is desirable to add the indexing codes of [B60K 2360/40](#) - [B60K 2360/48](#), [B60K 2360/65](#) - [B60K 2360/6992](#) and [B60K 2360/84](#)}

WARNING

Group [B60K 37/00](#) is incomplete pending reclassification of documents from groups [B60K 35/50](#) and [B60K 35/60](#).

Group [B60K 37/00](#) is also impacted by reclassification into groups [B60K 37/10](#) and [B60K 37/20](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 37/10 . Arrangements for attaching the dashboard to the vehicle

WARNING

Group [B60K 37/10](#) is incomplete pending reclassification of documents from groups [B60K 35/50](#), [B60K 35/60](#) and [B60K 37/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 37/20 . Dashboard panels

WARNING

Group [B60K 37/20](#) is incomplete pending reclassification of documents from groups [B60K 35/50](#), [B60K 35/60](#) and [B60K 37/00](#).

All groups listed in this Warning should be considered in order to perform a complete search.

-
- 2310/00 Arrangements, adaptations or methods for cruise controls**
 - 2310/20 . Operator actuated switches or levers for cruise control or speed limiting systems
 - 2310/22 . Displays for target speed
 - 2310/24 . Speed setting methods
 - 2310/242 . . setting initial target speed, e.g. initial algorithms
 - 2310/244 . . changing target speed or setting a new target speed, e.g. changing algorithms
 - 2310/246 . . releasing speed control, e.g. inhibiting speed control if a brake pedal is depressed
 - 2310/248 . . resuming speed control, e.g. returning to old target speed
 - 2310/26 . Distance setting methods, e.g. determining target distance to target vehicle
 - 2310/262 . . setting initial distance to preceding vehicle, e.g. initial algorithms
 - 2310/264 . . changing distance, e.g. reducing the distance for overtaking
 - 2310/266 . . releasing distance control, e.g. inhibiting control if target vehicle lost or changing lane
 - 2310/268 . . resuming distance control, e.g. changing target vehicle
 - 2310/28 . Following time setting methods, e.g. elapsed delay between preceding and host vehicle
 - 2310/30 . Mode switching, e.g. changing from one cruise control mode to another

Details of instruments or dashboards

2360/00 Indexing scheme associated with groups B60K 35/00 or B60K 37/00 relating to details of instruments or dashboards

- 2360/11 . Instrument graphical user interfaces or menu aspects
- 2360/111 . . for controlling multiple devices
- 2360/113 . . Scrolling through menu items
- 2360/115 . . Selection of menu items
- 2360/117 . . Cursors
- 2360/119 . . Icons
- 2360/122 . Instrument input devices with reconfigurable control functions, e.g. reconfigurable menus
- 2360/126 . Rotatable input devices for instruments
- 2360/128 . Axially displaceable input devices for instruments
- 2360/131 . Pivotal input devices for instruments
- 2360/133 . Multidirectional input devices for instruments
- 2360/135 . . Joysticks
- 2360/137 . . Jog-dials
- 2360/139 . Clusters of instrument input devices
- 2360/141 . Activation of instrument input devices by approaching fingers or pens
- 2360/143 . Touch sensitive instrument input devices
- 2360/1434 . . Touch panels
- 2360/1438 . . Touch screens
- 2360/1442 . . . Emulation of input devices
- 2360/1446 . . Touch switches
- 2360/145 . Instrument input by combination of touch screen and hardware input devices
- 2360/146 . Instrument input by gesture
- 2360/1464 . . 3D-gesture
- 2360/1468 . . Touch gesture
- 2360/1472 . . . Multi-touch gesture
- 2360/1476 . . . Handwriting
- 2360/148 . Instrument input by voice
- 2360/149 . Instrument input by detecting viewing direction not otherwise provided for

WARNING

Group [B60K 2360/149](#) is impacted by reclassification into group [B60K 35/235](#).
Groups [B60K 2360/149](#) and [B60K 35/235](#) should be considered in order to perform a complete search.

- 2360/151 . Instrument output devices for configurable output
- 2360/1515 . . Reconfigurable dials
- 2360/1523 . Matrix displays
- 2360/1526 . Dual-view displays
- 2360/16 . Type of output information
- 2360/161 . . Explanation of functions, e.g. instructions
- 2360/162 . . Visual feedback on control action
- 2360/163 . . Language
- 2360/164 . . Infotainment
- 2360/165 . . Videos and animations
- 2360/166 . . Navigation
- 2360/167 . . Vehicle dynamics information
- 2360/168 . . Target or limit values
- 2360/169 . . Remaining operating distance or charge
- 2360/171 . . Vehicle or relevant part thereof displayed
- 2360/172 . . Driving mode indication
- 2360/173 . . Reversing assist
- 2360/174 . . Economic driving

- 2360/175 . . Autonomous driving
- 2360/176 . . Camera images
- 2360/177 . . Augmented reality
- 2360/178 . . Warnings
- 2360/179 . . Distances to obstacles or vehicles
- 2360/18 . Information management
- 2360/182 . . Distributing information between displays
- 2360/184 . . Displaying the same information on different displays
- 2360/186 . . Displaying information according to relevancy
- 2360/1868 . . . according to driving situations
- 2360/1876 . . . according to vehicle situations
- 2360/188 . . Displaying information using colour changes
- 2360/191 . . Highlight information
- 2360/195 . . Blocking or enabling display functions
- 2360/197 . . Blocking or enabling of input functions
- 2360/199 . . for avoiding maloperation
- 2360/20 . Optical features of instruments
- 2360/21 . . using cameras
- 2360/23 . . using reflectors
- 2360/25 . . using filters
- 2360/27 . . using semi-transparent optical elements
- 2360/28 . . . for instruments which are not visible when inactive
- 2360/29 . . Holographic features
- 2360/31 . . Virtual images
- 2360/33 . . Illumination features
- 2360/331 . . . Electroluminescent elements
- 2360/332 . . . Light emitting diodes
- 2360/333 . . . Lasers
- 2360/334 . . . Projection means
- 2360/336 . . . Light guides
- 2360/338 . . . Light strips
- 2360/339 . . . Translucent dashboard skins
- 2360/34 . . . Backlit symbols
- 2360/341 . . . Illumination of dials
- 2360/343 . . . Illumination of matrix displays
- 2360/344 for additionally illuminating mechanical elements, e.g. pointers or control knobs
- 2360/345 . . . Illumination of controls
- 2360/347 . . . Optical elements for superposition of display information
- 2360/349 . . . Adjustment of brightness

WARNING

Group [B60K 2360/349](#) is impacted by reclassification into group [B60K 35/234](#).
Groups [B60K 2360/349](#) and [B60K 35/234](#) should be considered in order to perform a complete search.

- 2360/40 . Hardware adaptations for dashboards or instruments
- 2360/42 . . Circuit board features
- 2360/46 . . Electrical connections
- 2360/47 . . . using wireless power transfer or transmission.
- 2360/48 . . Sensors
- 2360/55 . Remote control arrangements
- 2360/56 . . using mobile devices
- 2360/563 . . . Vehicle displaying mobile device information
- 2360/566 . . . Mobile devices displaying vehicle information
- 2360/569 . . . Vehicle controlling mobile device functions
- 2360/573 . . . Mobile devices controlling vehicle functions

- 2360/577 . . . Mirror link with mobile devices
- 2360/583 . . Data transfer between instruments
- 2360/586 . . Wired data transfers
- 2360/589 . . Wireless data transfers
- 2360/5894 . . . SIM cards
- 2360/5899 . . Internet
- 2360/5905 . . . Wi-fi
- 2360/5911 . . . Bluetooth
- 2360/5915 . . Inter vehicle communication
- 2360/592 . . Data transfer involving external databases
- 2360/595 . . Data transfer involving internal databases
- 2360/60 . . Structural details of dashboards or instruments
- 2360/61 . . . Specially adapted for utility vehicles
- 2360/62 . . . Anti-theft arrangements
- 2360/65 . . . Features of dashboards
- 2360/652 Crash protection features

WARNING

Group [B60K 2360/652](#) is impacted by reclassification into group [B60K 35/70](#).
 Groups [B60K 2360/652](#) and [B60K 35/70](#) should be considered in order to perform a complete search.

- 2360/658 Dashboard parts used as air ducts
- 2360/66 . . . Projection screens or combiners
- 2360/68 . . . Features of instruments
- 2360/682 Arrangements to cover or hide instruments
- 2360/685 Instruments movable with steering column
- 2360/688 Frames or decorative parts
- 2360/691 Housings
- 2360/692 Sealings
- 2360/693 Cover plate features
- 2360/695 Dial features
- 2360/698 Pointers of combined instruments
- 2360/6985 with only part of pointer being visible
- 2360/6992 Light conducting pointers
- 2360/731 . . Instruments adaptations for specific vehicle types or users by comprising user programmable systems
- 2360/741 . . Instruments adapted for user detection
- 2360/77 . . Instrument locations other than the dashboard
- 2360/771 . . . on the ceiling
- 2360/774 . . . on or in the centre console
- 2360/777 . . . on or in sun visors
- 2360/779 . . . on or in rear view mirrors
- 2360/782 . . . on the steering wheel
- 2360/785 . . . on or in relation to the windshield or windows
- 2360/788 . . . on or in side pillars
- 2360/791 . . . on or in the transmission tunnel or parking brake lever
- 2360/794 . . . on or in doors
- 2360/797 . . . at the vehicle exterior
- 2360/816 . . Fastening of displays or touch screens
- 2360/822 . . Adjustment of instruments during mounting
- 2360/828 . . Mounting or fastening exchangeable modules
- 2360/834 . . . Docking arrangements
- 2360/84 . . Mounting of dashboard components
- 2360/92 . . Manufacturing of instruments
- 2360/96 . . . by assembling

Control mechanisms or devices

- 2700/00** . . **Control mechanisms and elements applying a mechanical movement**
- 2700/02 . . . regulating mechanisms combined with non-mechanical transmissions
- 2702/00** . . **Control devices wherein the control is combined with or essentially influenced by the engine or coupling, e.g. in an internal combustion engine, the control device is coupled with a carburettor control device or influenced by carburettor depression**
- 2702/02 . . . Automatic transmission with toothed gearing
- 2702/04 Control dependent on speed
- 2702/06 Control dependent on torque
- 2702/08 . . . Semi-automatic or non-automatic transmission with toothed gearing
- 2702/10 without a preselection system
- 2702/12 the control being mechanical
- 2702/14 the control being hydraulic or pneumatic
- 2702/16 the control being electric
- 2702/18 . . . with a preselection system, e.g. semi-automatic
- 2702/20 using different control members for preselection and actuating, e.g. shift actuation is initiated by clutch pedal with elastic connection for energy accumulation
- 2704/00** . . **Control devices, wherein the control is combined with or mainly influenced by the working of the engine or the main coupling, e.g. control device is linked to the carburettor control and is influenced by depression of pedal, for semi-automatic or non-automatic transmission having toothed wheels**
- 2704/02 . . . without preselection system, the control being mechanical
- 2704/04 . . . with preselection system, e.g. for semi-automatic transmission