U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE

CLASSIFICATION ORDER 1889

OCTOBER 6, 2009

PROJECT MA089

The following classification changes will be effected by this order:

Abolished:	<u>Class</u> None	Subclass	Art Unit	Ex'r Search <u>Room</u>
Established:				
Cross-Reference Art Collections:	89	901-939	3641	RND0000B15

The following class is also impacted by this order:

428

This order includes the following:

- A. CLASSIFICATION MANUAL CHANGES
- D. DEFINITION CHANGES AND NEW OR ADDITIONAL DEFINITIONS

CLASSIFICATION ORDER 1889

OCTOBER 6, 2009

PROJECT MA089

Project Leader(s): Joe Falk

Editor(s): Elma La Touche

Publications Specialist(s): Yvonne Smith

1.12	GUN HEATERS	1.811	.Having umbilical-separating
1.13	MINE-DESTROYING DEVICES	1 010	means
1.15	WELL PERFORATORS	1.812	.Having safety devices for
1.151	.Method of making		preventing premature ignition
1.16	ENGINE STARTERS	1.813	or launching
1.2	SMOKE OR RESIDUE EJECTOR	1.813	.Having rocket-firing means
1.25	LUBRICANT INJECTOR	1.014	Rocket propellant ignited by electrical means
1.34	LINE THROWING	1.815	.Movable launcher
1.35	TRENCH MORTARS	1.816	
1.3	MUZZLE LOADING	1.817	.Having tubular guide means .Including a forward closure
1.42	GUN HANDLES	1.818	Including a forward crosureIncluding an auxiliary rocket-
1.51	BOMB, FLARE AND SIGNAL DROPPING	1.010	launching charge
1.52	.Drop grenade	1.819	.Having guide means
1.53	.Sway braces	1.82	.Method of making
1.54	.Bomb displaced from exterior of	5	SUBMARINE
	plane	125	AUTOMATIC
1.55	.Arming device	126	.Plural gun, barrel or bore
1.56	.Electrical and radio releases	127	Firing control
	and sighting	128	
1.57	.Explosive releases	120	to nonautomatic, etc.)
1.58	.Shackles	129.01	Regulation of speed or rate of
1.59	.Racks	123.01	automatic fire
1.6	.Timing devices	129.02	By regulating burst
1.61	.Sighting	130	By regulating time of return of
1.7 1.701	RECOILLESS GUN	200	breech block
1.701	.Having a reaction mass	131	By regulating time of release
1.702	Barrel parts separable for loading		of hammer
1.703	.Having pressure-control means	132	.Firing device operation or
1.704	.Having breech closure		control (e.g., full automatic,
1.705	Closure has firing device	122	etc.)
1.706	Cartridge-case closure	133	Synchronizers
1.8	ROCKET LAUNCHING	134	Disabled at predetermined angles of fire
1.801	.Having rocket-storage and	135	Electrical
	transfer means	136	
1.802	Launcher movable relative to	137	Triggers and/or remote controlInterlocks between firing and
	storage means	137	cartridge feeding
1.803	Having magazine-gate means to	138	Locks bolt open
	feed and support rocket for	139	Semi-automatic (e.g., double
1 001	launching		sear, etc.)
1.804	Storage means movable to	140	Convertible to full automatic
1 005	facilitate launching	141	Breech block, barrel or
1.805	.Having means to transfer rocket to launcher		hammer disconnected
1.806	.Having means restraining rocket	142	With selective safety device
1.000	from movement in launching	143	Alternate control of hammer
	direction		and breech block or barrel
1.807	Including rocket-firing means	144	With means for disconnecting
1.808	Rocket spin stabilized while		trigger and sear
	restrained	145	By breech block or barrel
1.809	.Underwater launching		motion
1.81	Rocket launched from container	146	Hammer disconnected

147	Hammer cocked and released by trigger	180	.Breech block lock (positive or impositive)
148	With selective safety device	181	With latch
149	With automatic sear or sear	182	Inertia member released lock
	release	183	Blow back initiated
150	With automatic sear or trigger	184	Nonrectilinear breech block
	safety		motion (e.g., tilting rotary,
151	With automatic hammer		etc.)
152	Operates breech lock	185	Rotary and sliding
153	Operates breech lock	186	Nonaxial, rectilinear, breech
154	With automatic hammer cocking		block motion
	and/or safety means	187.01	Sliding locking member
155	.Movable chamber type (e.g.,	187.02	Cylindrical or ball bearing
	revolver, etc.)	188	Rotary locking member
156	Operating as gas piston and/or	189	Toggle locking member
	recoil member	190	Pivoted locking member
157	Recoiling barrel with revolving	191.01	.Gas piston type
10,	chambers	191.02	Annular piston
158	.Movable butt piece	192	Gas piston compresses breech
159	.Combined movable barrel and gas	102	opening spring
103	operated	193	Gas ports and/or regulators
160	.Movable barrel (e.g., rotary,	194	.Blow back breech block
200	etc.)	195	Pistol grip magazine
161	Forwardly movable	196	Breech slide type
162	Rearwardly movable	197	Box magazine
163	Barrel having motion in	198	.Buffers and brakes
200	addition to axial, rectilinear	199	Receiver closures and/or breech
164	With breech lock latch	100	block return means
165	Long recoil	4.05	EXPLOSION OPENED BREECH
166	Nonrectilinear breech block	4.1	.Rotary breech block
	motion	4.2	.Transverse sliding breech block
167	Nonaxial rectilinear breech	4.5	.Blow back breech block
	block motion	6	FUSE SETTERS
168	Pivoted locking member or	6.5	.Combined with projecting,
	toggle lock		launching or releasing devices
169	With accelerator and/or		PNEUMATIC
	unlocking lever for breech	7	.Explosive charge
	mechanism	8	ACCELERATING
170	With barrel latch	9	MACHINE GUNS
171	Nonrectilinear breech block	11	.Axially moving breech block
	motion (e.g., tilting rotary,	12	Revolving barrels
	etc.)	13.05	.Revolving cylinders
172	Rotary and sliding	13.1	Nonparallel bores
173	Sliding locking member	1.41	MULTIPLE BARREL GUNS
174	Rotary locking member	14.05	BARRELS
175	Toggle locking member	14.1	.With heat exchanger
176	Pivoted locking member	14.2	.Flash shield
177	Barrel buffers and brakes	14.3	.Recoil absorbers and climb
178	Barrel return means		arrestors
179	.Gas piston-type lock actuator	14.4	Silencers
	carried by breech block (e.g.,	14.5	.Recoil increasers
	firing pin, etc.)	14.6	.Sabot strippers
		15	.Wound

1.0		26 11	T
16	Composite	36.11	.For aircraft
14.7	Lining, rifling, or making	36.12	.For ships
14.8	.Method of making multibore	36.13	.Turret type
	barrel	36.14	With vision slit or gun port
17	BREECH CLOSURES		closures
18	.Key locked	36.15	.On elevatable platform
19	.Screw	36.16	.Anti-aircraft type
20.2	Interrupted	36.17	.With explosive device
20.4	Motor operated	37.01	MOUNTS
21	Fixed ammunition	37.02	.Anti-aircraft
22	.Transverse	37.03	.Light machine gun type
23	Sliding and swinging	37.04	.Rifle and pistol mounts
24	Sliding	37.05	.Mortars
25	Swinging	37.06	.Submarine
26	.Gas checks	37.07	.Trunnion
27.11	FIRING DEVICES	37.08	.Counterbalances
27.12	.Safety	37.09	.Leveling
27.13	.Primer fired	37.11	.Locks
27.14	.Percussion firing	37.12	.Spherical or oval bearing gun
27.3	.Gun firing actuators		support
28.05	Electric	37.13	.Bases
28.1	Electrical and mechanical	37.14	Reciprocating mounts
28.2	Training and firing	37.15	.With body protecting devices
29	PRACTICE BARRELS	37.16	.Aircraft type
30	VENTS AND STOPPERS	37.17	Power operated
31	TOMPIONS AND VALVES	37.18	On engine
33.01	CARTRIDGE FEEDING	37.19	On aircraft wing
33.02	.Drum magazine	37.21	Retractable gun turret
33.02	.Movable chamber	37.22	Multiple guns on mount
33.04	.Selective feed	38	.Disappearing gun
33.05	.With rammer separated breech	39	Counterpoise
33.03	block	40.01	.For field use
33.1	.With magazine	40.02	Wheeled mortars
33.14	Belt feed	40.02	On armored car
33.14	With rotary feeder	40.03	Nonshielded motor driven guns
33.17	With rotary feeder	40.04	On sleds
33.2	.With rotary reeder .Belt feed	40.05	On tripods (i.e., for light
33.25		40.00	
	With rotary feeder	40.07	guns)
33.4	.Empty shell receivers		Libers and caissons
33.5	.Cartridge feeding auxiliary	40.08	With hitches and couplings
2.4	feeder	40.09	With training spades
34	Holders	40.11	Carriage suspended for firing
35.01	Belts	40.12	Traveling locks
35.02	Disintegrating type	40.13	By separate transport carriage
36.01	SHIELDS	40.14	Components are separable for
36.02	.Shape or composition	40.45	transport
36.03	.Rotating shield	40.15	Trail carriages and links
36.04	.For fixed structure	40.16	Railroad type
36.05	Body	41.01	.Training mechanisms
36.06	.Small arms attached	41.02	Motor operated
36.07	.Transportable	41.03	Predetermining parameters for
36.08	Self-propelled, e.g., tanks,		automatic firing
0.6. 5.	etc.)	41.04	Eliminates lag or overrun
36.09	Wheeled	41.05	By television monitoring

41.06	By light reception		
41.07	By radar	CROSS-	REFERENCE ART COLLECTIONS
41.08	By sound		
41.09	Gyroscopically or pendulum	901	ARMOR (EPO)
	controlled	902	.Reactive or dynamic armor (EPO)
41.11	Compensates for trunnion tilt	903	.Plate construction (EPO)
41.12	By hydraulic means	904	Composed of more than one layer
41.13	For scattering effect	J04	(EPO)
41.14	For naval gun fire control	905	Transparent bullet-proof
41.15	With unitary control for	203	laminate (EPO)
11110	plural motors	906	Layered armor containing
41.16	For relatively movable gun	300	ceramic material (EPO)
11110	barrels	907	Ceramic layer in combination
41.17	Aiming device mounted on gun	50,	with metal layer (EPO)
41.18	For limiting the field of fire	908	Ceramic layer in combination
41.19	Sights or line devices	300	with additional layer made of
41.21	On aircraft		fibers, fabrics, or plastics
41.22	For anti-aircraft		(EPO)
200	Straight-line light ray type	909	Additional layer being only
201	Accelerometer stabilized or		fiber or fabric reinforced
201	factored		(EPO)
202	Gyroscopically stabilized	910	Layered armor containing metal
203	Self adjusting gun movement		(EPO)
	compensator	911	All layers containing metal
204	Compensates for moving		(EPO)
	target	912	Metal layer in combination
205	And moving craft or gun		with additional layer made of
	platform		fiber, fabric or plastic (EPO)
206	Compensates for trunnion	913	additional layer being only
	tilt		fiber or fabric reinforced
42.01	.With recoil check		(EPO)
42.02	On trail spade	914	Layered armor containing fiber
42.03	Fire-out-of-battery type		or fabric reinforced layer
43.01	Fluid		(EPO)
43.02	With function of elevation	915	Fiber or fabric reinforced
44.01	Spring type		layer in combination with
44.02	Elastic type	0.1.5	plastic layer (EPO)
45	LOADING	916	All layers being only fiber
46	.Hoisting apparatus	01.7	or fabric reinforced (EPO)
47	.Rammers	917	Armor containing hard elements
1.11	WAGING WAR		(e.g., plates, spheres, rods),
1.14	EXPLOSIVE OPERATED APPARATUS		separated from each other, the
	(E.G., EXPLOSIVE DOOR HINGE,		elements being connected to a further flexible layer or
	TOOL EXPLOSIVELY ACTUATED,		being embedded in a plastic or
	BAND RELEASE, EXPANSION OF		elastomer matrix (EPO)
	TUBE, CABLE CUTTER,	918	.Shields (EPO)
	EXPLOSIVELY OPERATED SPLITTING	919	Rotating shield (EPO)
	WEDGES)	920	For stationary use (e.g.,
1.4	CHARGING MECHANISMS FOR GUNS	-	fortification, shelters, quard
1.1	MISCELLANEOUS		booths) (EPO)
		921	Personal protection gear (EPO)
		922	Armored, projectile or missile
			resistant garment (EPO)
		923	Protection helmet (EPO)

CLASS 89 ORDNANCE 89 - 5

924	Steel helmet or head shield (EPO)
925	Plastic helmet or head shield (EPO)
926	For personal use (i.e., hand held shield) (EPO)
927	Spade bayonet (i.e., useable as a spade, bayonet or cover against rifle fire) (EPO)
928	For small arms or light rocket launcher (EPO)
929	Wheeled armored shield (EPO)
930	<pre>For canon, artillary or tank (EPO)</pre>
931	Manhole cover (e.g., on tanks) (EPO)
935	Turret (EPO)
936	.Peephole, window, loophole, observation or reconnaissance equipment on armored vehicles, (e.g. cameras) and covers therefore (EPO)
937	.Mounting or securing armor plate (EPO)
938	.Camouflage (i.e. means for or method of concealment or
939	<pre>disguise) (EPO)Flexible (e.g., fabric) covers (e.g., screen, net) (EPO)</pre>

FOREIGN ART COLLECTIONS

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

CLASS 89 - ORDNANCE

Definitions Established:

901 ARMOR (**EPO**):

Cross-reference art collection indented under the class definition including devices adapted to render protection to an ordnance device or to the ordnance operating personnel.

- (1) Note. The subject matter in this subclass is substantially the same in scope as ECLA (F41H5/00).
- (2) Note. Included in this and indented subclasses are devices which also screen, cover, shroud, or cloak.

SEE OR SEARCH CLASS:

- 2, Apparel, subclass 2.5 for devices specially designed to resist penetration, as by projectiles, swords, knives, etc., where (1) features of shape for fitting the body or (2) means for wearing or otherwise securing the device to the body, are claimed.
- 105, Railway Rolling Stock, subclass 394 for railway cars, usually metallic, designed to be bullet-proof and provided with defensive means and protective devices for guarding against train robbery.
- 109, Safes, Bank Protection, or a Related Device, subclass 9, for guard booths; subclass 49.5 for shields and protectors, and subclasses 58-87, for enclosures and walls.
- 114, Ships, subclasses 9-15, for warships having armor.
- 152, Resilient Tires and Wheels, subclasses 167-207 for armored resilient tires.
- Aeronautics and Astronautics, subclass 121 for shields and other protective devices which are an essential part of the aircraft structure.
- 428, Stock Material or Miscellaneous Articles, cross-reference art collection 911 for penetrating resistant layer and cross-reference art collection 919 for camouflaged articles.

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

902 Reactive or dynamic armor (EPO):

Subject matter indented under cross-reference art collection 901 including an armor device which senses a threat and actively responds to block, destroy, disable, divert or intercept the threat either prior to or during impact.

(1) Note. The subject matter in this subclass is substantially the same in scope as ECLA (F41H5/007).

903 Plate construction (EPO):

Subject matter indented under cross-reference art collection 901 including an armor device wherein the particular structural makeup or the particular material out of which the armor is made is specified and is of particular significance.

(1) Note. The subject matter in this subclass is substantially the same in scope as ECLA (F41H5/02)

SEE OR SEARCH CLASS:

109, Safes, Bank Protection, or Related Device subclasses 58-87 for enclosure and wall structure.

904 Composed of more than one layer (EPO):

Subject matter under cross-reference art collection 903 including an armor device wherein the structure of the armor comprises two or more thicknesses, courses or folds laid over one another.

(1) Note. The subject matter in this subclass is substantially the same in scope as ECLA (F41H5/04).\

SEE OR SEARCH CLASS:

- 114, Ships, subclass 12 for plating on warships composed of more than one layer.
- 428, Stock Material or Miscellaneous Articles, Cross-Reference Art Collection 911 for stock material having a penetration resistant layer.

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

905 Transparent bullet-proof laminate (EPO):

Subject matter under cross-reference art collection 904 including an armor device comprising united superimposed layers of a material, each of which have the property of transmitting light without appreciable scattering so that the bodies lying beyond are entirely visible, at least one of the layers being resistant to penetration from a round or elongated missile designed to be fired from a firearm.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04B).

SEE OR SEARCH CLASS:

428, Stock Material or Miscellaneous Articles, subclass 426+ for transparent laminates, per se.

906 Layered armor containing ceramic material (EPO):

Subject matter under cross-reference art collection 904 including an armor device comprising two or more thicknesses, courses or folds laid over one another, at least one of the thicknesses, courses, or folds containing clay.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04C).

907 Ceramic layer in combination with metal layer (EPO):

Subject matter under cross-reference art collection 906 including an armor device comprising two or more thicknesses, courses or folds laid over one another, at least one of the thicknesses, courses, or folds containing clay and at least a second thickness, course, or folds contains a material having a continuous phase of any element of the periodic table except hydrogen, a noble gas, a halogen, a chalcogen (oxygen, sulfur, selenium, tellurium), nitrogen, phosphorus, carbon and boron.

- (1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04C2).
- (2) Note. Elemental silicon is considered to be a metal, but a silicon compound is not considered to be a metal compound on the basis of silicon content.

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

908 Ceramic layer in combination with additional layer made of fiber, fabric, or plastic (EPO):

Subject matter under cross-reference art collection 906 including an armor device comprising two or more thicknesses, courses or folds laid over one another, at least one of the thicknesses, courses, or folds containing clay and at least a second thickness, course, or fold contains either (1) a slender and elongated natural or synthetic filament (as of wool, cotton, asbestos, gold, glass, or rayon) capable of being spun into yarn (2) cloth or a material that resembles cloth, or (3) organic, synthetic or processed material that is molded, cast, extruded, or drawn into objects, films or filaments.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04C4).

909 Additional layers being only fiber or fabric reinforced (EPO):

Subject matter under cross-reference art collection 908 including an armor device comprising two or more thicknesses, courses or folds laid over one another, one of the thicknesses, courses, or folds containing clay and all the other thicknesses, courses, or folds contain either (1) a slender and elongated natural or synthetic filament (as of wool, cotton, asbestos, gold, glass, or rayon) capable of being spun into yarn or (2) cloth or a material that resembles cloth as the sole source of strengthening.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04C4B).

910 Layer armor containing metal (EPO):

Subject matter under cross-reference art collection 904 including an armor device comprising two or more thicknesses, courses or folds laid over one another, at least one of the thicknesses, courses, or folds containing a material having a continuous phase of any element of the periodic table except hydrogen, a noble gas, a halogen, a chalcogen (oxygen, sulfur, selenium, tellurium), nitrogen, phosphorus, carbon and boron.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04D).

SEE OR SEARCH THIS CLASS, SUBCLASS:

907, for layered armor having metallic layers in combination with ceramic layers.

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

911 All layers containing metal (EPO):

Subject matter under cross-reference art collection 910 including an armor device comprising two or more thicknesses, courses or folds laid over one another, at least one of the thicknesses, courses, or folds, each and every thickness, course or fold containing a material having a continuous phase of any element of the periodic table except hydrogen, a noble gas, a halogen, a chalcogen (oxygen, sulfur, selenium, tellurium), nitrogen, phosphorus, carbon and boron.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04D2).

SEE OR SEARCH CLASS:

428, Stock Material or Miscellaneous Articles, subclass 426+ for stock material having at least two different, contiguous layers or portions, each having a matrix or continuous phase of free metal.

912 Metal layer in combination with additional layer made of fiber, fabric or plastic (EPO):

Subject matter under cross-reference art collection 910 including an armor device comprising two or more thicknesses, courses or folds laid over one another, at least one of the thicknesses, courses, or folds containing a material having a continuous phase of any element of the periodic table except hydrogen, a noble gas, a halogen, a chalcogen (oxygen, sulfur, selenium, tellurium), nitrogen, phosphorus, carbon and boron and at least a second thickness, course, or fold contains (1) a slender and elongated natural or synthetic filament (as of wool, cotton, asbestos, gold, glass, or rayon) capable of being spun into yarn (2) cloth or a material that resembles cloth, or (3) organic, synthetic or processed material that is molded, cast, extruded, or drawn into objects, films or filaments.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04D4).

913 Additional layers being only fiber or fabric reinforced (EPO):

Subject matter under cross-reference art collection 912 including an armor device comprising two or more thicknesses, courses or folds laid over one another, at least one of the thicknesses, courses, or folds containing a material having a continuous phase of any element of the periodic table except hydrogen, a noble gas, a halogen, a chalcogen (oxygen, sulfur, selenium, tellurium), nitrogen, phosphorus, carbon and boron and all other thicknesses, courses, or folds contain either (1) a slender and elongated natural or synthetic filament (as of wool, cotton, asbestos, gold, glass, or rayon) capable of being

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

spun into yarn or (2) cloth or a material that resembles cloth as the sole source of strengthening.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04D4B).

914 Layered armor containing fiber or fabric reinforced layer (EPO):

Subject matter under cross-reference art collection 904 including an armor device comprising two or more thicknesses, courses or folds laid over one another, at least one of the thicknesses, courses, or folds containing either (1) a slender and elongated natural or synthetic filament (as of wool, cotton, asbestos, gold, glass, or rayon) capable of being spun into yarn or (2) cloth or a material that resembles cloth.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04F).

SEE OR SEARCH THIS CLASS, SUBCLASS:

- 908, for armor containing a fiber or fabric reinforced layer in combination with a ceramic layer.
- 912, for armor containing a fiber or fabric reinforced layer in combination with a ceramic layer.

915 Fiber or fabric reinforced layer in combination with plastic layer (EPO):

Subject matter under cross-reference art collection 914 including an armor device comprising two or more thicknesses, courses or folds laid over one another, at least one of the thicknesses, courses, or folds containing either (1) a slender and elongated natural or synthetic filament (as of wool, cotton, asbestos, gold, glass, or rayon) capable of being spun into yarn or (2) cloth or a material that resembles cloth, and at least a second thickness, course, or fold contains organic, synthetic or processed material that is molded, cast, extruded, or drawn into objects, films or filaments.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04F2).

916 All layers being only fiber or fabric reinforced (EPO):

Subject matter under cross-reference art collection 914 including an armor device comprising two or more thicknesses, courses or folds laid over one another, each and every one of the thicknesses, courses, or folds containing either (1) a slender and elongated natural or synthetic filament (as of wool, cotton, asbestos, gold, glass, or rayon) capable of being spun into yarn or (2) cloth or a material that resembles cloth as the sole source of strengthening.

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04F4).

Armor containing hard elements (e.g., plates, spheres, rods), separated from each other, the elements being connected to a further flexible layer or being embedded in a plastic or an elastomeric matrix (EPO):

Subject matter under cross-reference art collection 903 including an armor device comprising a number of discreet constituent parts which are not easily penetrated and which are interconnected by means of (1) attachment to a material which capable of being bent or (2) enclosed in a supporting material of rubber or a rubber-like substance or an organic, synthetic or processed substance material that is molded, cast, or extruded.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/04G).

918 Shields (EPO):

Subject matter under cross-reference art collection 901 including an armored screen adapted to render protection to an ordnance device or to the ordnance operating personnel.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/06).

SEE OR SEARCH CLASS:

114, Ships, subclass 14 for screens or shields on warships.

919 Rotating shield (EPO):

Subject matter under cross-reference art collection 918 including an armored screen which revolves about an axis.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/18).

920 For stationary use (e.g., fortification, shelters, guard booths) (EPO):

Subject matter under cross-reference art collection 918 including an armored screen which is installed on a non-moveable structure, e.g., hanger, building, etc.

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/24).

SEE OR SEARCH CLASS:

109, Safes, Banks Protection or a Related Device, for banks, stores, or other related institutions, having means to protect or defend them and their personnel against a burglary or robbery attack, specifically subclass 9 for guard booths, subclass 49.5 for shields and protectors, and subclasses 58-87 for enclosures and walls.

921 Personal protection gear (EPO):

Subject matter under cross-reference art collection 918 including an armored screen which is specifically adapted to shield the human body from injury or death.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H1/00).

SEE OR SEARCH CLASS:

109, Safes, Banks Protection, or a Related Device subclass 49.5 for banks, stores, or other related institutions, having means to protect personnel against a burglary or robbery attack.

922 Armored, projectile or missile resistant garment (EPO):

Subject matter under cross-reference art collection 921 including an armored screen which is specifically adapted to fit the human body, e.g., jackets, helmets, shoes, etc.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H1/02)

SEE OR SEACH CLASS:

2, Apparel, subclass 2.5 for articles of clothing specially designed to resist penetration, as by projectiles, swords, knives, etc., where (1) features of shape for fitting the body or (2) means for wearing or otherwise securing the device to the body, are claimed.

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

923 Protection helmet (EPO):

Subject matter under cross-reference art collection 922 including an armored screen which is specifically adapted to be worn on and shield the head.

(1) Note: The subject matter of this subclass is substantially the same in scope as ECLA (F41H1/04)

SEE OR SEARCH CLASS:

2, Apparel, subclass 6.6 for soldier's helmets and subclasses 410+ for a device wherein significance is attributed to means in or on a head covering or helmet that is intended to protect the head of a wearer, or at least a portion of the head...

924 Steel helmet or head shield (EPO):

Subject matter under cross-reference art collection 923 including a protection helmet which is composed of a commercial iron that contains carbon in any amount up to about 1.7 percent as an essential alloying constituent and is malleable when under suitable conditions.

- (1) Note. Steel is distinguished from cast iron by its malleability and lower carbon content.
- (2) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H1/06).

925 Plastic helmet or head shield (EPO):

Subject matter under cross-reference art collection 923 including a protection helmet which is composed of organic, synthetic or processed material that is molded, cast, extruded, or drawn into objects, films or filaments.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H1/08).

926 For personal use (i.e., handheld shield) (EPO):

Subject matter under cross-reference art collection 921 including An armored shield which is moved into a protection position by the arms or hands of the user.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/08).

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

927 Spade bayonet (i.e., useable as a spade, bayonet or cover against rifle fire) (EPO):

Subject matter under cross-reference art collection 926 including an armored shield which can be alternately used as (1) a digging implement, (2) a blade made to be attached at the muzzle end of a shoulder arm and used in hand-to-hand combat (3) or as a personal shield against incoming projectiles.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/10).

928 For small arms or light rocket launcher (EPO):

Subject matter under cross reference art collection 918 including an armored shield adapted to be installed on a weapon which may be carried by an individual operator.

- (1) Note. A small arm is a firearm of small caliber or (mm), including pistols, rifles, machine guns and shot guns. The maximum caliber or (mm) may vary up to and include 30 caliber.
- (2) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/12).

929 Wheeled armored shield (EPO):

Subject matter under cross-reference art collection 918 including an armored shield wherein the ordnance protector is provided with wheels for mobility in order to move it to a desired location.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/14)

930 For cannon, artillery or tank (EPO):

Subject matter under cross-reference art collection 918 including an armored shield which provides protection to a large caliber, crew served firearm (e.g., guns howitzers, rockets) or to an enclosed heavily armed combat vehicle supported, driven, and steered by caterpillar treads.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/16).

931 Manhole cover (e.g., on tanks) (EPO):

Subject matter under cross-reference art collection 930 including an armored shield protecting a hole through which a man may gain access to an underground or enclosed structure.

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/22).

935 Turret (EPO):

Subject matter under cross-reference art collection 918 including an armored shield comprising a dome-shaped or cylindrical structure having observations slits or gun ports and mounted on a fixed or mobile structure, e.g., tank, armored vehicle, building aircraft, etc.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/20).

Peephole, window, loophole, observation or reconnaissance equipment on armored vehicles (e.g. cameras and covers therefore) (EPO):

Subject matter under cross-reference art collection 901 including a small opening located on an armored conveyance through which small fire arms may be discharged or other openings or devices located on an armor protected mode of conveyance which allow for seeing outside that conveyance or to otherwise conduct an exploratory military survey of enemy territory.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/26).

937 Mounting or securing armor plate (EPO):

Subject matter under cross-reference art collection 901 including devices comprising structure for supporting or fastening armor in place.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H5/013).

SEE OR SEARCH THIS CLASS, SUBCLASS:

37.01, and the search notes thereunder for mounts for other ordnance-type devices.

938 Camouflage (i.e., means for or method of concealment or disguise) (EPO):

Subject matter under cross-reference art collection 901 including devices which screen, cover, shroud, or cloak in order to prevent disclosure or recognition.

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H3/00).

SEE OR SEARCH CLASS:

114, Ships, subclass 15 for concealment on warships.

939 Flexible (e.g., fabric) cover (e.g., screen, net) (EPO):

Subject matter under cross-reference art collection 938 including camouflage devices which are capable of being bent repeatedly and are meant to overlay the object to be hidden.

(1) Note. The subject matter of this subclass is substantially the same in scope as ECLA (F41H3/02).

PROJECT NO. 1889

D. CHANGES TO THE DEFINITIONS

CLASS 428 – STOCK MATERIAL OR MISCELLANEOUS ARTICLES

Definitions Modified:

Subclass 911: Under SEE OR SEARCH CLASS:

Delete:

The reference to Class 89

Insert:

89, Ordnance, subclass 901 for a deflecting or penetrationresistant shield not elsewhere provided for; and see the search notes to that subclass.