

# CPC COOPERATIVE PATENT CLASSIFICATION

## F MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING (NOTE omitted)

### ENGINES OR PUMPS

#### F01 MACHINES OR ENGINES IN GENERAL; ENGINE PLANTS IN GENERAL; STEAM ENGINES

#### F01B MACHINES OR ENGINES, IN GENERAL OR OF POSITIVE-DISPLACEMENT TYPE, e.g. STEAM ENGINES (of rotary-piston or oscillating-piston type [F01C](#); of non-positive-displacement type [F01D](#); internal-combustion engines [F02B](#); combustion-product engine plants [F02G](#); machines or engines, other than of positive-displacement type, for liquids [F03B](#); positive-displacement engines driven by liquids [F03C](#); wind motors [F03D](#); positive-displacement machines for liquids [F04B](#); rotary-piston, or oscillating-piston, positive-displacement machines for liquids [F04C](#))

##### NOTES

- This subclass covers, with the exception of the matter provided for in subclasses [F01C](#) - [F01P](#) :
  - engines for elastic fluids, e.g. steam engines;
  - engines for liquids and elastic fluids;
  - machines for elastic fluids;
  - machines for liquids and elastic fluids.
- Attention is drawn to the note preceding class [F01](#), especially as regards the definitions of "steam" and "special vapour".

<b>1/00</b>	<b>Reciprocating-piston machines or engines characterised by number or relative disposition of cylinders or by being built-up from separate cylinder-crankcase elements (<a href="#">F01B 3/00</a>, <a href="#">F01B 5/00</a> take precedence)</b>	1/0648	. . . {Cams}
		1/0651	. . . . {consisting of several cylindrical elements, e.g. rollers}
		1/0655	. . . {cylinders}
		1/0658	. . . {Arrangements for pressing or connecting the pistons against the actuating or actuated cam}
1/01	. with one single cylinder		
1/02	. with cylinders all in one line	1/0662	. . . . {hydraulically}
1/04	. with cylinders in V-arrangement	1/0665	. . . {Disconnecting the pistons from the actuating or actuated cam}
1/06	. with cylinders in star or fan arrangement		
1/0603	. . {the connection of the pistons with an element being at the outer ends of the cylinders}	1/0668	. . . {Supporting and guiding means for the piston}
1/0606	. . . {with cam-actuated distribution member(s)}	1/0672	. . . {Draining of the machine housing; arrangements dealing with leakage fluid}
1/061	. . . {with two or more series radial piston-cylinder units}	1/0675	. . {Controlling}
1/0613	. . . . {directly located side by side}	1/0679	. . . {by using a valve in a system with several pump or motor chambers, wherein the flow path through the chambers can be changed, e.g. series-parallel}
1/0617	. . . . {coupling of several cylinders-barrels}		
1/062	. . {the connection of the pistons with an actuating or actuated element being at the inner ends of the cylinders}	1/0682	. . . {by changing the effective cross sectional piston working surface}
1/0624	. . . {with cam-actuated distribution member(s)}	1/0686	. . . {by changing the effective piston stroke}
1/0627	. . . . {each machine piston being provided with channels, which are coacting with the cylinder and are used as a distribution member for another piston-cylinder unit}	1/0689	. . . . {by changing the excentricity of one element relative to another element}
1/0631	. . . {the piston-driving or -driven cam being provided with an inlet or an outlet}	1/0693	. . . {by changing the phase relationship between two actuating or actuated cams}
1/0634	. . . {with two or more series radial piston-cylinder units}	1/0696	. . . {by changing the phase relationship between the actuating or actuated cam and the distributing means}
1/0637	. . . . {directly located side by side}	1/08	. with cylinders arranged oppositely relative to main shaft and of "flat" type
1/0641	. . {Details, component parts specially adapted for such machines}	1/10	. with more than one main shaft, e.g. coupled to common output shaft
1/0644	. . . {Pistons}		

- 1/12 . . . Separate cylinder-crankcase elements coupled together to form a unit
- 3/00 Reciprocating-piston machines or engines with cylinder axes coaxial with, or parallel or inclined to, main shaft axis**
- 3/0002 . . . {having stationary cylinders}
- 3/0005 . . . {having two or more sets of cylinders or pistons}
- 3/0008 . . . {having self-acting distribution members, e.g. actuated by working fluid}
- 3/0011 . . . {Cylindrical distribution members}
- 3/0014 . . . {Conical distribution members}
- 3/0017 . . . {Component parts, details, e.g. sealings, lubrication}
- 3/002 . . . {Cylinders}
- 3/0023 . . . {Actuating or actuated elements}
- 3/0026 . . . . {Actuating or actuated element bearing means or driving or driven axis bearing means}
- 3/0029 . . . {Casings, housings}
- 3/0032 . . . {having rotary cylinder block}
- 3/0035 . . . {having two or more sets of cylinders or pistons}
- 3/0038 . . . {inclined to main shaft axis}
- 3/0041 . . . {Arrangements for pressing the cylinder barrel against the valve plate, e.g. fluid pressure}
- 3/0044 . . . {Component parts, details, e.g. valves, sealings, lubrication}
- 3/0047 . . . {Particularities in the contacting area between cylinder barrel and valve plate}
- 3/005 . . . . {Bearing arrangements}
- 3/0052 . . . {Cylinder barrel}
- 3/0055 . . . {Valve means, e.g. valve plate}
- 3/0058 . . . . {Cylindrical valve means}
- 3/0061 . . . . {Conical valve means}
- 3/0064 . . . {Machine housing}
- 3/0067 . . . . {cylinder barrel bearing means}
- 3/007 . . . {Swash plate}
- 3/0073 . . . . {swash plate bearing means or driving or driven axis bearing means}
- 3/0076 . . . {Connection between cylinder barrel and inclined swash plate}
- 3/0079 . . . {having pistons with rotary and reciprocating motion, i.e. spinning pistons}
- 3/0082 . . . {Details}
- 3/0085 . . . {Pistons}
- 3/0088 . . . . {Piston shoe retaining means}
- 3/0091 . . . {Casings, housings}
- 3/0094 . . . {Driving or driven means}
- 2003/0097 . . . . {Z-shafts, i.e. driven or driving shafts in Z-form}
- 3/02 . . . with wobble-plate
- 3/04 . . . the piston motion being transmitted by curved surfaces
- 3/045 . . . {by two or more curved surfaces, e.g. for two or more pistons in one cylinder}
- 3/06 . . . by multi-turn helical surfaces and automatic reversal
- 3/08 . . . the helices being arranged on the pistons
- 3/10 . . . Control of working-fluid admission or discharge peculiar thereto
- 3/101 . . . {for machines with stationary cylinders}
- 3/102 . . . . {Changing the piston stroke by changing the position of the swash plate}
- 3/103 . . . {for machines with rotary cylinder block}
- 3/104 . . . . {by turning the valve plate}
- 3/105 . . . . {by moving the swash plate in a direction perpendicular to the axis of rotation of the cylinder barrel}
- 3/106 . . . . {by changing the inclination of the swash plate}
- 3/107 . . . . {using wedges}
- 3/108 . . . . {by turning the swash plate (with fixed inclination)}
- 3/109 . . . . {by changing the inclination of the axis of the cylinder barrel relative to the swash plate}
- 5/00 Reciprocating-piston machines or engines with cylinder axes arranged substantially tangentially to a circle centred on main shaft axis**
- 5/003 . . . {the connection of the pistons with an actuated or actuating element being at the outer ends of the cylinders}
- 5/006 . . . {the connection of the pistons with an actuated or actuating element being at the inner ends of the cylinders}
- 7/00 Machines or engines with two or more pistons reciprocating within same cylinder or within essentially coaxial cylinders (in opposite arrangement relative to main shaft [F01B 1/08](#))**
- 7/02 . . . with oppositely reciprocating pistons
- 7/04 . . . acting on same main shaft
- 7/06 . . . . using only connecting-rods for conversion of reciprocatory into rotary motion or *vice versa*
- 7/08 . . . . with side rods
- 7/10 . . . . having piston-rod of one piston passed through other piston
- 7/12 . . . using rockers and connecting-rods
- 7/14 . . . acting on different main shafts
- 7/16 . . . with pistons synchronously moving in tandem arrangement
- 7/18 . . . with differential piston ([F01B 7/20](#) takes precedence)
- 7/20 . . . with two or more pistons reciprocating one within another, e.g. one piston forming cylinder of the other
- 9/00 Reciprocating-piston machines or engines characterised by connections between pistons and main shafts, not specific to groups [F01B 1/00](#) - [F01B 7/00](#)**
- 9/02 . . . with crankshaft
- 9/023 . . . {of Bourke-type or Scotch yoke}
- 9/026 . . . {Rigid connections between piston and rod; Oscillating pistons}
- 9/04 . . . with rotary main shaft other than crankshaft
- 9/042 . . . {the connections comprising gear transmissions}
- 2009/045 . . . . {Planetary gearings}
- 9/047 . . . {with rack and pinion}
- 9/06 . . . the piston motion being transmitted by curved surfaces
- 2009/061 . . . . {by cams}
- 2009/063 . . . . . {Mono-lobe cams}
- 2009/065 . . . . . {Bi-lobe cams}
- 2009/066 . . . . . {Tri-lobe cams}
- 2009/068 . . . . . {Quadri-lobe cams}
- 9/08 . . . with ratchet and pawl

<b>11/00</b>	<b>Reciprocating-piston machines or engines without rotary main shaft, e.g. of free-piston type</b>	15/002	. {having cylinders in star or fan arrangement, the connection of the pistons with the actuated or actuating element being at the outer ends of the cylinders}
11/001	. {in which the movement in the two directions is obtained by one double acting piston motor}		
11/002	. . {one side of the double acting piston motor being always under the influence of the fluid under pressure}	15/005	. {having cylinders in star or fan arrangement, the connection of the pistons with the actuated or actuating element being at the inner ends of the cylinders}
11/003	. . . {the fluid under pressure being continuously delivered to one motor chamber and reacting the other chamber through a valve located in the piston, to bring the piston back in its start-position}	15/007	. {having spinning cylinders, i.e. the cylinders rotating about their longitudinal axis}
11/004	. {in which the movement in the two directions is obtained by two single acting piston motors, each acting in one direction}	15/02	. with reciprocating cylinders (with one piston within another <a href="#">F01B 7/20</a> )
2011/005	. . {with oscillating pistons, i.e. the pistons are arranged in ring like cylinder sections and oscillate with respect to the center of the ring}	15/04	. with oscillating cylinder
11/006	. . {one single acting piston motor being always under the influence of the fluid under pressure}	15/06	. . Control of working-fluid admission or discharge peculiar thereto
11/007	. {in which the movement in only one direction is obtained by a single acting piston motor, e.g. with actuation in the other direction by spring means}	15/065	. . . {by cam-actuated distribution members}
11/008	. . {with actuation in the other direction by gravity}	<b>17/00</b>	<b>Reciprocating-piston machines or engines characterised by use of uniflow principle</b>
11/009	. {in which the movement in two directions is obtained by two or more double acting piston motors}	17/02	. Engines
11/02	. Equalising or cushioning devices	17/022	. . {with fluid heating}
11/04	. Engines combined with reciprocatory driven devices, e.g. hammers	17/025	. . {using liquid air}
11/06	. . for generating vibration only	17/027	. . {using separators}
11/08	. with direct fluid transmission link	17/04	. . Steam engines
<b>13/00</b>	<b>Reciprocating-piston machines or engines with rotating cylinders in order to obtain the reciprocating-piston motion</b>		<b>NOTE</b>
13/02	. with one cylinder only		{In this group the following indexing codes are used: <a href="#">F01B 2170/0411</a> - <a href="#">F01B 2170/0494</a> }
13/04	. with more than one cylinder	<b>19/00</b>	<b>Positive-displacement machines or engines of flexible-wall type</b>
13/045	. . {with cylinder axes arranged substantially tangentially to a circle centred on main shaft axis}	19/02	. with plate-like flexible members
13/06	. . in star arrangement	19/04	. with tubular flexible members
13/061	. . . {the connection of the pistons with the actuated or actuating element being at the outer ends of the cylinders}	<b>21/00</b>	<b>Combinations of two or more machines or engines (<a href="#">F01B 23/00</a> takes precedence)</b>
13/062	. . . . {cylinder block and actuating or actuated cam both rotating}	21/02	. the machines or engines being all of reciprocating-piston type
13/063	. . . . {with two or more series radial piston-cylinder units}	21/04	. the machines or engines being not all of reciprocating-piston type, e.g. of reciprocating steam engine with steam turbine
13/064	. . . . . {cylinder block and actuating or actuated cam both rotating ( <a href="#">F01B 13/066</a> takes precedence)}	<b>23/00</b>	<b>Adaptations of machines or engines for special use; Combinations of engines with devices driven thereby</b>
13/065	. . . . . {directly located side by side}	23/02	. Adaptations for driving vehicles, e.g. locomotives
13/066	. . . . . {cylinder block and actuating or actuated cam both rotating}	23/04	. . the vehicles being waterborne vessels
13/067	. . . . . {with pistons and cylinders having two different parallel axis of rotation}	23/06	. Adaptations for driving, or combinations with, hand-held tools or the like
13/068	. . . . {the connection of the pistons with an actuated or actuating element being at the inner ends of the cylinders}	23/08	. Adaptations for driving, or combinations with, pumps
<b>15/00</b>	<b>Reciprocating-piston machines or engines with movable cylinders other than provided for in group <a href="#">F01B 13/00</a></b>	23/10	. Adaptations for driving, or combinations with, electric generators
		23/12	. Adaptations for driving rolling mills or other heavy reversing machinery
		<b>25/00</b>	<b>Regulating, controlling or safety means (<a href="#">controlling combustion engines F02D</a>)</b>
			<b>NOTE</b>
			{In this group the following indexing codes are used: <a href="#">F01B 2250/001</a> - <a href="#">F01B 2250/009</a> }
		25/02	. Regulating or controlling by varying working-fluid admission or exhaust, e.g. by varying pressure or quantity

- 25/04 . . Sensing elements
- 25/06 . . . responsive to speed
- 25/08 . . Final actuators
- 25/10 . . . Arrangements or adaptations of working-fluid admission or discharge valves
- 25/12 . . Devices dealing with sensing elements or final actuators or transmitting means between them, e.g. power-assisted
- 25/14 . . peculiar to particular kinds of machines or engines
- 25/16 . Safety means responsive to specific conditions ([against water hammer or the like in steam engines F01B 31/34](#))
- 25/18 . . preventing rotation in wrong direction
- 25/20 . Checking operation on safety devices
- 25/22 . Braking by redirecting working-fluid
- 25/24 . . thereby regenerating energy
- 25/26 . Warning devices
- 27/00 Starting of machines or engines ([starting combustion engines F02N](#))**
- 27/02 . of reciprocating-piston engines
- 27/04 . . by directing working-fluid supply, e.g. by aid of by-pass steam conduits
- 27/06 . . . specially for compound engines
- 27/08 . . Means for moving crank off dead-centre
- 29/00 Machines or engines with pertinent characteristics other than those provided for in preceding main groups**
- 29/02 . Atmospheric engines, i.e. atmosphere acting against vacuum
- 29/04 . characterised by means for converting from one type to a different one
- 29/06 . . from steam engine into combustion engine
- 29/08 . Reciprocating-piston machines or engines not otherwise provided for
- 29/10 . . Engines
- 29/12 . . . Steam engines ([toy steam engines A63H 29/16](#))
- 31/00 Component parts, details or accessories not provided for in, or of interest apart from, other groups**
- 31/005 . {[Silencing equipment \(F01B 31/16 takes precedence\)](#)}
- 31/02 . De-icing means for engines having icing phenomena
- 31/04 . Means for equalising torque in reciprocating-piston machines or engines
- 31/06 . Means for compensating relative expansion of component parts
- 31/08 . Cooling of steam engines; Heating; Heat insulation
- 31/10 . Lubricating arrangements of steam engines
- 31/12 . Arrangements of measuring or indicating devices
- 31/14 . Changing of compression ratio
- 31/16 . Silencers specially adapted for steam engines
- 31/18 . Draining
- 31/20 . . of cylinders
- 31/22 . Idling devices, e.g. having by-passing valves
- 31/24 . . Disengagement of connections between pistons and main shafts
- 31/26 . Other component parts, details, or accessories, peculiar to steam engines
- 31/28 . . Cylinders or cylinder covers
- 31/30 . . Arrangements of steam conduits
- 31/32 . . Arrangements or adaptations of vacuum breakers
- 31/34 . . Safety means against water hammer or against the penetration of water
- 31/36 . . . automatically cutting-off steam supply
- 2170/00 Steam engines, e.g. for locomotives or ships**
- 2170/04 . To-be-deleted with administrative transfer to parent group
- 2170/0405 . . To-be-deleted with administrative transfer to parent group
- 2170/0411 . . . for locomotives
- 2170/0417 . . . for locomobiles driven by small motors
- 2170/0423 . . . Single acting steam engines with 1, 2 or 3 cylinders
- 2170/0429 . . . Double acting high pressure machines
- 2170/0435 . . . Compound machines with double or plural expansion; Auxiliaries driven by main engine
- 2170/0441 . . . Compound engines with monolytic pistons in same cylinder
- 2170/0447 . . . Machines with more than one piston in a cylinder and with counter moving pistons
- 2170/0452 . . . Engines without connecting rods
- 2170/0458 . . . Moving cylinders for steam engines, e.g. with telescopic cylinder arrangements
- 2170/0464 . . . Oscillating cylinders for steam engines
- 2170/047 . . . General arrangements for steam engines
- 2170/0476 . . . Components or parts for steam engines
- 2170/0482 . . . with toroidal cylinder space
- 2170/0488 . . . . To-be-deleted with administrative transfer to parent group
- 2170/0494 . . . . . with fixed cylinder space
- 2250/00 Accessories of steam engines; Arrangements or control devices of piston pumps, compressors without crank shafts or condensers for so far as they influence the functioning of the engines**
- 2250/001 . Valves for steam inlet or outlet
- 2250/002 . Valves, brakes, control or safety devices for steam engines
- 2250/003 . Apparatus for control or receiver or condensor pressure
- 2250/004 . Devices for draining or idling of steam cylinders or for uncoupling piston and connecting rod
- 2250/005 . Oil separators for steam engines
- 2250/006 . Arrangement of or controlling of piston pumps or compressors without crank shaft
- 2250/007 . Condensing devices for steam engines
- 2250/008 . Surface condensers for so far as they influence the functioning of the engine
- 2250/009 . Condenser pumps for steam engines