

250	RADIO AND MICROWAVE ABSORPTION WAVEMETERS	286	.Ion beam pulsing means with detector synchronizing means
251	ELECTRICALLY NEUTRAL MOLECULAR OR ATOMIC BEAM DEVICES AND METHODS	287	..With time-of-flight indicator
		288	.With sample supply means
252.1	CALIBRATION OR STANDARDIZATION METHODS	289	.With evacuation or sealing means
		290	.Cyclically varying ion selecting field means
253	GEOLOGICAL TESTING OR IRRADIATION	291	..Circular ion path
254	.With drill or drilling	292	..Laterally resonant ion path
255	.With sampling	293	..Alternating field ion selecting means
256	.Well testing apparatus and methods	294	.Static field-type ion path- bending selecting means
257	..With casing collar detection	295	..With variable beam shifting field means
258	..By interface of fluids	296	..Plural diverse-type static path-bending fields
259	..With placement of tracer in or about well	297	...For causing complex ion path
260	...Tracer being or including radioactive material	298	..Magnetic field path-bending means
261	..With detector or detector circuit control	299	...With detector
262	..With particular detector signal circuit	300	...With detector control or regulating
263	..With detector signal modulation or carrier wave	301	METHODS OF DETERMINING OIL PRESENCE, CONTAMINATION OR CONCENTRATION
264	...Having plural detectors	302	RADIATION TRACER METHODS
267	..With radiation control to detector	303	.Radioactive tracer methods
268	..With well-engaging means	304	METHODS INCLUDING SEPARATION OR NONRADIANT TREATMENT OF TEST MATERIALS
269.1	..With source and detector	305	ELECTRON ENERGY ANALYSIS
269.2	...With plural types of detectors	306	INSPECTION OF SOLIDS OR LIQUIDS BY CHARGED PARTICLES
269.3	..Having gamma source and gamma detector	307	.Methods
269.4	...Having neutron source and neutron detector	308	.Including a radioactive source
269.5	...Having thermal neutron detector	309	.Positive ion probe or microscope type
269.6	...Having neutron source and gamma detector	310	.Electron probe type
269.7	...With plural gamma detectors	311	.Electron microscope type
269.8	...With detection in plural consecutive time intervals	440.11	.Analyte supports
265	..Plural detectors	441.11	..With air lock or evacuation means
266	..With spacing or direction of detectors	442.11	..With object moving or positioning means
271	CODED RECORD AND READERS; INVISIBLE RADIANT ENERGY TYPE	443.1	..With heat transfer or temperature-indication means
281	IONIC SEPARATION OR ANALYSIS	315.3	SOURCE WITH CHARGED PLATE-TYPE DETECTOR
282	.Methods	316.1	WITH INFRARED OR THERMAL PATTERN RECORDING
283	..With collection of ions	317.1	.Thermal copying of documents
284	...For material recovery	318	..With image transfer device
285	.With plural, simultaneous ion generators		

- 319 ..With conveying means
- 324 **CORONA IRRADIATION**
- 325 .Charging of moving object
- 326 .Charging of objects
- 580 **SOURCE WITH RECORDING DETECTOR**
- 581 .Using a stimulable phosphor
- 582 ..With image recording
- 583 ...For specialized application
- 584 ..With image read-out
- 585 ...Including stimulation
- 586 ...Including emission detection
- 587With adjustment of conditions
- 588 ..With erasure
- 589 ..With conveyance
- 590 ...With a recirculation path
- 591 .Including a light beam read-out
- 328 **AUTOMATIC/SERIAL DETECTION OF SIMILAR SOURCES**
- 329 **RECORD PROJECTORS**
- 330 **INFRARED-TO-VISIBLE IMAGING**
- 331 .Including liquid crystal detector
- 332 .Including detector array
- 333 .Including image tube-type detector
- 334 .Including means for scanning field of view
- 335 **CLOUD OR BUBBLE CHAMBERS**
- 336.1 **INVISIBLE RADIANT ENERGY RESPONSIVE ELECTRIC SIGNALLING**
- 336.2 .Superconducting type
- 337 .With heating of luminophors
- 338.1 .Infrared responsive
- 338.2 ..Ferroelectric, ferromagnetic, photomagnetic types
- 338.3 ..Pyroelectric type
- 338.4 ..Semiconducting type
- 338.5 ..With means to analyze uncontained fluent material
- 339.01 ..With selection of plural discrete wavelengths or bands
- 339.02 ...Including detector array
- 339.03 ..Including temperature control means
- 339.04 ...Including temperature determining means
- 339.05 ..With additional noninfrared wavelengths
- 339.06 ...With radiation source
- 339.07Including spectrometer or spectrophotometer
- 339.08Including Fourier transform infrared spectrometry
- 339.09With calibration steps in measurement process
- 339.1Determining moisture content
- 339.11Measuring infrared radiation reflected from sample
- 339.12Using sample absorption for chemical composition analysis
- 339.13With gaseous sample
- 339.14 ...Detecting infrared emissive objects
- 339.15 ...Sensing flame or explosion
- 340 ..Methods
- 341.1 ..With irradiation or heating of object or material
- 341.2Including probe
- 341.3Including polarizing means
- 341.4With semiconductor sample
- 341.5With calibration
- 341.6Heating of object or material
- 341.7With multiple sources
- 341.8Measuring infrared radiation reflected from sample
- 342 ...Locating infrared emissive objects
- 343 ..With means to transmission-test contained fluent material
- 344 ...Plural series signalling means
- 345 ...Plural beam/detector pairs
- 346Plural temperature sensitive signalling means
- 347 ..With movable beam deflector or focussing means
- 348 ...Controlled by signalling means
- 349 ..Plural signalling means
- 350 ...With periodic beam varying means
- 351 ..With periodic beam varying means
- 352 ..With temperature modifying means
- 353 ..With beam deflector or focussing means
- 354.1 .Signalling means controls incident radiation
- 356.1 .Flow metering
- 356.2 ..Using radioactive tracer
- 357.1 .Fluent material level signalling
- 358.1 .With means to inspect passive solid objects
- 359.1 ..Rectilinearly moving object
- 360.1 ..With relative movement means
- 361 R .With or including a luminophor
- 362 ..Methods

363.01	..With radiant energy source	381	...With radioactive source
363.02	...Body scanner or camera	382	..With means to ionize the gas
363.03With positron source	383	...Emissive fluent type, or with transmissive fluent material
363.04Emission tomography	384	...Radioactive
363.05With detector support	385.1	..Plural chambers or three or more electrodes
363.06Using coded aperture	385.2	...Spark chambers
363.07With distortion correction	386	..With a periodic electrode bias varying means
363.08With detector support	387	..With periodic electrode bias supply
363.09	...With calibration	388	..With indicator
363.1With a collimator	389	.Including ionization means
364	..With fluent source handling or collecting means	390.01	.Neutron responsive means
365	...Ultraviolet light source	390.02	..Radiographic analysis
366	..Plural electric signalling means	390.03	..With dose measurement
367	..Plural or composite luminophor	390.04	..Composition analysis
368	..With optics	390.05	...For moisture content
369	..With output system	390.06	..Density/thickness/consistency analysis
361 C	..Chemiluminescent detection	390.07	..Spectrum analysis
370.01	..Semiconductor system	390.08	...Using time-of-flight spectrometers
370.02	..Alpha particle detection system	390.09	...Using diffractometers
370.03	..Fission fragment/fissionable isotope detection system	390.1	..Including beam control
370.04	..Self-powered system	390.11	..Including a scintillator
370.05	..Neutron detection system	390.12	..Position-sensitive
370.06	..Discrimination-type system	391	..Methods
370.07	..Dose or dose rate measurement	392	..With indicating or recording means
370.08	..Imaging system	393	.With radiant energy source
370.09	...X-ray or gamma-ray system	394	.Plural signalling means
370.1	..Position sensitive detection system	395	.Methods
370.11	..Scintillation system	200	PHOTOCELLS; CIRCUITS AND APPARATUS
370.12	..Of material other than germanium, diamond, or silicon	201.1	.Photocell controls its own optical systems
370.13	...Containing cadmium telluride	201.2	..Automatic focus control
370.14	..Particular detection structure (e.g., MOS, PIN)	201.3	...Of a microscope
370.15	..Temperature control or compensation system	201.4	...Active autofocus
371	..Methods	201.5	...With optical storage medium; e.g., optical disc, etc.
372	..Ultraviolet light responsive means	201.6	...Based on triangulation
373	..With means to transmission-test contained fluent material	201.7	...Based on contrast
374	..Including a radiant energy responsive gas discharge device	201.8	...Based on image shift
375	..Methods	201.9	..Light beam wavefront phase adaptation
376	..With electroscopic indicators	203.1	..Following a target (e.g., a star or instrument pointer or other object) other than a pattern
377	...With charge generator	203.2	...Target illuminated by artificial light source
378	...With charge storage means		
379	..With means to supply the gas		
380	...Radioactive gas, or with gas-borne radioactive material		

- 203.3 ...Self-luminous target
- 203.4Sun
- 203.5Cathode-ray tube scanning
- 203.6Airborne target, or
spaceborne target other than
the sun (e.g., star or
missile)
- 203.7 ...With moving reticle in
optical path
- 202 ..Following a pattern (e.g., line
or edge)
- 548 ..Controlling web, strand, strip,
or sheet
- 549 ..Cathode-ray tube
- 204 ..Adjusting optical system to
balance brightness in plural
paths
- 205 ..Controlling light source
intensity
- 550 ..Interference pattern analysis
(e.g., spatial filtering or
holography)
- 551 ..Signal isolator
- 552 ..Solid state light source
- 553 ..Array or matrix
- 554 ..Flame light source
- 559.01 ..With circuit for evaluating a
web, strand, strip, or sheet
- 559.02 ..Evaluation of photographic film
- 559.03 ..Sequential detector arrangement
- 559.04 ..Evaluation by regions, zones,
or pixels
- 559.05 ...With imaging
- 559.06 ...With scanning
- 559.07 ..With imaging
- 559.08 ..With camera
- 559.09 ..With polarization
- 559.1 ..With calibration
- 559.11 ..Detection of both reflected and
transmitted light
- 559.12 ..Beam interruption or shadow
- 559.13 ...With laser source
- 559.14 ...With rotation of material
- 559.15 ...With plural detectors
- 559.16 ..Detection of diffuse light
- 559.17 ...With diffusion optics
- 559.18 ...With discrimination of
discrete light diffusing
region
- 559.19 ..Measuring dimensions
- 559.2 ..With comparison to reference
or standard
- 559.21 ...Volume
- 559.22 ...Profile
- 559.23With triangulation
- 559.24 ...Transversal measurement (e.g.,
width, diameter, cross-
sectional area)
- 559.25Lumber
- 559.26 ...Longitudinal measurement
(e.g., length or spacing)
- 559.27 ...Thickness
- 559.28 ...With translucent material
- 559.29 ..Measuring position
- 559.3 ...With alignment detection
- 559.31 ...With triangulation
- 559.32 ...Measuring rate of motion or
flow (change of position)
- 559.33 ...With robotics
- 559.34 ...Lead or wire bond inspection
- 559.35 ...Centroid
- 559.36 ...Edge
- 559.37 ...Angular orientation (e.g.,
skew)
- 559.38 ...Determining range from
detector
- 559.39 ..With comparison to reference or
standard
- 559.4 ..With indication of presence of
material or feature
- 559.41 ...With foreign particle
discrimination circuitry
- 559.42 ...Discontinuity detection (e.g.,
hole, crack)
- 559.43 ...Break detection
- 559.44 ...Identifying marking, pattern,
or indicia
- 559.45 ...With defect discrimination
circuitry
- 559.46 ...With camera or plural
detectors
- 559.47 ...With counting means
- 559.48 ...With transversal scan
- 559.49With moving reflector
- 206 ..Photocell controlled circuit
- 206.1 ..Having means to generate
positional information in at
least one plane of a target
moving relative to one or more
photodetectors
- 206.2 ...Detection of positional
information in two or more
planes (e.g., azimuth and
elevation; hour angle and
declination)
- 206.3 ...With moving reticle in
optical path
- 555 ..Including coded record
- 556 ...Document verification or graph
reader

- 557 ...With means to position, direct, or detect record
- 558 ..Stereoplotters
- 564 ..With circuit for evaluating a fluent material
- 565 ...With comparison
- 207 ..Electron multiplier
- 208.1 ..Plural photosensitive image detecting element arrays
- 208.2 ..Plural photosensitive nonimage detecting elements
- 208.3 ...With electronic scanning
- 208.4 ...Used to switch an electrical circuit or device on or off
- 208.5 ...With photodetector output ratioing other than by bridge or push-pull circuits
- 208.6 ...With specific relative positional geometry of photosensitive elements (e.g., an annular photosensitive element surrounding a coaxially mounted photosensitive element)
- 210 ..Bridge and push-pull circuits
- 214 R ..Special photocell or electron tube circuits
- 214 P ...Photographic control
- 214 D ...Light dimmers
- 214 A ...Amplifier type
- 214 LALight amplifier type
- 214 LSSwitching type
- 214 VTVacuum tube type
- 214 PR ...Photosensitive rheostat type
- 214 SG ...Self-generating type
- 214.1 ...Special photocell
- 214 AG ...Automatic gain control
- 214 AL ...Ambient light responsive
- 214 B ...Ambient light desensitizing means
- 214 C ...Compensation
- 214 DC ...Digital circuitry
- 214 L ...Logarithmic/linear signal
- 214 RC ...Rate of change
- 214 SF ...Slave flash
- 214 SW ...Electronic switch
- 215 .Combined with diverse-type device
- 216 .Optical or pre-photocell system
- 227.11 ..Light conductor
- 227.12 ...Optical delay line
- 227.13 ...Light pen
- 227.14 ...Condition responsive light guide (e.g., light guide is physically affected by parameter sensed which results in light conveyed to the photocell)
- 227.15 ...With detection of macroscopic break in fiber
- 227.16 ...With detection of fiber microbend caused by parameter affecting fiber
- 227.17 ...Causing polarization change in fiber
- 227.18 ...Causing light spectral frequency/wavelength change
- 227.19 ...With coherent interferometric light
- 227.2 ...With imaging
- 227.21 ...With light chopping or modulation
- 227.22Keyboard or other manual switch controlled
- 227.23 ...With spectral frequency/wavelength discrimination
- 227.24 ...With coupling enhancement means
- 227.25Fluid coupling
- 227.26 ...With scanning
- 227.27 ...With coherent interferometric light
- 227.28 ...With specific configuration of light conductor components with respect to each other
- 227.29 ...With specific illumination or viewing orientation of light conductor relative to viewed object (e.g., light normal to, and detector at 45 degree angle to, viewed object)
- 227.3 ...With variable orientation of light conductor relative to viewed object (e.g., goniometer)
- 227.31 ...Side or edge illuminated light conductor or collector
- 227.32 ...End illuminated light conductor with noncircular geometric cross section
- 566 ..Including coded record
- 568 ...Digital information
- 569Card type
- 570Tape, drum, or disc types
- 573 ..Fluent material in optical path
- 574 ...Scattered or reflected light
- 575 ...Plural paths

576	...Sample holder or supply	239	.Housings (in addition to cell casing)
577	...Volume or level		
221	..Controlled by article, person, or animal	396 R	WITH CHARGED PARTICLE BEAM DEFLECTION OR FOCUSING
222.1	...Inanimate article	397	.With detector
222.2	...Particle detection	398	.With target means
223 R	...Conveyor or chute	399	..Secondary emissive type
223 BBottles	400	..With means to convey or guide the target
224Article and light ray relatively moved during sensing	396 ML	.Magnetic lens
225	..Polarizing	423 R	ION GENERATION
226	..Color (e.g., filter or spectroscope)	424	.Methods
228	..Integrating sphere	425	.With sample vaporizing means
229	..Light valve (e.g., iris diaphragm)	426	.Arc type
231.1	...Actuated by dynamic external physical quantity	427	.Electron bombardment type
231.11	...Actuated by gauge element deflection	423 P	.Photoionization type
231.12Gyroscopes	423 F	.Field ionization type
231.13Shaft angle transducers	428	FLUENT MATERIAL CONTAINMENT, SUPPORT OR TRANSFER MEANS
231.14Incremental shaft readers; i.e., with means to generate increments of angular shaft rotation	429	.With temperature control
231.15With plural gear driven discs	430	.With valve or pump actuator
231.16Using phase difference of output signals from plural photodetectors	431	.With cleaning means
231.17With means to indicate a complete shaft rotation	432 R	.With irradiating source or radiating fluent material
231.18Position indicating shaft encoders with means to generate a unique signal for each specific angular shaft position	433	..Including a movable surface transfer means
231.19Pressure-responsive light valves	434	..Including a gravity-type transfer means
230	..Reflection type(e.g., mirror galvanometer)	435	..Including a flowthrough transfer means
232	...Light chopper type	436	...Flow-enclosed radiation source
233Rotary	437	...Tortuous path type
578.1	..Plural light sources or optical paths	438	...With a flow-modifying surface
234	..Means for moving optical system	432 PD	..Parent-daughter isotope separators
235	...Repetitious path	453.11	SUPPORTED FOR NONSIGNALLING OBJECTS OF IRRADIATION (E.G., WITH CONVEYOR MEANS)
236Rotary motion	454.11	.With source support
237 R	..Hoods, grating, baffles, diaphragms, masks	455.11	..Source and object encasement (e.g., sterilizers)
237 G	..Gratings (moire fringes)	458.1	LUMINOPHOR IRRADIATION
238	.Temperature control of photocell	459.1	.Methods
		461.1	.With ultraviolet source
		461.2	..Biological cell identification
		462.1	.Self-luminous article
		463.1	..Dials, pointers, gauges, and bands
		464.1	..Pendants
		465.1	..Manual operators or luminous attachments therefor
		466.1	..Covers, keys, or luminous attachments therefor

467.1 ..Reticles, gun sights or with optical element

472.1 **INVISIBLE RADIATION RESPONSIVE NONELECTRIC SIGNALLING**

473.1 ..Methods

474.1 ..Optical change type

475.2 ..Photographic type

482.1 ..With radiation filter, modifier, or shield (e.g., dosimeter badges)

483.1 ..Luminescent device

484.2 ..Requiring an additional energy source to cause luminescence

484.3 ..With thermally-stimulated phosphor

484.4 ..With optically-stimulated phosphor

484.5 ...Dosimeter

485.1 ..With light excluding casing having an aperture

486.1 ..With plural luminescent material or plural luminescent containing layers or areas

487.1 ..With optical member of material to directly modify luminous energy

488.1 ...Plural planar layer type

489 **ION COLLECTORS**

491.1 **MEANS TO ALIGN OR POSITION AN OBJECT RELATIVE TO A SOURCE OR DETECTOR**

492.1 **IRRADIATION OF OBJECTS OR MATERIAL**

492.2 ..Irradiation of semiconductor devices

492.21 ..Ion bombardment

492.22 ..Pattern control

492.23 ..Variable beam

492.24 ..Photocathode projection

492.3 ..Ion or electron beam irradiation

493.1 **RADIANT ENERGY GENERATION AND SOURCES**

494.1 ..Plural radiation sources

495.1 ..Including an infrared source

496.1 ..With container for radioactive source and radiation directing or selectable shielding

497.1 ..With means to move source between shielded and unshielded position

498.1 ..With pivoted or rotatable radiation shield

503.1 ..With radiation modifying member

504 R ..Ultraviolet or infrared source

504 H ...Hand-held

505.1 **RADIATION CONTROLLING MEANS**

506.1 ..Shielded receptacles for radioactive sources

507.1 ..Having plural storage compartments or plural nested receptacles

515.1 ..Shields

516.1 ..Garments

517.1 ..Construction elements or building parts

518.1 ..With neutron absorption material

519.1 ..Flexible

522.1 **SOURCE SUPPORTS**

526 **MISCELLANEOUS**

CROSS-REFERENCE ART COLLECTIONS

900 **OPTICAL LIQUID LEVEL SENSORS**

901 ..With gap between light guide elements (includes open light path preset)

902 ..With closed light path preset

903 ...With prism contacting liquid

904 ..With single light guide element to guide light in a continuous path

905 ..With longitudinal irregularity

906 ...With large scale longitudinal bend

907 ...With portions of light guide coating or cladding removed

908 ...With waveguide twisted about its longitudinal axis

909 **METHODS AND APPARATUS ANCILLARY TO STIMULABLE PHOSPHOR SYSTEMS**

910 **FOOD SAMPLE ANALYSIS USING INVISIBLE RADIANT ENERGY SOURCE**

FOREIGN ART COLLECTIONSFOR 000 **CLASS-RELATED FOREIGN DOCUMENTS****DIGESTS**

DIG 1 **PASSIVE INTRUSION DETECTORS**

DIG 2 **RADON DETECTION**

