

| | | | |
|-----|--|-----|---|
| 200 | EYE EXAMINING OR TESTING INSTRUMENT | 236 | ...Movable along optical axis |
| 201 | .For fusion and space perception testing (e.g., stereoscopic vision) | 237 | ..Including target image projection |
| 202 | ..Of abnormal muscular functioning | 238 | ...Tachistoscope type |
| 203 | .Eye exercising or training type | 239 | ..Including test chart or target |
| 204 | .For interpupillary distance measuring or lens positioning | 240 | ...Stereoscopic type |
| 205 | .Objective type | 241 | ...Astigmatism type |
| 206 | ..Including eye photography | 242 | ...Chromaticity type |
| 207 | ...Having spurious reflection blocking | 243 | ...Illuminated |
| 208 | ...Having means to detect proper distance or alignment (i.e., eye to instrument) | 244 | ...Having support or cabinet |
| 209 | ..Including eye movement detection | 245 | .Support |
| 210 | ...Using photodetector | 246 | .Methods of use |
| 211 | ..Including projected target image | 247 | ..For contact lens fitting |
| 212 | ...For cornea curvature measurement | 41 | SPECTACLES AND EYEGLASSES |
| 213 | ..Including light filter or absorber | 42 | .Lens repair devices |
| 214 | ..Including diaphragm or slit | 43 | .Floating or underwater type |
| 215 | ..Including light polarizing means | 44 | .With antiglare or shading |
| 216 | ..Including lens selectively insertable in optical path | 45 | ..Partially occluding the light- path area |
| 217 | ...On rotary disc | 46 | ..Perforated opaque plates or shields |
| 218 | ...Hand held type | 47 | ..Removable and/or adjustable filters or screens (e.g., clip-on type) |
| 219 | ..With contact lens | 48 | ...Spring biased |
| 220 | ..Including reflectors with off- set surfaces | 49 | ..Polarizing |
| 221 | ..Including illuminator | 50 | .With rear-view reflectors |
| 222 | .Subjective type | 51 | .With decoration or ornamentation |
| 223 | ..Self examining type | 52 | ..Detachably secured |
| 224 | ..Perimeter type | 53 | .Shooting type |
| 225 | ...With rotatable arm | 54 | .Invertible or reversible multifocal type |
| 226 | ...With bowl type screen | 55 | .With vertical adjustment of multifocal lenses |
| 227 | ..Including trial frame | 56 | .Lorgnette type |
| 228 | ..With multifocal lens | 57 | .With auxiliary lenses movable in and out of the optical path (e.g., clip-on type attachments) |
| 229 | ..With plural lens carrier | 58 | ..Spring biased or secured by friction members |
| 230 | ..With individual lens holder | 59 | .Lens pivots in and out of optical path |
| 231 | ..Removably attachable to eye glass frame | 60 | .With lens suspension bar (e.g., torsion bar) |
| 232 | ..With light polarizing lens | 61 | .U-shape or half-moon lens below eye level |
| 233 | ..Lens or filter selectively insertable in optical path | 62 | .With moisture prevention or absorption |
| 234 | ...Mounted on rotatable disc | 63 | .Folding |
| 235 | ...Having plural disc carrier | 64 | ..Pince-nez type |

| | | | |
|----|---|-----|---|
| 65 | .Pince-nez type (including pince- nez bridges, nose grips and nose pads therefor) | 100 | ..Clamp and temple pivot screw coincident on rim clamping arm |
| 66 | ..With ear chain or temple | 101 | ..Metal clamps embrace the rims and connect to bridge and/or temples |
| 67 | ..Plural bridges | 102 | ..Combined metal and plastic rims |
| 68 | ..With resilient extensible bridge | 103 | .Brace arm or semi-rimless mounting |
| 69 | ..Lens and nose grip movable on flexible bridge | 104 | ..Arm or rim of plastic or of different material (e.g., metal and plastic) |
| 70 | ..Posts or studs connecting bridge and nose grip | 105 | ..Detachable brace arm |
| 71 | ..With spring biased nose grips | 106 | ..Screwless lens mounting |
| 72 | ...With pivoting levers | 107 | ..With adjustable lens or frame part |
| 73 | ...With flat spiral springs | 108 | ..Brace arm supports lens at two spaced points or constitutes a partial rim |
| 74 | ...With springs below bridge | 109 | ..Brace arm extends along edge of lens |
| 75 | ...With springs encased | 110 | .Rimless mounting |
| 76 | ..With adjustable or rockable nose grips or pads | 111 | .Temples |
| 77 | ..With ball joints | 112 | ..With pocket clip or clasp |
| 78 | ..Nose pads or cushions | 113 | ..Spring biased |
| 79 | ...Plural pad parts engage the nose | 114 | ..Resilient or flexible |
| 80 | ...Detachable | 115 | ..Reversible or axially rotatable |
| 81 | ...Perforated or serrated | 116 | ..Detachable |
| 82 | ...Fluid-filled or suction type | 117 | ..With covered core or rod (e.g., reinforced) |
| 83 | .Continuous rim mounting | 118 | ..Extensible (e.g., with adjustable sleeve member |
| 84 | ..With rotating means for multifocal lenses | 119 | ..Two-part type (e.g., jointed) |
| 85 | ..Upper rim portion slotted | 120 | ..Inclined to lens plane |
| 86 | ..With lens retaining or locking means | 121 | ..With connector |
| 87 | ..Nose guards or pads integral with frame | 122 | ..With skin protecting earpiece covering |
| 88 | ..Nose guards or pads removable or adjustable | 123 | ..With head or ear engaging attachments |
| 89 | ..With brace arm temple support | 124 | .Bridges |
| 90 | .Split rim mounting | 125 | ..Crossbar type |
| 91 | ..With brow pieces or top arms | 126 | ..Flexible |
| 92 | ..Screwless lens mounting | 127 | ...Ball or chain type |
| 93 | ..With brace arm supports for temple or lens | 128 | ..Adjustable |
| 94 | ..With auxiliary bridge | 129 | ..Reinforced |
| 95 | ..Expansible and contractible lens rim | 130 | ..With auxiliary support |
| 96 | ..Locking member secures lens against rotation | 131 | ..With nose grip or guard integral with bridge |
| 97 | ..Split connected by U-clamps or pivot links | 132 | ..With nose grip, nose guard, pad, or cushion |
| 98 | ..Split on nasal side of rim (i.e., at bridge) | 133 | ..With connectors or straps |
| 99 | ..Clamp and temple pivot screw spaced along rim clamping arm | 134 | ...Unitary bridge and straps |
| | | 135 | ...With lens clamping straps |
| | | 136 | .Nose pads or cushions |

- 137 ..Adjustable, rockable, or pivotable
- 138 ..Detachable
- 139 ..With cover or coating
- 140 .Connectors
- 141 ..With screw locking means
- 142 ..Strap type
- 143 ...With particular bracing bar or stud
- 144 ...With cementing or fusing
- 145 ...With cushion around lens screw or bolt
- 146Sleeve or bushing
- 147 ..With serrated interengaging parts
- 148 ...Adjusting
- 149 ..With interengaging projection and recess
- 150 ..With resilient parts (e.g., resilient strap arms)
- 151Spring between lens and strap
- 152 ..With clamping arms
- 153 ..With particular hinge
- 154 .Lens linings or rims
- 155 .With support or holder (e.g., on hat or cap)
- 156 ..With head embracing bow or chain
- 157 ..Neck retainers
- 158 .Combined
- 159 .Ophthalmic lenses or blanks
- 160 R ..Eye contact type
- 161 ..Multifocal
- 162 ...Colored
- 160 H ..Hydrophilic
- 163 ..With light filtering means
- 164 ...Multifocal
- 165 ...With sections of different light absorption
- 166 ..With lens protective layers
- 167 ..Cataract correction type
- 168 ..Multifocal
- 169 ...Gradually varying focal power
- 170 ..With prismatic segment
- 171 ...Three or more foci
- 172 ..Multiple elements
- 173 ..Image size (aniseikonia) correction
- 174 ..With beveled, polished or reinforced edges
- 175 ..Prismatic type
- 176 ..Focus and/or astigmatism correction
- 177 ..Methods
- 178 .Methods (e.g., securing lenses in mountings)

FOREIGN ART COLLECTIONSFOR 000 **CLASS-RELATED FOREIGN DOCUMENTS**