# EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

# CPC NOTICE OF CHANGES 1588

DATE: JANUARY 1, 2024

# PROJECT RP12086

# The following classification changes will be effected by this Notice of Changes:

Action	Subclass	Group(s)
SCHEME:		
Symbols Deleted:	В01Ј	35/0006, 35/0013, 35/002, 35/0026, 35/0033, 35/004, 35/0046, 35/0053, 35/006, 35/0066, 35/0073, 35/008, 35/0086, 35/0093, 35/02, 35/023, 35/026, 35/04, 35/06, 35/065, 35/08, 35/10, 35/1004, 35/1009, 35/1014, 35/1019, 35/1023, 35/1028, 35/1033, 35/1038, 35/1042, 35/1047, 35/1052, 35/1057, 35/1061, 35/1066, 35/1071, 35/1076, 35/108, 35/1085, 35/109, 35/1095, 35/12
Symbols New:	В01Ј	35/19,35/20,35/23,35/27,35/30,35/31, 35/32,35/33,35/34,35/36,35/37,35/38, 35/39,35/391,35/392,35/393,35/394, 35/395,35/396,35/397,35/398,35/399, 35/40,35/45,35/50,35/505,35/51,35/52, 35/53,35/54,35/55,35/56,35/57,35/58, 35/59,35/60,35/61,35/612,35/613, 35/615,35/617,35/618,35/63,35/633, 35/635,35/638,35/64,35/643,35/647, 35/651,35/653,35/657,35/66,35/67, 35/69,35/695,35/70,35/73,35/733, 35/735,35/737,35/77,35/80
	B01J	2235/00, 2235/05, 2235/10, 2235/15, 2235/30
Warnings New:	B01J	21/18
	B01J	29/00
	В01Ј	35/00, 35/20, 35/23, 35/30, 35/31, 35/32, 35/34, 35/393, 35/395, 35/40, 35/45, 35/50, 35/505, 35/51, 35/52, 35/53, 35/54, 35/55, 35/56, 35/57, 35/70, 35/73, 35/733, 35/735, 35/737, 35/77, 35/80
	B01J	2235/00
DEFINITIONS:		
Definitions Deleted:     (no frozen (F) symbol definitions should be deleted)	B01J	35/0013, 35/004, 35/04, 35/10
Definitions New:	В01Ј	35/19, 35/20, 35/23, 35/27, 35/30, 35/33, 35/36, 35/37, 35/38, 35/39, 35/393, 35/395, 35/396, 35/397, 35/398, 35/45, 35/50, 35/505, 35/53, 35/56, 35/57, 35/66, 35/70, 35/73, 35/733, 35/735, 35/737, 35/77

# DATE: JANUARY 1, 2024

#### PROJECT RP12086

Definitions Modified:	B01J	35/00

The following subclasses/groups are also impacted by this Notice of Changes (indicate subclasses/groups outside of the project scope, such as those listed in the CRL): A61L, B01D, C04B, C25B, C40B

This Notice of Changes includes the following [Check the ones included]:

1. CL	ASSIF	FICATION SCHEME CHANGES
	$\boxtimes$	A. New, Modified or Deleted Group(s)
	$\boxtimes$	B. New, Modified or Deleted Warning(s)
		C. New, Modified or Deleted Note(s)
		D. New, Modified or Deleted Guidance Heading(s)
2. DEI	FINIT	TONS
	$\boxtimes$	A. New or Modified Definitions (Full definition template)
	$\boxtimes$	B. Modified or Deleted Definitions (Definitions Quick Fix)
3. 🛛	REV	TSION CONCORDANCE LIST (RCL)
4. 🛛	CHA	ANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

5.  $\square$  CHANGES TO THE CROSS-REFERENCE LIST (CRL)

DATE: JANUARY 1, 2024

#### PROJECT RP12086

### 1. CLASSIFICATION SCHEMECHANGES

# A. New, Modified or Deleted Group(s)

# SUBCLASS B01J - CHEMICAL OR PHYSICAL PROCESSES, e.g. CATALYSIS OR COLLOID CHEMISTRY; THEIR RELEVANT APPARATUS

Type*	Symbol	<u>Indent</u>	<u>Title</u>	Transferred to#
		Level	"CPC only" text should normally be enclosed in {curly brackets}**	
		Number of dots	enclosed in {curly brackets}**	
		(e.g. 0, 1,		
		<u>2)</u>		
С	B01J35/00	0		B01J35/00, B01J21/18,
				B01J29/00, B01J35/20, B01J35/70, B01J35/73,
			Catalysts, in general, characterised by their	B01J35/733, B01J35/735,
			form or physical properties	B01J35/737, B01J35/77,
				B01J35/80, B01J2235/00,
				B01J2235/05, B01J2235/10,
D	B01J35/0006	1	{Catalysts containing parts with different	B01J2235/15, B01J2235/30 <administrative td="" to<="" transfer=""></administrative>
		_	compositions}	B01J35/19>
D	B01J35/0013	1	{Colloids}	<administrative 23="" b01j35="" to="" transfer=""></administrative>
D	B01J35/002	1	{Catalysts characterised by their physical	<administrative td="" to<="" transfer=""></administrative>
			properties}	B01J35/30>
D	B01J35/0026	2	{Density}	<administrative 31="" b01j35="" to="" transfer=""></administrative>
D	B01J35/0033	2	(7)	<administrative td="" to<="" transfer=""></administrative>
			{Electric or magnetic properties}	B01J35/33>
D	B01J35/004	2	{Photocatalysts}	<administrative td="" to<="" transfer=""></administrative>
	B01J35/0046	2	• ,	B01J35/39>
D	BU1J35/0046	2	{Physical properties of the active metal ingredient}	<administrative 391="" b01j35="" to="" transfer=""></administrative>
D	B01J35/0053	3	{metal surface a rea}	<administrative td="" to<="" transfer=""></administrative>
	7047071005		{metarsurrace area}	B01J35/392>
D	B01J35/006	3	{metal crystallite size}	<administrative 393="" b01j35="" to="" transfer=""></administrative>
D	B01J35/0066	3	{metal dispersion value, e.g. percentage or	<administrative td="" to<="" transfer=""></administrative>
D	D01125/0072	2	fraction}	B01J35/394>
D	B01J35/0073	2	{Distribution of the active metal ingredient}	<administrative 396="" b01j35="" to="" transfer=""></administrative>
D	B01J35/008	3	,	<administrative td="" to<="" transfer=""></administrative>
			{egg-shell like}	B01J35/397>
D	B01J35/0086	3	{egg-yolk like}	<administrative td="" to<="" transfer=""></administrative>
	D01125/0002	3		B01J35/398>
D	B01J35/0093	3	{homogeneous throughout the support particle}	<administrative 399="" b01j35="" to="" transfer=""></administrative>
			particle	20100010///

# DATE: JANUARY 1, 2024

Type*	Symbol	<u>Indent</u> <u>Level</u> <u>Number</u>	<u>Title</u> "CPC only" text should normally be enclosed in {curly brackets}**	<u>Transferred to<sup>#</sup></u>
		of dots (e.g. 0, 1, 2)	<u></u>	
D	B01J35/02	1	Solids	<a dministrative="" to<br="" transfer="">B01J35/00 and B01J35/30 simulta neously&gt;</a>
D	B01J35/023	2	{Catalysts characterised by dimensions, e.g. grain size}	<administrative 40="" b01j35="" to="" transfer=""></administrative>
D	B01J35/026	2	{Form of the solid particles (B01J35/08 takes precedence)}	<administrative 50="" b01j35="" to="" transfer=""></administrative>
D	B01J35/04	2	For a minous structures, sieves, grids, honeycombs	<administrative 56="" b01j35="" to="" transfer=""></administrative>
D	B01J35/06	2	Fabrics or filaments	<a 58="" b01j35="" dm="" inistrative="" to="" transfer=""></a>
D	B01J35/065	3	{Membranes}	<administrative 59="" b01j35="" to="" transfer=""></administrative>
D	B01J35/08	2	Spheres	<a 51="" b01j35="" dm="" inistrative="" to="" transfer=""></a>
D	B01J35/10	2	characterised by their surface properties or porosity	<administrative 60="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1004	3	{Surface area}	<a 61="" b01j35="" dministrative="" to="" transfer=""></a>
D	B01J35/1009	4	{less than 10 m2/g}	<a 612="" b01j35="" dm="" inistrative="" to="" transfer=""></a>
D	B01J35/1014	4	{10-100 m2/g}	<administrative 613="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1019	4	{100-500 m2/g}	<administrative 615="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1023	4	{500-1000 m2/g}	<administrative 617="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1028	4	{more than 1000 m2/g}	<administrative 618="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1033	3	{Pore volume}	<administrative 63="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1038	4	{less than 0.5 ml/g}	<administrative 633="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1042	4	{0.5-1.0 ml/g}	<administrative 635="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1047	4	{more than 1.0 ml/g}	<administrative 638="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1052	3	{Pore diameter}	<administrative 64="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1057	4	{less than 2 nm}	<administrative 643="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1061	4	{2-50 nm}	<administrative 647="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1066	4	{50-500 nm}	<administrative 651="" b01j35="" to="" transfer=""></administrative>

# DATE: JANUARY 1, 2024

Type*	<u>Symbol</u>	<u>Indent</u> <u>Level</u> Number	<u>Title</u> "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to#
		of dots (e.g. 0, 1, 2)	encrosed in Jeury Studies	
D	B01J35/1071	4	{500-1000nm}	<administrative 653="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1076	4	{larger than 1000 nm}	<administrative 657="" b01j35="" to="" transfer=""></administrative>
D	B01J35/108	3	{Pore distribution}	<administrative 66="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1085	4	{monomodal}	<administrative 67="" b01j35="" to="" transfer=""></administrative>
D	B01J35/109	4	{bimodal}	<administrative 69="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1095	4	{polymodal}	<administrative 695="" b01j35="" to="" transfer=""></administrative>
D	B01J35/12	1	Liquids or melts	<administrative 27="" b01j35="" to="" transfer=""></administrative>
N	B01J35/19	1	{Catalysts containing parts with different compositions}	
N	B01J35/20	1	characterised by their non-solid state	
Q	B01J35/23	2	in a colloida1state	B01J35/23,B01J35/45
N	B01J35/27	2	in a liquid or molten state	·
Q	B01J35/30	1	characterised by their physical properties	B01J35/30, B01J35/34, B01J35/36, B01J35/37, B01J35/38, B01J35/395, B01J35/70, B01J35/73, B01J35/733, B01J35/735, B01J35/737, B01J35/77, B01J35/80, B01J2235/00, B01J2235/05, B01J2235/10, B01J2235/15, B01J2235/30
Q	B01J35/31	2	Density	B01J35/31, B01J35/32, B01J35/70, B01J35/73, B01J35/733, B01J35/735, B01J35/737, B01J35/77, B01J35/80, B01J2235/00, B01J2235/05, B01J2235/10, B01J2235/15, B01J2235/30
N	B01J35/32	3	Bulk density	
N	B01J35/33	2	Electric or magnetic properties	
N	B01J35/34	2	Mechanical properties	
N	B01J35/36	3	Mechanical strength	
N	B01J35/37	3	Crush or impact strength	
N	B01J35/38	3	Abrasion or attrition resistance	
N	B01J35/39	2	Photocatalytic properties	
N	B01J35/391	2	{Physical properties of the active metal ingredient}	
N	B01J35/392	3	{Metal surface area}	

# DATE: JANUARY 1, 2024

Type*	Symbol	Indent	<u>Title</u>	Transferred to#
	2/11/01	Level	"CPC only" text should normally be	22 3302 022 048 00
		<u>Number</u>	enclosed in {curly brackets}**	
		of dots		
		(e.g. 0, 1,		
		<u>2)</u>		
Q	B01J35/393	3		B01J35/393, B01J35/73,
				B01J35/733, B01J35/735,
			{Metalor metaloxide crystallite size}	B01J35/737,
			(,	B01J2235/00, B01J2235/05,
				B01J2235/10, B01J2235/15, B01J2235/30
N	B01J35/394	3	{Metal dispersion value, e.g. percentage or	B01J2233/30
11	D0133/394	3	fraction}	
N	B01J35/395	3	{Thickness of the active catalytic layer}	
N	B01J35/396	2	{Distribution of the active metal	
			ingredient}	
N	B01J35/397	3	{Egg shell like}	
N	B01J35/398	3	{Egg yolk like}	
N	B01J35/399	3	{homogeneously throughout the support	
			particle}	
Q	B01J35/40	1	characterised by dimensions, e.g. grain size	B01J35/40, B01J35/45,
			(in a colloidal state B01J35/23; crystallite	B01J35/77
			size B01J35/77)	
N	B01J35/45	2	Nanoparticles	D01107/01 D01107/05
Q	B01J35/50	1		B01J35/34, B01J35/36,
				B01J35/37, B01J35/38,
			characterised by their shape or	B01J35/50, B01J35/505, B01J35/54, B01J35/55,
			configuration	B01J2235/00, B01J2235/05,
				B01J2235/10, B01J2235/15,
				B01J2235/30
N	B01J35/505	2	{with a non-spherical or unspecified core-	
			shell structure}	
Q	B01J35/51	2	Spheres	B01J35/51, B01J35/52,
			-	B01J35/53
N	B01J35/52	3	Hollow spheres	
N	B01J35/53	3	with a core-shell structure	
N	B01J35/54	2	Bars or plates	
N	B01J35/55	2	Cylinders or rings	D01125/54 D01125/57
Q	B01J35/56	2	For a minous structures having flow-through passages or channels, e.g. grids or three-	B01J35/56, B01J35/57
			dimensional monoliths	
N	B01J35/57	3	Honeycombs	
N	B01J35/58	2	Fabrics or filaments	
N	B01J35/59	3	Membranes	
N	B01J35/60	1	characterised by their surface properties or	
			porosity	
N	B01J35/61	2	Surfacearea	
N	B01J35/612	3	{less than 10 m2/g}	
N	B01J35/613	3	$\{10-100 \text{ m}2/\text{g}\}$	
N	B01J35/615	3	{100-500 m2/g}	

### DATE: JANUARY 1, 2024

Type*	<u>Symbol</u>	<u>Indent</u> <u>Level</u>	<u>Title</u> "CPC only" text should normally be	Transferred to#
		Number	enclosed in {curly brackets}**	
		of dots		
		(e.g. 0, 1,		
N	B01J35/617	<u>2)</u> 3	{500-1000 m2/g}	
N	B01J35/618	3	$\{\text{more than } 1000 \text{ m2/g}\}$	
N	B01J35/63	2	Pore volume	
N	B01J35/633	3	{less than $0.5 \text{ml/g}$ }	
N	B01J35/635	3	$\{0.5-1.0  \text{ml/g}\}$	
N	B01J35/638	3	{more than 1.0 ml/g}	
N	B01J35/64	2	Pore diameter	
N	B01J35/643	3	{less than 2 nm}	
N	B01J35/647	3	{2-50 nm}	
N	B01J35/651	3	{50-500 nm}	
N	B01J35/653	3	{500-1000nm}	
N	B01J35/657	3	{larger than 1000 nm}	
N	B01J35/66	2	Pore distribution	
N	B01J35/67	3	monomodal	
N	B01J35/69	3	bimodal	
N	B01J35/695	3	{polymodal}	
N	B01J35/70	1	characterised by their crystalline properties,	
			e.g. semi-crystalline (catalysts comprising	
			carbon B01J21/18; molecular sieves B01J	
N	B01J35/73	2	29/00) having a two-dimensional layered	
11	D01335/73	2	crystalline structure, e.g. la yered double	
			hydroxide [LDH]	
N	B01J35/733	2	{Perovskite-type}	
N	B01J35/735	2	{Pyrochlore-type $A_2B_2O_7$ }	
N	B01J35/737	2	{Hexaaluminate-type $AB_{12}O_{19}$ }	
N	B01J35/77	2	Compounds characterised by their	
			crystallite size	
N	B01J35/80	1	characterised by their amorphous structures	
U	B01J	3	of -CH-CH- or -C=C- to -C=C- or -C-C-	
	2231/766		triple bond species	
N	B01J2235/00	0	Indexing scheme associated with group	
			B01J35/00, related to the analysis	
			techniques used to determine the catalysts	
	D0110005/05	4	form or properties	
N	B01J2235/05	1	Nuclear magnetic resonance [NMR]	
N	B01J2235/10	1	Infrared[IR]	
N	B01J2235/15	1	X-ray diffraction	
N	B01J2235/30	1	Scanning electron microscopy; Transmission electron microscopy	
			Transmission electron inicroscopy	

<sup>\*</sup>N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; T = existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no

DATE: JANUARY 1, 2024

#### PROJECT RP12086

reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

#### NOTES:

- \*\*No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- U groups: it is obligatory to display the required "anchor" symbol (U group), i.e. the entry immediately preceding a new group or an array of new groups to be created (in case new groups are not clearly subgroups of C-type groups). Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types.
- "Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("Transferred to") symbol, however it is required to specify "<no transfer>" in the "Transferred to" column for such cases.
- For finalisation projects, the deleted "F" symbols should have <no transfer> in the "Transferred to" column.
- For more details about the types of scheme change, see CPC Guide.

DATE: JANUARY 1, 2024

### PROJECT RP12086

# B. New, Modified or Deleted Warning(s)

# SUBCLASS B01J - CHEMICAL OR PHYSICAL PROCESSES, e.g. CATALYSIS OR COLLOID CHEMISTRY; THEIR RELEVANT APPARATUS

<u>Type</u> *	<u>Location</u>	<u>Old Warning</u>	New/Modified Warning
N	B01J21/18		Group B01J21/18 is incomplete pending reclassification of documents from group B01J35/00. Groups B01J35/00 and B01J21/18 should be considered in order to perform a complete search.
N	B01J29/00		Group B01J 29/00 is incomplete pending reclassification of documents from group B01J 35/00. Groups B01J 35/00 and B01J 29/00 should be considered in order to perform a complete search.
N	B01J35/00		Group B01J 35/00 is impacted by reclassification into groups B01J 35/20, B01J 35/70-B01J 35/77, B01J 35/80 and B01J 2235/00-B01J 2235/30. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/20		Group B01J 35/20 is incomplete pending reclassification of documents from group B01J 35/00. Groups B01J 35/00 and B01J 35/20 should be considered in order to perform a complete search.
N	B01J35/23		Group B01J 35/23 is impacted by reclassification into group B01J 35/45. Groups B01J 35/23 and B01J 35/45 should be considered in order to perform a complete search.
N	B01J35/30		Group B01J 35/30 is impacted by reclassification into groups B01J 35/34-B01J 35/38, B01J 35/395, B01J 35/70-B01J 35/77, B01J 35/80 and B01J 2235/00-B01J 2235/30. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/31		Group B01J 35/31 is impacted by reclassification into groups B01J 35/32, B01J 35/70-B01J 35/77, B01J 35/80 and B01J 2235/00-B01J 2235/30. All groups listed in this Warning should be considered in order to perform a complete search.

# DATE: JANUARY 1, 2024

Type*	Location	<u>Old Warning</u>	New/Modified Warning
N	B01J35/32		Group B01J 35/32 is incomplete pending reclassification of documents from group B01J 35/31. Groups B01J 35/31 and B01J 35/32 should be considered in order to perform a complete search.
N	B01J35/34		Groups B01J 35/34-B01J 35/38 are incomplete pending reclassification of documents from groups B01J 35/30 and B01J 35/50. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/393		Group B01J 35/393 is impacted by reclassification into groups B01J 35/73, B01J 35/733, B01J 35/735, B01J 35/737 and B01J 2235/00-B01J 2235/30. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/395		Group B01J 35/395 is incomplete pending reclassification of documents from group B01J 35/30. Groups B01J 35/30 and B01J 35/395 should be considered in order to perform a complete search.
N	B01J35/40		Group B01J 35/40 is impacted by reclassification into groups B01J 35/45 and B01J 35/77. Groups B01J 35/40, B01J 35/45 and B01J 35/77 should be considered in order to perform a complete search.
N	B01J35/45		Group B01J 35/45 is incomplete pending reclassification of documents from groups B01J 35/23 and B01J 35/40. Groups B01J 35/23, B01J 35/40 and B01J 35/45 should be considered in order to perform a complete search.
N	B01J35/50		Group B01J 35/50 is impacted by reclassification into groups B01J 35/34-B01J 35/38, B01J 35/505, B01J 35/54, B01J 35/55 and B01J 2235/00-B01J 2235/30. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/505		Group B01J 35/505 is incomplete pending reclassification of documents from group B01J 35/50. Groups B01J 35/50 and B01J 35/505 should

# DATE: JANUARY 1, 2024

Type*	Location	<u>Old Warning</u>	New/Modified Warning
			be considered in order to perform a complete search.
N	B01J35/51		Group B01J 35/51 is impacted by reclassification into groups B01J 35/52 and B01J 35/53. Groups B01J 35/51, B01J 35/52 and B01J 35/53 should be considered in order to perform a complete search.
N	B01J35/52		Group B01J 35/52 is incomplete pending reclassification of documents from group B01J 35/51. Groups B01J 35/51 and B01J 35/52 should be considered in order to perform a complete search.
N	B01J35/53		Group B01J 35/53 is incomplete pending reclassification of documents from group B01J 35/51. Groups B01J 35/51 and B01J 35/53 should be considered in order to perform a complete search.
N	B01J35/54		Group B01J 35/54 is incomplete pending reclassification of documents from group B01J 35/50. Groups B01J 35/50 and B01J 35/54 should be considered in order to perform a complete search.
N	B01J35/55		Group B01J 35/55 is incomplete pending reclassification of documents from group B01J 35/50. Groups B01J 35/50 and B01J 35/55 should be considered in order to perform a complete search.
N	B01J35/56		Group B01J 35/56 is impacted by reclassification into group B01J 35/57. Groups B01J 35/56 and B01J 35/57 should be considered in order to perform a complete search.
N	B01J35/57		Group B01J 35/57 is incomplete pending reclassification of documents from group B01J 35/56. Groups B01J 35/56 and B01J 35/57 should be considered in order to perform a complete search.
N	B01J35/70		Groups B01J 35/70 and B01J 35/77 are incomplete pending reclassification of documents from groups B01J 35/00, B01J 35/30 and B01J 35/31. All groups listed in this Warning should be considered in order to perform a complete search.

# DATE: JANUARY 1, 2024

Type*	Location	<u>Old Warning</u>	New/Modified Warning
N	B01J35/73		Group B01J 35/73 is incomplete pending reclassification of documents from groups B01J 35/00, B01J 35/30, B01J 35/31 and B01J 35/393. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/733		Group B01J 35/733 is incomplete pending reclassification of documents from groups B01J 35/00, B01J 35/30, B01J 35/31 and B01J 35/393. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/735		Group B01J 35/735 is incomplete pending reclassification of documents from groups B01J 35/00, B01J 35/30, B01J 35/31 and B01J 35/393. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/737		Group B01J 35/737 is incomplete pending reclassification of documents from groups B01J 35/00, B01J 35/30, B01J 35/31 and B01J 35/393. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/77		Group B01J 35/77 is incomplete pending reclassification of documents from groups B01J 35/00, B01J 35/30, B01J 35/31 and B01J 35/40. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J35/80		Group B01J 35/80 is incomplete pending reclassification of documents from groups B01J 35/00, B01J 35/30 and B01J 35/31. All groups listed in this Warning should be considered in order to perform a complete search.
N	B01J2235/00		Groups B01J 2235/00, B01J 2235/05, B01J 2235/10, B01J 2235/15 and B01J 2235/30 are incomplete pending reclassification of documents from groups B01J 35/00, B01J 35/30, B01J 35/31, B01J 35/393 and B01J 35/50. All groups listed in this Warning should be considered in order to perform a complete search.

# DATE: JANUARY 1, 2024

### PROJECT RP12086

\*N = new warning, M = modified warning, D = deleted warning

NOTE: The "Location" column only requires the symbol PRIOR to the location of the warning. No further directions such as "before" or "after" are required.

DATE: JANUARY 1, 2024

#### PROJECT RP12086

# 2. A. DEFINITIONS (new)

# B01J 35/19

# **Definition statement**

This place covers:

Catalysts with properties derived from having portions with different compositions, e.g. bifunctional catalysts, layered catalysts, exhaust gas catalysts or catalysts having distinct regions where the catalyst is applied, e.g. rear end or front end.

# **Special rules of classification**

Doped supports or doped catalysts are not considered as catalysts containing parts with different compositions and are classified under B01J21/00-B01J29/00.

Catalysts with the same active material but with varying support concentration, e.g. 1%Pd/99%Al<sub>2</sub>O<sub>3</sub> in one region and 1%Pd/90%Al<sub>2</sub>O<sub>3</sub>-9%SiO<sub>2</sub> in another region within the catalyst, are classified in B01J35/19 as additional information.

# B01J 35/20

### **Definition statement**

This place covers:

Catalysts in a non-solid state, e.g. plasma catalysts.

# B01J 35/23

#### **Definition statement**

This place covers:

- Particles homogenously dispersed in another medium.
- A suspension of finely divided particles in a continuous medium from which the particles do not settle out rapidly and are not readily filtered.

#### DATE: JANUARY 1, 2024

#### PROJECT RP12086

 An overall mixture consisting of two phases, a continuous phase (the dispersion medium) and a dispersed phase that can be solid, liquid or gas.

# B01J 35/27

### **Definition statement**

This place covers:

Molten or liquid catalysts, including ionic liquids.

# B01J 35/30

# **Special rules of classification**

- Documents disclosing catalysts with different compositions are classified in B01J 35/19.
- Chemical properties of the catalyst are classified in B01J 35/00.

# B01J 35/33

# **Definition statement**

This place covers:

Catalysts characterised by electric or magnetic properties, e.g. catalysts that can be used in electrodes or in electrochemical reactions or catalysts having conductivity properties.

# Relationships with other classification places

Electrocatalysts only used in processes or means for the direct conversion of chemical energy into electrical energy are classified in H01M.

Electrocatalysts only used in electrolytic or electrophoretic processes for the production of compounds or non-metals and apparatus therefor are classified in C25B.

DATE: JANUARY 1, 2024

#### PROJECT RP12086

# B01J 35/36

# **Definition statement**

This place covers:

A catalyst's ability to resist an applied force.

# B01J 35/37

# **Definition statement**

This place covers:

A catalyst's ability to resist fracture or breakage when force or pressure is applied to the catalyst material in the axial direction or a catalyst's ability to resist the formation of fines, e.g. side or bulk crush strength.

# B01J 35/38

# **Definition statement**

This place covers:

A catalyst's ability to resist erosion caused by particle movement and collision between particles.

# B01J 35/39

### **Definition statement**

This place covers:

A catalyst's ability to change energy state when it absorbs light, achieves a higher energy level and initiates a reaction by providing the additional, absorbed energy to a reacting substance, e.g. catalysts with a band gap.

#### References

# Informative references

DATE: JANUARY 1, 2024

#### PROJECT RP12086

Attention is drawn to the following places, which may be of interest for search:

Disinfection, sterilisation or deodorisation of air using a photocatalyst or photosensitiser	A61L 9/205
Treatment of water with photocatalysts	C02F 1/725
Glass coated with TiO <sub>2</sub>	C03C 17/256
Coating compositions	C09D 1/00, C09D 5/16

# B01J 35/393

### **Definition statement**

This place covers:

Active metal or metal oxide crystallite size, e.g. a metal oxide nanoparticle of 100 nm or less.

### References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Catalyst compounds characterised by their crystallite size	B01J 35/77
· · · · · · · · · · · · · · · · · · ·	

# **Special rules of classification**

Documents disclosing catalysts with an active metal or metal oxide catalyst crystallite size and having a catalyst size of 100 nm or less are classified in B01J35/393 and B01J35/45, e.g., a catalyst with a metal oxide crystallite size of 20 nm and a total particle size below 100 nm.

# B01J 35/395

### **Definition statement**

This place covers:

Thickness of the active catalyst layer if disclosed as a numerical value.

DATE: JANUARY 1, 2024

#### PROJECT RP12086

# B01J 35/396

# **Definition statement**

This place covers:

Varied concentrations of the active metal ingredient within the catalyst, e.g. within different layers.

# B01J 35/397

### **Definition statement**

This place covers:

A catalyst particle with a shell and with metal being distributed on the surface of the support/carrier in a configuration similar to that of an egg shell, though not necessarily in a spherical configuration.

# B01J 35/398

### **Definition statement**

This place covers:

A catalyst with metal being distributed inside the support/carrier in a configuration similar to that of an egg yolk, though not necessarily in a spherical configuration.

# B01J 35/45

### **Definition statement**

This place covers:

Catalysts comprising particles that have a controlled geometrical size below 100 nanometres (nm) in one or more dimensions and include nanofilaments, nanofibers, nanowires, nanorods or any nanostructures having a geometrical size below 100 nm.

# **Special rules of classification**

 Documents disclosing catalysts with a nanostructure above 100 nm should be classified in B01J35/40.

#### DATE: JANUARY 1, 2024

#### PROJECT RP12086

 Documents disclosing catalysts having a size ranging from below 100 nm to above 100 nm should be double classified in B01J 35/40 and B01J 35/45.

# B01J 35/50

### **Definition statement**

This place covers:

Geometry or shape of a catalyst, e.g. trilobes.

# B01J 35/505

### **Definition statement**

This place covers:

Particles with a core (inner material) and a shell (outer layer material), wherein the core and shell are made of different materials, e.g. including non-metallic material and are of a non-spherical or unspecified shape.

# **Special rules of classification**

Documents disclosing a non-spherical or an unspecified core-shell catalyst particle are classified in B01J 35/505.

Documents disclosing a non-spherical or an unspecified core-shell catalyst particle with an egg shell or egg yolk metal distribution are classified in B01J 35/505 and B01J 35/397 or B01J 35/398.

### B01J 35/53

### **Definition statement**

This place covers:

Particles with a core (inner material) and a shell (outer layer material), wherein the core and shell are made of different materials, e.g. including non-metallic material and are of a spherical shape.

# **Special rules of classification**

DATE: JANUARY 1, 2024

#### PROJECT RP12086

Documents disclosing a spherical core-shell catalyst particle with an egg shell or egg yolk metal distribution are classified in B01J 35/53 and B01J 35/397 or B01J 35/398.

# B01J 35/56

# **Definition statement**

This place covers:

Catalyst structures that have the form of grids, or three-dimensional monoliths.

### References

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Wall flow filters	B01D 46/00
Exhaust gas treating with catalysts	B01D 53/00
Catalysts comprising molecular sieves	B01J 29/00
Honeycomb structures per se	C04B 38/0006
Mechanical aspects relating to exhaust gas treatment	F01N 3/00

# B01J 35/57

# **Definition statement**

This place covers:

- Material that has a honeycomb shape and inventive properties, and is impregnated, coated or deposited with catalytic material.
- Catalytic material impregnated, coated or deposited on a honeycomb shape with inventive properties.
- Catalyst being itself in a honeycomb form.

# B01J 35/66

### **Definition statement**

This place covers:

DATE: JANUARY 1, 2024

#### PROJECT RP12086

Pore size distributions such as ratios, e.g. ratio of mesopores/micropores.

# B01J 35/70

# **Definition statement**

This place covers:

A crystal or crystalline solid material whose constituents (such as atoms, molecules or ions) are arranged in a highly ordered microscopic structure, forming a crystal lattice that extends in all directions.

### References

# **Limiting references**

This place does not cover:

Catalysts comprising carbon	B01J 21/18
Molecular sieves	B01J 29/00

# B01J35/73

# Special rules of classification

Catalysts with a two-dimensional layered crystalline structure are classified in B01J 35/73, while compositional aspects are classified in B01J 27/236 for hydroxy carbonates and B01J23/007, for mixed salts, e.g. hydrotalcite.

# B01J 35/733

# **Special rules of classification**

Perovskite-type catalysts are doubly classified in B01J 35/733 for the structure and B01J 23/002, for the composition.

DATE: JANUARY 1, 2024

#### PROJECT RP12086

# B01J 35/735

# **Special rules of classification**

Pyrochlore-type catalysts are doubly classified in B01J 35/735 for the structure and B01J 23/002, for the composition.

# B01J 35/737

# **Special rules of classification**

Hexaaluminate-type catalysts are doubly classified in B01J 35/737 for the structure and B01J 23/002, for the composition.

# B01J 35/77

# **Definition statement**

This place covers:

Catalysts comprising a crystallite compound for which a crystallite size is disclosed.

### References

# Informative references

Attention is drawn to the following places, which may be of interest for search:

Catalysts characterised by dimensions, e.g. grain	B01J 35/40
size	

# Special rules of classification

If particle size is disclosed but no mention of particle being a crystallite, subject matter is classified in groups for dimensions.

Crystallite size of metal or metal oxide in the catalyst is classified in B01J 35/393.

DATE: JANUARY 1, 2024

#### PROJECT RP12086

# 2. A. DEFINITIONS (modified)

# B01J35/00

# **Definition statement**

Replace: The existing Definition statement text with the updated text below.

Physical or chemical properties of a catalyst not covered by subgroups of B01J 35/30, e.g. Lewis or BrØnsted acid sites.

# **Special rules of classification**

Replace: The existing Special rules of classification text with the updated text

below.

Detailed physical or chemical properties or characteristics of the support are classified as additional information in B01J35/00 subgroups.

When classifying in groups B01J35/00-B01J35/80, it is mandatory when appropriate to further classify in orthogonal groups B01J2235/00-B01J2235/30 for the analysis techniques used to determine a catalyst's form or properties.

DATE: JANUARY 1, 2024

#### PROJECT RP12086

# 2. B. DEFINITIONS QUICK FIX

Symbol	<b>Location of</b>	Existing reference symbol or	Action; New symbol; New text
	change	text	
	(e.g., section		
	title)		
B01J35/0013			Delete entire definition
B01J35/004			Delete entire definition
B01J35/04			Delete entire definition
B01J35/10			Delete entire definition

#### Notes:

Use this Definitions Quick Fix (DQF) table to:

- Delete an entire definition
- Delete an entire section
- Change a reference symbol
- Delete a reference symbol
- Delete text in a References section
- Correct one error in spelling, article use, or verb tense

Otherwise, use the standard template.

Reminder: Never delete Fsymbol definitions.

# DATE: JANUARY 1, 2024

# PROJECT RP12086

# 3. REVISION CONCORDANCE LIST (RCL)

Type*	From CPC Symbol	To CPC Symbol(s)
	(existing)	
С	B01J35/00	B01J35/00, B01J21/18, B01J29/00, B01J35/20, B01J35/70,
		B01J35/73,B01J35/733,B01J35/735,B01J35/737,B01J35/77,
		B01J35/80, B01J2235/00, B01J2235/05, B01J2235/10,
		B01J2235/15, B01J2235/30
D	B01J35/0006	<administrative 19="" b01j35="" to="" transfer=""></administrative>
D	B01J35/0013	<administrative 23="" 35="" b01j="" to="" transfer=""></administrative>
D	B01J35/002	<administrative 30="" b01j35="" to="" transfer=""></administrative>
D	B01J35/0026	<administrative 31="" b01j35="" to="" transfer=""></administrative>
D	B01J35/0033	<administrative 33="" 35="" b01j="" to="" transfer=""></administrative>
D	B01J35/004	<administrative 39="" b01j35="" to="" transfer=""></administrative>
D	B01J35/0046	<administrative 35="" 391="" b01j="" to="" transfer=""></administrative>
D	B01J35/0053	<administrative 35="" 392="" b01j="" to="" transfer=""></administrative>
D	B01J35/006	<administrative 393="" b01j35="" to="" transfer=""></administrative>
D	B01J35/0066	<administrative 35="" 394="" b01j="" to="" transfer=""></administrative>
D	B01J35/0073	<a 35="" 396="" b01j="" dministrative="" to="" transfer=""></a>
D	B01J35/008	<administrative 35="" 397="" b01j="" to="" transfer=""></administrative>
D	B01J35/0086	<administrative 35="" 398="" b01j="" to="" transfer=""></administrative>
D	B01J35/0093	<administrative 35="" 399="" b01j="" to="" transfer=""></administrative>
D	B01J35/02	<administrative 00="" 30="" 35="" and="" b01j="" simultaneously="" to="" transfer=""></administrative>
D	B01J35/023	<administrative 35="" 40="" b01j="" to="" transfer=""></administrative>
D	B01J35/026	<administrative 35="" 50="" b01j="" to="" transfer=""></administrative>
D	B01J35/04	<administrative 35="" 56="" b01j="" to="" transfer=""></administrative>
D	B01J35/06	<administrative 35="" 58="" b01j="" to="" transfer=""></administrative>
D	B01J35/065	<administrative 35="" 59="" b01j="" to="" transfer=""></administrative>
D	B01J35/08	<administrative 35="" 51="" b01j="" to="" transfer=""></administrative>
D	B01J35/10	<administrative 35="" 60="" b01j="" to="" transfer=""></administrative>
D	B01J35/1004	<administrative 61="" b01j35="" to="" transfer=""></administrative>
D	B01J35/1009	<administrative 35="" 612="" b01j="" to="" transfer=""></administrative>
D	B01J35/1014	<administrative 35="" 613="" b01j="" to="" transfer=""></administrative>
D	B01J35/1019	<administrative 35="" 615="" b01j="" to="" transfer=""></administrative>
D	B01J35/1023	<administrative 35="" 617="" b01j="" to="" transfer=""></administrative>
D	B01J35/1028	<administrative 35="" 618="" b01j="" to="" transfer=""></administrative>
D	B01J35/1033	<administrative 35="" 63="" b01j="" to="" transfer=""></administrative>
D	B01J35/1038	<administrative 35="" 633="" b01j="" to="" transfer=""></administrative>
D	B01J35/1042	<administrative 35="" 635="" b01j="" to="" transfer=""></administrative>
D	B01J35/1047	<administrative 35="" 638="" b01j="" to="" transfer=""></administrative>
D	B01J35/1052	<a 35="" 64="" b01j="" dministrative="" to="" transfer=""></a>
D	B01J35/1057	<a 35="" 643="" b01j="" dministrative="" to="" transfer=""></a>
D	B01J35/1061	<a 35="" 647="" b01j="" dministrative="" to="" transfer=""></a>
D	B01J35/1066	<a 35="" 651="" b01j="" dministrative="" to="" transfer=""></a>
D	B01J35/1071	<a 35="" 653="" b01j="" dministrative="" to="" transfer=""></a>
D	B01J35/1076	<a 35="" 657="" b01j="" dministrative="" to="" transfer=""></a>
D	B01J35/108	<a 35="" 66="" b01j="" dministrative="" to="" transfer=""></a>
D	B01J35/1085	<a 35="" 67="" b01j="" dministrative="" to="" transfer=""></a>
D	B01J35/109	<a 35="" 69="" b01j="" dministrative="" to="" transfer=""></a>

DATE: JANUARY 1, 2024

#### PROJECT RP12086

Type*	From CPC Symbol	To CPC Symbol(s)	
	(existing)		
D	B01J35/1095	<administrative 35="" 695="" b01j="" to="" transfer=""></administrative>	
D	B01J35/12	<a 27="" 35="" b01j="" dministrative="" to="" transfer=""></a>	
Q	B01J35/23	B01J35/23,B01J35/45	
Q	B01J35/30	B01J35/30, B01J35/34, B01J35/36, B01J35/37, B01J35/38,	
		B01J35/395, B01J35/70, B01J35/73, B01J35/733, B01J35/735,	
		B01J35/737,B01J35/77,B01J35/80,B01J2235/00,B01J2235/05,	
		B01J2235/10, B01J2235/15, B01J2235/30,	
Q	B01J35/31	B01J35/31, B01J35/32, B01J35/70, B01J35/73, B01J35/733,	
		B01J35/735, B01J35/737, B01J35/77, B01J35/80, B01J2235/00,	
		B01J2235/05, B01J2235/10, B01J2235/15, B01J2235/30,	
Q	B01J35/393	B01J35/393, B01J35/73, B01J35/733, B01J35/735, B01J35/737,	
		B01J2235/00, B01J2235/05, B01J2235/10, B01J2235/15,	
		B01J2235/30	
Q	B01J35/40	B01J35/40, B01J35/45, B01J35/77	
Q	B01J35/50	B01J35/34, B01J35/36, B01J35/37, B01J35/38, B01J35/50,	
		B01J35/505, B01J35/54, B01J35/55, B01J2235/00, B01J2235/05,	
		B01J2235/10,B01J2235/15,B01J2235/30	
Q	B01J35/51	B01J35/51,B01J35/52,B01J35/53	
Q	B01J35/56	B01J35/56, B01J35/57	

<sup>\*</sup> C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed.

#### NOTES:

- Only C, D, F, and Q type entries are included in the table above.
- When multiple symbols are included in the "To" column, do not use ranges of symbols.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("To") symbol, however it is required to specify "<no transfer>" in the "To" column for such cases.
- RCL is not needed for finalisation projects.

# DATE: JANUARY 1, 2024

# PROJECT RP12086

# 4. CHANGES TO THE CPC-TO-IPC CONCORDANCELIST (CICL)

<u>CPC</u>	<u>IPC</u>	Action*
B01J35/0006		DELETE
B01J35/0013		DELETE
B01J35/002		DELETE
B01J35/0026		DELETE
B01J35/0033		DELETE
B01J35/004		DELETE
B01J35/0046		DELETE
B01J35/0053		DELETE
B01J35/006		DELETE
B01J35/0066		DELETE
B01J35/0073		DELETE
B01J35/008		DELETE
B01J35/0086		DELETE
B01J35/0093		DELETE
B01J35/02		DELETE
B01J35/023		DELETE
B01J35/026		DELETE
B01J35/04		DELETE
B01J35/06		DELETE
B01J35/065		DELETE
B01J35/08		DELETE
B01J35/10		DELETE
B01J35/1004		DELETE
B01J35/1009		DELETE
B01J35/1014		DELETE
B01J35/1019		DELETE
B01J35/1023		DELETE
B01J35/1028		DELETE
B01J35/1033		DELETE
B01J35/1038		DELETE
B01J35/1042		DELETE
B01J35/1047		DELETE
B01J35/1052		DELETE
B01J35/1057		DELETE
B01J35/1061		DELETE
B01J35/1066		DELETE
B01J35/1071		DELETE
B01J35/1076		DELETE

# DATE: JANUARY 1, 2024

<u>CPC</u>	<u>IPC</u>	Action*
B01J35/108		DELETE
B01J35/1085		DELETE
B01J35/1083		DELETE
B01J35/1095		DELETE
B01J35/12		DELETE
B01J35/12 B01J35/19	B01J35/00	NEW
B01J35/20	B01J35/20	NEW
B01J35/23	B01J35/23	NEW
B01J35/27	B01J35/27	NEW
B01J35/30	B01J35/30	NEW
B01J35/31	B01J35/31	NEW
B01J35/32	B01J35/32	NEW
B01J35/33	B01J35/33	NEW
B01J35/34	B01J35/34	NEW
B01J35/36	B01J35/36	NEW
B01J35/37	B01J35/37	NEW
B01J35/38	B01J35/38	NEW
B01J35/39	B01J35/39	NEW
B01J35/391	B01J35/30	NEW
B01J35/392	B01J35/30	NEW
B01J35/393	B01J35/30	NEW
B01J35/394	B01J35/30	NEW
B01J35/395	B01J35/30	NEW
B01J35/396	B01J35/30	NEW
B01J35/397	B01J35/30	NEW
B01J35/398	B01J35/30	NEW
B01J35/399	B01J35/30	NEW
B01J35/40	B01J35/40	NEW
B01J35/45	B01J35/45	NEW
B01J35/50	B01J35/50	NEW
B01J35/505	B01J35/50	NEW
B01J35/51	B01J35/51	NEW
B01J35/52	B01J35/52	NEW
B01J35/53	B01J35/53	NEW
B01J35/54	B01J35/54	NEW
B01J35/55	B01J35/55	NEW
B01J35/56	B01J35/56	NEW
B01J35/57	B01J35/57	NEW
B01J35/58	B01J35/58	NEW
B01J35/59	B01J35/59	NEW
B01J35/60	B01J35/60	NEW
B01J35/61	B01J35/61	NEW
B01J35/612	B01J35/61	NEW
B01J35/613	B01J35/61	NEW

#### DATE: JANUARY 1, 2024

#### PROJECT RP12086

<u>CPC</u>	<u>IPC</u>	Action*
D01125/615	D01125/61	NEWY
B01J35/615	B01J35/61	NEW
B01J35/617	B01J35/61	NEW
B01J35/618	B01J35/61	NEW
B01J35/63	B01J35/63	NEW
B01J35/633	B01J35/63	NEW
B01J35/635	B01J35/63	NEW
B01J35/638	B01J35/63	NEW
B01J35/64	B01J35/64	NEW
B01J35/643	B01J35/64	NEW
B01J35/647	B01J35/64	NEW
B01J35/651	B01J35/64	NEW
B01J35/653	B01J35/64	NEW
B01J35/657	B01J35/64	NEW
B01J35/66	B01J35/66	NEW
B01J35/67	B01J35/67	NEW
B01J35/69	B01J35/69	NEW
B01J35/695	B01J35/66	NEW
B01J35/70	B01J35/70	NEW
B01J35/73	B01J35/73	NEW
B01J35/733	B01J35/70	NEW
B01J35/735	B01J35/70	NEW
B01J35/737	B01J35/70	NEW
B01J35/77	B01J35/77	NEW
B01J35/80	B01J35/80	NEW
B01J2235/00	CPCONLY	NEW
B01J2235/05	CPCONLY	NEW
B01J2235/10	CPCONLY	NEW
B01J2235/15	CPCONLY	NEW
B01J2235/30	CPCONLY	NEW

#### \*Action column:

- For an (N) or (Q) entry, provide an IPC symbol and complete the Action column with "NEW."
- For an existing CPC main trunk entry or indexing entry where the existing IPC symbol needs to be changed, provide an updated IPC symbol and complete the Action column with "UPDATED."
- For a (D) CPC entry or indexing entry complete the Action column with "DELETE." IPC symbol does not need to be included in the IPC column.
- For an (N) 2000 series CPC entry which is positioned within the main trunk scheme (breakdown code) provide an IPC symbol and complete the action column with "NEW".
- For an (N) 2000 series CPC entry positioned at the end of the CPC scheme (orthogonal code), with no IPC equivalent, complete the IPC column with "CPCONLY" and complete the action column with "NEW".

#### NOTES:

- F symbols are <u>not</u> included in the CICL table above.
- T and M symbols are not included in the CICL table above unless a change to the existing IPC is desired.

DATE: JANUARY 1, 2024

### PROJECT RP12086

# 5. CROSS-REFERENCE LIST (CRL)

# Scheme references impacted by this revision project

Location of reference to be changed	Referenced subclass or group to be changed	Action; New reference symbol; New text
B01J19/1893	catalytic membranes B01J35/065	catalytic membranes B01J35/59

# <u>Definitions references impacted by this revision project</u>

Location of reference to be changed	Referenced subclass or group to be changed	Section of definition	Action; New reference symbol; New text
A61L9/205	Photocatalysts B01J35/004	Informative References	Catalysts characterised by their photocatalytic properties B01J35/39
B01D63/00	Honeycomb structures not relevant for membrane separation (silencers, catalysts etc.) B01J35/04	Informative References	Honeycomb structures not relevant for membrane separation, e.g. silencers or catalysts B01J35/56
B01D69/00	Catalysts, in general, characterised by their form or physical properties in the form of membranes B01J35/065	Informative References	Catalysts characterised by their shape or configuration, in the form of membranes B01J35/59
B01J21/063	Photocatalysts B01J35/004	Informative References	Catalysts characterised by their photocatalytic properties B01J35/39
B01J31/26	Catalysts comprising metal nanoparticles B01J35/0013	Informative References	Catalysts comprising metal nanoparticles B01J35/23
B01J31/26	Catalysts comprising metal nanoparticles B01J35/006	Informative References	Catalysts comprising metal nanoparticles B01J35/393
B01J37/0018	When applicable, groups from B01J35/10 are to be given additionally	Special Rules of Classification	When applicable, groups from B01J35/60 are to be given additionally
C04B35/195	Cordierite honeycombs containing a catalyst B01J35/04	Informative References	Cordierite honeycombs containing a catalyst B01J35/56
C04B38/009	Catalysts characterised by their form, spheres B01J35/08	Limiting References	Catalysts characterised by their shape, spheres B01J35/51
C04B2235/3481	Cordierite honeycombs containing a catalyst B01J35/04	Informative References	Cordierite honeycombs containing a catalyst B01J35/56
C25B1/55	Photocatalysts B01J35/004	Informative References	Catalysts characterised by their photocatalytic properties B01J35/39
C25B11/00	Photoelectrodes B01J35/004	Informative References	Catalysts characterised by their photocatalytic properties B01J35/39
C40B40/00	Supported catalysts used in combinatorial synthesis if the catalyst itself is not considered a combinatorial library B01J23/00-B01J35/12	Limiting References	Supported catalysts used in combinatorial synthesis if the catalyst itself is not considered a combinatorial library B01J23/00-B01J35/80

DATE: JANUARY 1, 2024

#### PROJECT RP12086

#### NOTES:

- The CRL tables above are used for changes to locations <u>outside</u> of the project scope. Changes to references in scheme titles or definitions <u>inside</u> the project scope will be reflected in the "scheme change" template or one of the "definition" templates.
- In addition to other changes proposed in the tables above, in the column titled "Referenced subclass or group to be changed," <u>referenced</u> D symbols should indicate an action of "delete" or should indicate a replacement symbol and <u>referenced</u> F symbols should indicate a replacement symbol.
- When a reference is deleted, text related to that reference will also be deleted unless other references or a range of references associated with the same text remain.