# EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

## CPC NOTICE OF CHANGES 317

DATE: NOVEMBER 1, 2016

## PROJECT RP0172

# The following classification changes will be effected by this Notice of Changes:

<u>Action</u>	Subclass	Group(s)	
	D20G	(7/22	
Symbols deleted:	B29C	67/22	
	B29C	67/2205	
	B29C	67/221	
	B29C	67/2215	
	B29C	67/222	
	B29C	67/2225	
	B29C	67/223	
	B29C 67/2235		
	B29C 67/224		
	B29C	67/2245	
	B29C	67/225	
	B29C	67/2255	
	B29C	67/226	
	B29C	67/2265	
	B29C	67/227	
	B29C	67/2275	
	B29C	67/228	
	B29C	67/2285	
	B29C	67/229	
	B29C	67/2295	
Symbols newly created:	B29C	44/321	
	B29C	44/3215	
	B29C	44/329	
	B29C	44/332	
	B29C	44/334	
	B29C	44/3402	
	B29C	44/505	
	B29C	44/507	
Title wording change:	B29C	44/12	
Scheme Warning Notices to be	B29C	44/00 (deleted)	
added/deleted:			
	B29C	44/32 (new)	
	B29C	44/321 (new)	
	B29C	44/329 (new)	
	B29C	44/332 (new)	
	B29C	44/334 (new)	
	B29C	44/34 (new)	
	B29C	44/3402 (new)	
	B29C	44/50 (new)	
	B29C	44/505 (new)	
	B29C	44/507 (new)	
	22/0	11/307 (He w)	

## DATE: NOVEMBER 1, 2016

## PROJECT RP0172

The following subclasses/groups are also impacted by this Notice of Changes:  $B22C,\,B65D$ 

# This Notice of Changes includes the following:

1.	CLASSIFICATION SCHEME CHANGES
	☐ C. New, Modified or Deleted Note(s)
	☐ D. New, Modified or Deleted Guidance Heading(s)
2.	DEFINITIONS (New or Modified)  A. DEFINITIONS (Full definition template)
	☐ B. DEFINITIONS (Definitions Quick Fix)
3.	□ REVISION CONCORDANCE LIST (RCL)
4.	☐ CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)
5.	☐ CROSS-REFERENCE LIST (CRL)

DATE: NOVEMBER 1, 2016

### PROJECT RP0172

## 1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS B29C - SHAPING OR JOINING OF PLASTICS; SHAPING OF SUBSTANCES IN A PLASTIC STATE, IN GENERAL; AFTER-TREATMENT OF THE SHAPED PRODUCTS, e.g. REPAIRING ({moulding devices for producing toilet or cosmetic sticks A45D40/16}; working in the manner of metal B23; grinding, polishing B24; cutting B26D, B26F; making preforms B29B11/00; making laminated products by combining previously unconnected layers which become one product whose layers will remain together B32B37/00 - B32B41/00)

Type*	Symbol	Indent	Title	Transferred to <sup>#</sup>
	<u>,                                  </u>	Level	(new or modified)	
		Number	"CPC only" text should normally be	
		of dots	enclosed in {curly brackets}**	
		(e.g. 0, 1,		
		2)		
Е	B29C44/00	0	Shaping by internal pressure generated in	
			the material, e.g. swelling, foaming {;	
			Producing porous or cellular expanded	
			plastics articles}	
E	B29C44/02	1	for articles of definite length, i.e. discrete	
			articles	
E	B29C44/10	2	Applying counter-pressure during	
			expanding	
E	B29C44/12	2	Incorporating or moulding on preformed	
			parts, e.g. inserts, reinforcements	
Е	B29C44/20	1	for articles of indefinite length	
С	B29C44/32	2	Incorporating or moulding on preformed	B29C44/32, B29C44/321,
			parts, e.g. linings, inserts, reinforcements	B29C44/3215,
				B29C44/329, B29C44/332,
NT.	P20G44/221	2		B29C44/334
N	B29C44/321	3	{the preformed part being a lining, e.g. a	
	D20G44/2215	4	film or a support lining}	
U	B29C44/3215	3	{Folding devices for the lining}	
U	B29C44/328	3	{the foamable components being mixed	
N	B29C44/329	3	in the nip between the preformed parts} {the preformed parts being partially	
IN	D29C44/329	3	embedded}	
N	B29C44/332	3	{the preformed parts being three-	
11	D29C44/332		dimensional structures}	
N	B29C44/334	3	{Filling the preformed spaces or cavities}	
C	B29C44/34	1	Auxiliary operations	B29C44/34, B29C44/3402
N	B29C44/3402	2	{Details of processes or apparatus for	2270111011, 227011101
- '	22701113102		reducing environmental damage or for	
			working-up compositions comprising	
			inert blowing agents or biodegradable	
			components}	
Е	B29C44/3415	2	{Heating or cooling}	
	22/01/3/13		(110ming of cooming)	

## DATE: NOVEMBER 1, 2016

## PROJECT RP0172

Level Number of dots (e.g. 0, 1, 2)   Sin the form of expandable granules, particles or beads     C
E B29C44/450 5 {in the form of expandable granules, particles or beads}  C B29C44/50 4 using pressure difference, e.g. by extrusion, by spraying {(B29C44/468 takes precedence)}  N B29C44/505 5 {extruding the compound through a flat die (in general B29C47/0009)}  N B29C44/507 5 {extruding the compound through an annular die (in general B29C47/0009)}  E B29C44/56 2 After-treatment of articles, e.g. for altering the shape  D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <a 50,="" 50,<="" b29c44="" brackets}***="" cardinistrative="" decirity="" documents}="" e="" enclosed="" in="" th="" to="" transfer="" {curly=""  =""></a>
E B29C44/45 5 {in the form of expandable granules, particles or beads}  C B29C44/50 4 using pressure difference, e.g. by extrusion, by spraying {(B29C44/468 takes precedence)}  N B29C44/505 5 {extruding the compound through a flat die (in general B29C47/0009)}  N B29C44/507 5 {extruding the compound through an annular die (in general B29C47/0009)}  E B29C44/56 2 After-treatment of articles, e.g. for altering the shape  D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. <administrative (contains="" 221="" 4="" <administrative="" articles="" b29c67="" counter="" d="" discrete="" documents)}="" documents)}<="" during="" no="" pressure="" th="" to="" transfer="" {applying=""></administrative>
E B29C44/445 5 {in the form of expandable granules, particles or beads}  C B29C44/50 4 using pressure difference, e.g. by extrusion, by spraying {(B29C44/468 B29C44/507)}  N B29C44/505 5 {extruding the compound through a flat die (in general B29C47/0009)}  N B29C44/507 5 {extruding the compound through an annular die (in general B29C47/0009)}  E B29C44/56 2 After-treatment of articles, e.g. for altering the shape  D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <a href="administrative transfertombed-definite-length">administrative transfertombed-definite transfertombed-definite transfertombed-definite length, i.e. discrete articles (contains no documents)}  C Applying counter pressure during <a href="administrative transfertombed-definite-length">administrative transfertombed-definite transfertombed-definite transfertombed-definite length, i.e. discrete articles (contains no documents)}  C Applying counter pressure during <a href="administrative transfertombed-definite-length">administrative transfertombed-definite transfertombed-definite transfertombed-definite length</a>, i.e. discrete articles (contains no documents)</a></a>
particles or beads}  C B29C44/50 4 using pressure difference, e.g. by extrusion, by spraying {(B29C44/468 B29C44/507)}  N B29C44/505 5 {extruding the compound through a flat die (in general B29C47/0009)}  N B29C44/507 5 {extruding the compound through an annular die (in general B29C47/0009)}  E B29C44/56 2 After-treatment of articles, e.g. for altering the shape  D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <a href="administrative transfer to B29C44/02">administrative transfer to B29C44/02</a>
extrusion, by spraying {(B29C44/468 takes precedence)}  N B29C44/505 5 {extruding the compound through a flat die (in general B29C47/0009)}  N B29C44/507 5 {extruding the compound through an annular die (in general B29C47/0009)}  E B29C44/56 2 After-treatment of articles, e.g. for altering the shape  D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <a administrat<="" administrative="" deministrative="" td="" to="" transfer=""></a>
takes precedence)}  N B29C44/505 5 {extruding the compound through a flat die (in general B29C47/0009)}  N B29C44/507 5 {extruding the compound through an annular die (in general B29C47/0009)}  E B29C44/56 2 After-treatment of articles, e.g. for altering the shape  D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <a (administrative="" (contains="" <a="" applying="" articles="" counter="" deministrative="" discrete="" documents)}="" documents)}<="" during="" no="" pressure="" td="" to="" transfer=""></a>
N B29C44/505 5 {extruding the compound through a flat die (in general B29C47/0009)}  N B29C44/507 5 {extruding the compound through an annular die (in general B29C47/0009)}  E B29C44/56 2 After-treatment of articles, e.g. for altering the shape  D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. <administrative (contains="" 221="" 4="" <a="" <administrative="" articles="" b29c67="" counter="" d="" discrete="" documents)}="" during="" href="mailto:administrative transfer" no="" pressure="" to="" transfer="" {applying="">administrative transfer to discrete articles (contains no documents)}</administrative>
die (in general B29C47/0009)}  N B29C44/507 5 {extruding the compound through an annular die (in general B29C47/0009)}  E B29C44/56 2 After-treatment of articles, e.g. for altering the shape  D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. <administrative (contains="" 221="" 4="" <a="" <administrative="" articles="" b29c67="" counter="" d="" discrete="" documents)}="" during="" href="mailto:administrative transfer to discrete articles" no="" pressure="" to="" transfer="" {applying="">administrative transfer to discrete articles (contains no documents)}</administrative>
annular die (in general B29C47/0009)}  E B29C44/56
E B29C44/56 2 After-treatment of articles, e.g. for altering the shape  D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <administrative (contains="" articles="" discrete="" documents)}<="" no="" td="" to="" transfer=""></administrative>
D B29C67/22 2 by internal pressure generated in the material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <administrative (administrative="" (contains="" articles="" discrete="" documents)}<="" no="" td="" to="" transfer=""></administrative>
material, e.g. swelling, foaming {not used}  D B29C67/2205 3 {for articles of definite length, i.e. discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <administrative (contains="" articles="" discrete="" documents)}<="" no="" td="" to="" transfer=""></administrative>
D     B29C67/2205     3     {for articles of definite length, i.e. discrete articles (contains no documents)} <administrative 02="" b29c44="" to="" transfer="">       D     B29C67/221     4     {Applying counter pressure during     <administrative documents<="" td="" to="" transfer=""></administrative></administrative>
D B29C67/2205 3 {for articles of definite length, i.e. discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <administrative (contains="" articles="" discrete="" documents)}<="" no="" td="" to="" transfer=""></administrative>
discrete articles (contains no documents)}  D B29C67/221 4 {Applying counter pressure during <administrative td="" to<="" transfer=""></administrative>
documents)}   D   B29C67/221   4   {Applying counter pressure during   <administrative td="" to<="" transfer=""></administrative>
D B29C67/2215 4 {upon or incorporating preformed parts, e.g. linings, inserts, reinforcements} <a 12="" b29c44="" dministrative="" to="" transfer=""></a>
D B29C67/222 4 {using expandable particles or beads as <administrative td="" to<="" transfer=""></administrative>
starting material } B29C44/445>
D B29C67/2225 5 {using high frequency heating (in general <administrative td="" to<="" transfer=""></administrative>
B29C33/06)} B29C44/3415>
D B29C67/223 3 {for articles of indefinite length (not used, see B29C44/20)} <a 20)}="" 20)}<="" <a="" b29c44="" drawning="" see="" strative="" td="" to="" transfer="" used,=""></a>
D B29C67/2235 4 {comprising extruding the compounds <administrative td="" to<="" transfer=""></administrative>
before foaming} B29C44/50>
D B29C67/224 5 {extruding the compound through a flat die (in general B29C47/0009)} <a href="mailto:calculation-scripts">calculation-scripts</a>
D B29C67/2245 5 {extruding the compound through an annular die (in general B29C47/0009)} <a href="mailto:administrative transfer to annular die (in general B29C47/0009)">administrative transfer to annular die (in general B29C47/0009)}</a>
D B29C67/225 4 {on preformed parts (not used, see
D B29C67/2255 5 {the preformed part being a lining, e.g. <administrative td="" to<="" transfer=""></administrative>
film, sheet, support lining}  B29C44/321> D B29C67/226 6 {Folding devices for the lining} <a href="mailto:administrative transfer to">administrative transfer to</a>
B29C44/3215>
D B29C67/2265 5 {the preformed parts being partially <administrative td="" to<="" transfer=""></administrative>
embedded (B29C67/227 takes B29C44/329>
D B29C67/227 5 {the preformed parts being three- <administrative td="" to<="" transfer=""></administrative>
dimensional structures (B29C67/2255 B29C44/332>
takes precedence)}

#### DATE: NOVEMBER 1, 2016

#### PROJECT RP0172

Type*	<u>Symbol</u>	Indent	Title (new or modified)  "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to <sup>#</sup>
D	B29C67/2275	5	{Filling the preformed spaces, cavities}	<administrative 334="" b29c44="" to="" transfer=""></administrative>
D	B29C67/228	3	{Component parts, details or accessories; auxiliary operations (not used, see B29C44/34)}	<administrative 34="" b29c44="" to="" transfer=""></administrative>
D	B29C67/2285	4	{Details of processes or apparatus for reducing environmental damage or for working-up compositions comprising inert blowing agents or biodegradable components}	<administrative 3402="" b29c44="" to="" transfer=""></administrative>
D	B29C67/229	4	{Dosing or filling a mould with expandable beads}	<administrative 445="" b29c44="" to="" transfer=""></administrative>
D	B29C67/2295	4	{after treatment of shaped foamed articles, e.g. altering the shape}	<administrative 56="" b29c44="" to="" transfer=""></administrative>

\*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; E = existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

- \*\*No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- For U groups, the minimum requirement is to include the U group located immediately prior to the N group or N group array, in order to show the N group hierarchy and improve the readability and understanding of the scheme. Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types except "D" which requires only a symbol.
- #"Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "<administrative transfer to XX>" or "<administrative transfer to XX and YY simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be "invention information", unless otherwise indicated, and to 2000 series groups is assumed to be "additional information".

DATE: NOVEMBER 1, 2016

### PROJECT RP0172

## B. New, Modified or Deleted Warning notice(s)

SUBCLASS B29C - SHAPING OR JOINING OF PLASTICS; SHAPING OF SUBSTANCES IN A PLASTIC STATE, IN GENERAL; AFTER-TREATMENT OF THE SHAPED PRODUCTS, e.g. REPAIRING ({moulding devices for producing toilet or cosmetic sticks A45D40/16}; working in the manner of metal B23; grinding, polishing B24; cutting B26D, B26F; making preforms B29B11/00; making laminated products by combining previously unconnected layers which become one product whose layers will remain together B32B37/00 - B32B41/00)

Type*	Location	Old Warning notice	New/Modified Warning notice
D	B29C44/00	Group B29C44/00 and subgroups are not complete, see also B29C67/22 and subgroups	
N	B29C44/32		Group B29C44/32 is impacted by reclassification into groups B29C44/32, B29C44/321, B29C44/3215, B29C44/329, B29C44/332, and B29C44/334. All groups listed in this Warning should be considered in order to perform a complete search.
N	B29C44/321		Group B29C44/321 is incomplete pending reclassification of documents from group B29C44/32. Groups B29C44/32 and B29C44/321 should be considered in order to perform a complete search
N	B29C44/329		Group B29C44/329 is incomplete pending reclassification of documents from group B29C44/32. Groups B29C44/32 and B29C44/321 should be considered in order to perform a complete search
N	B29C44/332		Group B29C44/332 is incomplete pending reclassification of documents from group B29C44/32. Groups B29C44/32 and B29C44/332 should be considered in order to perform a complete search
N	B29C44/334		Group B29C44/334 is incomplete pending reclassification of documents from group B29C44/32. Groups B29C44/32 and B29C44/334 should be considered in order to perform a complete search

## DATE: NOVEMBER 1, 2016

## PROJECT RP0172

Type*	<b>Location</b>	Old Warning notice	New/Modified Warning notice
N	B29C44/34		Group B29C44/34 is impacted by reclassification into groups B29C44/34 and B29C44/3402. Groups B29C44/34 and B29C44/3402 should be considered in order to perform a complete search.
N	B29C44/3402		Group B29C44/3402 is incomplete pending reclassification of documents from group B29C44/34. Group B29C44/32 and B29C44/3402 should be considered in order to perform a complete search
N	B29C44/50		Group B29C44/50 is impacted by reclassification into groups B29C44/50, B29C44/505, and B29C44/507. Groups B29C44/50, B29C44/505, and B29C44/507 should be considered in order to perform a complete search.
N	B29C44/505		Group B29C44/505 is incomplete pending reclassification of documents from group B29C44/50. Groups B29C44/505 and B29C44/50 should be considered in order to perform a complete search
N	B29C44/507		Group B29C44/507 is incomplete pending reclassification of documents from group B29C44/50. Groups B29C44/507 and B29C44/50 should be considered in order to perform a complete search
D	B29C67/22	From 1st April 1995 on the groups B29C67/22 to B29C67/2295 are no longer used for the classification of new documents. Documents from the backlog of these groups are in the process of being systematically transferred to B29C44/00	Delete

<sup>\*</sup>N = new warning, M = modified warning, D = deleted warning

NOTE: The "Location" column only requires the symbol PRIOR to the location of the warning. No further directions such as "before" or "after" are required.

# DATE: NOVEMBER 1, 2016

## PROJECT RP0172

# 3. REVISION CONCORDANCE LIST (RCL)

Type*	From CPC Symbol (existing)	To CPC Symbol(s)	
С	B29C44/32	B29C44/32, B29C44/321, B29C44/3215, B29C44/329, B29C44/332, B29C44/334	
С	B29C44/34	B29C44/34, B29C44/3402	
С	B29C44/50	B29C44/50, B29C44/505, B29C44/507	
D	B29C67/22	<administrative 00="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/2205	<administrative 02="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/221	<administrative 10="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/2215	<administrative 12="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/222	<administrative to<br="" transfer="">B29C44/445&gt;</administrative>	
D	B29C67/2225	<administrative to<br="" transfer="">B29C44/3415&gt;</administrative>	
D	B29C67/223	<administrative to<br="" transfer="">B29C44/20&gt;</administrative>	
D	B29C67/2235	<pre><administrative 50="" b29c44="" to="" transfer=""></administrative></pre>	
D	B29C67/224	<administrative 505="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/2245	<administrative 507="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/225	<administrative to<br="" transfer="">B29C44/32&gt;</administrative>	
D	B29C67/2255	<administrative 321="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/226	<administrative to<br="" transfer="">B29C44/3215&gt;</administrative>	
D	B29C67/2265	<administrative 329="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/227	<administrative 332="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/2275	<administrative 334="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/228	<administrative to<br="" transfer="">B29C44/34&gt;</administrative>	
D	B29C67/2285	<administrative 3402="" b29c44="" to="" transfer=""></administrative>	
D	B29C67/229	<pre><administrative 445="" b29c44="" to="" transfer=""></administrative></pre>	
D	B29C67/2295	<administrative 56="" b29c44="" to="" transfer=""></administrative>	

#### DATE: NOVEMBER 1, 2016

### PROJECT RP0172

\* C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; D = deleted entries.

- Only C, D, F and Q type entries are included in the table above.
- When multiple symbols are included in the "To" column, avoid using ranges of symbols in order to be as precise as
  possible.
- For administrative transfer of documents, the following text should be used: "<administrative transfer to XX>" or "<administrative transfer to XX and YY simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be "invention information", unless otherwise indicated, and to 2000 series groups is assumed to be "additional information".

#### DATE: NOVEMBER 1, 2016

#### PROJECT RP0172

### 4. CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

<u>CPC</u>	<u>IPC</u>	Action*
720711021	7.00.51110	
B29C44/321	B29C44/32	NEW
B29C44/3215	B29C44/32	NEW
B29C44/329	B29C44/32	NEW
B29C44/332	B29C44/32	NEW
B29C44/334	B29C44/32	NEW
B29C44/3402	B29C44/34	NEW
B29C44/505	B29C44/50	NEW
B29C44/507	B29C44/50	NEW
B29C67/22		DELETE
B29C67/2205		DELETE
B29C67/221		DELETE
B29C67/2215		DELETE
B29C67/222		DELETE
B29C67/2225		DELETE
B29C67/223		DELETE
B29C67/2235		DELETE
B29C67/224		DELETE
B29C67/2245		DELETE
B29C67/225		DELETE
B29C67/2255		DELETE
B29C67/226		DELETE
B29C67/2265		DELETE
B29C67/227		DELETE
B29C67/2275		DELETE
B29C67/228		DELETE
B29C67/2285		DELETE
B29C67/229		DELETE
B29C67/2295		DELETE

#### \*Action column:

- For an (N) or (Q) entry, provide an IPC symbol and complete the Action column with "NEW."
- For an existing CPC main trunk entry or indexing entry where the existing IPC symbol needs to be changed, provide an updated IPC symbol and complete the Action column with "UPDATED."
- For a (D) CPC entry or indexing entry complete the Action column with "DELETE." IPC symbol does not need to be included in the IPC column.
- For an (N) 2000 series CPC entry which is positioned within the main trunk scheme (breakdown code) provide an IPC symbol and complete the action column with "NEW".
- For an (N) 2000 series CPC entry positioned at the end of the CPC scheme (orthogonal code), with no IPC equivalent, complete the IPC column with "CPCONLY" and complete the action column with "NEW".

- F symbols are <u>not</u> included in the CICL table above.
- E and M symbols are not included in the CICL table above unless a change to the existing IPC is desired.

DATE: NOVEMBER 1, 2016

### PROJECT RP0172

### 5. CROSS-REFERENCE LIST (CRL)

<u>Definitions</u> references impacted by this revision project

<b>Location of reference</b>	Referenced subclass or	Section of definition	Action; New
to be changed	group to be changed		reference symbol;
			New text
B22C7/00	B29C67/22	References	B29C44/00
		- Limiting	
		references	
B65D65/466	B29C67/2285	References	B29C44/3402
		- Informative	
		references	

- The CRL tables above are used for changes to locations <u>outside</u> of the project scope. Changes to references in scheme
  titles or definitions <u>inside</u> the project scope will be reflected in the "scheme change" template or one of the "definition"
  templates.
- In addition to other changes proposed in the tables above, in the column titled "Referenced subclass or group to be changed," <u>referenced</u> D symbols should indicate an action of "delete" or should indicate a replacement symbol and <u>referenced</u> F symbols should indicate a replacement symbol.
- When a reference is deleted, text related to that reference will also be deleted unless other references or a range of references associated with the same text remain.