EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 333

DATE: NOVEMBER 1, 2016

PROJECT RP0157

The following classification changes will be effected by this Notice of Changes:

<u>Action</u>	Subclass	Group(s)
Symbol deleted:	A61M	2240/02
Title wording changes:	A61M	5/172
		5/24
		5/2422
		5/2425 5/2429
		5/281
		5/282
		5/283
		5/285
		5/42
Definition deleted:	A61M	5/2422

This Notice of Changes includes the following [Check the ones included]:

1.	CLASSIFICATION SCHEME CHANGES A. New, Modified or Deleted Group(s)		
	B. New, Modified or Deleted Warning Notice(s)		
	C. New, Modified or Deleted Note(s)		
	D. New, Modified or Deleted Guidance Heading(s)		
2.	DEFINITIONS (New or Modified) A. DEFINITIONS (Full definition template)		
	B. DEFINITIONS (Definitions Quick Fix)		
3.	REVISION CONCORDANCE LIST (RCL)		
4.	CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)		
5.	CROSS-REFERENCE LIST (CRL)		

DATE: NOVEMBER 1, 2016

PROJECT RP0157

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS A61M - DEVICES FOR INTRODUCING MEDIA INTO, OR ONTO, THE BODY (introducing media into or onto the bodies of animals A61D7/00; means for inserting tampons A61F13/26; devices for administering food or medicines orally A61J; containers for collecting, storing or administering blood or medical fluids A61J1/05); DEVICES FOR TRANSDUCING BODY MEDIA OR FOR TAKING MEDIA FROM THE BODY (surgery A61B; chemical aspects of surgical articles A61L); DEVICES FOR PRODUCING OR ENDING SLEEP OR STUPOR

Type*	<u>Symbol</u>	Indent	Title (new or modified) "CPC only" text should normally be enclosed in {curly brackets}**	<u>Transferred to#</u>
M	A61M5/172	3	electrical or electronic {(A61M5/16804, A61M5/16831 take precedence)}	
M	A61M5/24	2	Ampoule syringes, i.e. syringes with needle for use in combination with replaceable ampoules or carpules, e.g. automatic {(ampoules or carpules A61J1/06)}	
M	A61M5/2422	3	{using emptying means to expel or eject media, e.g. pistons, deformation of the ampoule, or telescoping of the ampoule}	
M	A61M5/2425	4	{by compression of deformable ampoule or carpule wall}	
M	A61M5/2429	4	{by telescoping of ampoules or carpules with the syringe body}	
U	A61M5/28	2	Syringe ampoules or carpules, i.e. ampoules or carpules provided with a needle	
M	A61M5/281	3	{using emptying means to expel or eject media, e.g. pistons, deformation of the ampoule, or telescoping of the ampoule}	
M	A61M5/282	4	{by compression of deformable ampoule or carpule wall}	
M	A61M5/283	4	{by telescoping of ampoules or carpules with the syringe body}	
M	A61M5/285	3	{with sealing means to be broken or opened}	
M	A61M5/42	1	having means for desensitising skin, for protruding skin to facilitate piercing, or for locating point where body is to be pierced	
D	A61M2240/02	1		<administrative 00="" a61m2240="" to="" transfer=""></administrative>
Е	A61M2240/00	0	Specially adapted for neonatal use	

DATE: NOVEMBER 1, 2016

PROJECT RP0157

*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; E = existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

- **No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- For U groups, the minimum requirement is to include the U group located immediately prior to the N group or N group array, in order to show the N group hierarchy and improve the readability and understanding of the scheme. Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types except "D" which requires only a symbol.
- #"Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>" or "<administrative transfer to XX and YY simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be "invention information", unless otherwise indicated, and to 2000 series groups is assumed to be "additional information".

DATE: NOVEMBER 1, 2016

PROJECT RP0157

2. B. DEFINITIONS QUICK FIX

Symbol	Location of change (e.g., section title)	Existing reference symbol or text	Action; New symbol; New text
A61M5/2422	Definition		delete the entire definition

- The table above is used for corrections or modifications to existing definitions, e.g. delete an entire definition or part thereof; propose new wording or modify wording of a section, change the symbol the definition is associated with, change or delete a reference symbol, etc.
- Do not delete (F) symbol definitions.

DATE: NOVEMBER 1, 2016

PROJECT RP0157

3. REVISION CONCORDANCE LIST (RCL)

Type*	From CPC Symbol (existing)	To CPC Symbol(s)
D	A61M2240/02	<administrative 00="" 2240="" a61m="" to="" transfer=""></administrative>

^{*} C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; D = deleted entries.

- Only C, D, and Q type entries are included in the table above.
- When multiple symbols are included in the "To" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>" or "<administrative transfer to XX and YY simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be "invention information", unless otherwise indicated, and to 2000 series groups is assumed to be "additional information".

DATE: NOVEMBER 1, 2016

PROJECT RP0157

4. CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

<u>CPC</u>	<u>IPC</u>	Action*
A61M2240/02	CPCONLY	delete

*Action column:

- For an (N) or (Q) entry, provide an IPC symbol and complete the Action column with "NEW."
- For an existing CPC main trunk entry or indexing entry where the existing IPC symbol needs to be changed, provide an updated IPC symbol and complete the Action column with "UPDATED."
- For a (D) CPC entry or indexing entry complete the Action column with "DELETE." IPC symbol does not need to be included in the IPC column.
- For an (N) 2000 series CPC entry which is positioned within the main trunk scheme (breakdown code) provide an IPC symbol and complete the action column with "NEW".
- For an (N) 2000 series CPC entry positioned at the end of the CPC scheme (orthogonal code), with no IPC equivalent, complete the IPC column with "CPCONLY" and complete the action column with "NEW".

- F symbols are <u>not</u> included in the CICL table above.
- E and M symbols are not included in the CICL table above unless a change to the existing IPC is desired.