

EUROPEAN PATENT OFFICE  
U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

The following classification changes will be effected by this Notice of Changes:

<u>Action</u>	<u>Subclass</u>	<u>Group(s)</u>
<b>SCHEME:</b>		
Titles Changed:	E05B	1/00
	E05B	9/00
	E05B	15/00, 15/16
	E05B	17/20
	E05B	19/00
	E05B	21/00
	E05B	23/00
	E05B	37/00
	E05B	39/02
	E05B	43/00
	E05B	45/00
	E05B	47/00
	E05B	63/14, 63/16, 63/24
	E05B	65/52
	E05B	67/00
	E05B	69/00, 69/02
	E05B	71/00
	E05B	73/02
	E05B	77/34
	E05B	85/02
<b>DEFINITIONS:</b>		
Definitions New:	E05B	15/16
	E05B	39/02
	E05B	63/14, 63/24
	E05B	65/52
	E05B	69/02
	E05B	73/02
Definitions Modified:	E05B	1/00
	E05B	9/00
	E05B	15/00
	E05B	19/00
	E05B	37/00
	E05B	43/00
	E05B	45/00
	E05B	47/00
	E05B	67/00
	E05B	69/00
	E05B	71/00
	E05B	77/00
	E05B	77/54

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<u>Action</u>	<u>Subclass</u>	<u>Group(s)</u>
	E05B	81/04
	E05B	81/10
	E05B	81/52
	E05B	83/00
	E05B	85/02

**This Notice of Changes includes the following** *[Check the ones included]:*

1. CLASSIFICATION SCHEME CHANGES

- A. New, Modified or Deleted Group(s)
- B. New, Modified or Deleted Warning(s)
- C. New, Modified or Deleted Note(s)
- D. New, Modified or Deleted Guidance Heading(s)

2. DEFINITIONS

- A. New or Modified Definitions (Full definition template)
- B. Modified or Deleted Definitions (Definitions Quick Fix)

3.  REVISION CONCORDANCE LIST (RCL)

4.  CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

5.  CHANGES TO THE CROSS-REFERENCE LIST (CRL)

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

**SUBCLASS E05B - Removal of non-limiting references in subclass E05B**

<u>Type*</u>	<u>Symbol</u>	<u>Indent Level Number of dots (e.g. 0, 1, 2)</u>	<u>Title</u> (new or modified) “CPC only” text should normally be enclosed in {curly brackets}**	<u>Transferred to#</u>
M	E05B 1/00	0	Knobs or handles for wings; Knobs, handles, or press buttons for locks or latches on wings (E05B 5/00, E05B 7/00 take precedence)	
M	E05B 9/00	0	Lock casings or latch-mechanism casings {; Fastening locks or fasteners or parts thereof to the wing} (padlock casings E05B 67/02; for vehicles E05B 79/04, E05B 85/02)	
M	E05B 15/00	0	Other details of locks; Parts for engagement by bolts of fastening devices	
M	E05B 15/16	1	Use of special materials for parts of locks	
M	E05B 17/20	1	Means independent of the locking mechanism for preventing unauthorised opening, e.g. for securing the bolt in the fastening position {(locks with means carried by the bolt for interlocking with the keeper E05B 63/12)}	
M	E05B 19/00	0	Keys; Accessories therefor ({key modifications or attachments preventing removal from the lock E05B 11/005; key rings A44B 15/00; key cases A45C 11/32; key holders A47G 29/10; } making keys, see the relevant places, e.g. B21D 53/42; milling grooves in keys B23C 3/35)	
M	E05B 21/00		Locks with lamelliform tumblers {which are not set by the insertion of the key and} in which the tumblers do not follow the movement of the bolt {e.g. Chubb-locks}	
M	E05B 23/00		Locks with lamelliform tumblers {which are not set by the insertion of the key and} in which the tumblers follow the movement of the bolt	

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<u>Type*</u>	<u>Symbol</u>	<u>Indent Level Number of dots (e.g. 0, 1, 2)</u>	<u>Title</u> (new or modified) “CPC only” text should normally be enclosed in {curly brackets}**	<u>Transferred to#</u>
M	E05B 37/00	0	Permutation {or combination} locks ({handles with combination locks E05B 13/103; keyhole guards with combination locks E05B 17/145; } electric permutation locks E05B49/00); Puzzle locks	
M	E05B 39/02	1	with destructible seal closures or paper closures	
M	E05B 43/00	0	Time locks	
M	E05B 45/00	0	Alarm locks	
M	E05B 47/00	0	Operating or controlling locks or other fastening devices by electric or magnetic means (electric permutation locks E05B 49/00)	
M	E05B 63/14	1	Arrangement of several locks or locks with several bolts, e.g. arranged one behind the other ({locks having bolts with multiple head E05B 15/108;}with provision for latching E05B 59/00, E05B 61/00)	
U	E05B 63/16	1	with the handles on opposite sides moving independently	
M	E05B 63/24	1	Arrangements in which the fastening members which engage one another are mounted respectively on the wing and the frame and are both movable, e.g. for release by moving either of them ({operating or controlling locks using electric or magnetic means in the striker or on the frame E05B 47/0046, adaptation of locks locking the bolt by an electromagnet in the striker E05B 47/0696, locks with means carried by the bolt for interlocking with the keeper and having additional bolt in the striker E05B 63/128;} hasp locks E05B 65/48)	
M	E05B 65/52	1	Other locks for chests, boxes, trunks, baskets, travelling bags, or the like	
M	E05B 67/00	0	Padlocks (permutation locks E05B 37/00); Details thereof	
M	E05B 69/00	0	Devices for locking clothing; Lockable clothing holders or hangers	
M	E05B 69/02	1	Lockable clothing hooks (coin-controlled locking hooks G07F 17/10)	

## CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<b>Type*</b>	<b>Symbol</b>	<b>Indent Level Number of dots (e.g. 0, 1, 2)</b>	<b>Title (new or modified) "CPC only" text should normally be enclosed in {curly brackets}**</b>	<b>Transferred to#</b>
M	E05B 71/00	0	Locks specially adapted for bicycles, other than padlocks {(locks integral with holders for parking or storing bicycles B62H 3/00;} locks integral with cycles B62H 5/00)	
M	E05B 73/02	1	for walking-sticks or umbrellas {(locks integral with walking sticks A45B 1/04)}	
U	E05B 77/00	0	Vehicle locks characterised by special functions or purposes (locks specially adapted for bicycles E05B 71/00; locking arrangements for non-fixed vehicle roofs B60J 7/185)	
M	E05B 77/34	1	Protection against weather or dirt, e.g. against water ingress (closures or guards for keyholes E05B 17/14)	
U	E05B 77/54	1	Automatic securing or unlocking of bolts triggered by certain vehicle parameters, e.g. exceeding a speed threshold (triggered by vehicle collision E05B 77/12)	
U	E05B 81/04	2	Electrical (electrical circuits E05B 81/54)	
U	E05B 81/10	2	Hydraulic or pneumatic (hydraulic or pneumatic circuits E05B 81/52)	
U	E05B 81/52	1	Pneumatic or hydraulic circuits (for locking several wings simultaneously E05B 77/50)	
U	E05B 81/54	1	Electrical circuits (for locking several wings simultaneously E05B 77/48)	
U	E05B 83/00	0	Vehicle locks specially adapted for particular types of wing or vehicle (locks specially adapted for bicycles E05B 71/00; locking arrangements for non-fixed vehicle roofs B60J 7/185; latching means for sideboards or tailgates of open load compartments B62D 33/037)	
M	E05B 85/02	1	Lock casings	

\*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; E= existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

NOTES:

## CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

- **\*\*No {curly brackets} are used for titles in CPC only subclasses, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} are used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).**
- For U groups, the minimum requirement is to include the U group located immediately prior to the N group or N group array, in order to show the N group hierarchy and improve the readability and understanding of the scheme. Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types except “D” which requires only a symbol.
- #“Transferred to” column must be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the “Transferred to” column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: “< administrative transfer to XX>” or “<administrative transfer to XX and YY simultaneously>” when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be “invention information”, unless otherwise indicated, and to 2000 series groups is assumed to be “additional information”.

## 2. A. DEFINITIONS (NEW)

**Insert** the following **new** definitions.

### E05B 15/16

#### References

#### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

For reducing friction	E05B 17/007
For keys	E05B 19/26

#### References out of a residual place

*Examples of places in relation to which this place is residual:*

Use of special materials for handles	E05B 1/00
--------------------------------------	-----------

### E05B 39/02

#### References

#### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Seals per se	G09F 3/00
--------------	-----------

DATE: MAY 1, 2018

PROJECT MP0395

**E05B 63/14****References****Limiting references***This place does not cover:*

Bolts with multiple head	E05B 15/108
With provision for latching	E05B 59/00, E05B 61/00

**Application-oriented References***Examples of places where the subject matter of this place is covered when specially adapted, used for a particular purpose, or incorporated in a larger system:*

Locks for sliding wings having simultaneously pivoting double hook-like locking members	E05B 65/0858
Bolts for vehicle locks rotating about an axis and being bifurcated	E05B 85/245
Double bolts being bifurcated and spring actuated for wings, doors or windows	E05C 3/28; E05C 3/34

**Informative references***Attention is drawn to the following places, which may be of interest for search:*

Locks for keys with several bits	E05B 35/14
Arrangements of simultaneously actuated bolts or other securing devices at well-separated positions on the same wing	E05C 9/00



## E05B 63/24

### References

#### Limiting references

*This place does not cover:*

Operating or controlling locks using electric or magnetic means in the striker or on the frame	E05B 47/0046
Adaptation of locks - locking the bolt by an electromagnet in the striker	E05B 47/0696
Locks with means carried by the bolt for interlocking with the keeper and having additional bolt in the striker	E05B 63/128
Hasp locks	E05B 65/48

#### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Hasp fastenings	E05C 19/08
-----------------	------------

## E05B 65/52

### References

#### References out of a residual place

*Examples of places in relation to which this place is residual:*

Hasp locks	E05B 65/48
Permutation locks	E05B 37/00
Toggles	E05C 19/14
Locking slide fasteners	A44B 19/301

DATE: MAY 1, 2018

PROJECT MP0395

**Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Closures for bags or trunks	A45C 13/06, A45C 13/10, A45C 13/16
-----------------------------	--

**E05B 69/02**

**References**

**Limiting references**

*This place does not cover:*

For means for safe-keeping of property, left temporarily, e.g. by fastening the property	G07F 17/10
--	------------

**E05B 73/02**

**References**

**Limiting references**

*This place does not cover:*

Locks integral with walking sticks	A45B 1/04
------------------------------------	-----------

**Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Stick or umbrella holders in general	A47G 25/12
--------------------------------------	------------

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

2. B. DEFINITIONS QUICK FIX

<u>Symbol</u>	<u>Location of change</u> (e.g., section title)	<u>Existing reference symbol or text</u>	<u>Action; New symbol; New text</u>
E05B1/00	Limiting references	Handles for vehicles E05B85/10 - E05B85/18	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B1/00	Limiting references	Handles for suitcases or travelling bags A45C 13/26	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B1/00	Limiting references	Handles for carrying purposes A45F 5/10	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B1/00	Limiting references	Handles for hand implements, e.g. for tools B21G 1/00	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B1/00	Limiting references	Handgrips or straps for passengers in vehicles B60N 3/02	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B1/00	Limiting references	Handles for containers B65D 25/28	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B1/00	Limiting references	Handles for sacks or bags B65D 33/06	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B1/00	Limiting references	Straps provided with handles for bundling articles B65D 63/18	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B1/00	Limiting references	Controlling members for hand actuation, e.g. handles G05G 1/00	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B1/00	Informative references		<p><b>Insert</b> the following <b>new</b> rows in the existing Informative references table.</p> <p>Handles for suitcases or travelling bags A45C 13/26</p> <p>Handles for carrying purposes A45F 5/10</p> <p>Handles for hand implements, e.g. for tools B21G 1/00</p> <p>Handgrips or straps for passengers in vehicles B60N 3/02</p> <p>Handles for containers B65D 25/28</p> <p>Handles for sacks or bags B65D 33/06</p>

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<u>Symbol</u>	<u>Location of change</u> (e.g., section title)	<u>Existing reference symbol or text</u>	<u>Action; New symbol; New text</u>
E05B 1/00	Application-oriented references		<b>Insert</b> the following three <u>new</u> rows in the existing Application-oriented table.  Straps provided with handles for bundling articles <a href="#">B65D 63/18</a>  Controlling members for hand actuation, e.g. handles <a href="#">G05G 1/00</a>  Handles for vehicles <a href="#">E05B85/10 - E05B85/18</a>
E05B 1/00	Application-oriented references	Handles for furniture <a href="#">A47B 95/02</a>	<b>Replace with</b> the following row in the Application-oriented table.  Knobs or handles for furniture <a href="#">A47B 95/02</a>
E05B 9/00	Limiting references	Lock cylinder arrangements vehicles <a href="#">E05B85/06</a>	<b>Delete</b> the <u>entire</u> row in the Limiting references table.
E05B 9/00	Limiting references		<b>Insert</b> the following <u>new</u> row in the Limiting references table.  Mounting of lock casings to vehicles <a href="#">E05B85/02</a>
E05B 15/00	Limiting references	Spring biasing means for moving the handle <a href="#">E05B 3/065</a>  Using special materials for keys <a href="#">E05B 19/26</a>  Electric strikers <a href="#">E05B 47/0046</a>  Gravity mechanisms for brief- or suitcases <a href="#">E05B 65/5292</a>  Staples for padlocks <a href="#">E05B 67/383</a>  Gravity arrangements related to vehicle accidents <a href="#">E05B 77/06</a> , <a href="#">E05B 77/12</a>  Anti-rattling means in vehicles <a href="#">E05B 77/36</a>  Strikers for vehicles <a href="#">E05B 85/04</a>  Bolts or detents for vehicle locks <a href="#">E05B 85/20</a>  Strikers for espagnolette locks	<b>Delete</b> the <u>whole</u> Limiting references <u>section</u> – the heading, table, and all rows.

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<u>Symbol</u>	<u>Location of change</u> (e.g., section title)	<u>Existing reference symbol or text</u>	<u>Action; New symbol; New text</u>
		E05C 9/1808 Securing part is formed by a spring, e.g. snaps E05C 19/06 Finger plates E06B 7/285	
E05B 15/00	Informative references		<b>Insert</b> the following 13 <b>new</b> rows in the existing Informative references table.  Spring biasing means for moving the handle E05B 3/065  Using special materials for keys E05B 19/26  Electric strikers E05B 47/0046  Gravity mechanisms for brief or suitcases E05B 65/5292  Staples for padlocks E05B 67/383  Gravity arrangements related to vehicle accidents E05B 77/06, E05B 77/12  Anti-rattling means in vehicles E05B 77/36  Strikers for vehicles E05B 85/04  Bolts or detents for vehicle locks E05B 85/20  Fastening devices for wings other than locks or associated with locks E05C  Strikers for espagnolette locks E05C 9/1808  Securing part is formed by a spring, e.g. snaps E05C 19/06  Finger plates E06B 7/285
E05B 19/00	Definition statement (table)	Keys indicating whether the last operation was locking or unlocking E05B 18/22	<b>Change only</b> the invalid symbol E05B 18/22 in the Definition statement table to:  E05B 19/22

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<u>Symbol</u>	<u>Location of change</u> (e.g., section title)	<u>Existing reference symbol or text</u>	<u>Action; New symbol; New text</u>
E05B 19/00	Limiting references		<b>Insert</b> the following <b>new</b> row in the Limiting references table.  Key modifications or attachments preventing removal from the lock <b>E05B 11/005</b>
E05B 19/00	Limiting references	Keys with magnets E05B 47/0045	<b>Delete</b> the existing row in the Limiting references table – text and symbol.
E05B 19/00	Limiting references	Mechanical keys for electric permutation locks E05B 49/00	<b>Delete</b> the existing row in the Limiting references table – text and symbol.
E05B 19/00	Limiting references	Key manufacturing B23P 15/005	<b>Delete</b> the existing row in the Limiting references table – text and symbol.
E05B 19/00	Limiting references	Non-mechanical keys for electronic locks G07C 9/00944	<b>Delete</b> the existing row in the Limiting references table – text and symbol.
E05B 19/00	Informative references		<b>Insert</b> the following four <b>new</b> rows in the existing Informative references table.  Keys with magnets <b>E05B 47/0045</b>  Mechanical keys for electric permutation locks <b>E05B 49/00</b>  Key manufacturing <b>B23P 15/005</b>  Non-mechanical keys for electronic locks <b>G07C 9/00944</b>
E05B 37/00	Limiting references	Electronic permutation locks G07C 9/00  Combination switches H01H27/10	<b>Delete</b> the existing <b>two</b> rows in the Limiting references table – all text and both symbols.
E05B 37/00	Limiting references		<b>Insert</b> the following two <b>new</b> rows in the Limiting references table.  Keyhole guards with combination locks <b>E05B 17/145</b>  Handles with combination locks <b>E05B 13/103</b>

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<b><u>Symbol</u></b>	<b><u>Location of change</u></b> (e.g., section title)	<b><u>Existing reference symbol or text</u></b>	<b><u>Action; New symbol; New text</u></b>
E05B 37/00	Informative references	Handles with combination locks E05B 13/103  Keyhole guards with combination locks E05B 17/145	<b>Delete</b> these <u>two</u> rows in the Informative references table.
E05B 37/00	Informative references		<b>Insert</b> the following two <b>new</b> rows in the Informative references table.  Combination switches <a href="#">H01H 27/10</a>  Electronic permutation locks <a href="#">G07C 9/00</a>
E05B 43/00	Limiting references	Medicine programmed dispensers A61J 7/04  Time recording locks (electronically) G07C 1/32	<b>Delete</b> the <u>two</u> rows in the Limiting references table – text and both symbols.
E05B 43/00	Informative references	Time locks E05B 43/00	<b>Delete</b> the row in the Informative references table – text and symbol.
E05B 43/00	Informative references		<b>Insert</b> the following <u>three new</u> rows in the existing Informative references table.  Time recording locks <a href="#">G07C 1/32</a>  Clocks or clock mechanisms with attached or built-in means operating any device at preselected times or after preselected time-intervals <a href="#">G04B 23/00</a>  Medicine programmed dispensers <a href="#">A61J 7/04</a>
E05B 43/00	Informative references	Time locks E05B 43/00	<b>Delete</b> the <u>entire</u> row in the Informative references table.
E05B 45/00	Limiting references	Safe or strong rooms with alarms E05G 1/10  Alarm devices (other than the lock itself) actuated by tampering with fastening G08B 13/06  Vehicle theft alarms B60R 25/10  Bicycle theft alarms B62H 5/20	<b>Delete</b> the <u>entire</u> Limiting references section – the heading and table with four rows.

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<u>Symbol</u>	<u>Location of change</u> (e.g., section title)	<u>Existing reference symbol or text</u>	<u>Action; New symbol; New text</u>
E05B 45/00	Informative references		<p><b>Insert</b> the following four <b>new</b> rows in the existing Informative references table.</p> <p>Safe or strong rooms with alarms E05G 1/10</p> <p>Alarm devices (other than the lock itself) actuated by tampering with fastenings in general G08B 13/06</p> <p>Vehicle theft alarms B60R 25/10</p> <p>Bicycle theft alarms B62H 5/20</p>
E05B 47/00			<p><b>Insert</b> the following <b>new</b> Limiting references section and row.</p> <p><b>Limiting references</b> <i>This place does not cover:</i></p> <p>Electric permutation locks E05B 49/00</p>
E05B 47/00			<p><b>Insert</b> the following <b>new</b> Application-oriented references section and row.</p> <p><b>Application-oriented references</b> <i>Examples of places where the subject matter of this place is covered when specially adapted, used for a particular purpose, or incorporated in a larger system:</i></p> <p>Power-actuated vehicle locks E05B 81/00</p>
E05B 47/00			<p><b>Insert</b> the following <b>new</b> Informative references section and five rows.</p> <p><b>Informative references</b> <i>Attention is drawn to the following places, which may be of interest for search:</i></p> <p>Motor-operated E05B 17/0029</p> <p>Electrically-operated E05B 17/147</p> <p>Device holding the wing by magnetic or electromagnetic attraction E05C 19/16</p>



## CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<u>Symbol</u>	<u>Location of change</u> (e.g., section title)	<u>Existing reference symbol or text</u>	<u>Action; New symbol; New text</u>
			Key switches <a href="#">H01H 27/00</a>  Devices for holding wings in open position or limiting movement of wings by magnetic or electromagnetic attraction <a href="#">E05C 17/56</a>
E05B 67/00	Limiting references	Permutation padlocks <a href="#">E05B 37/0068</a> , <a href="#">E05B 37/025</a> , <a href="#">E05B 37/10</a> , <a href="#">E05B 37/14</a>  Chain cables or padlocks with alarms <a href="#">E05B 45/005</a>	<b>Delete</b> these <b>two</b> existing rows in the Limiting references table – all text and all symbols.
E05B 67/00	Limiting references		<b>Insert</b> the following <b>new</b> row in the Limiting references table.  Permutation locks <a href="#">E05B 37/00</a>
E05B 67/00	Informative references		<b>Insert</b> the following <b>new</b> row in the Informative references table.  Chain cables or padlocks with alarms <a href="#">E05B 45/005</a>
E05B 69/00	Limiting references	Coin freed containers for clothing <a href="#">G07F 17/12</a>	<b>Delete</b> the <u>entire</u> row in the Limiting references table – text and symbol.
E05B 69/00			<b>Insert</b> the following <b>new</b> Informative references section.  <b>References</b> <b><i>Informative references</i></b>  <i>Attention is drawn to the following places, which may be of interest for search:</i>  Dress or hat holders in general <a href="#">A47G 25/00</a>  Anti-theft monitors <a href="#">E05B 73/0017</a>
E05B 71/00	Limiting references	Supporting devices for attaching articles to cycles <a href="#">B62J 11/00</a>	<b>Delete</b> the <u>entire</u> row in the Limiting references table – text and symbol.

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<u>Symbol</u>	<u>Location of change</u> (e.g., section title)	<u>Existing reference symbol or text</u>	<u>Action; New symbol; New text</u>
E05B 71/00			<p><b>Insert</b> the following <b>new</b> Informative references section.</p> <p><b>References</b> <b>Informative references</b></p> <p><i>Attention is drawn to the following places, which may be of interest for search:</i></p> <p>Supporting devices for attaching articles to cycles <a href="#">B62J 11/00</a></p>
E05B 77/00			<p><b>Insert</b> the following <b>new</b> Limiting references section.</p> <p><b>References</b> <b>Limiting references</b></p> <p><i>This place does not cover:</i></p> <p>Locks specially adapted for bicycles <a href="#">E05B 71/00</a></p> <p>Locking arrangements for nonfixed vehicle roofs <a href="#">B60J 7/185</a></p>
E05B 77/54			<p><b>Insert</b> the following <b>new</b> Limiting references section.</p> <p><b>References</b> <b>Limiting references</b></p> <p><i>This place does not cover:</i></p> <p>Triggered by vehicle collision <a href="#">E05B 77/12</a></p>
E05B 81/04			<p><b>Insert</b> the following <b>new</b> Limiting references section.</p> <p><b>References</b> <b>Limiting references</b></p> <p><i>This place does not cover:</i></p> <p>Electrical circuits <a href="#">E05B 81/54</a></p>

CPC NOTICE OF CHANGES 513

DATE: MAY 1, 2018

PROJECT MP0395

<u>Symbol</u>	<u>Location of change</u> (e.g., section title)	<u>Existing reference symbol or text</u>	<u>Action; New symbol; New text</u>
E05B 81/10			<p><b>Insert</b> the following <b>new</b> Limiting references section.</p> <p><b>References</b> <b>Limiting references</b></p> <p><i>This place does not cover:</i></p> <p>Hydraulic or pneumatic circuits E05B 81/52</p>
E05B 81/52			<p><b>Insert</b> the following <b>new</b> Limiting references section.</p> <p><b>References</b> <b>Limiting references</b></p> <p><i>This place does not cover:</i></p> <p>For locking several wings simultaneously E05B 77/50</p>
E05B 83/00	Limiting references		<p><b>Insert</b> the following <b>new</b> row in the existing Limiting references table.</p> <p>Locks specially adapted for bicycles E05B 71/00</p>
E05B 85/02			<p><b>Insert</b> the following <b>new</b> References out of a residual place section.</p> <p><b>References out of a residual place</b></p> <p><i>Examples of places in relation to which this place is residual:</i></p> <p>Mounting of lock casings E05B 79/04</p>
E05B 85/02	Limiting references	Mounting of lock casings E05B 79/04	<p><b>Delete</b> the entire Limiting references section – heading and table.</p>

NOTES:

- The table above is used for corrections or modifications to existing definitions, e.g. delete an entire definition or part thereof; propose new wording or modify wording of a section, change the symbol the definition is associated with, change or delete a reference symbol, etc.
- Do not delete (F) symbol definitions.