

EUROPEAN PATENT OFFICE
U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 570

DATE: JANUARY 1, 2019

PROJECT MP0435

The following classification changes will be effected by this Notice of Changes:

<u>Action</u>	<u>Subclass</u>	<u>Group(s)</u>
SCHEME:		
Titles Changed:	B05B	1/12
	B05B	1/34
	B05B	3/00
	B05B	5/10
	B05B	7/02

No other subclasses/groups are impacted by this Notice of Changes.

This Notice of Changes includes the following [Check the ones included]:

1. CLASSIFICATION SCHEME CHANGES

- A. New, Modified or Deleted Group(s)
- B. New, Modified or Deleted Warning(s)
- C. New, Modified or Deleted Note(s)
- D. New, Modified or Deleted Guidance Heading(s)

2. DEFINITIONS

- A. New or Modified Definitions (Full definition template)
- B. Modified or Deleted Definitions (Definitions Quick Fix)

3. REVISION CONCORDANCE LIST (RCL)

4. CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

5. CHANGES TO THE CROSS-REFERENCE LIST (CRL)

CPC NOTICE OF CHANGES 570

DATE: JANUARY 1, 2019

PROJECT MP0435

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS B05B - SPRAYING APPARATUS; ATOMISING APPARATUS; NOZZLES ({sprayers or atomisers specially adapted for therapeutic purposes A61M 11/00 }; spray-mixers with nozzles B01F 5/20; processes for applying liquids or other fluent materials to surfaces by spraying B05D; {nozzles specially adapted for injection moulding of plastics or substances in a plastic state B29C 45/1603, B29C 45/20; nozzles specially adapted for windscreen washers B60S 1/52 }; means for pumping fluids F04; valves, e.g. water-taps, F16K)

<u>Type*</u>	<u>Symbol</u>	<u>Indent Level Number of dots (e.g. 0, 1, 2)</u>	<u>Title</u> “CPC only” text should normally be enclosed in {curly brackets}**	<u>Transferred to#</u>
M	B05B 1/12	1	capable of producing different kinds of discharge, e.g. either jet or spray (having selectively-effective outlets B05B 1/16)	
M	B05B 1/34	1	designed to influence the nature of flow of the liquid or other fluent material, e.g. to produce swirl (designed to control volume of flow B05B 1/30)	
M	B05B 3/00	0	Spraying or sprinkling apparatus with moving outlet elements or moving deflecting elements (B05B 5/00 takes precedence) ; Spraying or sprinkling heads with rotating elements located upstream the outlet}	
M	B05B 5/10	2	Arrangements for supplying power, e.g. charging power (in discharge apparatus B05B 5/053)	
M	B05B 7/02	1	Spray pistols; Apparatus for discharge (for spraying particulate material B05B7/14; with means for heating the material to be sprayed B05B7/16; with means for supplying fluent material to a discharge device B05B 7/24)	

*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; E= existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

NOTES:

- **No {curly brackets} are used for titles in CPC only subclasses, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} are used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).

CPC NOTICE OF CHANGES 570

DATE: JANUARY 1, 2019

PROJECT MP0435

- U groups: it is obligatory to display the required “anchor” symbol (U group), i.e. the entry immediately preceding a new group or an array of new groups to be created (in case new groups are not clearly subgroups of C-type groups). Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types.
- “Transferred to” column must be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the “Transferred to” column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: “< administrative transfer to XX>”, “<administrative transfer to XX and YY simultaneously>”, or “<administrative transfer to XX, YY, ...and ZZ simultaneously>” when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be “additional information”.
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations “ADD” or “INV”: <administrative transfer to XX ADD> , <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the “D” entries of 2000-series or Y-series groups may not require a destination (“Transferred to”) symbol, however it is required to specify “<no transfer>” in the “Transferred to” column for such cases.
- For finalisation projects, the deleted “F” symbols should have <no transfer> in the “Transferred to” column.
- For more details about the types of scheme change, see CPC Guide.