

# CPC COOPERATIVE PATENT CLASSIFICATION

## B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

### SEPARATING; MIXING

## B04 CENTRIFUGAL APPARATUS OR MACHINES FOR CARRYING-OUT PHYSICAL OR CHEMICAL PROCESSES

### B04B CENTRIFUGES (high-speed drum mills [B02C 19/11](#); domestic spin driers [D06F](#); analysing, measuring or monitoring physical or chemical properties of samples during centrifuging, [see the relevant subclasses for these procedures, e.g. G01N](#))

#### NOTE

This subclass covers machines or apparatus for separating, mixing, drying, extracting, purifying, or like treating in which centrifugal effects are generated by rotary bowls or other rotors. Where such machines or apparatus involve pumping effects, such effects must be incidental or subsidiary to the treating.

#### WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

#### Types of centrifuges; Centrifuges characterised by discharging means

1/00	Centrifuges with rotary bowls provided with solid jackets for separating predominantly liquid mixtures with or without solid particles	2001/2091	. . {Configuration of solids outlets}
1/02	. without inserted separating walls	3/00	Centrifuges with rotary bowls in which solid particles or bodies become separated by centrifugal force and simultaneous sifting or filtering
1/04	. with inserted separating walls	3/02	. discharging solid particles from the bowl by means coaxial with the bowl axis and moving to and fro, i.e. push-type centrifuges
1/06	. . of cylindrical shape	3/025	. . {with a reversible filtering device}
1/08	. . of conical shape	3/04	. discharging solid particles from the bowl by a conveying screw coaxial with the bowl axis and rotating relatively to the bowl
1/10	. with discharging outlets in the plane of the maximum diameter of the bowl {(cleaning <a href="#">B04B 15/06</a> )}	3/06	. discharging solid particles by vibrating the bowl
1/12	. . with continuous discharge	3/08	. discharging solid particles by bowl walls in the form of endless bands
1/14	. . with periodical discharge	5/00	Other centrifuges
1/16	. . . with discharging outlets controlled by the rotational speed of the bowl	5/005	. {Centrifugal separators or filters for fluid circulation systems, e.g. for lubricant oil circulation systems}
1/18	. . . . controlled by the centrifugal force of an auxiliary liquid	5/02	. Centrifuges consisting of a plurality of separate bowls rotating round an axis situated between the bowls
1/20	. discharging solid particles from the bowl by a conveying screw coaxial with the bowl axis and rotating relatively to the bowl	5/04	. Radial chamber apparatus for separating predominantly liquid mixtures, e.g. butyrometers
1/2008	. . {with an abrasion-resistant conveyor or drum}	5/0407	. . {for liquids contained in receptacles ( <a href="#">B04B 5/0442</a> takes precedence)}
1/2016	. . {Driving control or mechanisms; Arrangement of transmission gearing}	5/0414	. . . {comprising test tubes}
2001/2025	. . . {with drive comprising a planetary gear}	5/0421	. . . . {pivotably mounted}
2001/2033	. . {with feed accelerator inside the conveying screw}	5/0428	. . . {with flexible receptacles}
2001/2041	. . {with baffles, plates, vanes or discs attached to the conveying screw}	2005/0435	. . . {with adapters for centrifuge tubes or bags}
2001/205	. . {with special construction of screw thread, e.g. segments, height}	5/0442	. . {with means for adding or withdrawing liquid substances during the centrifugation, e.g. continuous centrifugation}
2001/2058	. . {with ribbon-type screw conveyor}	2005/045	. . . {having annular separation channels}
2001/2066	. . {with additional disc stacks}	2005/0457	. . . {having three-dimensional spirally wound separation channels}
2001/2075	. . {with means for recovering the energy of the outflowing liquid}		
2001/2083	. . {Configuration of liquid outlets}		

- 2005/0464 . . . {with hollow or massive core in centrifuge bowl}
  - 2005/0471 . . . {with additional elutriation separation of different particles}
  - 2005/0478 . . . {with filters in the separation chamber}
  - 2005/0485 . . . {with a displaceable piston in the centrifuge chamber}
  - 2005/0492 . . . {with fluid conveying umbilicus between stationary and rotary centrifuge parts}
  - 5/06 . Centrifugal counter-current apparatus
  - 5/08 . Centrifuges for separating predominantly gaseous mixtures
  - 5/10 . Centrifuges combined with other apparatus, e.g. electrostatic separators; Sets or systems of several centrifuges ([B04B 5/12](#) takes precedence; magnetic or electrostatic separators [B03C](#); {amassing particles by electric fields, e.g. by agglomeration [B03C 3/0175](#)})
  - 2005/105 . . {being a grinding mill}
  - 5/12 . Centrifuges in which rotors other than bowls generate centrifugal effects in stationary containers
  - 2005/125 . . {the rotors comprising separating walls}
- Elements; Accessories**
- 7/00 Elements of centrifuges (drives [B04B 9/00](#); feeding, charging, or discharging appurtenances or devices [B04B 11/00](#))**
  - 2007/005 . {Retaining arms for gripping the stationary part of a centrifuge bowl or hold the bowl itself}
  - 7/02 . Casings; Lids (shock absorbers, vibration dampers [F16F](#))
  - 2007/025 . . {Lids for laboratory centrifuge rotors}
  - 7/04 . . Casings facilitating discharge
  - 7/06 . . Safety devices {; Regulating}
  - 2007/065 . . . {Devices and measures in the event of rotor fracturing, e.g. lines of weakness, stress regions}
  - 7/08 . Rotary bowls ([centrifugal casting machines B22D](#))
  - 7/085 . . {fibre- or metal-reinforced}
  - 7/10 . . Bowls for shaping solids
  - 7/12 . . Inserts, e.g. armouring plates
  - 7/14 . . . for separating walls of conical shape
  - 7/16 . . . Sieves or filters ([filters in general B01D](#); [sieves in general B07B](#))
  - 7/18 . . formed or coated with sieving or filtering elements ([filters in general B01D](#); [sieves in general B07B](#))
  - 9/00 Drives specially designed for centrifuges; Arrangement or disposition of transmission gearing; Suspending or balancing rotary bowls**
  - 9/02 . Electric motor drives {(dynamo-electric machines associated with centrifuges [H02K 7/16](#))}
  - 9/04 . . Direct drive
  - 9/06 . Fluid drive
  - 9/08 . Arrangement or disposition of transmission gearing {(for solid bowl screw centrifuges [B04B 1/2016](#)); Couplings; Brakes}
  - 2009/085 . . {Locking means between drive shaft and rotor}
  - 9/10 . Control of the drive; Speed regulating {(for solid bowl screw centrifuges [B04B 1/2016](#))}
  - 9/12 . Suspending rotary bowls {; Bearings; Packings for bearings}
  - 9/14 . Balancing rotary bowls ([balancing per se G01M](#)); {Schrappers}
  - 2009/143 . . {by weight compensation with liquids}
  - 9/146 . . {Unbalance detection devices}
  - 11/00 Feeding, charging, or discharging bowls ([B04B 1/00](#), [B04B 3/00](#), [B04B 7/04](#) take precedence)**
  - 11/02 . Continuous feeding or discharging; Control arrangements therefor
  - 11/04 . Periodical feeding or discharging; Control arrangements therefor
  - 11/043 . . {Load indication with or without control arrangements}
  - 2011/046 . . {Loading, unloading, manipulating sample containers}
  - 11/05 . . Base discharge
  - 11/06 . Arrangement of distributors or collectors in centrifuges
  - 11/08 . Skimmers or scrapers for discharging {; Regulating thereof}
  - 11/082 . . {Skimmers for discharging liquid}
  - 2011/084 . . {with cables for cake removal}
  - 2011/086 . . {with a plurality of scraper blades}
  - 2011/088 . . {with angularly and axially offset scrapers}
  - 13/00 Control arrangements specially designed for centrifuges; Programme control of centrifuges (control arrangements for feed, charge, or discharge [B04B 11/00](#))**
  - 13/003 . {Rotor identification systems}
  - 2013/006 . {Interface detection or monitoring of separated components}
  - 15/00 Other accessories for centrifuges**
  - 15/02 . for cooling, heating, or heat insulating
  - 15/04 . for suppressing the formation of foam
  - 15/06 . for cleaning bowls, filters, sieves, inserts, or the like
  - 15/08 . for ventilating or producing a vacuum in the centrifuge
  - 15/10 . for forming a filtering layer in the rotary bowl
  - 15/12 . for drying or washing the separated solid particles