#### B21D

## **CPC** COOPERATIVE PATENT CLASSIFICATION

# **B PERFORMING OPERATIONS; TRANSPORTING**

(NOTES omitted)

## **SHAPING**

### B21 MECHANICAL METAL-WORKING WITHOUT ESSENTIALLY REMOVING MATERIAL; PUNCHING METAL (NOTES omitted)

## **B21D** WORKING OR PROCESSING OF SHEET METAL OR METAL TUBES, RODS OR PROFILES WITHOUT ESSENTIALLY REMOVING MATERIAL; PUNCHING

METAL (working or processing of wire <u>B21F</u>)

### **NOTES**

- 1. This subclass covers cutting or perforating of sheet metal or other stock material
- 2. This subclass <u>does not cover</u> the working of metal foils in a manner analogous to the working of paper, which is covered by classes <u>B26</u>, <u>B31</u>

#### WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

#### Straightening; Restoring form; Bending; Corrugating; Flanging

1/00	Straightening, restoring form or removing local distortions of sheet metal or specific articles made therefrom (B21D 3/00 takes precedence); Stretching		
sheet metal combined with rolling (working she			
	metal of limited length by stretching <u>B21D 25/00</u> ; by		
	localised hammering B21D 31/06)		
1/02	• by rollers ( <u>B21D 1/06</u> takes precedence)		
1/05	Stretching combined with rolling		
1/06	Removing local distortions		
1/065	• • {by hammering}		
1/08	• • of hollow bodies made from sheet metal (of		
	substantially open bodies <u>B21D 1/10</u> {; flattening		
	hollow objects for transport and reforming		
	<u>B21D 51/14</u> })		
1/10	<ul> <li>of specific articles made from sheet metal, e.g. mudguards</li> </ul>		
1/12	Straightening vehicle body parts or bodies		
	(B21D 1/14 takes precedence)		
1/14	Straightening frame structures		
1/145	• • {Clamps therefor}		
3/00	Straightening or restoring form of metal rods, metal tubes, metal profiles, or specific articles made therefrom, whether or not in combination		
	with sheet metal parts (straightening of well casings		
	in situ E21B; {straightening rails or rail joints		
	<u>E01B 31/08</u> })		
3/005	• {by eccentric turning members}		
3/02	• by rollers		
3/04	• • arranged on axes skew to the path of the work		
3/045	• • • {Workpiece feed channels therefor}		
3/05	• arranged on axes rectangular to the path of the work		

3/06	• • arranged inclined to a revolving flier rolling frame
3/08	• • which move in an orbit without rotating round the work
3/10	. between rams and anvils or abutments
3/12	• by stretching with or without twisting (by twisting only <u>B21D 11/14</u> )
3/14	• Recontouring
3/16	• of specific articles made from metal rods, tubes, or profiles, e.g. crankshafts, by specially adapted methods or means
5/00	Bending sheet metal along straight lines, e.g. to
	form simple curves ( <u>B21D 11/06</u> - <u>B21D 11/18</u> take
	precedence; corrugating sheet metal <u>B21D 13/00</u> ; as
	edge treatment <u>B21D 19/00</u> )
5/002	• {Positioning devices}
5/004	• {with program control}
5/006	• {combined with measuring of bends}
5/008	• {combined with heating or cooling of the bends}
5/01	<ul> <li>between rams and anvils or abutments</li> </ul>
5/015	• • {for making tubes}
5/02	<ul> <li>on press brakes without making use of clamping means</li> </ul>
5/0209	• • {Tools therefor}
5/0218	• • • {Length adjustment of the punch}
5/0227	• • • {Length adjustment of the die}
5/0236	• • • {Tool clamping}
5/0245	• • • • {Fluid operated}
5/0254	• • • {Tool exchanging}
5/0263	• • • {Die with two oscillating halves}
5/0272	• • {Deflection compensating means}
5/0281	• • {Workpiece supporting devices}
5/029	• • {with shearing devices}

5/04	• on brakes making use of clamping means on one side of the work	9/
5/042	• • {With a rotational movement of the bending	9/
5/045	<ul><li>blade}</li><li>• {With a wiping movement of the bending blade}</li></ul>	9/ 9/
5/047	<ul> <li>{Length adjustment of the clamping means}</li> </ul>	)/
5/06	<ul> <li>by drawing procedure making use of dies or</li> </ul>	9/
	forming-rollers, e.g. making profiles	9/
5/08	• making use of forming-rollers ( <u>B21D 5/12</u> takes precedence)	9/
5/083	• • { for obtaining profiles with changing cross-	9/
	sectional configuration}	9/
5/086	• • • {for obtaining closed hollow profiles}	9/
5/10	• • for making tubes	
5/12	• • making use of forming-rollers	0
5/14	<ul> <li>by passing between rollers (<u>B21D 5/06</u> takes precedence)</li> </ul>	9/
5/143	• {making use of a mandrel}	9/
5/145	<ul> <li>(making use of a manuel)</li> <li>(one roll being covered with deformable</li> </ul>	9/
5/140	material}	
5/16	• Folding; Pleating	11/
7/00		
7/00	Bending rods, profiles, or tubes ( <u>B21D 11/02</u> - <u>B21D 11/18</u> take precedence; using mandrels or the like <u>B21D 9/00</u> )	
7/02	• over a stationary forming member; by use of a	
	swinging forming member or abutment	11/
7/021	• • {Construction of forming members having more than one groove}	
7/022	• • over a stationary forming member only	11/
7/0225	• • • {using pulling members}	
7/024	• • by a swinging forming member	11/
7/025	• • • and pulling or pushing the ends of the work	11/
7/028	• • and altering the profile at the same time, e.g. forming bumpers	11/
7/03	. Apparatus with means to keep the profile in shape	
7/04	• over a movably-arranged forming menber	11/
7/06	(B21D 7/02 takes precedence) in press brakes or between rams and anvils or	11/
7/00	abutments; Pliers with forming dies	
7/063	<ul> <li>. {Pliers with forming dies}</li> </ul>	
7/066	<ul> <li>. {combined with oscillating members}</li> </ul>	11/
7/08	• by passing between rollers or through a curved die	11/
7/085	• {by passing through a curved die}	11/
7/10	• by abutting members and flexible bending means,	11/
	e.g. with chains, ropes	11/
7/12	• with programme control	11/ 11/
7/14	. combined with measuring of bends or lengths	11/
7/16	• Auxiliary equipment, e.g. for heating or cooling of	11/
7/1/0	bends	11/
7/162	• {Heating equipment}	
7/165 7/167	<ul> <li>. {Cooling equipment}</li> <li>. {Greasing}</li> </ul>	13/
//10/	• • {Oreasing}	
9/00	Bending tubes using mandrels or the like (B21D 11/02 - B21D 11/18 take precedence)	13/
9/01	. the mandrel being flexible and engaging the entire	13/ 13/
o /	tube length	13/
9/03	• and built-up from loose elements, e.g. series of	13/
0/04	balls	13/
9/04 0/05	• the mandrel being rigid	13/
9/05 9/055	<ul> <li>co-operating with forming members</li> <li>{Construction of forming members having more</li> </ul>	
7/033	than one groove}	15/

9/07	• • with one or more swinging forming members engaging tube ends only		
9/073	• • {with one swinging forming member}		
9/076	• • • {with more swinging forming members}		
9/08	. in press brakes or between rams and anvils or		
	abutments; Pliers with forming dies		
9/085	• • {Pliers with forming dies}		
9/10	• by passing between rollers		
9/12	• by pushing over a curved mandrel; by pushing through a curved die		
9/125	• • {by pushing through a curved die}		
9/14	• Wrinkle-bending, i.e. bending by corrugating		
9/15	<ul> <li>using filling material of indefinite shape, e.g. sand, plastic material (filling of tubes with such material B21D 9/16)</li> </ul>		
9/16	• Auxiliary equipment, e.g. machines for filling tubes with sand		
9/165	• • {Machines for filling tubes with sand}		
9/18	• • for heating or cooling of bends		
11/00	Bending not restricted to forms of material		
	mentioned in only one of groups <u>B21D 5/00</u> ,		
	<b>B21D 7/00, B21D 9/00; Bending not provided for</b>		
	in groups <u>B21D 5/00</u> - <u>B21D 9/00</u> (corrugating or		
	bending into wave form <u>B21D 13/00</u> , <u>B21D 15/00</u> ;		
	flanging <u>B21D 19/00</u> ); Twisting		
11/02	• Bending by stretching or pulling over a die		
	(working sheet metal of limited length by stretching B21D 25/00)		
11/06	• Bending into helical or spiral form; Forming a		
11/00	succession of return bends, e.g. serpentine form		
	(making helically seamed tubing <u>B21C 37/12</u> )		
11/07	Making serpentine-shaped articles by bending		
	essentially in one plane		
11/08	• Bending by altering the thickness of part of the cross-section of the work ( <u>B21D 11/06</u> takes precedence)		
11/085	• {by locally stretching or upsetting}		
11/10	<ul> <li>Bending specially adapted to produce specific articles, e.g. leaf springs {(making or bending leaf springs <u>B21D 53/886</u>)}</li> </ul>		
11/12	• the articles being reinforcements for concrete		
11/125	• • {Bending wire nets}		
11/14	• Twisting		
11/15	• Reinforcing rods for concrete		
11/16	• • Crankshafts		
11/18	. Joggling		
11/20	• Bending sheet metal, not otherwise provided for		
11/203	• • {Round bending}		
11/206	• • {Curving corrugated sheets}		
11/22	• Auxiliary equipment, e.g. positioning devices		
13/00	Corrugating sheet metal, rods or profiles; Bending		
	sheet metal, rods or profiles into wave form (tubes <u>B21D 15/00</u> )		
13/02	• by pressing		
13/04	• by rolling		
13/045	• • {the corrugations being parallel to the feeding movement}		
13/06	• by drawing		
13/08	• by combined methods		
13/10	• into a peculiar profiling shape		
15/00	<b>Corrugating tubes</b> (wrinkle-bending using mandrels or the like <u>B21D 9/14</u> )		

15/02	<ul> <li>longitudinally</li> </ul>
15/03	• • by applying fluid pressure
15/04	• transversely, e.g. helically
15/06	• • annularly {(with thinning <u>B21C 37/205</u> )}
15/10	• • by applying fluid pressure
15/105	• • • {by applying elastic material}
15/12	• Bending tubes into wave form
17/00	Forming single grooves in sheet metal or tubular or hollow articles
17/02	• by pressing (grooving or notching of bolts, studs, or the like <u>B21K 1/54</u> )
17/025	• • {by pressing tubes axially}
17/04	• by rolling
19/00	Flanging or other edge treatment, e.g. of tubes (connecting by making use of folds <u>B21D 39/00;</u>
	flaring-out tube ends <u>B21D 41/02</u> )
19/005	• {Edge deburring or smoothing}
19/02	• by continuously-acting tools moving along the edge (edge-curling <u>B21D 19/12</u> )
19/04	• • shaped as rollers
19/043	• • • {for flanging edges of plates}
19/046	• • • {for flanging edges of tubular products}
19/06	• • • working inwardly
19/08	• by single or successive action of pressing tools, e.g. vice jaws
19/082	• • {for making negative angles}
19/084	• • • {with linear cams, e.g. aerial cams}
19/086	• • • {with rotary cams}
19/088	• • {for flanging holes}
19/10	• • working inwardly
19/12	• Edge-curling
19/14	• Reinforcing edges, e.g. armouring same
19/16	• Reverse flanging of tube ends
21/00	Combined processes according to methods covered by groups <u>B21D 1/00</u> - <u>B21D 19/00</u>

# <u>Stamping, Spinning, Deep-drawing; Working sheet metal of limited length by stretching; Punching</u>

22/00	Shaping without cutting, by stamping, spinning, or deep-drawing (otherwise than using rigid devices or
	tools or yieldable or resilient pads <u>B21D 26/00</u> )
22/02	• Stamping using rigid devices or tools
22/022	• • {by heating the blank or stamping associated with
	heat treatment ( <u>C21D</u> takes precedence)}
22/025	• • {for tubular articles}
22/027	• • {for flattening the ends of corrugated sheets}
22/04	• • for dimpling (combined with perforating
	<u>B21D 28/24</u> )
22/06	• • having relatively-movable die parts
22/08	• • with die parts on rotating carriers
22/10	Stamping using yieldable or resilient pads
22/105	• • {of tubular products}
22/12	• • using enclosed flexible chambers
22/125	• • • {of tubular products}
22/14	• Spinning
22/16	• • over shaping mandrels or formers
22/18	• • using tools guided to produce the required profile
22/185	• • • {making domed objects}
22/20	. Deep-drawing (special deep-drawing arrangements
	in, or in connection with, presses <u>B21D 24/00</u> )

22/201	• • {Work-pieces; preparation of the work-pieces,
	e.g. lubricating, coating}
22/203	• • {of compound articles}
22/205	• • {Hydro-mechanical deep-drawing}
22/206	• {articles from a strip in several steps, the
	articles being coherent with the strip during the
22/202	operation}
22/208	• {by heating the blank or deep-drawing associated with heat treatment (C21D takes precedence)}
22/21	<ul> <li>with heat treatment (<u>C21D</u> takes precedence)}</li> <li>without fixing the border of the blank</li> </ul>
22/21	<ul> <li>with devices for holding the edge of the blanks</li> </ul>
	(B21D 22/24 - B21D 22/30 take precedence;
	shaping over a die without external former
	<u>B21D 11/02</u> )
22/225	••• { with members for radially pushing the blanks }
22/24	involving two drawing operations having effects
	in opposite directions with respect to the blank
22/26	• • for making peculiarly, e.g. irregularly, shaped
	articles
22/28	• of cylindrical articles using consecutive dies
22/283	• • • {with ram and dies aligning means}
22/286	• • • {with lubricating or cooling means}
22/30	to finish articles formed by deep-drawing
24/00	Special deep-drawing arrangements in, or in
	connection with, presses
24/005	• {Multi-stage presses}
24/02	. Die-cushions
24/04	• Blank holders; Mounting means therefor
24/06	• Mechanically spring-loaded blank holders
24/08	Pneumatically or hydraulically loaded blank holders
24/10	• Devices controlling or operating blank holders
	independently, or in conjunction with dies
24/12	• • mechanically
24/14	<ul><li>mechanically</li><li>pneumatically or hydraulically</li></ul>
	<ul><li>mechanically</li><li>pneumatically or hydraulically</li><li>Additional equipment in association with the tools,</li></ul>
24/14 24/16	<ul><li>mechanically</li><li>pneumatically or hydraulically</li></ul>
24/14	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by</li> </ul>
24/14 24/16 <b>25/00</b>	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> </ul>
24/14 24/16 <b>25/00</b> 25/02	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> </ul>
24/14 24/16 <b>25/00</b>	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> </ul>
24/14 24/16 <b>25/00</b> 25/02	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads,</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b>	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads <u>B21D 22/10</u>)</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b>	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads <u>B21D 22/10</u>)</li> <li>by applying fluid pressure</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b> 26/02 26/021	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads B21D 22/10)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b>	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads B21D 22/10)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b> 26/02 26/021	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads <u>B21D 22/10</u>)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> </ul>
24/14 24/16 25/00 25/02 25/04 26/00 26/02 26/021 26/023	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads B21D 22/10)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by</li> </ul>
24/14 24/16 25/00 25/02 25/04 26/00 26/02 26/021 26/023	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads <u>B21D 22/10</u>)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> <li>Means for controlling the clamping or opening of the moulds</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b> 26/02 26/021 26/023 26/025	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads <u>B21D 22/10</u>)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> <li>Means for controlling the clamping or opening</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b> 26/02 26/021 26/023 26/025	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads <u>B21D 22/10</u>)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> <li>Means for controlling the clamping or opening of the moulds</li> <li>Means for controlling fluid parameters, e.g. pressure or temperature</li> <li>Closing or sealing means</li> </ul>
24/14 24/16 25/00 25/02 25/04 26/00 26/02 26/021 26/023 26/025 26/027	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening <ul> <li>by pulling over a die</li> <li>Clamping arrangements</li> </ul> </li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads B21D 22/10)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> <li>Means for controlling the clamping or opening of the moulds</li> <li>Means for controlling fluid parameters, e.g. pressure or temperature</li> <li>Closing or sealing means</li> <li>Mould construction</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b> 26/02 26/021 26/023 26/025 26/025 26/027 26/029 26/031	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening <ul> <li>by pulling over a die</li> <li>Clamping arrangements</li> </ul> </li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads B21D 22/10)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> <li>Means for controlling the clamping or opening of the moulds</li> <li>Means for controlling fluid parameters, e.g. pressure or temperature</li> <li>Closing or sealing means</li> <li>Mould construction (B21D 26/029 take precedence)</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b> 26/02 26/021 26/023 26/025 26/027 26/029	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening <ul> <li>by pulling over a die</li> <li>Clamping arrangements</li> </ul> </li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads B21D 22/10)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> <li>Means for controlling the clamping or opening of the moulds</li> <li>Means for controlling fluid parameters, e.g. pressure or temperature</li> <li>Closing or sealing means</li> <li>Mould construction (B21D 26/029 take precedence)</li> <li>Deforming tubular bodies (corrugating tubes by</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b> 26/02 26/021 26/023 26/025 26/027 26/029 26/031 26/033	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening <ul> <li>by pulling over a die</li> <li>Clamping arrangements</li> </ul> </li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads B21D 22/10)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> <li>Means for controlling the clamping or opening of the moulds</li> <li>Means for controlling fluid parameters, e.g. pressure or temperature</li> <li>Closing or sealing means</li> <li>Mould construction (B21D 26/029 take precedence)</li> <li>Deforming tubular bodies (corrugating tubes by applying fluid pressure B21D 15/03, B21D 15/10)</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b> 26/02 26/021 26/023 26/025 26/025 26/027 26/029 26/031	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening</li> <li>by pulling over a die</li> <li>Clamping arrangements</li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads B21D 22/10)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> <li>Means for controlling the clamping or opening of the moulds</li> <li>Means for controlling fluid parameters, e.g. pressure or temperature</li> <li>Closing or sealing means</li> <li>Mould construction (B21D 26/029 take precedence)</li> <li>Deforming tubular bodies (corrugating tubes by applying fluid pressure B21D 15/03, B21D 15/10)</li> <li>including an additional treatment performed by</li> </ul>
24/14 24/16 <b>25/00</b> 25/02 25/04 <b>26/00</b> 26/02 26/021 26/023 26/025 26/027 26/029 26/031 26/033	<ul> <li>mechanically</li> <li>pneumatically or hydraulically</li> <li>Additional equipment in association with the tools, e.g. for shearing, for trimming</li> <li>Working sheet metal of limited length by stretching, e.g. for straightening <ul> <li>by pulling over a die</li> <li>Clamping arrangements</li> </ul> </li> <li>Shaping without cutting otherwise than using rigid devices or tools or yieldable or resilient pads, i.e. applying fluid pressure or magnetic forces (stamping using resilient pads B21D 22/10)</li> <li>by applying fluid pressure</li> <li>Deforming sheet bodies</li> <li>including an additional treatment performed by fluid pressure, e.g. perforating</li> <li>Means for controlling the clamping or opening of the moulds</li> <li>Means for controlling fluid parameters, e.g. pressure or temperature</li> <li>Closing or sealing means</li> <li>Mould construction (B21D 26/029 take precedence)</li> <li>Deforming tubular bodies (corrugating tubes by applying fluid pressure B21D 15/03, B21D 15/10)</li> </ul>

26/039	Means for controlling the clamping or opening	28/343	• • • {Draw punches}
	of the moulds	28/346	• • { length adjustable perforating tools }
26/041	• • Means for controlling fluid parameters, e.g. pressure or temperature	28/36	• • using rotatable work or tool holders
26/043	• • • Means for controlling the axial pusher	31/00	Other methods for working sheet metal, metal
26/045	Closing or sealing means		tubes, metal profiles (deforming one surface of tubes
26/047	Mould construction		helically by rolling <u>B21H 3/00</u> ; upsetting <u>B21J 5/08</u> ;
20/01/	$(\underline{B21D \ 26/037} - \underline{B21D \ 26/045} \text{ take precedence})$		working metal by removing material therefrom <u>B23;</u>
26/049	Deforming bodies having a closed end	<b>2</b> 4 /00 <b>7</b>	embossing <u>B44B</u> )
26/051	Deforming double-walled bodies	31/005	• {Incremental shaping or bending, e.g. stepwise
26/053	• • characterised by the material of the blanks		moving a shaping tool along the surface of the workpiece (B21D 22/14 takes precedence)}
26/055	•••• Blanks having super-plastic properties	31/02	• Stabbing or piercing, e.g. for making sieves
26/057	Tailored blanks	51/02	(dimpling <u>B21D 22/04;</u> perforating by punching
26/059	Layered blanks		B21D 28/24)
26/06	• • by shock waves	31/04	• Expanding other than provided for in groups
26/08	generated by explosives, e.g. chemical		<u>B21D 1/00</u> - <u>B21D 28/00</u> , e.g. for making expanded
	explosives		metal (B21D 47/00 takes precedence; enlarging tube
26/10	generated by evaporation, e.g. of wire, of		ends <u>B21D 41/02</u> )
	liquids	31/043	• • {Making use of slitting discs or punch cutters}
26/12	initiated by spark discharge	31/046	• • {making use of rotating cutters}
26/14	• applying magnetic forces	31/06	• Deforming sheet metal, tubes or profiles by
28/00	Shaping by press-cutting; Perforating		sequential impacts, e.g. hammering, beating, peen
28/002	• {Drive of the tools (B21D 28/007 and B21D 28/20		forming (forging hammers <u>B21J 7/00</u> )
20/002	take precedence)}	33/00	Special measures in connection with working metal
28/005	• {Adjustment of the punch stroke for		foils, e.g. gold foils (cutting or perforating of metal
	compensating wear}		foil analogous to paper <u>B26</u> )
28/007	• {Explosive cutting or perforating}	25/00	
28/02	• Punching blanks or articles with or without	35/00	Combined processes according to {or processes combined with} methods covered by groups
	obtaining scrap (cutting nails or pins from strips or		B21D 1/00 - B21D 31/00 (B21D 21/00 takes
	sheet material <u>B21G 3/26</u> ); Notching		precedence)
28/04	• • Centering the work; Positioning the tools	35/001	• {Shaping combined with punching, e.g. stamping
28/06	Making more than one part out of the same blank;		and perforating}
	Scrapless working	35/002	• {Processes combined with methods covered by
28/08	Zig-zag sequence working		groups <u>B21D 1/00</u> - <u>B21D 31/00</u> }
28/10	. Incompletely punching in such a manner that the	35/003	• • {Simultaneous forming, e.g. making more
20/12	parts are still coherent with the work		than one part per stroke (B21D 26/06 takes
28/12	• Punching using rotatable carriers		precedence)}
28/125	• • {with multi-tools}	35/005	• • {characterized by the material of the blank or the
28/14	Dies (ejecting or stripping-off devices arranged in punching machines or tools <u>B21D 45/00</u> )	<b></b>	workpiece (B21D 26/053 takes precedence)}
28/145	<ul> <li>. { with means for slug retention, e.g. a groove}</li> </ul>	35/006	• • • {Blanks having varying thickness, e.g. tailored
28/143	<ul> <li>. {whit means for stug recention, e.g. a groove}</li> <li>. Shoulder or burr prevention {, e.g. fine-blanking}</li> </ul>	25/007	blanks}
28/10	<ul> <li>Shoulder of bull prevention {, e.g. file-ofanking}</li> <li>Yieldable, e.g. rubber, punching pads</li> </ul>	35/007	• • {Layered blanks ( <u>B21D 22/203</u> takes precedence; joining superposed plates
28/20	<ul> <li>Applications of drives { for reducing noise or</li> </ul>		<u>B21D 39/031, B21D 39/034, B21D 39/035</u> )}
20/20	wear}	35/008	• {involving vibration, e.g. ultrasonic}
28/22	• • Notching the peripheries of circular blanks, e.g.	33/000	
20/22	laminations for dynamo-electric machines	37/00	Tools as parts of machines covered by this subclass
28/24	• Perforating, i.e. punching holes		(forms or constructions of tools uniquely adapted for
28/243	• {in profiles}		particular operations, see the relevant groups for the
28/246	• {Selection of punches}	27/01	operations)
28/26	• • in sheets or flat parts	37/01	. Selection of materials
28/265	• • • { with relative movement of sheet and	37/02	• Die constructions enabling assembly of the die parts in different ways (P21D 27/06 takes precedence)
	tools enabling the punching of holes in	37/04	<ul> <li>in different ways (<u>B21D 37/06</u> takes precedence)</li> <li>Movable or exchangeable mountings for tools</li> </ul>
	predetermined locations of the sheet, e.g. holes	37/04	<ul> <li>Pivotally-arranged tools, e.g. disengageable (die</li> </ul>
	punching with template}	57/00	sets with dies pivoted to one another <u>B21D 37/12</u> )
28/28	• in tubes or other hollow bodies	37/08	• Dies with different parts for several steps in a
28/285	• • • {punching outwards}	57700	process
28/30	• • in annular parts, e.g. rims	37/10	• Die sets; Pillar guides
28/32	• in other articles of special shape	37/12	• • Particular guiding equipment, {e.g. pliers};
28/325	• • • {using cam or wedge mechanisms, e.g. aerial		Special arrangements for interconnection or
00/04	cams		cooperation of dies
28/34	• Perforating tools; Die holders		

37/14	<ul> <li>Particular arrangements for handling and holding in place complete dies</li> </ul>	41/00	Application of procedures in order to alter the diameter of tube ends ( <u>B21D 39/00</u> takes precedence
37/142	• {Spotting presses}		$\{; plastic tubes \underline{B29C 57/08}\})$
37/145	• {Die storage magazines}	41/02	• Enlarging
37/147	• {Tool exchange carts}	41/021	• • {by means of tube-flaring hand tools}
37/16	<ul> <li>Heating or cooling</li> </ul>	41/023	<ul> <li> {comprising rolling elements}</li> </ul>
37/18	<ul> <li>Lubricating {, e.g. lubricating tool and workpiece</li> </ul>	41/025	<ul> <li>{by means of impact-type swaging hand tools}</li> </ul>
57/18	simultaneously (lubricating workpieces for deep-	41/026	<ul> <li>(by means of mandrels)</li> <li>(by means of mandrels)</li> </ul>
	drawing <u>B21D 22/201</u> )}		
27/20		41/028	• • {expandable mandrels}
37/20	• Making tools by operations not covered by a single	41/04	• Reducing; Closing
37/205	<ul><li>other subclass</li><li>• {Making cutting tools}</li></ul>	41/045	• • {Closing}
39/00	Application of procedures in order to connect objects or parts, e.g. coating with sheet metal otherwise than by plating ({joining mitred profiles <u>B21D 53/745;</u> } riveting <u>B21J</u> ; uniting	43/00	Feeding, positioning or storing devices combined with, or arranged in, or specially adapted for use in connection with, apparatus for working or processing sheet metal, metal tubes or metal profiles; Associations therewith of cutting devices
	components by forging or pressing to form integral members <u>B21K 25/00;</u> welding <u>B23K;</u> press-		(cutting devices associated with the tool, <u>see</u> the relevant group for the tool)
	fitting, force-fitting, or shrinking in general	43/003	• {Positioning devices ( <u>B21D 28/04</u> and
	<u>B23P 11/00</u> , <u>B21D 19/00</u> ; by adhesives <u>F16B 11/00</u> {; Connections as such <u>F16L</u> , <u>F16B</u> }); <b>Tube</b>	43/003	B21D 28/265 take precedence; stops B21D 43/26; centering moving strips B21D 43/023)}
	expanders	12/000	
39/02	• of sheet metal by folding, e.g. connecting edges of a	43/006	• {Feeding elongated articles, such as tubes, bars, or
37/02	sheet to form a cylinder	10/00	profiles}
39/021	-	43/02	• Advancing work in relation to the stroke of the die
	• {for panels, e.g. vehicle doors}	10/001	or tool
39/023	• • • {using rollers}	43/021	• • {Control or correction devices in association with
39/025	• {Hand tools}		moving strips}
39/026	• • {Reinforcing the connection by locally	43/022	{Loop-control}
	deforming}	43/023	• • • {Centering devices, e.g. edge guiding}
39/028	• • {Reinforcing the connection otherwise than by	43/025	• • {Fault detection, e.g. misfeed detection}
	deforming, e.g. welding}	43/026	• • {Combination of two or more feeding devices
39/03	• of sheet metal otherwise than by folding		provided for in <u>B21D 43/04</u> - <u>B21D 43/18</u> }
39/031	• • {Joining superposed plates by locally deforming	43/027	• • {Combined feeding and ejecting devices}
	without slitting or piercing}	43/028	• • {Tools travelling with material, e.g. flying
39/032	• • • {by fitting a projecting part integral with one		punching machines}
	plate in a hole of the other plate }	43/04	by means in mechanical engagement with the
39/034	• • {Joining superposed plates by piercing}		work
39/035	• • {Joining superposed plates by slitting}	43/05	specially adapted for multi-stage presses
39/037	• • {Interlocking butt joints}		$\{(\underline{B21D \ 43/145} \text{ takes precedence})\}$
39/038	• • {Perpendicular plate connections}	43/052	{Devices having a cross bar}
39/04	• of tubes with tubes; of tubes with rods { (crimped	43/055	• • • • {Devices comprising a pair of longitudinally
	pipe joints as such F16L 13/14)		and laterally movable parallel transfer bars}
39/042	<ul> <li>{using explosives (by explosive welding <u>B23K 20/08</u>)}</li> </ul>	43/057	•••• {Devices for exchanging transfer bars or grippers; Idle stages, e.g. exchangeable}
39/044	• {perpendicular}	43/06	• • • by positive or negative engaging parts co-
39/046	• • {Connecting tubes to tube-like fittings}		operating with corresponding parts of the sheet
39/048	<ul> <li>{using presses for radially crimping tubular</li> </ul>		or the like to be processed, e.g. carrier bolts or
57/040	elements}		grooved section in the carriers
39/06	• of tubes in openings, e.g. rolling-in	43/08	by rollers { (B21D $43/145$ takes precedence) }
39/063	<ul> <li>• of tables in openings, e.g. forming in</li> <li>• {for assembling ladders}</li> </ul>	43/09	by one or more pairs of rollers for feeding
39/063 39/066	<ul> <li>. {tor assembling fadders}</li> <li>. {using explosives}</li> </ul>	10,07	sheet or strip material
		43/10	• • • by grippers {( <u>B21D 43/055</u> , <u>B21D 43/057</u> ,
39/08	• Tube expanders	15/10	$\frac{B21D 43/145}{B21D 43/145}$ take precedence)}
39/10	• with rollers for expanding only	43/105	• • • {Manipulators, i.e. mechanical arms carrying
39/12	• with rollers for expanding and flanging	15/105	a gripper element having several degrees of
39/14	• • with balls		freedom}
39/16	• • with torque limiting devices	43/11	for feeding sheet or strip material
39/18	Rollers of special shape	43/11	<ul> <li>by chains or belts {(<u>B21D 43/145</u> takes</li> </ul>
39/20	• • with mandrels, e.g. expandable	+3/12	precedence)}
39/203	• • • {expandable by fluid or elastic material}	12/12	
39/206	• • • {by axially compressing the elastic material}	43/13	• • by linearly moving tables
		43/14	• • by turning devices, e.g. turn-tables
		43/145	{Turnover devices, i.e. by turning about a
			substantially horizontal axis}

43/16	• • by gravity, e.g. chutes
43/18	• • by means in pneumatic or magnetic engagement with the work
43/20	<ul> <li>Storage arrangements; Piling or unpiling (in general <u>B65G</u>, {<u>B65H</u>})</li> </ul>
43/22	• • Devices for piling sheets
43/24	• Devices for removing sheets from a stack
43/26	• Stops
43/28	• Associations of cutting devices therewith
43/282	• • {Discharging crop ends or the like}
43/285	<ul> <li>{Devices for handling elongated articles, e.g. bars, tubes or profiles (<u>B21D 43/282</u>, B21D 43/287 take precedence)}</li> </ul>
43/287	• {Devices for handling sheet or strip material ( <u>B21D 43/282</u> takes precedence)}
45/00	Ejecting or stripping-off devices arranged in
	machines or tools dealt with in this subclass
45/003	• {in punching machines or punching tools}
45/006	• • {Stripping-off devices}
45/02	• Ejecting devices
45/04	interrelated with motion of tool
45/06	Stripping-off devices
45/065	• {for deep-drawn cans, e.g. using stripping fingers}
45/08	interrelated with motion of tool
45/10	• Combined ejecting and stripping-off devices

# <u>Processing sheet metal or metal tubes, or processing metal</u> profiles according to any of groups B21D 1/00 - B21D 45/00, in

the manufacture of finished or semi-finished articles

47/00	Making rigid structural elements or units, e.g.		
	honeycomb structures		
47/005	• {Making gratings}		
47/01	• beams or pillars		
47/02	• • by expanding		
47/04	. composite sheet metal profiles		
49/00	<b>Sheathing or stiffening objects</b> (by winding wire or tape thereon <u>B65H 54/00</u> , <u>B65H 81/00</u> ; specially adapted for manufacturing conductors or cables H01B 13/26)		
49/005	• {Hollow objects}		
51/00	Making hollow objects (from thick-walled or non uniform tubes <u>B21K 21/00</u> )		
51/02	• characterised by the structure of the objects $\{(\underline{B21D \ 51/26} \text{ takes precedence})\}$		
	NOTE		
	Making hollow objects characterised both by their structure and by their use is classified only in group $\frac{B21D 51/16}{D}$		
51/04	• • built-up objects, e.g. objects with rigidly-attached bottom or cover		
51/06	• folded objects		
51/08	• ball-shaped objects		
51/10	• • conically or cylindrically shaped objects		
51/12	• • objects with corrugated walls		
51/14	• Flattening hollow objects for transport or storage;		
	Re-forming same (making tubes from doubled flat material B21C 37/14)		
51/16	• characterised by the use of the objects (making heat		

	in group <u>B21D 51/16</u>
51/04	• • built-up objects, e.g. objects with rigidly-attached bottom or cover
51/06	. folded objects
51/08	ball-shaped objects
51/10	• • conically or cylindrically shaped objects
51/12	objects with corrugated walls
51/14	. Flattening hollow objects for transport or storage;
	Re-forming same (making tubes from doubled flat material <u>B21C 37/14</u> )
51/16	<ul> <li>characterised by the use of the objects (making heat exchangers <u>B21D 53/02</u>)</li> </ul>

51/18	• vessels, e.g. tubs, vats, tanks, sinks, or the like			
51/20	barrels			
51/22	• • • pots, e.g. for cooking			
51/24	• high-pressure containers, e.g. boilers, bottles			
51/26	cans or tins; Closing same in a permanent manner			
	(making outlet arrangements <u>B21D 51/38;</u>			
	welding or soldering <u>B23K</u> )			
51/2607	{Locally embossing the walls of formed can			
	bodies ( <u>B44B 5/00</u> , <u>B44C 1/24</u> , <u>B44C 3/085</u>			
	take precedence; bulging <u>B21D 51/2646</u> )}			
51/2615	• • • {Edge treatment of cans or tins}			
51/2623	•••• {Curling}			
51/263	•••• {Flanging}			
51/2638	•••• {Necking}			
51/2646	• • • {Of particular non cylindrical shape, e.g.			
	conical, rectangular, polygonal, bulged}			
51/2653	• • • {Methods or machines for closing cans by			
	applying caps or bottoms}			
51/2661	• • • • {Sealing or closing means therefor}			
51/2669	• • • {Transforming the shape of formed can bodies;			
	Forming can bodies from flattened tubular			
	blanks; Flattening can bodies}			
51/2676	• • • {Cans or tins having longitudinal or helical			
	seams}			
51/2684	• • • {Cans or tins having circumferential side			
	seams}			
51/2692	• • • {Manipulating, e.g. feeding and positioning			
	devices; Control systems}			
51/28	Folding the longitudinal seam			
51/30	Folding the circumferential seam			
51/32	• • • by rolling			
51/34	• • • by pressing			
51/36	• • collapsible or like thin-walled tubes, e.g. for			
	toothpaste			
51/365	• • {involving fixing closure members to the tubes,			
	e.g. nozzles}			
51/38	Making inlet or outlet arrangements of cans, tins,			
	baths, bottles, or other vessels; Making can ends;			
	Making closures			
51/383	• • • {scoring lines, tear strips or pulling tabs}			
51/386	• • • {on the side-wall of containers}			
51/40	Making outlet openings, e.g. bung holes			
51/42	Making or attaching spouts			
51/44	Making closures, e.g. caps (folded of thin			
	metal foils in the way of making paper caps			
	<u>B31D 5/00;</u> making closures in conjunction with emplying some $P(7P)$			
51/442	with applying same $\underline{B67B}$ )			
51/443	• • • {easily removable closures, e.g. by means of			
51/116	tear strips}			
51/446	• • • {Feeding or removal of material}			
51/46	•••• Placing sealings or sealing material {(moulding plastic sealing material into			
	(moulding plastic searing material into closure members <u>B29C 70/80</u> )}			
51/48	• • • • Making crown caps			
51/48	Making crown caps     Making screw caps			
51/50 51/52				
51/52 51/54	• boxes, cigarette cases, or the like			
51/34	cartridge cases, e.g. for ammunition, for letter carriers in pneumatic-tube plants			
	carriers in pheumane-tube plants			
53/00	Making other particular articles (making wire			
	fabrics <u>B21F</u> ; making chains or chain parts <u>B21L</u> )			

B21D45/00	heet metal or metal tubes, or processing metal profiles accords	ing to any of g	groups B21D1/00 B21D
53/02	• heat exchangers {or parts thereof}, e.g. radiators,	53/66	• spades; shovels (handle portions <u>B21D 53/70</u> )
	condensers {fins, headers}(making finned or ribbed tubes by fixing strip material or the like to tubes	53/68	<ul> <li>rakes, garden forks, or the like (handle portions B21D 53/70)</li> </ul>
	<u>B21C 37/22</u> )	53/70	• handle portions ( <u>B21D 53/72</u> takes precedence)
53/022	• • {Making the fins}	53/72	sickles; scythes
53/025	{Louvered fins}	53/74	• frames for openings, e.g. for windows, doors,
53/027	<ul> <li>{by helically or spirally winding elongated elements}</li> </ul>	53/745	<ul><li>handbags</li><li>• {Joining mitred profiles comprising punching the</li></ul>
53/04	• • of sheet metal	55/145	profiles on a corner-angle connecting piece}
53/045	••• {by inflating partially united plates}	53/76	• writing or drawing instruments, e.g. writing pens,
53/06	• • of metal tubes		erasing pens
53/08	of both metal tubes and sheet metal (connecting	53/78	• propeller blades; turbine blades
	tubes in openings <u>B21D 39/06</u> )	53/80	• dustproof covers; safety covers
53/085	••• { with fins places on zig-zag tubes or parallel tubes }	53/82	• perforated music sheets; pattern sheets, e.g. for control purposes, stencils
53/10	• parts of bearings; sleeves; valve seats or the like	53/84	• other parts for engines, e.g. connecting-rods
53/12	cages for bearings	53/845	• • {Making camshafts}
53/14	• belts, e.g. machine-gun belts	53/86	• other parts for bicycles or motorcycles
53/16	• rings, e.g. barrel hoops	53/88	• other parts for vehicles, e.g. cowlings, mudguards
53/18	of hollow or C-shaped cross-section, e.g. for	53/883	• {reflectors}
	curtains, for eyelets	53/886	• • {leaf springs}
53/20	• • washers, e.g. for sealing	53/90	. axle-housings
53/22	• • • with means for preventing rotation	53/92	• other parts for aircraft
53/24	• nuts or like thread-engaging members	<b>55</b> (00)	
53/26	• wheels or the like	55/00	Safety devices protecting the machine or the operator, specially adapted for apparatus or
53/261	• • {pulleys}		machines dealt with in this subclass (for presses in
53/262	• • {with inscriptions or the like, e.g. printing wheels}		general <u>B30B</u> ; safety devices in general <u>F16P</u> )
53/264	• {wheels out of a single piece ( <u>B21D 53/261</u> takes precedence)}		
53/265	• {parts of wheels ( <u>B21D 53/28</u> , <u>B21D 53/30</u> take precedence)}		
53/267	• {blower wheels, i.e. wheels provided with fan elements}		
53/268	• {wheels having spokes}		
53/28	gear wheels		
53/30	wheel rims		
53/32	wheel covers		
53/34	• • brake drums		
53/36	<ul> <li>clips, clamps, or like fastening or attaching devices,</li> <li>e.g. for electric installation</li> </ul>		
53/38	• locksmith's goods, e.g. handles		
53/40	• • hinges, e.g. door hinge plates		
53/42	<ul> <li>keys {(making keys by combined operations <u>B23P 15/005</u>)}</li> </ul>		
53/44	• fancy goods, e.g. jewellery products		
53/46	• haberdashery, e.g. buckles, combs; pronged		
	fasteners, e.g. staples		
53/48	buttons, e.g. press-buttons, snap fasteners		
53/50	• • metal slide-fastener parts		
53/52	• • fastener elements; Attaching such elements so far as this procedure is combined with the process for making the elements		
53/54	slides		
53/56	stops		
53/58	• end-pieces for laces or ropes		
52/60	outland worses carden tools or the like		

53/60

53/62

53/64

53/642 53/645

53/647

. cutlery wares; garden tools or the like

. . knives; scissors; cutting blades (B21D 53/72

takes precedence; handle portions  $\underline{B21D 53/70}$ )

. . spoons; table forks

. . . {safety razor blades}

• • • {mower blades}

• • {scissors}

**B21D**