

CPC COOPERATIVE PATENT CLASSIFICATION

C CHEMISTRY; METALLURGY

(NOTES omitted)

CHEMISTRY

C07 ORGANIC CHEMISTRY

(NOTES omitted)

C07F ACYCLIC, CARBOCYCLIC OR HETEROCYCLIC COMPOUNDS CONTAINING ELEMENTS OTHER THAN CARBON, HYDROGEN, HALOGEN, OXYGEN, NITROGEN, SULFUR, SELENIUM OR TELLURIUM (metal-containing porphyrins [C07D 487/22](#))

NOTES

- Attention is drawn to Note (3) after class [C07](#), which defines the last place priority rule applied in the range of subclasses [C07C-C07K](#) and within these subclasses.
- Attention is drawn to Note (6) following the title of class [C07](#).
- Therapeutic activity of compounds is further classified in subclass [A61P](#).
- In this subclass, organic acid salts, alcoholates, phenates, chelates or mercaptides are classified as the parent compounds.
- {Compounds containing Se or Te are classified with their sulfur homologues.}
- {A hydrocarbon chain is considered to be terminated by a heteroatom or by a carbon atom having three bonds to heteroatoms with at the most one to halogen.}
- {When groups, e.g. aromatic or aliphatic groups, are mentioned without further indications, it means that the group concerned can be further substituted. Otherwise it will be indicated, e.g. [C07F 9/11](#) with hydroxyalkyl compounds without further substituents on alkyl.}

WARNINGS

- The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:
[C07F 9/6593](#) covered by [C07F 9/65815](#)
- In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Compounds containing elements of Groups 1 or 11 of the Periodic Table	5/003	. {without C-Metal linkages}
1/005	. {without C-Metal linkages}	5/02	. Boron compounds
1/02	. Lithium compounds	5/022	. . {without C-boron linkages}
1/04	. Sodium compounds	5/025	. . {Boronic and borinic acid compounds}
1/06	. Potassium compounds	5/027	. . {Organoboranes and organoborohydrides}
1/08	. Copper compounds	5/04	. . Esters of boric acids
1/10	. Silver compounds	5/05	. . Cyclic compounds having at least one ring containing boron but no carbon in the ring
1/12	. Gold compounds	5/06	. Aluminium compounds
3/00	Compounds containing elements of Groups 2 or 12 of the Periodic Table	5/061	. . {with C-aluminium linkage}
3/003	. {without C-Metal linkages}	5/062	. . . {Al linked exclusively to C}
3/006	. {Beryllium compounds}	5/064	. . . {compounds with an Al-Halogen linkage}
3/02	. Magnesium compounds	5/065	. . . {compounds with an Al-H linkage}
3/04	. Calcium compounds	5/066	. . . {compounds with Al linked to an element other than Al, C, H or halogen (this includes Al-cyanide linkage)}
3/06	. Zinc compounds	5/067 {compounds with Al also linked to H or halogen}
3/08	. Cadmium compounds	5/068 {preparation of alum(in)oxanes}
3/10	. Mercury compounds	5/069	. . {without C-aluminium linkages}
3/103	. . {without C-Mercury linkages}	7/00	Compounds containing elements of Groups 4 or 14 of the Periodic Table
3/12	. . Aromatic substances containing mercury	7/003	. {without C-Metal linkages}
3/14	. . Heterocyclic substances containing mercury		
5/00	Compounds containing elements of Groups 3 or 13 of the Periodic Table		

- 7/02 . Silicon compounds
- 7/025 . . {without C-silicon linkages}
- 7/04 . . Esters of silicic acids
- 7/06 . . . with hydroxyaryl compounds
- 7/07 . . . Cyclic esters
- 7/08 . . Compounds having one or more C—Si linkages
- 7/0801 . . . {General processes}
- 7/0803 . . . {Compounds with Si-C or Si-Si linkages}
- 7/0805 {comprising only Si, C or H atoms}
- 7/0807 {comprising Si as a ring atom}
- 7/081 {comprising at least one atom selected from the elements N, O, halogen, S, Se or Te}
- 7/0812 {comprising a heterocyclic ring}
- 7/0814 {said ring is substituted at a C ring atom by Si}
- 7/0816 {said ring comprising Si as a ring atom}
- 7/0825 {Preparations of compounds not comprising Si-Si or Si-cyano linkages}
- 7/0827 {Syntheses with formation of a Si-C bond}
- 7/0829 {Hydrosilylation reactions}
- 7/083 {Syntheses without formation of a Si-C bond}
- 7/0832 {Other preparations}
- 7/0834 . . . {Compounds having one or more O-Si linkage (for compounds with C-O-Si linkages see [C07F 7/18](#))}
- 7/0836 {Compounds with one or more Si-OH or Si-O-metal linkage}
- 7/0838 {Compounds with one or more Si-O-Si sequences (compounds with a ring containing only alternating Si and O atoms, i.e. cyclosilanes [C07F 7/21](#))}
- 7/087 {Compounds of unknown structure containing a Si-O-Si sequence}
- 7/0872 {Preparation and treatment thereof}
- 7/0874 {Reactions involving a bond of the Si-O-Si linkage}
- 7/0876 {Reactions involving the formation of bonds to a Si atom of a Si-O-Si sequence other than a bond of the Si-O-Si linkage}
- 7/0878 {Si-C bond}
- 7/0879 {Hydrosilylation reactions}
- 7/0889 {Reactions not involving the Si atom of the Si-O-Si sequence}
- 7/089 {Treatments not covered by a preceding group}
- 7/0892 {Compounds with a Si-O-N linkage}
- 7/0894 {Compounds with a Si-O-O linkage}
- 7/0896 . . . {Compounds with a Si-H linkage}
- 7/0898 . . . {Compounds with a Si-S linkage}
- 7/10 . . . containing nitrogen {having a Si-N linkage}
- 7/12 . . . Organo silicon halides
- 7/121 {Preparation or treatment not provided for in [C07F 7/14](#), [C07F 7/16](#) or [C07F 7/20](#)}
- 7/122 {by reactions involving the formation of Si-C linkages ([hydrosilylation reactions C07F 7/14](#); [direct synthesis C07F 7/16](#))}
- 7/123 {by reactions involving the formation of Si-halogen linkages}
- 7/125 {by reactions involving both Si-C and Si-halogen linkages, the Si-C and Si-halogen linkages can be to the same or to different Si atoms, e.g. redistribution reactions}
- 7/126 {by reactions involving the formation of Si-Y linkages, where Y is not a carbon or halogen atom}
- 7/127 {by reactions not affecting the linkages to the silicon atom}
- 7/128 {by reactions covered by more than one of the groups [C07F 7/122](#) - [C07F 7/127](#) and of which the starting material is unknown or insufficiently determined}
- 7/14 Preparation thereof from {optionally substituted} halogenated silanes and hydrocarbons {[hydrosilylation reactions](#)}
- 7/16 Preparation thereof from silicon and halogenated hydrocarbons {[direct synthesis](#)}
- 7/18 . . . Compounds having one or more C—Si linkages as well as one or more C—O—Si linkages
- 7/1804 {Compounds having Si-O-C linkages ([Si-O-acyl linkages C07F 7/1896](#))}
- 7/1872 {Preparation; Treatments not provided for in [C07F 7/20](#)}
- 7/1876 {by reactions involving the formation of Si-C linkages}
- 7/188 {by reactions involving the formation of Si-O linkages}
- 7/1884 {by dismutation}
- 7/1888 {by reactions involving the formation of other Si-linkages, e.g. Si-N}
- 7/1892 {by reactions not provided for in [C07F 7/1876](#) - [C07F 7/1888](#)}
- 7/1896 {Compounds having one or more Si-O-acyl linkages}
- 7/20 . . . Purification, separation
- 7/21 . . Cyclic compounds having at least one ring containing silicon, but no carbon in the ring
- 7/22 . Tin compounds
- 7/2204 . . {Not belonging to the groups [C07F 7/2208](#) - [C07F 7/2296](#)}
- 7/2208 . . {Compounds having tin linked only to carbon, hydrogen and/or halogen}
- 7/2224 . . {Compounds having one or more tin-oxygen linkages}
- 7/226 . . {Compounds with one or more Sn-S linkages}
- 7/2284 . . {Compounds with one or more Sn-N linkages}
- 7/2288 . . {Compounds with one or more Sn-metal linkages}
- 7/2296 . . {Purification, stabilisation, isolation}
- 7/24 . Lead compounds
- 7/26 . . Tetra-alkyl lead compounds
- 7/28 . Titanium compounds
- 7/30 . Germanium compounds
- 9/00 Compounds containing elements of Groups 5 or 15 of the Periodic Table**

NOTE

The silicon atom involved in the reaction that is attached or becomes attached to the highest number of halide atoms determines classification

9/005	. {Compounds of elements of Group 5 of the Periodic Table without metal-carbon linkages}	9/1418 {Compounds containing the structure P-O-N}
9/02	. Phosphorus compounds (sugar phosphates C07H 11/04; nucleotides C07H 19/00, C07H 21/00; nucleic acids C07H 21/00)	9/142 with hydroxyalkyl compounds without further substituents on alkyl
9/025	. . {Purification; Separation; Stabilisation; Desodorisation of organo-phosphorus compounds (of natural phosphatides C07F 9/103; phosphines C07F 9/5095)}	9/143 with unsaturated acyclic alcohols
9/04	. . Reaction products of phosphorus sulfur compounds with hydrocarbons	9/144 with cycloaliphatic alcohols
9/06	. . without P—C bonds	9/145 with hydroxyaryl compounds
9/062	. . . {Organo-phosphoranes without P-C bonds}	9/146 containing P-halide groups
9/065 {Phosphoranes containing the structure P=N-}	9/16	. . . Esters of thiophosphoric acids or thiophosphorous acids
9/067 {Polyphosphazenes containing the structure [P=N-n] (cyclic compounds C07F 9/65812)}	9/165 Esters of thiophosphoric acids
9/08	. . . Esters of oxyacids of phosphorus ((C07F 9/062 takes precedence)}	9/1651 {with hydroxyalkyl compounds with further substituents on alkyl}
9/09 Esters of phosphoric acids	9/1652 {Polyol derivatives esterified at least twice by thiophosphoric acid groups}
9/091 {with hydroxyalkyl compounds with further substituents on alkyl}	9/1653 {with arylalkanols}
9/092 {substituted by B, Si or a metal}	9/1654 {Compounds containing the structure P(=X)n-X-acyl, P(=X)n-X-heteroatom, P(=X)n-X-CN (X = O, S, Se; n = 0, 1)}
9/093 {Polyol derivatives esterified at least twice by phosphoric acid groups}	9/1655 {Compounds containing the structure P(=X)n-S-(S)x- (X = O, S, Se; n=0,1; x>=1)}
9/094 {with arylalkanols}	9/1656 {Compounds containing the structure P(=X)n-X-C(=X)- (X = O, S, Se; n = 0, 1)}
9/095 {Compounds containing the structure P(=O)-O-acyl, P(=O)-O-heteroatom, P(=O)-O-CN}	9/1657 {Compounds containing the structure P(=X)n-X-N (X = O, S, Se; n = 0, 1)}
9/096 {Compounds containing the structure P(=O)-O-C(=X)- (X = O, S, Se)}	9/1658 {Esters of thiopolyphosphoric acids or anhydrides}
9/097 {Compounds containing the structure P(=O)-O-N}	9/17 with hydroxyalkyl compounds without further substituents on alkyl
9/098 {Esters of polyphosphoric acids or anhydrides}	9/173 with unsaturated acyclic alcohols
9/10 Phosphatides, e.g. lecithin	9/177 with cycloaliphatic alcohols
9/103 {Extraction or purification by physical or chemical treatment of natural phosphatides; Preparation of compositions containing phosphatides of unknown structure}	9/18 with hydroxyaryl compounds
9/106 {Adducts, complexes, salts of phosphatides}	9/20 containing P-halide groups
9/11 with hydroxyalkyl compounds without further substituents on alkyl	9/2003 {containing the structure Hal-P-X-unsaturated acyclic group}
9/113 with unsaturated acyclic alcohols	9/2006 {containing the structure Hal-P-X-aryl}
9/117 with cycloaliphatic alcohols	9/201 Esters of thiophosphorus acids
9/12 with hydroxyaryl compounds	9/2015 {with hydroxyalkyl compounds with further substituents on alkyl}
9/14 containing P(=O)-halide groups	9/202 with hydroxyl compounds without further substituents on alkyl
9/1403 {containing the structure Hal-P(=O)-O-unsaturated acyclic group}	9/203 with unsaturated acyclic alcohols
9/1406 {containing the structure Hal-P(=O)-O-aryl}	9/204 with cycloaliphatic alcohols
9/141 Esters of phosphorous acids	9/205 with hydroxyaryl compounds
9/1411 {with hydroxyalkyl compounds with further substituents on alkyl}	9/206 containing P-halide groups
9/1412 {Polyol derivatives esterified at least twice by phosphorous acid groups}	9/22	. . . Amides of acids of phosphorus
9/1414 {with arylalkanols}	9/222 {Amides of phosphoric acids}
9/1415 {Compounds containing the structure P-O-acyl, P-O-heteroatom, P-O-CN}	9/224 {Phosphorus triamides}
9/1417 {Compounds containing the structure P-O-C(=X)- (X = O, S, Se)}	9/226 {containing the structure P-isocyanates}
		9/228 {containing the structure P-N-N, e.g. azides, hydrazides}
		9/24 Esteramides
		9/2404 {the ester moiety containing a substituent or a structure which is considered as characteristic}
		9/2408 {of hydroxyalkyl compounds}
		9/2412 {of unsaturated acyclic alcohols}
		9/2416 {of cycloaliphatic alcohols}
		9/242 {of hydroxyaryl compounds}

- 9/2425 {containing the structure (RX)
(RR'N)P(=Y)-Z-(C)n-Z'-P(=Y)(XR)₂ (X
= O, S, NR; Y = O, S, electron pair; Z =
O, S; Z' = O, S)}
- 9/2429 {of arylalkanols}
- 9/2433 {Compounds containing the structure
N-P(=X)n-X-acyl, N-P(=X)n-X-
heteroatom, N-P(=X)n-X-CN (X = O, S,
Se; n = 0, 1)}
- 9/2437 {Compounds containing the structure
N-P(=X)n-S(S)x-(X = O, S, Se;
n=0,1; x>=1)}
- 9/2441 {containing the structure N-P(=X)n-
X-C(=X) (X = O, S, Se; n = 0, 1)}
- 9/2445 {containing the structure N-P(=X)n-
X-N (X = O, S, Se; n = 0, 1)}
- 9/245 {containing the structure N-P(=X)n-
X-P (X = O, S, Se; n = 0, 1)}
- 9/2454 {the amide moiety containing a substituent
or a structure which is considered as
characteristic}
- 9/2458 {of aliphatic amines}
- 9/2462 {of unsaturated acyclic amines}
- 9/2466 {of cycloaliphatic amines}
- 9/247 {of aromatic amines (N-C aromatic
linkage)}
- 9/2475 {of aralkylamines}
- 9/2479 {Compounds containing the structure
P(=X)n-N-acyl, P(=X)n-N-heteroatom,
P(=X)n-N-CN (X = O, S, Se; n = 0, 1)}
- 9/2483 {containing the structure P(=X)n-N-S
(X = O, S, Se; n = 0, 1)}
- 9/2487 {containing the structure P(=X)n-N-
C(=X) (X = O, S, Se; n = 0, 1)}
- 9/2491 {containing the structure P(=X)n-N-N
(X = O, S, Se; n = 0, 1)}
- 9/2495 {containing the structure P(=X)n-N-P
(X = O, S, Se; n = 0, 1)}
- 9/26 containing P-halide groups
- 9/28 with one or more P—C bonds
- 9/30 Phosphinic acids [R₂P(=O)(OH)];
Thiophosphinic acids {; [R₂P(=X₁)(X₂H) (X₁,
X₂ are each independently O, S or Se)}
- 9/301 {Acyclic saturated acids which can have
further substituents on alkyl}
- 9/302 {Acyclic unsaturated acids}
- 9/303 {Cycloaliphatic acids}
- 9/304 {Aromatic acids (P-C aromatic linkage)}
- 9/305 {Poly(thio)phosphinic acids}
- 9/306 {Arylalkanephosphinic acids, e.g. Ar-
(CH₂)_n-P(=X)(R)(XH), (X = O, S, Se;
n>=1)}
- 9/307 {Acids containing the structure -C(=X)-
P(=X)(R)(XH) or NC-P(=X)(R)(XH), (X =
O, S, Se)}
- 9/308 {Pyrophosphinic acids; Phosphinic acid
anhydrides}
- 9/32 Esters thereof
- 9/3205 {the acid moiety containing a substituent
or a structure which is considered as
characteristic}
- 9/3211 {Esters of acyclic saturated acids which
can have further substituents on alkyl}
- 9/3217 {Esters of acyclic unsaturated acids}
- 9/3223 {Esters of cycloaliphatic acids}
- 9/3229 {Esters of aromatic acids (P-C aromatic
linkage)}
- 9/3235 {Esters of poly(thio)phosphinic acids}
- 9/3241 {Esters of arylalkanephosphinic acids}
- 9/3247 {Esters of acids containing the structure
-C(=X)-P(=X)(R)(XH) or NC-P(=X)(R)
(XH), (X = O, S, Se)}
- 9/3252 {containing the structure -C(=X)-
P(=X)(R)(XR), (X = O, S, Se)}
- 9/3258 {the ester moiety containing a substituent
or a structure which is considered as
characteristic}
- 9/3264 {Esters with hydroxyalkyl compounds}
- 9/327 {Esters with unsaturated acyclic
alcohols}
- 9/3276 {Esters with cycloaliphatic alcohols}
- 9/3282 {Esters with hydroxyaryl compounds}
- 9/3288 {Esters with arylalkanols}
- 9/3294 {Compounds containing the structure
R₂P(=X)-X-acyl, R₂P(=X)-X-
heteroatom, R₂P(=X)-X-CN (X = O, S,
Se)}
- 9/34 Halides thereof
- 9/36 Amides thereof
- 9/38 Phosphonic acids [RP(=O)(OH)₂];
Thiophosphonic acids {; [RP(=X₁)(X₂H)₂(X₁,
X₂ are each independently O, S or Se)}
- 9/3804 {not used, see subgroups}
- 9/3808 {Acyclic saturated acids which can have
further substituents on alkyl}
- 9/3813 {N-Phosphonomethylglycine; Salts or
complexes thereof}
- 9/3817 {Acids containing the structure
(RX)₂P(=X)-alk-N...P (X = O, S, Se)}
- 9/3821 {substituted by B, Si, P or a metal
([C07F 9/3839](#) takes precedence)}
- 9/3826 {Acyclic unsaturated acids}
- 9/383 {Cycloaliphatic acids}
- 9/3834 {Aromatic acids (P-C aromatic linkage)}
- 9/3839 {Polyphosphonic acids}
- 9/3843 {containing no further substituents than
-PO₃H₂ groups}
- 9/3847 {Acyclic unsaturated derivatives}
- 9/3852 {Cycloaliphatic derivatives}
- 9/3856 {containing halogen or nitro(so)
substituents}
- 9/386 {containing hydroxy substituents in the
hydrocarbon radicals}
- 9/3865 {containing sulfur substituents}
- 9/3869 {containing carboxylic acid or
carboxylic acid derivative substituents}
- 9/3873 {containing nitrogen substituent,
e.g. N.....H or N-hydrocarbon group
which can be substituted by halogen or
nitro(so), N.....O, N.....S, N.....C(=X)-
(X = O, S), N.....N, N...C(=X)...N (X = O,
S)}
- 9/3878 {containing substituents selected from
B, Si, P (other than -PO₃H₂ groups) or a
metal}
- 9/3882 {Arylalkanephosphonic acids
([C07F 9/3839](#) takes precedence)}

- 9/3886 {Acids containing the structure $-C(=X)-P(=X)(XH)_2$ or $NC-P(=X)(XH)_2$, (X = O, S, Se)}
- 9/3891 {Acids containing the structure $-C(=X)-P(=X)(XH)_2$, (X = O, S, Se)}
- 9/3895 {Pyrophosphonic acids; phosphonic acid anhydrides}
- 9/40 Esters thereof
- 9/4003 {the acid moiety containing a substituent or a structure which is considered as characteristic}
- 9/4006 {Esters of acyclic acids which can have further substituents on alkyl}
- 9/4009 {Esters containing the structure $(RX)_2P(=X)-alk-N...P$ (X = O, S, Se)}
- 9/4012 {substituted by B, Si, P or a metal (C07F 9/4025 takes precedence)}
- 9/4015 {Esters of acyclic unsaturated acids}
- 9/4018 {Esters of cycloaliphatic acids}
- 9/4021 {Esters of aromatic acids (P-C aromatic linkage)}
- 9/4025 {Esters of poly(thio)phosphonic acids}
- 9/4028 {containing no further substituents than $-PO_3H_2$ groups in free or esterified form}
- 9/4031 {Acyclic unsaturated derivatives}
- 9/4034 {Cycloaliphatic derivatives}
- 9/4037 {containing halogen or nitro(so) substituents}
- 9/404 {containing hydroxy substituents in the hydrocarbon radicals}
- 9/4043 {containing sulfur substituents}
- 9/4046 {containing carboxylic acid or carboxylic acid derivative substituents}
- 9/405 {containing nitrogen substituent, e.g. $N....H$ or N -hydrocarbon group which can be substituted by halogen or nitro(so), $N....O$, $N....S$, $N....C(=X)-$ (X = O, S), $N....N$, $N...C(=X)...N$ (X = O, S)}
- 9/4053 {containing substituents selected from B, Si, P (other than $-PO_3H_2$ groups in free or esterified form), or a metal}
- 9/4056 {Esters of arylalkanephosphonic acids (C07F 9/4025 takes precedence)}
- 9/4059 {Compounds containing the structure $(RY)_2P(=X)-(CH_2)_n-C(=O)-(CH_2)_m-Ar$, (X, Y = O, S, Se; $n \geq 1$, $m \geq 0$)}
- 9/4062 {Esters of acids containing the structure $-C(=X)-P(=X)(XR)_2$ or $NC-P(=X)(XR)_2$, (X = O, S, Se)}
- 9/4065 {Esters of acids containing the structure $-C(=X)-P(=X)(XR)_2$, (X = O, S, Se)}
- 9/4068 {Esters of pyrophosphonic acids; Esters of phosphonic acid anhydrides}
- 9/4071 {the ester moiety containing a substituent or a structure which is considered as characteristic}
- 9/4075 {Esters with hydroxyalkyl compounds}
- 9/4078 {Esters with unsaturated acyclic alcohols}
- 9/4081 {Esters with cycloaliphatic alcohols}
- 9/4084 {Esters with hydroxyaryl compounds}
- 9/4087 {Esters with arylalkanols}
- 9/409 {Compounds containing the structure $P(=X)-X-acyl$, $P(=X)-X$ -heteroatom, $P(=X)-X-CN$ (X = O, S, Se)}
- 9/4093 {Compounds containing the structure $P(=X)-X-C(=X)-$ (X = O, S, Se)}
- 9/4096 {Compounds containing the structure $P(=X)-X-N$ (X = O, S, Se)}
- 9/42 Halides thereof
- 9/425 {Acid or estermonohalides thereof, e.g. $RP(=X)(YR)(Hal)$ (X, Y = O, S; R = H, or hydrocarbon group)}
- 9/44 Amides thereof
- 9/4403 {the acid moiety containing a substituent or a structure which is considered as characteristic}
- 9/4407 {Amides of acyclic saturated acids which can have further substituents on alkyl}
- 9/4411 {Amides of acyclic unsaturated acids}
- 9/4415 {Amides of cycloaliphatic acids}
- 9/4419 {Amides of aromatic acids (P-C aromatic linkage)}
- 9/4423 {Amides of poly (thio)phosphonic acids}
- 9/4426 {Amides of arylalkanephosphonic acids}
- 9/443 {Amides of acids containing the structure $-C(=Y)-P(=X)(XR)-N$ or $NC-(P(=X)(XR)-N)$ }
- 9/4434 {the ester moiety containing a substituent or a structure which is considered as characteristic}
- 9/4438 {Ester with hydroxyalkyl compounds}
- 9/4442 {Esters with unsaturated acyclic alcohols}
- 9/4446 {Esters with cycloaliphatic alcohols}
- 9/4449 {Esters with hydroxyaryl compounds}
- 9/4453 {Esters with arylalkanols}
- 9/4457 {Compounds containing the structure $C-P(=X)(X-acyl)-N$, $C-P(=X)(X-heteroatom)-N$ or $C-P(=X)(X-CN)-N$ (X, Y = O, S)}
- 9/4461 {the amide moiety containing a substituent or a structure which is considered as characteristic}
- 9/4465 {of aliphatic amines}
- 9/4469 {of unsaturated acyclic amines}
- 9/4473 {of cycloaliphatic amines}
- 9/4476 {of aromatic amines (N-C aromatic linkage)}
- 9/448 {of aralkylamines}
- 9/4484 {Compounds containing the structure $C-P(=X)(N-acyl)-X$, $C-P(=X)(N-heteroatom)-X$ or $C-P(=X)(N-CN)-X$ (X = O, S, Se)}
- 9/4488 {Compounds containing the structure $P(=X)(N-S-)$ (X = O, S, Se)}
- 9/4492 {Compounds containing the structure $P(=X)(N-C(=X)-)$ (X = O, S, Se)}
- 9/4496 {Compounds containing the structure $P(=X)(N-N-)$ (X = O, S, Se)}

- 9/46 . . . Phosphinous acids [R₂POH], [R₂P(=O)H]; Thiophosphinous acids {including [R₂PSH]; [R₂P(=S)H]; Aminophosphines [R₂PNH₂]; Derivatives thereof}
- 9/48 . . . Phosphonous acids [RP(OH)₂] {including [RHP(=O)(OH)]}; Thiophosphonous acids {including [RP(SH)₂], [RHP(=S)(SH)]; Derivatives thereof}
- 9/4808 {the acid moiety containing a substituent or structure which is considered as characteristic}
- 9/4816 {Acyclic saturated acids or derivatives which can have further substituents on alkyl}
- 9/4825 {Acyclic unsaturated acids or derivatives}
- 9/4833 {Cycloaliphatic acids or derivatives}
- 9/4841 {Aromatic acids or derivatives (P-C aromatic linkage)}
- 9/485 {Polyphosphonous acids or derivatives}
- 9/4858 {Acids or derivatives containing the structure -C(=X)-P(XR)₂ or NC-P(XR)₂ (X = O, S, Se)}
- 9/4866 {the ester moiety containing a substituent or structure which is considered as characteristic}
- 9/4875 {Esters with hydroxy aryl compounds}
- 9/4883 {Amides or esteramides thereof, e.g. RP(NR')₂ or RP(XR')(NR')₂ (X = O, S)}
- 9/4891 {Monohalide derivatives RP (XR') (Hal) (X = O, S, N) (dihalide derivatives [C07F 9/52](#))}
- 9/50 . . . Organo-phosphines
- 9/5004 {Acyclic saturated phosphines}
- 9/5009 {substituted by B, Si, P or a metal ([C07F 9/5027](#) takes precedence)}
- 9/5013 {Acyclic unsaturated phosphines}
- 9/5018 {Cycloaliphatic phosphines}
- 9/5022 {Aromatic phosphines (P-C aromatic linkage)}
- 9/5027 {Polyphosphines}
- 9/5031 {Arylalkane phosphines ([C07F 9/5027](#) takes precedence)}
- 9/5036 {Phosphines containing the structure -C(=X)-P or NC-P}
- 9/504 {Organo-phosphines containing a P-P bond}
- 9/5045 {Complexes or chelates of phosphines with metallic compounds or metals}
- 9/505 {Preparation; Separation; Purification; Stabilisation}
- 9/5054 {by a process in which the phosphorus atom is not involved}
- 9/5059 {by addition of phosphorus compounds to alkenes or alkynes}
- 9/5063 {from compounds having the structure P-H or P-Heteroatom, in which one or more of such bonds are converted into P-C bonds ([C07F 9/5059](#) takes precedence)}
- 9/5068 {from starting materials having the structure >P-Hal}
- 9/5072 {from starting materials having the structure P-H ([C07F 9/5059](#) takes precedence)}
- 9/5077 {from starting materials having the structure P-Metal, including R₂PM⁺}
- 9/5081 {from starting materials having the structure >P-Het, Het being an heteroatom different from Hal or Metal}
- 9/5086 {from phosphonium salts as starting materials}
- 9/509 {by reduction of pentavalent phosphorus derivatives, e.g. -P=X with X = O, S, Se or -P-Hal₂}
- 9/5095 {Separation; Purification; Stabilisation}
- 9/52 Halophosphines
- 9/53 Organo-phosphine oxides; Organo-phosphine thioxides
- 9/5304 {Acyclic saturated phosphine oxides or thioxides}
- 9/5308 {substituted by B, Si, P or a metal}
- 9/5312 {substituted by a phosphorus atom ([C07F 9/5329](#) takes precedence)}
- 9/5316 {Unsaturated acyclic phosphine oxides or thioxides}
- 9/532 {Cycloaliphatic phosphine oxides or thioxides}
- 9/5325 {Aromatic phosphine oxides or thioxides (P-C aromatic linkage)}
- 9/5329 {Polyphosphine oxides or thioxides}
- 9/5333 {Arylalkane phosphine oxides or thioxides ([C07F 9/5329](#) takes precedence)}
- 9/5337 {Phosphine oxides or thioxides containing the structure -C(=X)-P(=X) or NC-P(=X) (X = O, S, Se)}
- 9/5341 {Organo-phosphine oxides or thioxides containing a P-P bond}
- 9/5345 {Complexes or chelates of phosphine-oxides or thioxides with metallic compounds or metals}
- 9/535 Organo-phosphoranes
- 9/5352 {Phosphoranes containing the structure P=C-}
- 9/5355 {Phosphoranes containing the structure P=N-}
- 9/5357 {Polyphosphazenes containing the structure [P=N-]_n (cyclic phosphazenes [C07F 9/65812](#))}
- 9/54 Quaternary phosphonium compounds
- 9/5407 {Acyclic saturated phosphonium compounds}
- 9/5414 {substituted by B, Si, P or a metal}
- 9/5421 {substituted by a phosphorus atom ([C07F 9/5449](#) takes precedence)}
- 9/5428 {Acyclic unsaturated phosphonium compounds}
- 9/5435 {Cycloaliphatic phosphonium compounds}
- 9/5442 {Aromatic phosphonium compounds (P-C aromatic linkage)}
- 9/5449 {Polyphosphonium compounds}
- 9/5456 {Arylalkane phosphonium compounds}
- 9/5463 {Compounds of the type "quasi-phosphonium", e.g. (C)_a-P-(Y)_b wherein a + b = 4, b >= 1 and Y = heteroatom, generally N or O}
- 9/547 . . . Heterocyclic compounds, e.g. containing phosphorus as a ring hetero atom

- 9/5475 . . . {having nitrogen and selenium with or without oxygen or sulfur as ring hetero atoms; having nitrogen and tellurium with or without oxygen or sulfur as ring hetero atoms}
- 9/553 . . . having one nitrogen atom as the only ring hetero atom
- 9/5532 {Seven-(or more) membered rings}
- 9/5535 {condensed with carbocyclic rings or ring systems}
- 9/5537 {the heteroring containing the structure - C(=O)-N-C(=O)- (both carbon atoms belong to the heteroring)}
- 9/564 Three-membered rings
- 9/568 Four-membered rings
- 9/5686 {condensed with carbocyclic rings or ring systems}
- 9/572 Five-membered rings
- 9/5728 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/576 Six-membered rings
- 9/5765 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/58 Pyridine rings
- 9/59 Hydrogenated pyridine rings
- 9/60 Quinoline or hydrogenated quinoline ring systems
- 9/62 Isoquinoline or hydrogenated isoquinoline ring systems
- 9/64 Acridine or hydrogenated acridine ring systems
- 9/645 . . . having two nitrogen atoms as the only ring hetero atoms
- 9/6503 Five-membered rings
- 9/65031 {having the nitrogen atoms in the positions 1 and 2}
- 9/65038 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6506 having the nitrogen atoms in positions 1 and 3
- 9/65068 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6509 Six-membered rings
- 9/650905 {having the nitrogen atoms in the positions 1 and 2}
- 9/650947 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/650952 {having the nitrogen atoms in the positions 1 and 4}
- 9/650994 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6512 having the nitrogen atoms in positions 1 and 3
- 9/65128 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6515 . . . having three nitrogen atoms as the only ring hetero atoms
- 9/6518 Five-membered rings
- 9/65188 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6521 Six-membered rings
- 9/65218 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6524 . . . having four or more nitrogen atoms as the only ring hetero atoms
- 9/6527 . . . having nitrogen and oxygen atoms as the only ring hetero atoms
- 9/653 Five-membered rings
- 9/65306 {containing two nitrogen atoms}
- 9/65312 {having the two nitrogen atoms in positions 1 and 2}
- 9/65318 {having the two nitrogen atoms in positions 1 and 3}
- 9/65324 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6533 Six-membered rings
- 9/65335 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6536 . . . having nitrogen and sulfur atoms with or without oxygen atoms, as the only ring hetero atoms
- 9/6539 Five-membered rings
- 9/65392 {containing two nitrogen atoms}
- 9/65395 {having the two nitrogen atoms in positions 1 and 2}
- 9/65397 {having the two nitrogen atoms in positions 1 and 3}
- 9/6541 condensed with carbocyclic rings or {carbocyclic} ring systems
- 9/6544 Six-membered rings
- 9/6547 condensed with carbocyclic rings or {carbocyclic} ring systems
- 9/655 . . . having oxygen atoms, with or without sulfur, selenium, or tellurium atoms, as the only ring hetero atoms
- 9/65502 {the oxygen atom being part of a three-membered ring}
- 9/65505 {Phosphonic acids containing oxirane groups; esters thereof}
- 9/65507 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6551 {the oxygen atom being part of a four-membered ring}
- 9/65512 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/65515 {the oxygen atom being part of a five-membered ring}
- 9/65517 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6552 {the oxygen atom being part of a six-membered ring}
- 9/65522 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/65525 {the oxygen atom being part of a seven-(or more) membered ring}
- 9/65527 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6553 . . . having sulfur atoms, with or without selenium or tellurium atoms, as the only ring hetero atoms
- 9/655309 {the sulfur atom being part of a three-membered ring}
- 9/655318 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/655327 {the sulfur atom being part of a four-membered ring}
- 9/655336 {condensed with carbocyclic rings or carbocyclic ring systems}

- 9/655345 {the sulfur atom being part of a five-membered ring}
- 9/655354 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/655363 {the sulfur atom being part of a six-membered ring}
- 9/655372 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/655381 {the sulfur atom being part of a seven-(or more) membered ring}
- 9/65539 {condensed with carbocyclic rings or carbocyclic ring systems}
- 9/6558 . . . containing at least two different or differently substituted hetero rings neither condensed among themselves nor condensed with a common carbocyclic ring or ring system
- 9/65583 {each of the hetero rings containing nitrogen as ring hetero atom}
- 9/65586 {at least one of the hetero rings does not contain nitrogen as ring hetero atom}
- 9/6561 . . . containing systems of two or more relevant hetero rings condensed among themselves or condensed with a common carbocyclic ring or ring system, with or without other non-condensed hetero rings
- 9/65611 {containing the ring system
- 
- (X = CH₂, O, S, NH) optionally with an additional double bond and/or substituents, e.g. penicillins and analogs}
- 9/65613 {containing the ring system
- 
- (X = CH₂, O, S, NH) optionally with an additional double bond and/or substituents, e.g. cephalosporins and analogs}
- 9/65615 {containing a spiro condensed ring system of the formula
- 
- where at least one of the atoms X or Y is a hetero atom, e.g. S}
- 9/65616 {containing the ring system
- 
- having three or more than three double bonds between ring members or between ring members and non-ring members, e.g. purine or analogs}
- 9/65618 {containing the ring system, e.g. flavins or analogues}
- 
- 9/6564 . . . having phosphorus atoms, with or without nitrogen, oxygen, sulfur, selenium or tellurium atoms, as ring hetero atoms
- 9/6568 having phosphorus atoms as the only ring hetero atoms
- 9/65681 {the ring phosphorus atom being part of a (thio)phosphinic acid or ester thereof}
- 9/65683 {the ring phosphorus atom being part of a phosphine}
- 9/65685 {the ring phosphorus atom being part of a phosphine oxide or thiooxide}
- 9/65686 {the ring phosphorus atom being part of an organo-phosphorane}
- 9/65688 {the ring phosphorus atom being part of a phosphonium compound}
- 9/6571 having phosphorus and oxygen atoms as the only ring hetero atoms
- 9/657109 {esters of oxyacids of phosphorus in which one or more exocyclic oxygen atoms have been replaced by (a) sulfur atom(s)}
- 9/657118 {non-condensed with carbocyclic rings or heterocyclic rings or ring systems}
- 9/657127 {condensed with carbocyclic or heterocyclic rings or ring systems}
- 9/657136 {the molecule containing more than one cyclic phosphorus atom}
- 9/657145 {the cyclic phosphorus atom belonging to more than one ring system}
- 9/657154 {Cyclic esteramides of oxyacids of phosphorus}
- 9/657163 {the ring phosphorus atom being bound to at least one carbon atom}
- 9/657172 {the ring phosphorus atom and one oxygen atom being part of a (thio)phosphinic acid ester:
- 
- (X = O, S)}
- 9/657181 {the ring phosphorus atom and, at least, one ring oxygen atom being part of a (thio)phosphonic acid derivative}
- 9/65719 {the ring phosphorus atom and, at least, one ring oxygen atom being part of a (thio)phosphonous acid derivative}
- 9/6574 Esters of oxyacids of phosphorus {C07F 9/657163 takes precedence}
- 9/65742 {non-condensed with carbocyclic rings or heterocyclic rings or ring systems}
- 9/65744 {condensed with carbocyclic or heterocyclic rings or ring systems}
- 9/65746 {the molecule containing more than one cyclic phosphorus atom}
- 9/65748 {the cyclic phosphorus atom belonging to more than one ring system}
- 9/6578 having phosphorus and sulfur atoms with or without oxygen atoms, as ring hetero atoms
- 9/65785 {the ring phosphorus atom and, at least, one ring sulfur atom being part of a thiophosphonic acid derivative}
- 9/6581 having phosphorus and nitrogen atoms with or without oxygen or sulfur atoms, as ring hetero atoms
- 9/65811 {having four or more phosphorus atoms as ring hetero atoms}
- 9/65812 {Cyclic phosphazenes [P=N-]_n, n>=3}
- 9/65814 {n = 3 or 4}
- 9/65815 {n = 3}
- 9/65817 {n = 4}
- 9/65818 {n > 4}
- 9/6584 having one phosphorus atom as ring hetero atom

- 9/65842 {Cyclic amide derivatives of acids of phosphorus, in which one nitrogen atom belongs to the ring}
- 9/65844 {the phosphorus atom being part of a five-membered ring which may be condensed with another ring system}
- 9/65846 {the phosphorus atom being part of a six-membered ring which may be condensed with another ring system}
- 9/65848 {Cyclic amide derivatives of acids of phosphorus, in which two nitrogen atoms belong to the ring}
- 9/6587 having two phosphorus atoms as ring hetero atoms in the same ring
- 9/659 having three phosphorus atoms as ring hetero atoms in the same ring {C07F 9/65812 takes precedence}
- 9/6596 having atoms other than oxygen, sulfur, selenium, tellurium, nitrogen or phosphorus as ring hetero atoms
- 9/66 Arsenic compounds
- 9/68 without As—C bonds
- 9/70 Organo-arsenic compounds
- 9/72 Aliphatic compounds
- 9/74 Aromatic compounds
- 9/76 containing hydroxyl groups
- 9/78 containing amino groups
- 9/80 Heterocyclic compounds
- 9/82 Arsenic compounds containing one or more pyridine rings
- 9/84 Arsenic compounds containing one or more quinoline ring systems
- 9/86 Arsenic compounds containing one or more isoquinoline ring systems
- 9/88 Arsenic compounds containing one or more acridine ring systems
- 9/90 Antimony compounds
- 9/902 {Compounds without antimony-carbon linkages}
- 9/92 Aromatic compounds
- 9/94 Bismuth compounds
- 11/00 Compounds containing elements of Groups 6 or 16 of the Periodic Table**
- 11/005 {compounds without a metal-carbon linkage}
- 13/00 Compounds containing elements of Groups 7 or 17 of the Periodic Table**
- 13/005 {Compounds without a metal-carbon linkage}
- 15/00 Compounds containing elements of Groups 8, 9, 10 or 18 of the Periodic Table**
- 15/0006 {compounds of the platinum group}
- 15/0013 {without a metal-carbon linkage}
- 15/002 {Osmium compounds}
- 15/0026 {without a metal-carbon linkage}
- 15/0033 {Iridium compounds}
- 15/004 {without a metal-carbon linkage}
- 15/0046 {Ruthenium compounds}
- 15/0053 {without a metal-carbon linkage}
- 15/006 {Palladium compounds}
- 15/0066 {without a metal-carbon linkage}
- 15/0073 {Rhodium compounds}
- 15/008 {without a metal-carbon linkage}
- 15/0086 {Platinum compounds}
- 15/0093 {without a metal-carbon linkage}
- 15/02 Iron compounds
- 15/025 {without a metal-carbon linkage}
- 15/03 Sideramines; The corresponding desferri compounds
- 15/04 Nickel compounds
- 15/045 {without a metal-carbon linkage}
- 15/06 Cobalt compounds
- 15/065 {without a metal-carbon linkage}
- 17/00 Metalloenes**
- 17/02 of metals of Groups 8, 9 or 10 of the Periodic System
- 19/00 Metal compounds according to more than one of main groups C07F 1/00 - C07F 17/00**
- 19/005 {without metal-C linkages}