CPC COOPERATIVE PATENT CLASSIFICATION

E FIXED CONSTRUCTIONS

BUILDING

E01 CONSTRUCTION OF ROADS, RAILWAYS, OR BRIDGES

E01C CONSTRUCTION OF, OR SURFACES FOR, ROADS, SPORTS GROUNDS, OR THE LIKE; MACHINES OR AUXILIARY TOOLS FOR CONSTRUCTION OR REPAIR

(forming roads or like surfaces by compacting or grading snow or ice E01H)

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme

1/00	Design or layout of roads, e.g. for noise abatement, for gas absorption (design or layout of sports grounds A63C 19/00; design or layout of airfields B64F {, of helicopter landing stages E01F 3/00})	3/06	 Methods or arrangements for protecting foundations from destructive influences of moisture, frost or vibration {(heating devices <u>E01C 11/26</u>; draining the subbase of roads <u>E01F 5/00</u>)}
1/002	• {Design or lay-out of roads, e.g. street systems, cross-sections (<u>E01C 1/005</u> , <u>E01C 1/007</u> take precedence; of footpaths, sidewalks, berms, hard shoulders or cycle tracks <u>E01C 15/00</u>); Design for noise abatement, e.g. sunken road	5/00	Pavings made of prefabricated single units (specially adapted for playgrounds or sports grounds E01C 13/04, for footpaths, sidewalks or cycle tracks E01C 15/00; making artificial stones C04B; building stones E04C; flooring E04F)
	(reducing transmission of structure-born noise <u>E01C 3/06</u> ; arrangements for absorbing or reflecting air transmitted road traffic noise, e.g. barriers <u>E01F 8/00</u>)}	5/001	{on prefabricated supporting structures or prefabricated foundation elements except coverings made of layers of similar elements}
1/005	{Means permanently installed along the road for removing or neutralising exhaust gases (collecting)	5/003	• {characterised by material or composition used for beds or joints; characterised by the way of laying}
1/007	exhaust gases with central suction systems, e.g. in workshops or tunnels, <u>B08B 15/002</u>)}	5/005	 {Individual couplings or spacer elements for joining the prefabricated units (<u>E01C 5/10</u> takes precedence)}
1/007	 {Design or auxiliary structures for compelling drivers to slow down or to proceed with caution, 	5/006	• • {Individual spacer elements}
	e.g. tortuous carriageway; Arrangements for discouraging high-speed or non-resident traffic (decelerating or arresting surfacings E01C 9/007;	5/008	• {made of vegetable stems, e.g. straw, thatch (of wood <u>E01C 5/14</u>); made of textiles (of bituminous textile webs <u>E01C 5/12</u> ; of linoleum <u>E01C 5/20</u>)}
	road surface configurating or surface arrangements for enforcing reduced speed or required caution, e.g. speed-control humps <u>E01F 9/529</u>)}	5/02	 made of natural stones, e.g. sett stones {(as inserts in binders or bound thereby into greater unity E01C 5/22)}
1/02	Crossings, junctions or interconnections between	5/04	 made of bricks {(of asphalt bricks <u>E01C 5/12</u>)}
	roads on the same level {(construction of traffic	5/06	 made of units with cement or like binders
1/04	 islands <u>E01F 1/00</u>)} Road crossings on different levels; Interconnections between roads on different levels 	5/065	 {characterised by their structure or component materials, e.g. concrete layers of different structure, special additives}
acture of	roads, playgrounds, sports grounds, airfields	5/08	Reinforced units {with steel frames (with metal upper or under layers <u>E01C 5/22)</u> }
3/00	Foundations for pavings (specially adapted for playgrounds or sports grounds <u>E01C 13/02</u> ; foundations in general <u>E02D</u>)	5/085	• • • {on prefabricated supporting structures or prefabricated foundation elements except coverings made of layers of similar elements}
3/003	• {characterised by material or composition used, e.g. waste or recycled material (E01C 3/006, E01C 3/04 and E01C 3/06 take precedence)}	5/10	• • • Prestressed reinforced units {; Prestressed coverings from reinforced or non-reinforced units (prestressed concrete coverings
3/006	• {made of prefabricated single units (<u>E01C 3/06</u> takes precedence)}	5/105	E01C 7/16)} {on prefabricated supporting structures
3/02	Concrete base for bituminous paving		or prefabricated foundation elements,
3/04	Foundations produced by soil stabilisation		except coverings made of layers of similar
	{(soil stabilisation for road building in general <u>E01C 7/36</u>)}	5/12	elements }made of units with bituminous binders {or from bituminous material, e.g. asphalt mats}

5/14	 made of wooden units 	7/18	• of road-metal and bituminous binders {(for
5/16	 made of metallic units ({with a filling or ground 		surface treatments except for penetration
	plate of other material E01C 5/22; for temporary		coverings, or for thin surface layers E01C 7/353;
	pavings <u>E01C 9/083;</u> } steel gratings <u>E01C 9/10</u>)		bituminous mixtures <u>C08L 95/00</u>)}
5/18	• made of rubber units {(of units made from	7/182	{Aggregate or filler materials, except those
3/10	other material and having a rubber upper layer	,,	according to <u>E01C 7/26</u> (<u>E01C 7/187</u> ,
			E01C 7/353 take precedence; different
- (- 0	<u>E01C 5/226</u>)}		
5/20	 made of units of plastics, {e.g. concrete with 	= 40=	aggregates or fillers <u>E01C 7/18</u>)}
	plastics, linoleum}(<u>E01C 5/18</u> takes precedence; {of	7/185	• • • {Isolating, separating or connecting
	textiles made of synthetic fibres <u>E01C 5/008</u> })		intermediate layers, e.g. adhesive layers;
5/22	 made of units composed of a mixture of materials 		Transmission of shearing force in horizontal
	covered by two or more of groups {E01C 5/008}		intermediate planes, e.g. by protrusions
	, <u>E01C 5/02</u> - <u>E01C 5/20</u> {except embedded		(E01C 7/187 takes precedence; adhesive layers
	reinforcing materials}		for materials <u>E01C 7/35</u>)}
<i>5/</i> 222		7/187	• • • {Repairing bituminous covers, e.g.
5/223	• • {on prefabricated supporting or prefabricated	7/107	regeneration of the covering material <u>in situ</u> ,
	foundation units, except coverings made of layers		
	of similar elements}		application of a new bituminous topping
5/226	• • {having an upper layer of rubber, with or without		(application of thin surface layers with other
	inserts of other materials; with rubber inserts}		binders <u>E01C 7/35</u> ; repairing pavings in
			general <u>E01C 11/005</u>)}
7/00	Coherent pavings made in situ (specially adapted	7/20	Binder incorporated in cold state, e.g. natural
	for playgrounds or sports grounds E01C 13/06; for		asphalt
	footpaths, sidewalks or cycle tracks <u>E01C 15/00</u>)	7/22	Binder incorporated in hot state, e.g. heated
7/02	 made of road-metal without binders 		bitumen
7/04	of broken stones, gravel, or like materials	7/24	Binder incorporated as an emulsion or solution
7/06	• • by melting, burning, or vitrifying road-metal <u>in</u>	1/24	(making dispersions or emulsions for road
7700	situ		building <u>C04B</u>)
7/00		7/06	
7/08	• made of road-metal and binders {(<u>E01C 7/36</u> takes	7/26	mixed with other materials, e.g. cement, rubber,
	precedence)}		leather, fibre {(fibrous material reinforcements
7/085	• • {Aggregate or filler materials therefor; Coloured		for bituminous paving <u>E01C 11/165</u>)}
	reflecting or luminescent additives therefor (thin	7/262	• • • { with fibrous material, e.g. asbestos; with
	surface layers or surface dressings <u>E01C 7/35</u>)}		animal or vegetal admixtures, e.g. leather,
7/10	of road-metal and cement or like binders (cement		cork (E01C 7/265 takes precedence)}
	or like binders, composition of mortars <u>C04B</u>)	7/265	• • • { with rubber or synthetic resin, e.g. with
7/12	Mortar-bound paving		rubber aggregate, with synthetic resin binder
7/14	Concrete paving {(from concrete prepared in		(for thin overlays or surface dressings
// 14	situ E01C 7/12; small individual units from		E01C 7/35)}
	concrete cast in situ E01C 9/001; arrangement	7/267	(11 10)
	or construction of joints E01C 11/04;	7/30	• of road-metal and other binders, e.g. synthetic
	reinforcements E01C 11/18)}		material {, i.e. resin}
7/142	• • • • {Mixtures or their components, e.g.	7/32	• of courses of different kind made <u>in situ</u>
	aggregate (E01C 7/147, E01C 7/355 take		NOTE
	precedence; different layers of different		
	composition E01C 7/14)}		This group is limited to coverings consisting
7/145	{Sliding coverings, underlayers or		of layers with different binders, except for
	intermediate layers (isolating underlayers		thin intermediate or surface layers, which are
	E01C 3/06; sliding layers between		classified in group E01C 7/35
	coverings of different materials <u>E01C 7/34</u>);		
	Isolating or separating intermediate layers;	7/325	• • • {Joining different layers, e.g. by adhesive
	Transmission of shearing force in horizontal		layers; Intermediate layers, e.g. for the escape
	intermediate planes, e.g. by protrusions,		of water vapour, for spreading stresses (sliding
			layers <u>E01C 7/34</u>)}
	by inlays (anchoring new concrete wearing	7/34	made of several courses which are not bound
	layers on old concrete paving <u>E01C 7/147</u>)}	7751	to each other {; Separating means therefor, e.g.
7/147	• • • • {Repairing concrete pavings, e.g. joining		sliding layers (in or under concrete coverings
	cracked road sections by dowels, applying a		E01C 7/145)}
	new concrete covering (applying thin surface	7/25	Toppings or surface dressings; Methods of
	layers with other binder E01C 7/35; repairing	7/35	
	pavings in general E01C 11/005; roughening		mixing, impregnating, or spreading them
	by means of tools $E01C 11/24$)		{(devices therefor <u>E01C 19/00;</u> mortar-macadam
7/16	Prestressed concrete paving {(prestressed		pavings <u>E01C 7/12</u> ; bituminous penetration
	coverings from prefabricated concrete units		coverings <u>E01C 7/18</u>)}
	E01C 5/10; prestressed joint constructions	7/351	• • • { with exclusively hydraulical binders;
	E01C 11/04; prestressed reinforcements		Aggregate, fillers or other additives for
	E01C 11/20)}		application on or in the surface of toppings
	/ /)		with exclusively hydraulic binders}

application on or in the surface of toppings with exclusively bituminous binders, e.g. for roughening or clearing} 7/355 ••• {with exclusively rubber as binder; Aggregate fillers or other additives for application on or	11/005	take precedence)} • {Methods or materials for repairing pavings (E01C 7/35 takes precedence; for concrete coverings E01C 7/147; for bituminous coverings E01C 7/187; devices for repair works E01C 23/06;
7/355 { with exclusively rubber as binder; Aggregate fillers or other additives for application on or		coverings <u>E01C 7/147</u> ; for bituminous coverings <u>E01C 7/187</u> ; devices for repair works <u>E01C 23/06</u> ;
in the surface of toppings having exclusively rubber as binder}		repairing bridge floorings <u>E01D 22/00</u>)} Arrangement or construction of joints {(for pavings
7/356 { with exclusively synthetic resin as a binder; Aggregate, fillers or other additives for application on or in the surface of toppings having exclusively synthetic resin as binder}		consisting of prefabricated units <u>E01C 5/00</u>); Methods of making joints {(machines therefor <u>E01C 23/02</u> , <u>E01C 23/09</u> ; removable joint shutterings <u>E01C 23/021</u>)}; Packing for joints
7/358 { with a combination of two or more binders according to groups $\underline{\text{E01C 7/351}}$ - $\underline{\text{E01C 7/356}}$		(sealing joints not restricted to road or airfield paving <u>E04B 1/68</u>)
7/36 • by subjecting soil to stabilisation {(<u>E01C 7/06</u>) takes precedence; foundations <u>E01C 3/04</u> ;	11/04	• • for cement concrete paving {(<u>E01C 9/001</u> takes precedence)}
soil conditioning or soil stabilising materials	11/045	• • • {specially adapted for prestressed paving}
C09K 17/00; soil stabilisation devices for road	11/06	Methods of making joints
construction <u>E01C 21/00</u>)}9/00 Special pavings (specially adapted for playgrounds	11/08	• • Packing of metal {(<u>E01C 11/045</u> takes precedence)}
or sports grounds <u>E01C 13/00</u> , for footpaths, sidewalks or cycle tracks <u>E01C 15/00</u>); Pavings	11/10	• • • Packing of plastic or elastic materials {, e.g. wood, resin (<u>E01C 11/045</u> takes precedence)}
for special parts of roads or airfields (pavement lights E01C 17/00; manholes or like covers or frames	11/103	• • • { Joints with packings prepared only <u>in situ;</u> Materials therefor}
<u>E02D 29/14)</u> 9/001 • {Paving elements formed <u>in situ</u> ; Permanent	11/106	• • • { Joints with only prefabricated packing; Packings therefor }
shutterings therefor (removable shutterings E01C 19/502; moulding machines therefor	11/12	• • • Packing of metal and plastic or elastic materials {(E01C 11/045 takes precedence)}
E01C 19/508); Inlays or reinforcements which divide the cast material in a great number of	11/123	• • • { Joints with only metal and <u>in situ</u> prepared packing or filling}
individual units (reinforcement girders which do not break the cohesion of the covering material	11/126	• • • { Joints with only metal and prefabricated packing or filling }
E01C 11/16, E01C 11/185)} 9/002 • {Coverings, the surface of which consists partly of	11/14	• • • Dowel assembly {; Design or construction of reinforcements in the area of joints (coupling
prefabricated units and partly of sections made <u>in situ</u> }		devices for prefabricated units E01C 5/005; combined with characteristic packings
9/004 • {Pavings specially adapted for allowing vegetation (individual spacer elements <u>E01C 5/006</u>)}		E01C 11/08 - E01C 11/12; removable holders E01C 23/045)}
9/005 {Coverings around trees forming part of the road	11/16	• Reinforcements ({as anchoring elements between layers <u>E01C 7/145</u> , <u>E01C 7/185</u> , <u>E01C 7/325</u> }; for
(protecting plants in general <u>A01G 13/00</u>)} 9/007 • {Vehicle decelerating or arresting surfacings or	11/165	building in general <u>E04C</u>)
surface arrangements, e.g. arrester beds (road surface configuration or surface arrangements for enforcing reduced speed, e.g. speed-control humps	11/165	 • {particularly for bituminous or rubber- or plastic-bound pavings (bituminated textile webs E01C 5/12)}
E01F 9/529); Escape roads, e.g. for steep descents, for sharp bends}		 for cement concrete pavings {(prefabricated reinforced units <u>E01C 5/08</u>)}
9/008 • {Paving take-off areas for vertically starting aircraft (landing platforms for helicopters <u>E01F 3/00</u>)}	ft 11/185	• • • {the reinforcements extending up to the surface, e.g. anti-slip gratings (for dividing
9/02 • Wheel tracks (rail tracks for guiding vehicles <u>E01B 25/28</u>)		concrete in a great number of individual units <u>E01C 9/001</u>)}
9/04 • Pavings for railroad level-crossings	11/20	• • • for prestressed concrete pavings {(from
9/06 • Pavings adjacent tramways rails {; Pavings comprising railway tracks}		prefabricated concrete units, similar prestressed units <u>E01C 5/10</u>)}
9/08 • Temporary pavings ({E01C 9/008 takes precedence } ; steel gratings E01C 9/10)	11/22	• Gutters; Kerbs (kerbs specially adapted for alerting road users <u>E01F 9/535</u>){; Surface drainage of
9/083 • • {made of metal, e.g. plates, network}		streets, roads or like traffic areas (for sports grounds
9/086 • {made of concrete, wood, bitumen, rubber or synthetic material or a combination thereof}	11/221	E01C 13/00)} • {Kerbs or like edging members, e.g. flush kerbs,
9/10 • Steel gratings {; Gratings made of material other than steel}({E01C 9/001 - E01C 9/02, E01C 9/06 take precedence; metal gratings for bridge flooring E01D 19/125; } gully gratings E03F 5/06)	S	shoulder retaining means (specially adapted for guiding or warning traffic or for display purposes E01F 9/535); Joint members, connecting or load-transfer means specially for kerbs}

11/222	• • • {Raised kerbs, e.g. for sidewalks (E01C 11/223, E01F 9/535, E01F 9/547 take precedence; preformed sidewalk paving with integral kerb E01C 15/00; specially for traffic	13/02	• Foundations, e.g. with drainage or heating arrangements {(E01C 13/003, E01C 13/083, E01C 13/10 take precedence; drainage of soil E02B 11/00)}
11/223	 islands E01F 1/00); Integrated or portable means for facilitating ascent or descent} {Kerb-and-gutter structures; Kerbs with drainage openings channel or conduits, e.g. 	13/04 13/045	 Pavings made of prefabricated single units ({E01C 13/003, E01C 13/06} , E01C 13/08, E01C 13/10 take precedence) {the prefabricated single units consisting of or
	with out- or inlets, with integral gutter or with channel formed into the kerb (gutters,		including bitumen, rubber or plastics}
	subsurface channels per se E01C 11/227; gullies adapted to be used with kerbs, gully gratings E03F 5/04, E03F 5/06); Kerbs adapted	13/06	 Pavings made in situ, {e.g. for sand grounds, clay courts E01C 13/003}, (E01C 13/08, E01C 13/10 take precedence)
11/224	to house cables or pipes, or to form conduits}	13/065	• • {at least one <u>in situ</u> layer consisting of or including bitumen, rubber or plastics}
11/224	• • {Surface drainage of streets (draining the subbase of roads, by trenches <u>E01F 5/00</u> , by sewers <u>E03F</u> ; draining arrangements for bridges <u>E01D 19/086</u>)}	13/08	 Surfaces simulating grass {; Grass-grown sports grounds (grass-like surfaces for skiing E01C 13/12)}
11/225	• • • {Paving specially adapted for through-the- surfacing drainage, e.g. perforated, porous; Preformed paving elements comprising, or	13/083	{Construction of grass-grown sports grounds; Drainage, irrigation or heating arrangements therefor}
	adapted to form, passageways for carrying off drainage (E01C 9/004, E01C 9/008, E01C 9/08,	2013/086	• • {Combination of synthetic and natural grass}
	E01C 9/10, E01C 11/228, E01C 13/00 take precedence)}	13/10	• for artificial surfaces for outdoor or indoor practice of snow or ice sports (<u>E01C 13/08</u> takes precedence; production of snow or ice for winter sports or
11/226	{Coherent pavings}		similar recreational purposes <u>F25C 3/00</u>)
11/227	• • • {Gutters; Channels (<u>E01C 11/223</u> takes precedence; permanently installed flushing means <u>E01H 3/04</u>); Roof drainage discharge	13/102	• • {Civil engineering aspects of the construction of ice rinks or sledge runs made from frozen-liquid, semi-liquid or frozen-pasty substances,
11/220	ducts set in sidewalks}		e.g. portable basins}
11/228 11/229	 {Gutters for porous pavings} {Shallow gutters, i.e. gutters forming a minor pothole}	13/105	 { of artificially refrigerated rinks or runs, e.g. cooled rink floors or swimming pools or tennis courts convertible into rinks}
11/24	 Methods or arrangements for preventing slipperiness or protecting against influences of the weather {(measures taken in connection 	13/107	• • {Non-frozen surfacings for ice, skating or curling rinks or for sledge runs; Rinks or runs with such surfacings}
	with the foundation <u>E01C 3/06</u> ; paving elements with anti-slip inlays <u>E01C 5/22</u> ; aggregates resisting to grinding <u>E01C 7/085</u> , <u>E01C 7/142</u> ,	13/12	 for snow sports {, e.g. skiing or ski tow track (mechanical ski trails <u>A63C 19/10</u>)}
	E01C 7/182; specially for surface layers E01C 7/35; reinforcements extending up to the surface E01C 11/16, E01C 11/18, E01C 11/185; drainage	15/00	Pavings specially adapted for footpaths, sidewalks or cycle tracks
11/245	E01C 11/22; windscreens E01F 7/02; snow fences E01F 7/02; combating fog E01H 13/00)} • {for preventing ice formation or for loosening}	17/00	Pavement lights, i.e. translucent constructions forming part of the surface (blocks specially designed for marking roads <u>E01F</u> 9/524)
11/243	ice, e.g. special additives to the paving material, resilient coatings (E01C 11/26 takes		ols, or auxiliary devices for constructing or repairing of roads or like structures (constructing the road bed
	precedence; built-in sanding or sprinkling devices <u>E01H 10/00</u>)}	<u>E02D</u> , <u>E02F</u>)	of foads of like structures (constructing the foad oct
11/26	• Permanently installed heating or blowing devices {(specially for combating fog <u>E01H</u> ; built-in melting devices for dislodged snow <u>E01H 5/102</u>); Mounting thereof}	19/00	Machines, tools or auxiliary devices for preparing or distributing paving materials, for working the placed materials, or for forming, consolidating, or finishing the paving (surface stabilisation
11/265	• • • {Embedded electrical heating elements (in floors <u>F24D 13/00</u>); Mounting thereof}		E01C 21/00; apparatus specially adapted for reconditioning or repairing paving E01C 23/00)
13/00	Pavings or foundations specially adapted for playgrounds or sports grounds; {Drainage,	19/002	• {Apparatus for preparing and placing the materials and for consolidating or finishing the paving}
	irrigation or heating of sports grounds}(general layout A63C 19/00)	19/004	• {Devices for guiding or controlling the machines along a predetermined path (for graders or bulldozers <u>E02F 3/841</u> ; for other soil-shifting
13/003	• {Construction of, or surfacings for, rinks or tracks for roller skating, skate-boarding or the like (layout	10/00	machines <u>E02F 9/2045</u>)}
	of roller-skating rinks A63C 19/10)}	19/006	{by laser or ultrasound}
2013/006	• {Transportable sport surfaces for multipurpose stadiums}	19/008	 • {by reference lines placed along the road, e.g. wires co-operating with feeler elements (E01C 19/006 takes precedence)}

19/02	• for preparing the materials {(E01C 19/002, E01C 19/45, E01C 19/46, E01C 21/00, E01C 23/065 take precedence; producing hydraulic cement concrete in general B28C 5/00 - B28C 9/00)}	19/1054 • • • {Preparing mixtures of which at least part of the solid ingredients has previously been deposited on the surface, excluding penetrating or surface dressing, e.g. in situ mixing, mixing involving lifting of spread or windrowed
19/025	 { for preparing hydraulic-cement-bound mixtures of which at least one ingredient has previously been deposited on the surface, e.g. <u>in situ</u> mixing of concrete} 	aggregate (preparing and placing such bituminous mixtures <u>E01C 19/463</u> ; recycling in place or on the road <u>E01C 23/065</u>)} 19/1059 {Controlling the operations; Devices solely for
19/05	 Crushing, pulverising or disintegrating apparatus ({preparing and placing involving breaking <u>E01C 19/466</u>}; in general <u>B02C</u>); Aggregate screening, cleaning, {drying} or heating apparatus; {Dust-collecting arrangements specially adapted therefor} 	supplying or proportioning the ingredients} 19/1063 {Controlling the operations (E01C 19/1068 takes precedence)} 19/1068 {Supplying or proportioning the ingredients} 19/1072 {the solid ingredients}
		19/1077 {the liquid ingredients}
19/08	Apparatus for transporting and {heating or}	2019/1081 {Details not otherwise provided for}
	melting asphalt, bitumen, tar, or the like (stationarily-arranged melting boilers for tar, asphalt, or the like, in general C10C 3/12)	2019/1086 {Mixing containers having concentric drums}
19/10	 Apparatus or plants for premixing or precoating aggregate or fillers with non-hydraulic binders, e.g. with bitumen, with resins, {i.e. producing 	2019/109 {Mixing containers having a counter flow drum, i.e. the flow of material is opposite to the gas flow} 2019/1095 {Mixing containers having a parallel flow}
	mixtures or coating aggregates otherwise than by penetrating or surface dressing}; Apparatus for premixing non-hydraulic mixtures prior to placing	drum, i.e. the flow of material is parallel to the gas flow} 19/12 • for distributing granular or liquid materials
19/1004	or for reconditioning salvaged non-hydraulic compositions {(E01C 19/08, E01C 19/21, E01C 21/00, E01C 23/065 take precedence)} • • • {Reconditioning or reprocessing bituminous}	({E01C 19/002, E01C 19/45, E01C 19/46, E01C 19/48, E01C 23/03, E01C 23/065}, E01C 23/07 take precedence; for filling joints or
19/1004	mixtures, e.g. salvaged paving, fresh patching mixtures grown unserviceable; Recycling salvaged bituminous mixtures; Apparatus for the in-plant recycling thereof (E01C 19/1036 takes precedence)}	grooves E01C 23/02, E01C 23/09) 19/15 • for laying-down uncoated stone or similar materials, or for striking-off or spreading same without compacting, e.g. for crushed rock base courses, sand cushions for paving
19/1009	• • • {Plant wherein type or construction of the mixer are irrelevant (<u>E01C 19/1004</u> takes precedence)}	({E01C 19/466}, E01C 19/52 take precedence; distributing E01C 19/20; {laying down and rolling E01C 19/482})
19/1013	• • • {Plant characterised by the mode of operation or the construction of the mixing apparatus; Mixing apparatus; (E01C 19/1004, E01C 19/1054 take precedence)}	19/16 • for applying or spreading liquid materials, e.g. bitumen slurries ({E01C 19/1054, E01C 19/21, } E01C 19/45, {E01C 19/4813, E01C 21/00, } E01C 23/02, E01C 23/03, {E01C 23/065, E01C 23/096, E01C 23/0973, E01C 23/0993},
19/1018	 {Coating the solid ingredients by immersion in a bath of binder} {Coating the solid ingredients by passing	<u>E01C 23/16</u> take precedence; {spreading-out or smoothing-down means as parts of spraying
19/1022		apparatus <u>E01C 19/178</u> })
	same through a shower or cloud of	19/17 Application by spraying {or throwing}
	binder (<u>E01C 19/21</u> , <u>E01C 19/4813</u> take	19/172 {Apparatus with discharge by surpressure in
	precedence)}	tank}
19/1027	• • • • {Mixing in a rotary receptacle}	•
19/1031	• • • • {the mixture being discharged	19/174 {Apparatus with pump-discharge}
	continuously (<u>E01C 19/1036</u> takes precedence)}	19/176 {Spraying or throwing elements, e.g. nozzles; Arrangement thereof or supporting structures therefor, e.g. spray-bars}
19/1036	{for in-plant recycling or for reprocessing, e.g. adapted to receive and reprocess an addition of salvaged material, adapted to reheat and remix cooled-down batches}	19/178 {Elements or attachments for spreading-out or smoothing-down the applied material, e.g. brushes}
19/104	• • • • {Mixing by means of movable members in a non-rotating mixing enclosure, e.g. stirrers (E01C 19/08 takes precedence)}	19/18 • Devices for distributing road-metals mixed with binders, e.g. cement, bitumen, without consolidating or ironing effect (E01C 19/20, {E01C 19/21, E01C 19/46}, E01C 19/47,
19/1045	{the mixture being discharged continuously}	{E01C 19/48, E01C 21/00, E01C 23/065, E01C 23/07} take precedence; conveying
19/105	{Mixing or coating by a combination of methods covered by <u>E01C 19/1018</u> - <u>E01C 19/104</u> , excluding <u>E01C 19/1036</u> }	installations for concrete or the like $\underline{B65G}$) 19/182 {solely for depositing}

19/185	• • • {for both depositing and spreading-out or striking-off the deposited mixture (laying-down the materials and consolidating them, or finishing the surface, <u>E01C 19/48</u>)}	19/23	Rollers therefor; Such rollers usable also for compacting soil ({E01C 19/41,} E01C 19/43, {E01C 19/52, E01C 23/065} take precedence; specially adapted for agricultural purposes
19/187	 { solely for spreading-out or striking-off deposited mixtures, e.g. spread-out screws, strike-off boards} 		A01B 29/00; garden rollers A01G 20/35; making or maintaining surfaces of snow or ice E01H 4/00; solely for soil compaction
19/20 19/2005	 Apparatus for distributing, e.g. spreading, granular or pulverulent materials, e.g. sand, gravel, salt, dry binders ({E01C 19/21, E01C 19/4813, E01C 19/482, E01C 23/098, E01C 23/166 take precedence; } fertiliser distributors A01C 15/00 {; permanently-installed devices for applying gritting or thawing materials E01H 10/005; mobile spreaders specially adapted for treating wintry roads E01H 10/007}) Without driven loosening, discharging or 	19/231	 E02D 3/026) • • {with both elastically-deformable and rigid rolling elements, e.g. pneumatic-tyred compactor with selectively operative or inoperative steel-faced roll (with auxiliary elastically-deformable rolling elements for working only restricted zones E01C 19/27; rigid-roll rollers with conventional pneumatic-tyred tractors or traction-units E01C 19/25, E01C 19/26, E01C 19/28)}
19/201	spreading (E01C 19/205 takes precedence)} • • { with driven loosening, discharging or spreading parts, e.g. power-driven, drive derived from road-wheels (E01C 19/205 takes	19/233	• • • • { the rigid rolling elements being vibrated or subjected to impacts (with vibrated elastically-deformable rolling elements E01C 19/287) }
19/2015	precedence)} {solely reciprocating, swinging to-and-fro, jolting or vibrating, e.g. oscilating stirrers,	19/235	Rolling apparatus designed to roll following a path other than essentially linear, e.g. epicycloidal}
19/202	shaking spreading shoots }• • • { solely rotating, e.g. discharging and spreading drums }	19/236	 . • {Construction of the rolling elements, e.g. surface configuration, rolling surface formed by endless track}
19/2025	• • • • • {Throwers with substantially horizontal axis, e.g. drums or brushes rotated to fling	19/238	• • • {Wetting, cleaning or heating rolling elements, e.g. oiling, wiping, scraping}
19/203	the material at the surface } {Centrifugal spreaders with substantially vertical axis}	19/24	• • • hand propelled ({E01C 19/235, } E01C 19/27 - E01C 19/29, {E01C 19/41} take precedence)
19/2035	• • • {both rotating parts and reciprocating, oscillating, jolting or vibrating parts}	19/25	• • • propelled by animals or vehicles ({E01C 19/235}, E01C 19/26 - E01C 19/29
19/204	• • • • {Throwers or centrifugal spreaders, e.g. spinner spreader with oscillating stirrer}	19/255	take precedence)• • {by vehicles placed on the rolling device;
19/2045	• • • { spreading by means of an endless belt or like conveyor}		<pre>provided with means for facilitating rapid road transport, e.g. retractable transport wheels}</pre>
19/205	• • • {the material being spread by means of a gaseous current}	19/26	• • • self-propelled or fitted to road vehicles ({E01C 19/231, E01C 19/235} ,
2019/2055 2019/206	{Details not otherwise provided for} {Hand operated spreading devices}		E01C 19/27 - E01C 19/29 take precedence)
	{Sensing the quantity of the material actually being distributed}	19/262	• • • • {pedestrian-controlled, e.g. with safety arrangements for operator}
2019/207 2019/2075 2019/208	 {Feeding the distribution means} {with longitudinal conveyor belt} {with longitudinal auger}	19/264	 . • { with attachments for work other than rolling, e.g. grading, scarifying (rollers fitted to road-construction or earth-moving machinery <u>E01C 19/266</u>)}
2019/2085 2019/209 2019/2095 19/21	 {with transverse conveyor belt} {with transverse auger} {by tipping} . for simultaneously but separately applying liquid material and granular or pulverulent material, e.g. bitumen and grit, with or without spreading {(with rolling E01C 19/4813); for filling grooves 	19/266	earth-moving machinery, e.g. auxiliary roll readily movable to operative position (E01C 19/268, E01C 19/4806, E01C 19/488, E01C 19/52, E01C 21/00, E01C 23/065 take precedence); provided with means for facilitating transport; Means for transporting
19/22	and gritting the filling} • for consolidating or finishing laid-down unset materials ({E01C 19/002, E01C 19/48, E01C 21/00} E01C 23/02 {E01C 23/065} take precedence; apparatus for generating vibrations in general B06B)	19/268	rollers; Arrangements or attachments for converting vehicles into rollers, e.g. rolling sleeves for wheels} • • • {designed for rolling surfaces not situated in the plane of the riding surface of the apparatus, e.g. stepped-down surfaces, sloping edge of surfacing (trench rollers E02D 3/032; slope rollers E02D 3/039)}

19/27	• • • with elastically-deformable rolling elements, e.g. pneumatic tyres ({E01C 19/231 takes precedence }; vibrating or impacting E01C 19/28)	19/30	• Tamping or vibrating apparatus other than rollers {; Devices for ramming individual paving elements}({E01C 19/41, E01C 19/483, E01C 19/488, E01C 19/4886,
19/28	• • • Vibrated rollers or rollers subjected to impacts, e.g. hammering blows ({E01C 19/235, } E01C 19/29, {E01C 19/41} take precedence; {combined with non-vibrated elastically-deformable rolling elements E01C 19/233})		E01C 19/52, E01C 21/00, } E01C 23/02, E01C 23/04 take precedence; vibrated depositing devices E01C 19/12; tamping or vibrating rollers E01C 19/28; portable percussion tools B25D; tamping or vibrating soil E02D 3/046)
19/281	• • • {propelled by hand or by vehicles, e.g. towed (<u>E01C 19/285</u> - <u>E01C 19/288</u> take precedence)}	19/32 19/34	 Hand-held hand-actuated rammers or tampers Power-driven rammers or tampers {, e.g. air-hammer impacted shoes for ramming stone-
19/282	• • • • {self-propelled, e.g. with an own traction- unit (<u>E01C 19/285</u> - <u>E01C 19/288</u> take precedence)}		sett paving; Hand-actuated ramming or tamping machines, e.g. tampers with manually hoisted dropping weight}
19/283	• • • • {pedestrian-controlled, e.g. with safety arrangements for operator}	19/35	• • • Hand-held or hand-guided tools (E01C 19/36 - E01C 19/40 take precedence)
19/285	vehicles, road-construction or earth-moving machinery (E01C 19/29, E01C 19/4806, E01C 23/065 take precedence); vibrated or the like auxiliary rolls, e.g. for rolling road	19/36 19/38	 with direct-acting explosion chambers with means specifically for generating vibrations {, e.g. vibrating plate compactors, immersion vibrators (E01C 19/40, E01C 19/41 take precedence)} adapted to impart a smooth finish to the paving, e.g. tamping or vibrating finishers NOTE
	edges; provided with means for facilitating		
19/286	transport \\ \{\text{Vibration or impact-imparting means;}} \\ Arrangement, mounting or adjustment thereof; Construction or mounting of the rolling elements, transmission or drive thereto, e.g. to vibrator mounted inside the	19/402	When classifying in group E01C 19/402, classification is also made in groups E01C 19/405 or E01C 19/407 if of interest {the tools being hand-guided}
19/287	roll (E01C 19/287 and E01C 19/288 take precedence) • • • { with vibrated elastically-deformable or elastomer-faced rolling elements or with such elements subjected to impacts,	19/405	•••• {with spreading-out, levelling or smoothing means other than the tamping or vibrating means for compacting or smoothing, e.g. with screws for spreading- out the previously dumped material, with
	e.g. multi-roll vibratory apparatus with an endless elastomer belt passed around the rolls (rollers with both non-vibrated, elastically-deformable and vibrated rigid	19/407	non-vibratory lengthwise reciprocated smoothing beam (E01C 19/407 takes precedence)} {with elements or parts partly or fully immersed in or penetrating into the
19/288	rolling elements <u>E01C 19/233</u>)} {adapted for monitoring characteristics of the material being compacted, e.g. indicating resonant frequency, measuring degree of	10/41	material to act thereon, e.g. immersed vibrators or vibrating parts, kneading tampers, spaders}
	compaction, by measuring values, detectable on the roller; using detected values to	19/41	Apparatus having both rolling tools and ramming, tamping, or vibrating tools
19/29	control operation of the roller, e.g. automatic adjustment of vibration responsive to such measurements} Rolling apparatus adapted to apply a rolling	19/42	 Machines for imparting a smooth finish to freshly-laid paving courses other than by rolling, tamping or vibrating (for distributing only E01C 19/12; {hand-actuated smoothing tools
	pressure less than its weight, e.g. roller finishers travelling on formrail {combined with spread-out, strike-off or smoothing means; Rolling elements with controlled penetration	19/43	 E01C 19/44}) Machines or arrangements for roughening or patterning freshly-laid paving courses, e.g. indenting rollers
	or a controlled path of movement in a vertical plane, e.g. controlled by the formrails, by guides ensuring a desired configuration of the rolled surface}	19/44	 Hand-actuated tools other than rollers, tampers, or vibrators, specially adapted for imparting a required finish to freshly-laid paving courses (E01C 19/43, {E01C 23/02} take precedence)
		19/45	 Portable apparatus for preparing, or for preparing and applying to the road, compound liquid binders, e.g. emulsified bitumen, fluxed asphalt (applying only <u>E01C 19/16</u>)
		19/46	• for preparing and placing the materials {, e.g. slurry seals}({E01C 19/002, } E01C 19/45, {E01C 21/00, E01C 23/065} take precedence)

19/463	• • {Bituminous mixtures of which at least part of the solid ingredients has previously been deposited on the surface, e.g. with lifting of spread or windrowed aggregate}	19/4886	• • {for forming in a continuous operation kerbs, gutters, berms, safety kerbs, median barriers or like structures in situ, e.g. by slip-forming, by extrusion (removable forms for kerbs, gutters or
19/466	• • {Solid materials, e.g. crushing same}		similar structures E01C 19/506; making conduits
19/47	• Hydraulic cement concrete mixers combined with distributing means specially adapted for road building ({E01C 19/025 takes precedence }; concrete mixers per se B28C)	19/4893 19/50	 in situ E02D 29/10)} {Apparatus designed for railless operation} . Removable forms or shutterings for road-building purposes (E01C 23/02,
19/475	• • • {Distributing means therefor, e.g. boom-and-bucket arrangements}		E01C 23/04 take precedence; permanent forms E01C 3/00 - E01C 7/00,
19/48	 for laying-down the materials and consolidating them, or finishing the surface {, e.g. slip forms therefor, forming kerbs or gutters in a continuous operation in situ (E01C 19/002, E01C 23/065 take precedence; devices for guiding or controlling the machines along a predetermined path E01C 19/004)} 	19/502	 {E01C 9/00 - E01C 17/00} ; slip forms E01C 19/48); Devices or arrangements for forming individual paving elements, e.g. kerbs, in situ • {Removable forms or shutterings, e.g. side forms; Removable supporting or anchoring means therefor, e.g. stakes (for forming individual elements E01C 19/508; for grooves or like
19/4806	 (with solely rollers for consolidating or finishing (<u>E01C 19/4886</u> takes precedence; combined with other consolidating or finishing means <u>E01C 19/488</u>)} 	19/504	 channels <u>E01C 23/021</u>)} • {adapted to, or provided with, means to maintain reinforcing or load transfer elements in a required position (removable supports
19/4813	• • • {the materials being simultaneously but separately applied binders and granular or	19/506	for positioning reinforcing or load transfer elements in general <u>E01C 23/045</u>)} • • • {for kerbs, gutters or similar structures, e.g.
	pulverulent material (such application <u>per se</u> <u>E01C 19/21</u>)}	17/300	raised portions, median barriers}
19/482	• • • {the materials being uncoated stone or similar granular materials, e.g. sand (laying-down uncoated stone or similar materials per se E01C 19/15; distributing granular or pulverung materials per se E01C 19/20)}	19/508	• • {Devices or arrangements for forming individual paving elements in situ, e.g. by sectioning a freshly-laid slab (permanent forms therefor E01C 9/001; imprinting freshly-laid paving to simulate stones E01C 19/43; cutting sett paving
19/4826	• • • {the materials being aggregate mixed with binders (distributing per se E01C 19/18)}	19/52	E01C 23/0906)} Apparatus for laying individual preformed surfacing
19/4833	• • {with tamping or vibrating means for		elements, e.g. kerbstones
	consolidating or finishing, e.g. immersed vibrators, with or without non-vibratory or non-percussive pressing or smoothing means	19/522 19/524	 . {Apparatus for laying the elements by rolling or unfolding, e.g. for temporary pavings} . {using suction devices}
	(<u>E01C 19/4806</u> , <u>E01C 19/4886</u> take precedence; combined with rollers <u>E01C 19/488</u>)}	19/526	• • {hand operated (<u>E01C 19/524</u> takes precedence)}
19/484	• • {Rail- or like-borne apparatus, e.g. sliding on	19/528	{with wheels}
	side forms, rolling on form rails, kerbs or like trackways}	21/00	Apparatus or processes for surface {soil} stabilisation for road building or like purposes,
19/4846	• • • • { with non-vibratory or non-percussive pressing or smoothing means, e.g. trailing smoothing pans, plates pressing the materials processed by immersed vibrators; with supplemental elements penetrating the paving to work the material thereof, e.g.		e.g. mixing local aggregate with binder ({recycling in place or on the road involving soil stabilisation E01C 23/065}; stabilising soil under existing surfacing E01C 23/10; soil-conditioning or soil-stabilising materials C09K 17/00; soil consolidation in general E02D 3/12)
	rodding means}	21/02	• Fusing, calcining, or burning soil in situ
19/4853	{Apparatus designed for railless operation, e.g. crawler-mounted, provided with portable trackway arrangements}		{(improving soil by thermal means in general <u>E02D 3/11</u> ; devices for heating foundation or paving <u>E01C 23/14</u>)}
19/486	• • • • {with non-vibratory or non-percussive pressing or smoothing means; with supplemental elements penetrating the paving to work the material thereof}	23/00	Auxiliary devices or arrangements for constructing, repairing, reconditioning, or taking-up road or like surfaces (apparatus for reconditioning of salvaged non-hydraulic
19/4866	 • {with solely non-vibratory or non-percussive pressing or smoothing means for consolidating or finishing (E01C 19/4886 takes precedence; combined with rollers E01C 19/488)} 		compositions {for- in plant recycling of salvaged bituminous mixtures} <u>E01C 19/10</u>)
19/4873 19/488	 • • {Apparatus designed for railless operation} • {with rollers for consolidating or finishing combined with tamping, vibrating, pressing or smoothing consolidation or finishing means (E01C 19/4886 takes precedence)} 		

23/01	• Devices or auxiliary means for setting-out or checking the configuration of new surfacing, e.g. templates, screed {or reference line} supports (form rails E01C 19/50); Applications of apparatus for measuring, indicating, or recording the surface configuration of existing surfacing, e.g. profilographs (E01C 23/07 takes precedence; measuring roughness or irregularity in general G01B)	23/065	 Recycling in place or on the road, i.e. hot or cold reprocessing of paving in situ or on the traffic surface, with or without adding virgin material or lifting of salvaged material; Repairs or resurfacing involving at least partial reprocessing of the existing paving (in situ mixing of hydraulic cement concrete E01C 19/025; apparatus for inplant recycling E01C 19/1004, E01C 19/1036)} Apparatus combining measurement of the
23/02	 Devices for making, treating or filling grooves or like channels in not-yet-hardened paving, e.g. for joints or markings (surface patterning E01C 19/43); Removable forms therefor (non-removable forms E01C 11/02); Devices for introducing inserts or 	23/08	surface configuration of paving with application of material in proportion to the measured irregularities (measuring means only E01C 23/01 {G01B})
	removable insert-supports in not-yet-hardened paving (E01C 23/04 takes precedence; non-removable {joint} insert supports E01C 11/02)	23/06	 for roughening or patterning; for removing {the surface down to a predetermined depth} high spots or material bonded to the surface, e.g. markings; {for maintaining earth roads,
23/021	• • {Removable, e.g. reusable, forms for grooves or like channels (E01C 23/028 takes precedence; groove-forming members of groove-making apparatus E01C 23/025, E01C 23/026); Installing same prior to placing the paving (into laid paving E01C 23/026)}	23/081	clay courts or like surfaces by means of surface working tools, e.g. scarifiers, levelling blades}(removing matter not bonded to the surface E01H 1/00; roughening or detaching ice E01H 5/12) {by thermal or cryogenic treatment, excluding}
23/023	• • {Removable joint-body supports (E01C 23/045		heating to facilitate mechanical working}
	take precedence); Installing joint or like bodies,	23/082	• • using non-powered tools
	e.g. waterstops, prior to placing the paving (into	23/0825	• • • {rotary, e.g. gang discs}
22/025	laid paving E01C 23/026 takes precedence)	23/085	• • using power-driven tools, e.g. vibratory tools
23/025	Making or working grooves or like channels in laid paving, e.g. smoothing groove edges	23/0855	• • • {moved rectilinearly, e.g. scabblers}
23/026	(E01C 23/026, E01C 23/028 take precedence) • {Introducing preformed inserts into or filling	23/088	• • • Rotary tools, e.g. milling drums {(for forming recesses to receive marking
25,020	grooves or like channels in laid paving, with or without concurrent making or working of groove or channel, e.g. filling groove with semi-plastic	23/0885 23/09	materials E01C 23/0946)} {with vertical or steeply inclined rotary axis}
23/028	 material (<u>E01C 23/028</u> takes precedence) {Positioning or producing markings, e.g. by forcing marking materials into the surface, by 	23/09	• • for forming cuts, grooves, or recesses, e.g. for making joints or channels for markings, for cutting-out sections to be removed; for cleaning,
	scoring}		treating, or filling cuts, grooves, recesses, or fissures; for trimming paving edges
23/03	Arrangements for curing paving; Devices for	22/0006	
	applying curing means; Devices for laying prefabricated underlay, e.g. sheets, membranes (reinforcing elements E01C 23/04); Protecting paving under construction or while curing, e.g. use	23/0906	• • • {for forming, opening-out, cleaning, drying or heating cuts, grooves, recesses or, excluding forming, cracks, e.g. cleaning by sand-blasting or air-jet (E01C 23/096, E01C 23/0993 take precedence, save for E01C 23/0946); for
	of tents (road barriers <u>E01F 13/00</u>)		trimming paving edges}
23/04	 Devices for laying {inserting or positioning} reinforcing elements or dowel bars {with or without 	23/0913	• • • { with non-powered tools, e.g. trailed router blade }
	joint bodies (installing or inserting joint bodies	23/092	• • • • {rotary, e.g. edge trimmer disc}
	per se E01C 23/023, E01C 23/026); Removable supports for reinforcing {or load transfer} elements	23/0926	• • • { with power-driven tools, e.g. vibrated, percussive cutters}
	(non- removable supports therefor {E01C 11/02} E01C 11/16; side forms adapted to supporting	23/0933	• • • • {rotary, e.g. circular-saw joint cutters}
	reinforcement <u>E01C 19/50</u>); Devices, e.g.	23/094	{about vertical or inclined axes, e.g.
	removable forms, for making essentially horizontal ducts in paving, e.g. for prestressed reinforcements		for core sampling (E01C 23/0946 takes precedence)}
23/045	• • {Removable, e.g. reusable supports for positioning reinforcing or load transfer elements, adapted or not to also hold joint bodies}	23/0946	• • • • • {specially for forming recesses to receive marking materials or markers, e.g. cutters for milling traffic line
23/05	 Devices for installing or removing forms 		channels, core drills for button-setting
23/06	. Devices or arrangements for working the	22/0052	(other tools <u>E01C 23/0993</u>)}
	finished surface (working freshly laid paving	23/0953	• • • {by thermal effect, e.g. cutting by melting, cleaning drying or heating with hot jets}
	E01C 19/42 - E01C 19/44, E01C 23/02; mining	23/096	• • • {for forming, opening-out, cleaning, drying
	picks <u>E21C 35/18</u>); Devices for repairing {or reconditioning} the surface of damaged paving; {Recycling in place or on the road}	<i>4</i> 3/090	or heating and filling (E01C 23/0993 takes precedence)}

23/0966	• • • { for filling or priming, with or without working	23/20	• • for forming markings in situ
23/0700	the surface of the filling or applying particulate	23/203	• • • {the marking material being applied to the
	material thereto, e.g. for filling the joints of		surface by contact with an application tool, e.g.
	stone-sett paving (E01C 23/096, E01C 23/0993		paint roller}
	take precedence)}	23/206	• • • {by applying fusible particulate material to the
23/0973	• • • { with liquid or semi-liquid materials, e.g.		surface, e.g. by means of a gaseous stream}
22/000	crack sealants}	23/22	• • • by spraying $\{(\underline{E01C \ 23/206} \ takes \ precedence)\}$
23/098	• • • • { and working the surface of the filling or applying particulate material thereto, e.g.	23/222	• • • • { specially adapted for automatic spraying of
	smoothing, gritting}	22/225	interrupted, individual or variable markings}
23/0986	• • • { with preformed elements, e.g. joint strips }	23/225	• • • {comprising means for mechanically working the applied material, e.g. smoothing
23/0993	• • • {for forming or installing surface markings		brushes}
	or signals in the paving, e.g. grooving for	23/227	• • • • {the marking material being supplied in
	striping or for producing rumble strips, forming	20, 22,	aerosol containers}
	marker-receiving recesses (E01C 23/0946 takes	23/24	by pouring
	precedence)}	23/243	{specially adapted for automatic pouring of
23/10	• for raising or levelling sunken paving; for filling		interrupted, individual or variable markings}
	voids under paving; for introducing material into substructure (consolidating soil in general	23/246	• • • {comprising means for mechanically
	E02D 3/12)		working the applied material, e.g. smoothing
23/12	• for taking-up, tearing-up, or {full-depth}		brushes}
23/12	breaking-up paving, {e.g. sett extractor}(adapted		
	to both placing and removing {preformed} paving		
	{elements} <u>E01C 19/52</u>)	2201/00	Paving elements
23/121	• • • { with non-powered tools, e.g. rippers (rollers	2201/02	 having fixed spacing features
	with ripping attachments E01C 19/264,	2201/04	consisting of natural stones and a binder
	E01C 19/27, E01C 19/285; roughening	2201/06	Sets of paving elements
	or patterning using non powered tools E01C 23/082)}	2201/065	specially for coverings around manhole-shafts or
23/122	• • { with power-driven tools, e.g. oscillated		the like
23/122	hammer apparatus (hand-held breakers:	2201/08	having direction indicating means
	percussion tools <u>B25D</u>)}	2201/10	having build-in shock absorbing devices
23/124	• • • {moved rectilinearly, e.g. road-breaker	2201/12	• vertically interlocking
	apparatus with reciprocating tools, with	2201/14	Puzzle-like connections
	drop-hammers }	2201/16	• Elements joined together
23/125	• • • • { with direct-acting explosion chambers,	2201/162 2201/165	. with breaking lines
	i.e. Diesel breakers}	2201/163	with spots of glueby reinforcement or mesh
23/127	• • • {rotary, e.g. rotary hammers}	2201/107	Elements representing text
23/128	• • { with hydrojets (hydraulic cleaning E01H 1/101)}	2201/10	Drainage details
23/14	• for heating or drying foundation, paving, or	2201/202	Horizontal drainage channels
23/14	materials thereon, e.g. paint (<u>E01C 23/03</u> takes	2201/205	channels on the top
	precedence; heating or drying devices incorporated	2201/207	channels on the bottom
	in the paving E01C 11/26; surface {soil}		
	stabilisation by fusing, calcining or burning soil	2301/00	Machine characteristics, parts or accessories not
	in situ E01C 21/02; for street cleaning E01H 1/08;	2201/02	otherwise provided forFeeding devices for pavers
22/16	melting snow or ice on surfacing <u>E01H 5/10</u>)	2301/02 2301/04	Independent shuttles
23/16	Devices for marking-out, applying, or forming traffic on like markings on finished paying.	2301/04	Windrow pickup
	traffic or like markings on finished paving (E01C 23/14 takes precedence; inserting or forming	2301/08	Pushing devices for lorries
	in not-yet hardened paving E01C 23/02, in recesses	2301/00	Heated screeds
	formed in fully-set paving E01C 23/09; marking-	2301/14	Extendable screeds
	out playing courts or playgrounds A63C 19/06;	2301/16	Laterally slidable screeds
	applying liquids or other fluent materials to surfaces	2301/18	the whole machine being laterally slidable
	in general <u>B05</u> ; road surface markings <u>per se</u>	2301/20	Screed or paver accessories for paving joint or edge
00/1/0	E01F 9/50); Protecting fresh markings		treatment
23/163	• • {for marking-out the location of the markings;	2301/30	Cabin details
	Guiding or steering devices for marking apparatus, e.g. sights}	2301/40	Working platform or walkway
23/166	• • {Means for dispensing particulate material on }	2301/50	• Methods or devices for preventing dust by spraying
_2,100	to freshly applied markings or into the marking		or sucking
	material after discharge thereof, e.g. reflective		
	beads, grip-improving particles}		
23/18	for applying prefabricated markings		
23/185	• • • {Tape- or sheet-shape markers or carriers}		