CPC COOPERATIVE PATENT CLASSIFICATION

F MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING (NOTE omitted)

ENGINES OR PUMPS

F04 POSITIVE - DISPLACEMENT MACHINES FOR LIQUIDS; PUMPS FOR LIQUIDS OR ELASTIC FLUIDS

(NOTE omitted)

F04FPUMPING OF FLUID BY DIRECT CONTACT OF ANOTHER FLUID OR BY USING
INERTIA OF FLUID TO BE PUMPED {(evacuating by sorption F04B)}; SIPHONS

{(conveying materials in bulk by flows of gas, liquid of foam <u>B65G 53/00</u>)}

NOTES

- 1. Attention is drawn to the notes preceding class $\underline{F01}$.
- 2. Combinations of pumps belonging to this subclass with other pumps are only classified in this subclass if such other pumps are fore pumps of diffusion pumps.

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Pumps using positively or negatively pressurised fluid medium acting directly on the liquid to be	5
	pumped (using only negative pressure <u>F04F 3/00</u> ; jet pumps <u>F04F 5/00</u> ; siphons <u>F04F 10/00</u>)	5
1/02	• using both positively and negatively pressurised	5
	fluid medium, e.g. alternating	5
1/04	generated by vaporising and condensing	5
1/06	• the fluid medium acting on the surface of the liquid	5
	to be pumped (<u>F04F 1/02</u> takes precedence)	5
1/08	• • specially adapted for raising liquids from great	5
	depths, e.g. in wells	5
1/10	• • of multiple type, e.g. with two or more units in	
	parallel (F04F 1/08 takes precedence)	5
1/12	• • • in series	
1/14	 adapted to pump specific liquids, e.g. corrosive or hot liquids 	5 5
1/16	• • characterised by the fluid medium being suddenly	
	pressurised, e.g. by explosion	5
1/18	• the fluid medium being mixed with, or generated from the liquid to be pumped	5
1/20	• specially adapted for raising liquids from great	5
1/20	depths, e.g. in wells	5
	depuis, e.g. in wens	5
3/00	Pumps using negative pressure acting directly on the liquid to be pumped (siphons F04F 10/00)	5
5/00	Jet pumps, i.e. devices in which flow is induced by pressure drop caused by velocity of another fluid flow (diffusion pumps F04F 9/00; combination of jet	5
	pumps with pumps of other than jet type <u>F04B</u> ; use	
	of jet pumps for priming or boosting non-positive-	5
	displacement pumps <u>F04D</u>)	5
5/02	• the inducing fluid being liquid	5
		5
5/04	displacing elastic fluids	5
5/06	of rotary type	5

5/08	• • • the elastic fluid being entrained in a free falling column of liquid	
5/10	• displacing liquids, e.g. containing solids, or	
5/10	liquids and elastic fluids	
5 (1.0	*	
5/12	• • • of multi-stage type	
5/14	• the inducing fluid being elastic fluid	
5/16	• • displacing elastic fluids	
5/18	for compressing	
5/20	for evacuating	
5/22	•••• of multi-stage type	
5/24	• • displacing liquids, e.g. containing solids, or	
	liquids and elastic fluids	
5/26	• • • of multi-stage type (<u>F04F 5/28</u> takes	
	precedence)	
5/28	Restarting of inducing action	
5/30	• • • with axially-slidable combining nozzle	
5/32	••••• with hinged flap in combining nozzle	
5/34	 characterised by means for changing inducing 	
5/54	fluid source	
5/36	characterised by using specific inducing fluid	
5/38	the inducing fluid being mercury vapour	
5/40	the inducing fluid being oil vapour	
5/42	• characterised by the input flow of inducing fluid	
	medium being radial or tangential to output flow	
	(cyclones B04C)	
5/44	• Component parts, details, or accessories not	
0, 11	provided for in, or of interest apart from, groups	
	<u>F04F 5/02</u> - <u>F04F 5/42</u>	
5/46	Arrangements of nozzles	
5/461	{Adjustable nozzles}	
5/462	 • { with provisions for cooling the fluid } 	
5/463	 • • { with provisions for ecoming the hard } • • { with provisions for mixing } 	
5/464	 . {with provisions for mixing} . {with inversion of the direction of flow} 	
5/465		
5/405	• • • {with supersonic flow (mixing of supersonic fluid: P01F 25/20)}	
	fluids <u>B01F 25/20</u>)}	

F04F

99/00	Subject matter not provided for in other groups of this subclass		
13/00	Pressure exchangers		
10/02	Gravity-actuated siphons		
10/00	Siphons		
9/08	. Control		
9/06	Arrangement of vapour traps Control		
0/06	isolating valves		
9/04	• in combination with fore pumps, e.g. use of		
9/02	• of multi-stage type		
9/00	Diffusion pumps		
7/02	• Hydraulic rams		
	e.g. by generating vibrations therein		
7/00	type Pumps displacing fluids by using inertia thereof,		
5/54	combinations of two or more jet pumps of different		
5/52 5/54	 Installations characterised by use of jet pumps, e.g. 		
5/50 5/52	of compressing pumps of evacuating pumps		
5/48 5/50	of compressing pumps		
5/409 5/48	for steam engines Control		
5/468 5/469	• • • {with provisions for priming}		
5/467	• • { with a plurality of nozzles arranged in series }		
5/466	• • {with a plurality of nozzles arranged in parallel}		
FIACC			