CPC COOPERATIVE PATENT CLASSIFICATION

F MECHANICAL ENGINEERING; LIGHTING; HEATING; WEAPONS; BLASTING (NOTE omitted)

LIGHTING; HEATING

F24 HEATING; RANGES; VENTILATING

(NOTE omitted)

F24H FLUID HEATERS, e.g. WATER OR AIR HEATERS, HAVING HEAT-GENERATING MEANS, e.g. HEAT PUMPS, IN GENERAL (steam generation F22)

NOTES

- 1. The distinguishing feature of the air heaters covered by this subclass is that the heat is predominantly released to the air by convection, mostly by forced circulation of the air. The domestic stoves or ranges covered by subclasses <u>F24B</u>, <u>F24C</u> may also be fired or electric air heaters but they release their heat to a considerable extent by radiation and only to some extent by natural convection.
- 2. In this subclass, the following terms are used with the meanings indicated:
 - "water" includes other liquids and means always the liquid to be heated;
 - "air" includes other gases or gas mixtures and means always the gas to be heated;
 - "furnace tubes" means tubes inside the heater wherein combustion is performed;
 - "fire tubes" means tubes inside the heater through which flue-gases flow from a combustion chamber located outside the tubes;
 - "heater" means apparatus including both heat generating means and means for transferring the generated heat to water or air.
- 3. All storage heaters are classified in group F24H 7/00.

1/00	Water heaters, e.g. boilers, continuous-flow	1/122	• • • {combined with storage tank}
	heaters or water-storage heaters (steam boilers	1/124	• • { using fluid fuel }
	<u>F22B</u>)	1/125	• • • {combined with storage tank}
1/0009	• {of the reduced pressure or vacuum steam type}	1/127	• • {using solid fuel}
1/0018	 {using electric energy supply} 	1/128	• • • {combined with storage tank}
1/0027	• {using fluid fuel}	1/14	• • by tubes, e.g. bent in serpentine form
1/0036	• • {of the sealed type}	1/142	• • • {using electric energy supply}
1/0045	• • {with catalytic combustion}	1/145	• • • {using fluid fuel}
1/0054	• {Gas- or oil-fired immersion heaters for open	1/147	• • • {using solid fuel}
	containers or ponds}	1/16	helically or spirally coiled
1/0063	• {using solid fuel}	1/162	• • • {using electrical energy supply}
1/0072	• {Special adaptations}	1/165	{using fluid fuel}
1/009	• • {for vehicle systems}	1/167	• • • • {using solid fuel}
1/06	 Portable or mobile, e.g. collapsible 	1/18	Water-storage heaters
1/08	 Packaged or self-contained boilers, i.e. water heaters 	1/181	• • {Construction of the tank}
	with control devices and pump in a single unit	1/182	• • {Insulation}
1/10	. Continuous-flow heaters, i.e. heaters in which heat	1/183	• • {Inner linings}
	is generated only while the water is flowing, e.g.	1/185	• • {using electric energy supply (F24H 1/201 takes
	with direct contact of the water with the heating medium		precedence)}
1/101	• {using electric energy supply}	1/186	• • {using fluid fuel}
1/101	. (using electric energy supply) (with resistance)	1/187	• • {using solid fuel}
1/102	• • • { with resistance } • • • • { with bare resistances in direct contact with	1/188	• • {with means for compensating water expansion}
1/103	the fluid}	1/20	• • with immersed heating elements, e.g. electric
1/105	{formed by the tube through which the fluid		elements or furnace tubes
1/105	flows}	1/201	• • {using electric energy supply}
1/106	• • • { with electrodes }	1/202	• • • {with resistances}
1/107	• • {using fluid fuel}	1/203	• • • { with electrodes }
1/108	• • {using solid fuel}	1/205	• • { with furnace tubes }
1/12	. in which the water is kept separate from the	1/206	• • • { with submerged combustion chamber }
1/12	heating medium	1/207	• • • {with water tubes}
1/121	 {using electric energy supply}	1/208	• • { with tubes filled with heat transfer fluid}
1/121	· · · (asing electric cherg) supply)		

1/22	 Water heaters other than continuous-flow or water- storage heaters, e.g. water heaters for central heating 	3/0405	• • • {using electric energy supply, e.g. the heating medium being a resistive element; Heating
1/225	• • {electrical central heating boilers}		by direct contact, i.e. with resistive elements,
1/24	 with water mantle surrounding the combustion chamber or chambers 		electrodes and fins being bonded together without additional element in-between
1/26	• • • the water mantle forming an integral body		(<u>F24H 3/06, F24H 3/08, F24H 3/10</u> take
1/263	• • • { with a dry-wall combustion chamber }	2/0.411	precedence)}
1/28	• • • including one or more furnace or fire tubes	3/0411	• • • {for domestic or space-heating systems}
1/282	{ with flue gas passages built-up by coaxial	3/0417	• • • • {portable or mobile}
	water mantles}	3/0423	• • • {hand-held air guns}
1/285	• • • • { with the fire tubes arranged alongside the	3/0429	• • • {For vehicles}
	combustion chamber}	3/0435	• • • • {Structures comprising heat spreading
1/287	• • • • { with the fire tubes arranged in line with the combustion chamber}	3/0441	elements in the form of fins \\ {Interfaces between the electrodes of a
1/30	the water mantle being built up from sections		resistive heating element and the power
1/32	• • • with vertical sections arranged side by side	2/0447	supply means }
1/34	 with water chamber arranged adjacent to the combustion chamber or chambers, e.g. above or 	3/0447 3/0452	 {Forms of the electrode terminals, e.g. tongues or clips} {Frame constructions}
	at side		
1/36	the water chamber including one or more fire	3/0458	· · · · · {One-piece frames}
	tubes	3/0464	{Two-piece frames, e.g. two-shell
1/38	 with water contained in separate elements, e.g. radiator-type element 		frames, also including frames as a central body with two covers}
1/40	with water tube or tubes	3/047	{Multiple-piece frames assembled on
1/403	 . With water tube of tubes {the water tubes being arranged in one or more 		their four or more edges}
1/403	circles around the burner}	3/0476	• • • • • {Means for putting the electric heaters
1/406	• • • {the tubes forming a membrane wall}		in the frame under strain, e.g. with
1/41	in serpentine form	2 10 402	springs}
1/43	helically or spirally coiled	3/0482	• • • • {Frames with integrated fan}
1/44	with combinations of two or more of the types	3/0488	• • • {using fluid fuel}
	covered by groups <u>F24H 1/24</u> - <u>F24H 1/40</u> {, e.g.	3/0494	• • {using solid fuel}
	boilers having a combination of features covered by F24H 1/24 - F24H 1/40}	3/06	 the air being kept separate from the heating medium, e.g. using forced circulation of air over radiators
1/445	• • • {with integrated flue gas condenser}	3/062	• • • {using electric energy supply; the heating
1/46	. Water heaters having plural combustion chambers	3/002	medium being the resistive element
1/48	Water heaters for central heating incorporating heaters for domestic water		(<u>F24H 3/08</u> , <u>F24H 3/10</u> takes precedence)}
1/50		3/065	{using fluid fuel}
1/50	• incorporating domestic water tanks	3/067	• • {using solid fuel}
1/52	• • incorporating heat exchangers for domestic water (F24H 1/50 takes precedence)	3/08	by tubes
1/523	• • {Heat exchangers for sanitary water directly	3/081	• • • {using electric energy supply}
1/323	heated by the burner}	3/082	• • • • {The tubes being an electrical isolator
1/526	• • • {Pipes in pipe heat exchangers for sanitary		containing the heater}
1/320	water}	3/084	{The tubes being an electrode for the
1/54	• Water heaters for bathtubs or pools; Water heaters		heater}
	for reheating the water in bathtubs or pools	3/085	• • • • {The tubes containing an electrically heated intermediate fluid, e.g. water}
3/00	Air heaters	3/087	• • • { using fluid fuel }
3/002	• {using electric energy supply}	3/088	• • • { using solid fuel }
3/004	• • {with a closed circuit for a heat transfer liquid}	3/10	• • • by plates
3/006	• {using fluid fuel}	3/102	• • • {using electric energy supply}
3/008	• {using solid fuel}	3/105	• • • {using fluid fuel}
3/02	 with forced circulation 	3/107	• • • {using solid fuel}
3/022	• • {using electric energy supply}	3/12	 with additional heating arrangements
3/025	• • {using fluid fuel}	4/00	
3/027	• • {using solid fuel}	4/00	Fluid heaters characterised by the use of heat pumps
3/04	• the air being in direct contact with the heating	4/02	. Water heaters
	medium, e.g. electric heating element	4/02	Storage heaters
		4/04	Storage neaters Air heaters
		6/00	Combined water and air heaters
		7/00	Storage heaters, i.e. heaters in which the energy is stored as heat in masses for subsequent release

7/002	 {using electrical energy supply} 	9/06	 Arrangement of mountings or supports {for heaters,
7/005	• {using fluid fuel}		e.g. boilers, other than space heating radiators
7/007	• {using solid fuel}		(space heating radiators <u>F24D 19/02</u>)}
7/02	 the released heat being conveyed to a transfer fluid 	9/12	 Arrangements for connecting heaters to circulation
7/0208	 • the released near being conveyed to a transfer fland • {using electrical energy supply} 		pipes
		9/13	• for water heaters
7/0216	• • • {the transfer fluid being air}	9/133	{Storage heaters}
7/0225	• • • { with supplementary heating means }		
7/0233	• • • {the transfer fluid being water}	9/136	• • • {Arrangement of inlet valves used therewith}
7/0241	• • • { with supplementary heating means }	9/139	• • • {Continuous flow heaters}
7/025	• • {using fluid fuel}	9/14	 Arrangements for connecting different sections,
7/0258	• • {the transfer fluid being air}		e.g. in water heaters (arrangements for connecting
			heaters to circulation pipes F24H 9/12)
7/0266	• • • {the transfer fluid being water}	9/142	• • {Connecting hydraulic components}
7/0275	• • {using solid fuel}	9/144	(Valve seats, piping and heat exchanger)
7/0283	• • • {the transfer fluid being air}	9/144	
7/0291	• • • {the transfer fluid being water}		connections integrated into a one-piece
7/04	with forced circulation of the transfer fluid		hydraulic unit}
7/0408	 {using electrical energy supply}	9/146	• • {Connecting elements of a heat exchanger}
		9/148	• • {Arrangements of boiler components on a frame
7/0416	• • • {the transfer fluid being air}		or within a casing to build the fluid heater, e.g.
7/0425	• • • • { with supplementary heating means }		boiler}
7/0433	• • • {the transfer medium being water}	9/16	Arrangements for water drainage
7/0441	• • • • { with supplementary heating means }	9/17	Means for retaining water leaked from heaters
7/045	{using fluid fuel}		•
	· · · · · · · · · · · · · · · · · · ·	9/18	 Arrangement or mounting of grates or heating
7/0458	{the transfer fluid being air}		means
7/0466	• • • { the transfer fluid being water }	9/1809	• • for water heaters
7/0475	• • • {using solid fuel}		WARNING
7/0483	• • • { the transfer fluid being air }		WARINING
7/0491	• • • { the transfer fluid being water }		Group F24H 9/1809 is impacted by
7/06	• the released heat being radiated		reclassification into group F24H 9/1832.
	——————————————————————————————————————		Groups F24H 9/1809 and F24H 9/1832 should
7/062	• • {with electrical energy supply}		
7/065	• • {with fluid fuel}		be considered in order to perform a complete search.
7/067	• • {with solid fuel}		
7/007	• • {with solid rule}		search.
		9/1818	
8/00	Fluid heaters characterised by means for	9/1818	Arrangement or mounting of electric heating
	Fluid heaters characterised by means for extracting latent heat from flue gases by means of		Arrangement or mounting of electric heating means
	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation	9/1818 9/1827	 Arrangement or mounting of electric heating means Positive temperature coefficient [PTC]
	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air}		 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor}
8/00	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation		 Arrangement or mounting of electric heating means Positive temperature coefficient [PTC]
8/00 8/003	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases}	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor}
8/00 8/003 8/006	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air}	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners
8/00 8/003	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases}	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion
8/00 8/003 8/006 9/00	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING
8/003 8/006 9/00 9/0005	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters}	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending
8/003 8/006 9/00 9/0005 9/001	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • {Guiding means}	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group
8/003 8/003 8/006 9/00 9/0005 9/001 9/0015	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {in water channels}	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809.
8/003 8/006 9/00 9/0005 9/001	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {in water channels} • • • {Sleeves surrounding heating elements or	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832
8/003 8/003 8/006 9/00 9/0005 9/001 9/0015	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a
8/003 8/003 8/006 9/00 9/0005 9/001 9/0015	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {in water channels} • • • {Sleeves surrounding heating elements or	9/1827	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832
8/003 8/003 8/006 9/00 9/0005 9/001 9/0015	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat	9/1827 9/1832	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search.
8/003 8/003 8/006 9/00 9/0005 9/0015 9/0021	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {sin water channels} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {in combustion gas channels}	9/1827 9/1832 9/1836	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel
8/003 8/003 8/006 9/00 9/0005 9/001 9/0015 9/0021	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {in combustion gas channels} • • • {with means for changing or adapting the	9/1827 9/1832	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search.
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {with means for changing or adapting the path of the flue gas}	9/1827 9/1832 9/1836	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel
8/003 8/003 8/006 9/00 9/0005 9/0015 9/0021	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {in combustion gas channels} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion	9/1827 9/1832 9/1836 9/1845	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters
8/003 8/003 8/006 9/000 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {in combustion gas channels} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products}	9/1827 9/1832 9/1836 9/1845	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel using solid fuel
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products} • • {Cleaning arrangements}	9/1827 9/1832 9/1836 9/1845	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING
8/003 8/003 8/006 9/000 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {in combustion gas channels} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products}	9/1827 9/1832 9/1836 9/1845	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products} • • {Cleaning arrangements}	9/1827 9/1832 9/1836 9/1845	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877.
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0057	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {in combustion gas channels} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products} • • {Cleaning arrangements} • {Guiding means}	9/1827 9/1832 9/1836 9/1845	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0057 9/0063	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products} • • {Cleaning arrangements} • {Guiding means} • • {Guiding means} • • • {in air channels}	9/1827 9/1832 9/1836 9/1845	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should be considered in order to perform a complete
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0057 9/0063 9/0068	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products} • • {Cleaning arrangements} • {Guiding means} • • {in air channels} • • • {in combustion gas channels}	9/1827 9/1832 9/1836 9/1845	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0057 9/0063	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {Guiding means} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products} • • {Cleaning arrangements} • {Guiding means} • • {in air channels} • • {in combustion gas channels}	9/1827 9/1832 9/1836 9/1845 9/1854	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should be considered in order to perform a complete search.
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0057 9/0063 9/0068 9/0073	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products} • • {Cleaning arrangements} • {Guiding means} • • {in air channels} • • {in combustion gas channels} • • {Arrangement or mounting of means for forcing the circulation of air}	9/1827 9/1832 9/1836 9/1845	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should be considered in order to perform a complete search. Arrangement or mounting of electric heating
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0057 9/0063 9/0068 9/0073	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • {Guiding means} • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • {in combustion gas channels} • • {with means for changing or adapting the path of the flue gas} • {Dispositions against condensation of combustion products} • {Cleaning arrangements} • {Guiding means} • • {in air channels} • • {in combustion gas channels} • • {Arrangement or mounting of means for forcing the circulation of air} • • {for storage heaters}	9/1827 9/1832 9/1836 9/1845 9/1854	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should be considered in order to perform a complete search. Arrangement or mounting of electric heating means
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0057 9/0063 9/0068 9/0073	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products} • • {Cleaning arrangements} • {Guiding means} • • {in air channels} • • {in combustion gas channels} • • {Arrangement or mounting of means for forcing the circulation of air}	9/1827 9/1832 9/1836 9/1845 9/1854	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should be considered in order to perform a complete search. Arrangement or mounting of electric heating
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0057 9/0063 9/0068 9/0073	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • {Guiding means} • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • {in combustion gas channels} • • {with means for changing or adapting the path of the flue gas} • {Dispositions against condensation of combustion products} • {Cleaning arrangements} • {Guiding means} • • {in air channels} • • {in combustion gas channels} • • {Arrangement or mounting of means for forcing the circulation of air} • • {for storage heaters}	9/1827 9/1832 9/1836 9/1845 9/1854	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should be considered in order to perform a complete search. Arrangement or mounting of electric heating means
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0052 9/0057 9/0063 9/0068 9/0073 9/0078 9/0084 9/0089	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • {Guiding means} • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • { sin combustion gas channels} • • { with means for changing or adapting the path of the flue gas} • {Dispositions against condensation of combustion products} • {Cleaning arrangements} • {Guiding means} • • {in air channels} • • {in combustion gas channels} • • {for storage heaters} • {Combustion air preheating} • {by double wall boiler mantle}	9/1827 9/1832 9/1836 9/1845 9/1854	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should be considered in order to perform a complete search. Arrangement or mounting of electric heating means
8/00 8/003 8/006 9/00 9/0005 9/0015 9/0021 9/0026 9/0031 9/0036 9/0042 9/0052 9/0057 9/0063 9/0068 9/0073 9/0078 9/0084	Fluid heaters characterised by means for extracting latent heat from flue gases by means of condensation • {having means for moistening the combustion air with condensate from the combustion gases} • {Means for removing condensate from the heater} Details • {for water heaters} • • {Guiding means} • • • {Sleeves surrounding heating elements or heating pipes, e.g. pipes filled with heat transfer fluid, for guiding heated liquid} • • • {in combustion gas channels} • • • {with means for changing or adapting the path of the flue gas} • • {Dispositions against condensation of combustion products} • • {Cleaning arrangements} • {Guiding means} • • {in combustion gas channels} • • {in combustion gas channels} • • {for air channels} • • {for storage heaters} • {Combustion air preheating}	9/1827 9/1832 9/1836 9/1845 9/1854	 Arrangement or mounting of electric heating means {Positive temperature coefficient [PTC] resistor} Arrangement or mounting of combustion heating means, e.g. grates or burners WARNING Group F24H 9/1832 is incomplete pending reclassification of documents from group F24H 9/1809. Groups F24H 9/1809 and F24H 9/1832 should be considered in order to perform a complete search. using fluid fuel to using solid fuel for air heaters WARNING Group F24H 9/1854 is impacted by reclassification into group F24H 9/1877. Groups F24H 9/1854 and F24H 9/1877 should be considered in order to perform a complete search. Arrangement or mounting of electric heating means

9/1877 . . . Arrangement or mounting of combustion heating means, e.g. grates or burners

WARNING

Group F24H 9/1877 is incomplete pending reclassification of documents from group F24H 9/1854.

Groups <u>F24H 9/1854</u> and <u>F24H 9/1877</u> should be considered in order to perform a complete search.

9/1881 . . . using fluid fuel 9/189 . . . using solid fuel

9/20 • Arrangement or mounting of control or safety devices

WARNING

Group $\underline{F24H\ 9/20}$ is impacted by reclassification into groups $\underline{F24H\ 9/25}$, $\underline{F24H\ 9/28}$, and $\underline{F24H\ 15/00}$ - $\underline{F24H\ 15/493}$.

All groups listed in this Warning should be considered in order to perform a complete search

9/2007 . . {for water heaters}

WARNING

Group <u>F24H 9/2007</u> is impacted by reclassification into groups <u>F24H 9/25</u>, <u>F24H 9/28</u>, and <u>F24H 15/00</u> - F24H 15/493.

All groups listed in this Warning should be considered in order to perform a complete search.

9/2014 . . . {using electrical energy supply}

WARNING

Group <u>F24H 9/2014</u> is impacted by reclassification into groups <u>F24H 9/25</u>, <u>F24H 9/28</u>, and <u>F24H 15/00</u> - F24H 15/493.

All groups listed in this Warning should be considered in order to perform a complete search.

9/2021 . . . { Storage heaters }

WARNING

Group <u>F24H 9/2021</u> is impacted by reclassification into groups <u>F24H 9/25</u>, <u>F24H 9/28</u>, and <u>F24H 15/00 - F24H 15/493</u>.

All groups listed in this Warning should be considered in order to perform a complete search.

9/2028 . . . (Continuous-flow heaters)

WARNING

Group <u>F24H 9/2028</u> is impacted by reclassification into groups <u>F24H 9/25</u>, <u>F24H 9/28</u>, and <u>F24H 15/00</u> - <u>F24H 15/493</u>.

All groups listed in this Warning should be considered in order to perform a complete search. 9/2035 . . . {using fluid fuel}

WARNING

Group <u>F24H 9/2035</u> is impacted by reclassification into groups <u>F24H 9/25</u>, <u>F24H 9/28</u>, and <u>F24H 15/00</u> - <u>F24H 15/493</u>.

All groups listed in this Warning should be considered in order to perform a complete search.

9/2042 . . . {Preventing or detecting the return of combustion gases}

WARNING

Group <u>F24H 9/2042</u> is impacted by reclassification into groups <u>F24H 9/25</u>, <u>F24H 9/28</u>, and <u>F24H 15/00</u> - <u>F24H 15/493</u>.

All groups listed in this Warning should be considered in order to perform a complete search.

9/205 (Closing the energy supply)

WARNING

Group <u>F24H 9/205</u> is impacted by reclassification into groups <u>F24H 9/25</u>, <u>F24H 9/28</u>, and <u>F24H 15/00</u> - <u>F24H 15/493</u>.

All groups listed in this Warning should be considered in order to perform a complete search.

9/2057 . . . {using solid fuel}

WARNING

Group <u>F24H 9/2057</u> is impacted by reclassification into groups <u>F24H 9/25</u>, <u>F24H 9/28</u>, and <u>F24H 15/00</u> - F24H 15/493.

All groups listed in this Warning should be considered in order to perform a complete search.

9/2064 • • { for air heaters }

WARNING

Group <u>F24H 9/2064</u> is impacted by reclassification into groups <u>F24H 9/25</u>, F24H 9/28, and F24H 15/00 - F24H 15/493.

All groups listed in this Warning should be considered in order to perform a complete search.

9/2071 . . . {using electrical energy supply}

WARNING

Group <u>F24H 9/2071</u> is impacted by reclassification into groups <u>F24H 9/25</u>, <u>F24H 9/28</u>, and <u>F24H 15/00</u> - F24H 15/493.

All groups listed in this Warning should be considered in order to perform a complete search.

9/2078 • • • {Storage heaters} 9/45 . . for preventing galvanic corrosion, e.g. cathodic or electrolytic means WARNING WARNING Group F24H 9/2078 is impacted by reclassification into groups Group F24H 9/45 is impacted by F24H 9/25, F24H 9/28, and reclassification into groups F24H 9/40, F24H 9/455, and F24H 9/457. <u>F24H 15/00</u> - <u>F24H 15/493</u>. All groups listed in this Warning should All groups listed in this Warning should be be considered in order to perform a considered in order to perform a complete complete search. search. 9/2085 • • {using fluid fuel} 9/455 • • {for water heaters} 9/457 {for air heaters} WARNING 15/00 **Control of fluid heaters** Group F24H 9/2085 is impacted by reclassification into groups F24H 9/25, WARNING F24H 9/28, and F24H 15/00 - F24H 15/493. Groups <u>F24H 15/00</u> - <u>F24H 15/493</u> are incomplete All groups listed in this Warning should be pending reclassification of documents from considered in order to perform a complete groups F24D 19/10 - F24D 19/1096 and search. F24H 9/20 - F24H 9/2092. • • {using solid fuel} 9/2092 All groups listed in this Warning should be considered in order to perform a complete search. WARNING 15/10 . characterised by the purpose of the control Group F24H 9/2092 is impacted by 15/104 . . Inspection; Diagnosis; Trial operation reclassification into groups F24H 9/25, F24H 9/28, and F24H 15/00 - F24H 15/493. 15/108 . . Resuming operation, e.g. after power outages 15/112 . . Preventing or detecting blocked flues All groups listed in this Warning should be 15/116 . . . Disabling the heating means in response thereto considered in order to perform a complete search. 15/12 . . Preventing or detecting fluid leakage 15/124 . . Preventing or detecting electric faults, e.g. electric 9/25 . . of remote control devices or control-panels leakage **WARNING** 15/128 . . Preventing overheating 15/132 . . . Preventing the operation of water heaters with Groups <u>F24H 9/25</u> and <u>F24H 9/28</u> are low water levels, e.g. dry-firing incomplete pending reclassification of 15/136 . . Defrosting or de-icing; Preventing freezing documents from groups F24H 9/20, 15/14 . . Cleaning; Sterilising; Preventing contamination F24H 9/2007, F24H 9/2014, F24H 9/2021, by bacteria or microorganisms, e.g. by replacing F24H 9/2028, F24H 9/2035, F24H 9/2042, fluid in tanks or conduits F24H 9/205, F24H 9/2057, F24H 9/2064, 15/144 . . Measuring or calculating energy consumption F24H 9/2071, F24H 9/2078, F24H 9/2085, and 15/148 . . . Assessing the current energy consumption F24H 9/2092. 15/152 . . . Forecasting future energy consumption All groups listed in this Warning should be considered in order to perform a complete 15/156 . . Reducing the quantity of energy consumed; Increasing efficiency search. 15/16 . . Reducing cost using the price of energy, e.g. 9/28 . . . characterised by the graphical user interface choosing or switching between different energy [GUI] sources 9/40 . Arrangements for preventing corrosion 15/164 . . . where the price of the electric supply changes **WARNING** with time 15/168 . . Reducing the electric power demand peak Groups F24H 9/40, F24H 9/455, and F24H 9/457 Scheduling based on user demand, e.g. 15/172 are incomplete pending reclassification of determining starting point of heating documents from group F24H 9/45. Supplying heated water with desired temperature 15/174 All groups listed in this Warning should be or desired range of temperature considered in order to perform a complete 15/175 . . . where the difference between the measured search. temperature and a set temperature is kept under a predetermined value 15/176 . . Improving or maintaining comfort of users 15/18 . . . Preventing sudden or unintentional change of fluid temperature 15/184 . . Preventing harm to users from exposure to heated water, e.g. scalding 15/196 Automatically filling bathtubs or pools; Reheating the water in bathtubs or pools 15/20 . characterised by control inputs

15/204	Temperature of the air before heating	15/429	• • • for selecting operation modes
15/208	Temperature of the air after heating	15/436	• • • for selecting sleeping modes
15/212	Temperature of the water	15/443	• • using a central controller connected to several
15/215	before heating		sub-controllers
15/219	after heating	15/45	remotely accessible
15/223	in the water storage tank	15/457	• • • using telephone networks or Internet
15/225	at different heights of the tank		communication
15/227	Temperature of the refrigerant in heat pump	15/464	• • • using local wireless communication
	cycles	15/479	• • • for programming the system
15/231	at the evaporator	15/486	• using timers
15/232	at the condenser	15/493	specially adapted for enabling recognition of parts
15/235	Temperature of exhaust gases		newly installed in the fluid heating system, e.g.
15/238	Flow rate		for retrofitting or for repairing by replacing parts
15/242	Pressure		
15/246	Water level	2203/00	** to be deleted **
15/248	of water storage tanks	2210/00	Burner and heat exchanger are integrated
15/25	Temperature of the heat-generating means in the heater	2220/00	Measures for environmentally correct disposal
15/254	Room temperature	2230/00	Solid fuel fired boiler
15/258	Outdoor temperature	2230/02	Solid and fluid fuel fired boilers
15/262	Weather information or forecast	2230/02	• Solid and fluid fuel fried boliers
15/265	. Occupancy	2240/00	Fluid heaters having electrical generators
15/269	. Time, e.g. hour or date	2240/01	Batteries, electrical energy storage device
15/273	Address or location	2240/02	• with combustion engines
15/277	. Price	2240/04	External combustion engines
15/281	. Input from user	2240/06	Internal combustion engines
15/288	Accumulation of deposits, e.g. lime or scale	2240/08	• with peltier elements
15/292	Metering of electricity sold to the grid	2240/09	• with photovoltaic cells
15/296	Information from neighbouring devices	2240/10	• with fuel cells
15/30	• characterised by control outputs; characterised by	2240/12	with thermodynamic cycle for converting thermal
	the components to be controlled		energy to mechanical power to produce electrical
15/305	Control of valves (of heat pumps <u>F24H 15/385</u> ,		energy
	<u>F24H 15/39</u>)	2240/122	Stirling cycles
15/31	of valves having only one inlet port and one	2240/125	Carnot cycles
	outlet port, e.g. flow rate regulating valves	2240/127	Rankine cycles, e.g. steam heat engines
15/315	• • of mixing valves	2250/00	Electrical heat generating means
15/32	• • of switching valves (for by-passing	2250/02	• Resistances
	<u>F24H 15/325</u>)	2250/04	Positive or negative temperature coefficients, e.g.
15/325	of by-pass valves		PTC, NTC
15/33	Control of dampers	2250/06	• Peltier
15/335	Control of pumps, e.g. on-off control (control of	2250/08	• Induction
	compressors of heat pumps <u>F24H 15/38</u>)	2250/10	• Electrodes
15/34	Control of the speed of pumps	2250/12	Microwaves
15/345	• Control of fans, e.g. on-off control (control of fans of heat pump units <u>F24H 15/375</u>)	2250/14	. Lamps
15/35	Control of the speed of fans		
15/355	Control of heat-generating means in heaters		
15/36	of burners		
15/365	• • • of two or more burners, e.g. an array of burners		
15/37	of electric heaters		
15/375	Control of heat pumps		
15/38	Control of compressors of heat pumps		
15/385	Control of expansion valves of heat pumps		
15/39	Control of valves for distributing refrigerant to different evaporators or condensers in heat pumps		
15/395	• • Information to users, e.g. alarms		
15/40	characterised by the type of controllers		

CPC - 2024.05

• characterised by the type of controllers

. . . using pre-stored data

. . using electrical switching, e.g. $\ensuremath{\mathsf{TRIAC}}$

. . using electronic processing, e.g. computer-based

15/40 15/407

15/414

15/421