CPC COOPERATIVE PATENT CLASSIFICATION

G PHYSICS

(NOTES omitted)

INSTRUMENTS

G10 MUSICAL INSTRUMENTS; ACOUSTICS

(NOTES omitted)

G10H ELECTROPHONIC MUSICAL INSTRUMENTS; INSTRUMENTS IN WHICH THE TONES ARE GENERATED BY ELECTROMECHANICAL MEANS OR ELECTRONIC GENERATORS, OR IN WHICH THE TONES ARE SYNTHESISED FROM A DATA STORE

NOTE

This subclass <u>covers</u> musical instruments in which individual notes are constituted as electric oscillations under the control of a performer and the oscillations are converted to sound-vibrations by a loud-speaker or equivalent instrument.

WARNING

{In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.}

1/00	Details of electrophonic musical instruments	1/055	by switches with variable impedance
1/0008	• {Associated control or indicating means}		elements
1/0016	• • {Means for indicating which keys, frets or strings	1/0551	• • • • {using variable capacitors}
	are to be actuated, e.g. using lights or leds}	1/0553	• • • • {using optical or light-responsive means}
1/0025	{Automatic or semi-automatic music	1/0555	• • • • {using magnetic or electromagnetic
	composition, e.g. producing random music,		means}
	applying rules from music theory or modifying a	1/0556	• • • • {using piezoelectric means}
	musical piece (automatically producing a series of	1/0558	{using variable resistors}
	tones <u>G10H 1/26</u>)}	1/057	by envelope-forming circuits
1/0033	• {Recording/reproducing or transmission of music for electrophonic musical instruments}	1/0575	• • • • { using a data store from which the envelope is synthesized (tones synthesized
1/0041	• • {in coded form}		from a data store G10H 7/00)}
1/005	• • { on magnetic tape }	1/06	Circuits for establishing the harmonic content of
1/0058	• • • {Transmission between separate instruments		tones {, or other arrangements for changing the
	or between individual components of a musical		tone colour}
	system (<u>G10H 1/0083</u> takes precedence)}	1/08	• • • by combining tones (<u>G10H 1/14</u> , <u>G10H 1/16</u>
1/0066	• • • {using a MIDI interface}		take precedence; chord G10H 1/38)
1/0075	• • • • { with translation or conversion means for	1/10	• • • for obtaining chorus, celeste or ensemble
	unvailable commands, e.g. special tone		effects (continuous modulation <u>G10H 1/043</u>)
1/0002	colors}	1/12	• • • by filtering complex waveforms (G10H 1/14,
1/0083	 {using wireless transmission, e.g. radio, light, infrared} 		G10H 1/16 take precedence)
1/0001		1/125	• • • {using a digital filter}
1/0091	• {Means for obtaining special acoustic effects (combined with modulation <u>G10H 1/043</u>)}	1/14	• • • during execution {(voice controlled instruments G10H 5/005)}
1/02	• Means for controlling the tone frequencies, e.g.	1/16	• • • by non-linear elements (G10H 1/14 takes
	attack or decay; Means for producing special		precedence)
1 /0 4	musical effects, e.g. vibratos or glissandos	1/18	Selecting circuits
1/04	by additional modulation	1/181	• • {Suppression of switching-noise}
1/043	Continuous modulation	1/182	• • {Key multiplexing (G10H 1/185 takes
1/045	by electromechanical means		precedence)}
1/047	 by acousto-mechanical means, e.g. rotating speakers or sound deflectors 	1/183	 {Channel-assigning means for polyphonic instruments}
1/053	• • during execution only {(voice controlled	1/185	• • • {associated with key multiplexing}
	instruments <u>G10H 5/005</u>)}	1/186	{Microprocessor-controlled keyboard and
1/0535	{by switches incorporating a mechanical		assigning means}
	vibrator, the envelope of the mechanical		

CPC - 2024.05

vibration being used as modulating signal}

1/187	• • {using multiplexed channel processors (G10H 1/186 takes precedence)}	3/12	 using mechanical resonant generators, e.g. strings or percussive instruments, the tones of which are
1/188	• • • {with means to assign more than one channel to		picked up by electromechanical transducers, the
	any single key}		electrical signals being further manipulated or
1/20	• • for transposition		amplified and subsequently converted to sound by a loudspeaker or equivalent instrument
1/22	• • for suppressing tones; Preference networks	3/125	Extracting or recognising the pitch or
1/24	for selecting plural preset register stops	3/123	fundamental frequency of the picked up signal}
1/26	for automatically producing a series of tones	3/14	using mechanically actuated vibrators with pick-
1/28	to produce arpeggios	3/14	up means (G10H 3/24 takes precedence)
1/30	to reiteratively sound two tones	3/143	• • • {characterised by the use of a piezoelectric or
1/32	Constructional details	0,1.0	magneto-strictive transducer}
1/34	Switch arrangements, e.g. keyboards or mechanical switches specially adapted for	3/146	• • • {using a membrane, e.g. a drum; Pick-up means for vibrating surfaces, e.g. housing of an
1/342	electrophonic musical instruments • • • {for guitar-like instruments with or without		instrument}
1/342	strings and with a neck on which switches or	3/16	using a reed
	string-fret contacts are used to detect the notes	3/18	• • using a string, e.g. electric guitar {(mechanical
	being played (electric guitars in which the		features <u>G10D 1/085</u>)}
	tones are generated by the vibration of strings	3/181	{Details of pick-up assemblies}
	G10H 3/18)}	3/182	{using two or more pick-up means for each
1/344	Structural association with individual keys		string}
1,5	(electrically operated wind-actuated organs G10B 3/22)}	3/183	• • • { in which the position of the pick-up means is adjustable }
1/346	{Keys with an arrangement for simulating	3/185	• • • { in which the tones are picked up through the
	the feeling of a piano key, e.g. using		bridge structure}
	counterweights, springs, cams}	3/186	• • • • {Means for processing the signal picked up
1/348	• • • {Switches actuated by parts of the body other		from the strings (filtering G10H 1/12)}
	than fingers}	3/187	• • • • {for distorting the signal, e.g. to simulate
1/36	 Accompaniment arrangements 		tube amplifiers (changing the tone color by
1/361	{Recording/reproducing of accompaniment for		non-linear elements <u>G10H 1/16</u>)}
	use with an external source, e.g. karaoke systems}	3/188	• • • • {for converting the signal to digital format
1/363	• • • {using optical disks, e.g. CD, CD-ROM, to		(transmission using a MIDI interface
	store accompaniment information in digital	2/20	<u>G10H 1/0066</u>)}
	form}	3/20	• • using a tuning fork, rod or tube
1/365	• • • {the accompaniment information being stored	3/22	using electromechanically actuated vibrators with
	on a host computer and transmitted to a	2/24	pick-up means (G10H 3/24 takes precedence)
	reproducing terminal by means of a network,	3/24	incorporating feedback means, e.g. acoustic
1/266	e.g. public telephone lines}	3/26	using electric feedback
1/366	• • • { with means for modifying or correcting	5/00	Instruments in which the tones are generated by
	the external signal, e.g. pitch correction,		means of electronic generators (G10H 7/00 takes
1/2/0	reverberation, changing a singer's voice}		precedence)
1/368	 • {displaying animated or moving pictures synchronized with the music or audio part} 	5/002	• {Instruments using voltage controlled oscillators
1/20			and amplifiers or voltage controlled oscillators and
1/38	. Chord		filters, e.g. Synthesisers}
1/383	• • • (Chord detection and/or recognition, e.g. for	5/005	• {Voice controlled instruments}
1/386	correction, or automatic bass generation}	5/007	• {Real-time simulation of G10B, G10C, G10D-
	• • • {One-finger or one-key chord systems}		type instruments using recursive or non-linear
1/40	. Rhythm		techniques, e.g. waveguide networks, recursive
1/42	• • comprising tone forming circuits		algorithms}
1/44	Tuning means	5/02	 using generation of basic tones
1/46	• Volume control	5/04	with semiconductor devices as active elements
3/00	Instruments in which the tones are generated by		(<u>G10H 3/10</u> , <u>G10H 3/12</u> take precedence)
	electromechanical means	5/06	 tones generated by frequency multiplication or
3/02	 using mechanical interrupters 		division of a basic tone
3/03	 using pick-up means for reading recorded waves, 	5/07	resulting in complex waveforms
	e.g. on rotating discs {drums, tapes or wires}	5/08	• tones generated by heterodyning
3/06	using photoelectric pick-up means	5/10	• using generation of non-sinusoidal basic tones, e.g.
3/08	using inductive pick-up means		saw-tooth $\{(\underline{G10H5/06} \text{ takes precedence})\}$
3/09	using tapes or wires	5/12	• using semiconductor devices as active elements
3/10	using capacitive pick-up means	5/14	 using electromechanical resonators, e.g. quartz
			crystals, as frequency determining element
			$\{(G10H 5/02, G10H 5/08 \text{ take precedence})\}$
		5/16	 using cathode ray tubes

7/00	Instruments in which the tones are synthesised from a data store, e.g. computer organs	2210/046 • for differentiation between music and non-music signals, based on the identification of musical
7/002	 {using a common processing for different operations or calculations, and a set of 	parameters, e.g. based on tempo detection 2210/051 for extraction or detection of onsets of musical
	microinstructions (programme) to control the sequence thereof}	sounds or notes, i.e. note attack timings 2210/056 • for extraction or identification of individual
7/004	with one or more auxiliary processor in addition to the main processing unit}	 2210/056 . for extraction or identification of individual instrumental parts, e.g. melody, chords, bass; Identification or separation of instrumental parts
7/006	 {using two or more algorithms of different types to generate tones, e.g. according to tone color or to processor workload} 	by their characteristic voices or timbres 2210/061 • for extraction of musical phrases, isolation of musically relevant segments, e.g. musical
7/008	• {Means for controlling the transition from one tone waveform to another}	thumbnail generation, or for temporal structure analysis of a musical piece, e.g. determination of
7/02	in which amplitudes at successive sample points of a tone waveform are stored in one or more memories	the movement sequence of a musical work 2210/066 • for pitch analysis as part of wider processing for musical purposes, e.g. transcription, musical
7/04	• • in which amplitudes are read at varying rates, e.g. according to pitch	performance evaluation; Pitch recognition, e.g. in polyphonic sounds; Estimation or use of missing
7/045	• • • {using an auxiliary register or set of registers, e.g. a shift-register, in which the amplitudes are transferred before being read}	fundamental 2210/071 • for rhythm pattern analysis or rhythm style recognition (rhythm pattern per se
7/06	• • in which amplitudes are read at a fixed rate, the read-out address varying stepwise by a given	G10H 2210/341) 2210/076 • for extraction of timing, tempo; Beat detection
7/08	value, e.g. according to pitch • by calculating functions or polynomial	(tempo display <u>G10H 2220/081</u> ; tempo control <u>G10H 2210/375</u>)
	approximations to evaluate amplitudes at successive sample points of a tone waveform	2210/081 • for automatic key or tonality recognition, e.g. using musical rules or a knowledge base
7/10	using coefficients or parameters stored in a	2210/086 for transcription of raw audio or music data to
5 /105	memory, e.g. Fourier coefficients (G10H 7/12 takes precedence)	a displayed or printed staff representation or to displayable MIDI-like note-oriented data, e.g. in pianoroll format
7/105	• • {using Fourier coefficients}	2210/091 • for performance evaluation, i.e. judging, grading
7/12	 by means of a recursive algorithm using one or more sets of parameters stored in a memory and the calculated amplitudes of one or more preceding sample points 	or scoring the musical qualities or faithfulness of a performance, e.g. with respect to pitch, tempo or other timings of a reference performance
	t	2210/095 • Inter-note articulation aspects, e.g. legato or staccato
2210/00	Aspects or methods of musical processing having intrinsic musical character, i.e. involving musical	2210/101 • Music Composition or musical creation; Tools or processes therefor
	theory or musical parameters or relying on musical knowledge, as applied in electrophonic	2210/105 . Composing aid, e.g. for supporting creation,
	musical tools or instruments (processing aspects	edition or modification of a piece of music 2210/111 . Automatic composing, i.e. using predefined
2210/005	without intrinsic musical character G10H 2250/00)	musical rules
	Musical accompaniment, i.e. complete instrumental rhythm synthesis added to a performed melody, e.g. as output by drum machines (background music G10H 2210/021)	2210/115 using a random process to generate a musical note, phrase, sequence or structure (using a random process to build a rhythm pattern G10H 2210/356; random rhythm pattern
2210/011	. Fill-in added to normal accompaniment pattern	selection <u>G10H 2210/366</u>)
2210/015	Accompaniment break, i.e. interrupting then restarting	2210/121 using a knowledge base 2210/125 Medley, i.e. linking parts of different musical
2210/021	Background music, e.g. for video sequences, elevator music (musical accompaniment)	pieces in one single piece, e.g. sound collage, DJ mix
2210/026	<u>G10H 2210/005</u>)	2210/131 Morphing, i.e. transformation of a musical piece
2210/026 2210/031	for games, e.g. videogames Musical analysis, i.e. isolation, extraction or	into a new different one, e.g. remix 2210/136 Morphing interpolation, i.e. interpolating in
2210/031	identification of musical elements or musical parameters from a raw acoustic signal or from an encoded audio signal (neural networks for	pitch, harmony or time, tempo or rhythm, between two different musical pieces, e.g. to produce a new musical work
	electrophonic musical instruments or musical processing G10H 2250/311)	2210/141 • Riff, i.e. improvisation, e.g. repeated motif or phrase, automatically added to a piece, e.g. in real
2210/036	of musical genre, i.e. analysing the style of	time
	musical pieces, usually for selection, filtering or classification	2210/145 • Composing rules, e.g. harmonic or musical rules, for use in automatic composition; Rule generation
2210/041	based on mfcc [mel -frequency spectral coefficients]	algorithms therefor 2210/151 . using templates, i.e. incomplete musical sections, as a basis for composing

2210/155 • Musical effects	2210/215 Rotating vibrato, i.e. simulating rotating
2210/161 • Note sequence effects, i.e. sensing, altering,	speakers, e.g. Leslie effect
controlling, processing or synthesising a note trigger selection or sequence, e.g. by altering trigger timing, triggered note values, adding improvisation or ornaments, also rapid repetition	2210/221 Glissando, i.e. pitch smoothly sliding from one note to another, e.g. gliss, glide, slide, bend, smear, sweep; ("discrete glissando" on instruments not permitting continuous
of the same note onset, e.g. on a piano, guitar, e.g. rasgueado, drum roll (smooth variations of	glissando, like the xylophone or the piano, e.g. arpeggio G10H 2210/185)
amplitude, pitch or timbre within a note without distinct onsets, e.g. vibrato G10H 2210/201) 2210/165 Humanizing effects, i.e. causing a performance	2210/225 Portamento, i.e. smooth continuously variable pitch-bend, without emphasis of each chromatic pitch during the pitch change,
to sound less machine-like, e.g. by slightly randomising pitch or tempo 2210/171 Ad-lib effects, i.e. adding a musical phrase	which only stops at the end of the pitch shift, as obtained, e.g. by a MIDI pitch wheel or trombone (pitch bend with emphasis of each
or improvisation automatically or on player's request, e.g. one-finger triggering of a note sequence	chromatic pitch during pitch change, e.g. glissando, G10H 2210/221) 2210/231 • • Wah-wah spectral modulation, i.e. tone color
2210/175 Fillnote, i.e. adding isolated notes or passing notes to the melody	spectral glide obtained by sweeping the peak of a bandpass filter up or down in frequency,
content of a melody note, e.g. appoggiatura, acciaccatura, sparsh-swar	e.g. according to the position of a pedal, by automatic modulation or by voice formant detection; control devices therefor, e.g. wah pedals for electric guitars
2210/185 • • • Arpeggio, i.e. notes played or sung in rapid sequence, one after the other, rather than ringing out simultaneously, e.g. as a chord;	2210/235 • Flanging or phasing effects, i.e. creating time and frequency dependent constructive and destructive interferences, obtained, e.g. by
Generators therefor, i.e. arpeggiators; Discrete glissando effects on instruments not permitting continuous glissando, e.g. xylophone or	using swept comb filters or a feedback loop around all-pass filters with gradually changing non-linear phase response or delays
piano, with stepwise pitch variation and on which distinct onsets due to successive note triggerings can be heard	2210/241 Scratch effects, i.e. emulating playback velocity or pitch manipulation effects normally obtained by a disc-jockey manually rotating a LP record forward and backward
2210/191 • • • Tremolo, tremulando, trill or mordent effects, i.e. repeatedly alternating stepwise in pitch	2210/245 • Ensemble, i.e. adding one or more voices, also
between two note pitches or chords, without	instrumental voices
any portamento between the two notes (other common forms of tremolo, e.g. same note repetition, bisbigliando, amplitude tremolo, tremulants, percussion roll <u>G10H 2210/161</u> or	2210/251 • • • Chorus, i.e. automatic generation of two or more extra voices added to the melody, e.g. by a chorus effect processor or multiple voice harmonizer, to produce a chorus or unison
G10H 2210/205) 2210/195 • Modulation effects, i.e. smooth non-discontinuous	effect, wherein individual sounds from multiple sources with roughly the same timbre converge
variations over a time interval, e.g. within	and are perceived as one
a note, melody or musical transition, of any sound parameter, e.g. amplitude, pitch, spectral response, playback speed (stepwise or	2210/255 Unison, i.e. two or more voices or instruments sounding substantially the same pitch, e.g. at the same time
discontinuous variations over time, e.g. sequence	2210/261 Duet, i.e. automatic generation of a second
effects G10H 2210/161) 2210/201 • Vibrato, i.e. rapid, repetitive and smooth variation of amplitude, pitch or timbre within a	voice, descant or counter melody, e.g. of a second harmonically interdependent voice by a single voice harmonizer or automatic
note or chord (discontinuities, note sequences or separate note onsets during the variation G10H 2210/161; tremolo, i.e. stepwise pitch	composition algorithm, e.g. for fugue, canon or round composition, which may be substantially independent in contour and rhythm
alternation G10H 2210/191) 2210/205 Amplitude vibrato, i.e. repetitive smooth	• • Acoustic effect simulation, i.e. volume, spatial, resonance or reverberation effects added
loudness variation without pitch change or rapid repetition of the same note, bisbigliando, amplitude tremolo, tremulants (percussion roll G10H 2210/161)	to a musical sound, usually by appropriate filtering or delays (physical modeling of room acoustics <u>G10H 2250/531</u> ; formant synthesis <u>G10H 2250/481</u>)
2210/211 Pitch vibrato, i.e. repetitive and smooth variation in pitch, e.g. as obtainable with a whammy bar or tremolo arm on a guitar	2210/271 Sympathetic resonance, i.e. adding harmonics simulating sympathetic resonance from other strings
(non-repetitive smooth pitch variation, e.g. glissando <u>G10H 2220/221</u> ; repeatedly alternating stepwise in pitch between two	2210/275 Helmholtz resonance effect, i.e. using, exciting or emulating air resonance in a cavity
notes <u>G10H 2210/191</u>)	2210/281 Reverberation or echo

2210/291 . Reverberator using both dirext, i.e. dry, and indirect is, ewt signals no waveforms, indirect signals having sustained one or more virtual reflections 2210/295 . Spotal effects, musical uses of multiple audio channels, e.g. streen (Helmboth Tesonance effects G10H 2210/255; newtheration or echo G10H 2210/255; newtheration or echo G10H 2210/255; newtheration or centrol for musical purpose, e.g. surround or 3D sound; Granular synthesis 2210/301 . Soundscape or sound field simulation, reproduction or control for musical purpose, e.g. information proposes, e.g. information proposes, e.g. information source 2210/302 . Source positioning in a soundscape, e.g. information proposes, e.g. information source 2210/3031 . Distortion, i.e. desired non-linear audio processing to change the one color, e.g. by aduling humanics or deliberately distorting the amplitude of an audio waveform (distortion functions G10H 2250/20), G10H 2250/203 (B10H 2250/203) and the free color or musically desired dynamic range compression or expansion (crossfalling or evolvore processing per se G10H 2250/203) and the modification (prich madayis G10H 2250/203) and the modification (prich madayis G10H 2210/350) and the modification of the madayis G10H 2210/350) and the modification of the madayis G10H 2210/350 and the modification of the	2210/285 Electromechanical effectors therefor, i.e. using springs or similar electromechanical audio delay units	2210/381 • • Manual tempo setting or adjustment (tempo setting by interpretation of conducting movements G10H 2220/206)
channels, e.g. steroo (Helmholtz resonance effects (2010/231) 2210/301	2210/291 Reverberator using both direct, i.e. dry, and indirect, i.e. wet, signals or waveforms, indirect signals having sustained one or more virtual reflections	2210/385 Speed change, i.e. variations from preestablished tempo, tempo change, e.g. faster or slower, accelerando or ritardando, without change in pitch (with repetitive changes in pitch, e.g. scratch DJ
2210/301 — Soundscape or sound field simulation erproduction or control for musical purposes, e.g. surround or 3D sound; Granular synthesis 2210/305 — Source positioning in a soundscape, e.g. instrument positioning on a virtual soundskape, stereo panning or related delay or reverberation changes; Changing the stereo with of a musical source 2210/311 — Distortion, i.e. desired non-linear audio processing to change the tome color, e.g. by adding harmonics or deliberately distortion functions GiDH 2220/201, GiDH 2250/205 2210/315 — Dynamic effects for musical purposes, i.e. musical sound effects controlled by the amplitude of the time domain audio envelope, e.g. Journals of the time domain audio envelope processing per se GiDH 2250/25 2210/325 — Missing fundamental, i.e. creating the psychoacoustic impression of a missing fundamental tone through synthesis of higher harmonics, e.g. to play bass notes pitched below the frequeure, range of reproducing speakers 2210/325 — Musical pitch modification (pitch analysis GiDH 2210/076) in the psychoacoustic impression of a missing fingering or to improve harmony (natural chords GiDH 2210/076) in the psychoacoustic impression of a missing fingering or to improve harmony (natural chords GiDH 2210/076) in the psychoacoustic impression of the psycho	channels, e.g. stereo (Helmholtz resonance effects <u>G10H 2210/275</u> ; reverberation or echo	control
2210/305 . Source positioning in a soundscape, e.g. instrument positioning on a virtual soundstage, stereo panning or related delay or reverberation changes, Changing the stereo width of a musical source 2210/311 . Distortion. Le. desired non-linear audio processing to change the tone color, e.g. by adding harmonics or deliberately distorting the amplitude of an audio waveform (distortion functions Gin011 2520/201, G10101 2520/205) 2210/315 . Dynamic effects for musical purposes, i.e. musical sound effects of musical purposes, i.e. musical sound effects of musical purposes, i.e. functional musical controlled by the amplitude of the time domain audio envelope, e.g. foodness- dependent tone color or musically desired dynamic range compression or expansion (crossfading or envelope processing pter se G10H 2250/025) 2210/325 . Missing fundamental, i.e. creating the psychoacoustic impression of a missing fundamental tone through synthesis of higher harmonics, e.g. to play bass notes pitched below the frequency range of reproducing speakers 2210/325 . Note pitch correction, i.e. modifying a note pitch or replacing it by the closest one in a given scale 2210/331 . Note pitch correction, i.e. modifying a note pitch of replacing it by the closest one in a given scale 2210/341 . Rhythm pattern selection, synthesis or composition (Rilythm analysis G10H 2210/086) 2210/341 . Random process affecting a selection among a set of pre-scalabished patterns 2210/361 . Selection among as et of pre-established patterns 2210/361 . Random process affecting a selection among a set of pre-scalabished patterns 2210/373 . Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to string be at or started before strong beat analysis G10H 2210/076 in unitary selection among a set of pre-scalabished patterns 2210/355 . Tempo or beat alterations; Music timing courtof (tempo display g10H 2220/086); tempo analysis G10H 2210/076 in manalysis G10H 2210/076 in manalysis G10H 2210/076 in manalysis G10	2210/301 Soundscape or sound field simulation, reproduction or control for musical purposes,	interval equally tempered scale; Special input devices therefor (keyboards <u>G10H 2220/221</u>)
e.g. instrument positioning on a virtual soundbage, stereo panning or related delay or reverberation changes; Changing the stereo width of a mastella source 2210/311 . Distortion, i.e. desired non-linear audio processing to change the tone color, e.g. by adding harmonics or deliberately distorting the amplitude of an audio waveform (distortion functions Gi0H2 250/20)5 [2010/252] . Dynamic effects for musical purposes, i.e. musical sound effects of musically desired dynamic range compression or expansion (crossfoling) or envelope processing per se Gi0H 2250/025] . Missing fundamental, i.e. creating the psychoacoustic impression of a missing fundamental tone through synthesis of higher harmonics, e.g., to play bass notes pitched below the frequency range of reproducing speakers (Gi0H 2210/056) . Whising fundamental for through synthesis of higher harmonics, e.g., to play bass notes pitched below the frequency range of reproducing speakers (Gi0H 2210/056) . Missing fundamental for through synthesis of higher harmonics, e.g., to play bass notes pitched below the frequency range of reproducing speakers (Gi0H 2210/056) . Missing fundamental for through synthesis of higher harmonics, e.g., to play bass notes pitched below the frequency range of reproducing speakers (Gi0H 2210/056) . Missing fundamental for through synthesis of higher harmonics, e.g., to play bass notes pitched below the frequency range of reproducing speakers (Gi0H 2210/056) . Missing fundamental inc. creating the psychoacoustic impression of a missing fundamental for through synthesis of higher harmonics, e.g., to play bass notes pitched below the frequency range of reproducing speakers (Gi0H 2210/056) . Missing fundamental for through synthesis of higher harmonics, e.g., to play bass notes pitches and troble keys having lower producing speakers (Gi0H 2210/056) . Missing fundamental inc. creating the psychoacoustic impression of a missing fundamental for through synthesis of higher producing speakers (Gi0H 2210/056) . Missing fundamental inc. creati	synthesis	also interval-free input devices, e.g. continuous
2210/311 . Distortion, i.e. desired non-linear audio processing to change the tone color, e.g. by adding harmonics or deliberately distorting the amplitude of an audio waveform (distortion functions G10H 2250/201, G10H 2250/201). 2210/315 . Dynamic effects for musical purposes, i.e. musical sound effects controlled by the amplitude of the time domain audio envelope, e.g. loudness-dependent tone color or musically desired dynamic range compression or expansion (crossfading or envelope processing per se (10H 2250/025) 2210/321	e.g. instrument positioning on a virtual soundstage, stereo panning or related delay	synthesis 2210/405 Honkytonk scale, for producing, e.g. a honky-
adding harmonics or deliberately distorting the amplitude of an autio waveform (distortion functions G10H 2250/201, G10H 2250/205) 2210/315 Dynamic effects for musical purposes, i.e. musical sound effects controlled by the amplitude of the time domain audio envelope, e.g. loudness-dependent tone color or musically desired dynamic range compression or expansion (crossfading or envelope processing per se G10H 2250/025) 2210/321 Missing fundamental, i.e. creating the psychoacoustic impression of a missing fundamental tone through synthesis of higher harmonics, e.g. to play bass notes pitched below the frequency range of reproducing speakers 2210/325 Musical pitch modification (pitch analysis G10H 2210/066; musical effects G10H 2210/155) 2210/331 Note pitch correction, i.e. modifying one or several notes within a chord, e.g. to correct wrong fingering or to improve harmony (natural chords G10H 2210/086) 2210/341 Rhythm pattern selection, synthesis or composition (Rbythm analysis G10H 2210/071; accompaniment G10H 2210/005) 2210/345 Pattern variations, break or fill-in (accompaniment G10H 2210/005) 2210/346 Pattern variations, break or fill-in (accompaniment G10H 2210/005) 2210/356 Random process used to build a rhythm patterns 2210/357 Random process affecting a selection among a set of pre-established patterns 2210/357 Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/081; tempo analysis G10H 2	stereo width of a musical source 2210/311 • Distortion, i.e. desired non-linear audio	notes within each octave 2210/411 Railsback scale, i.e. stretched scale for piano
functions G10H 2250/201, G10H 2250/205) Dynamic effects for musical purposes, i.e. musical sound effects controlled by the amplitude of the time domain audio envelope, e.g., Ioudness-dependent tone color or musically desired dynamic range compression or expansion (crossfading or envelope processing per.se G10H 2250/025) 2210/321	adding harmonics or deliberately distorting the	treble keys having higher pitches than foreseen by
of the time domain audio envelope, e.g. loudness- dependent tone color or musically desired dynamic range compression or expansion (crossfading or envelope processing per se GIOH 2250025) 2210/321 • Missing fundamental, i.e. creating the psychoacoustic impression of a missing fundamental tone through synthesis of higher harmonics, e.g. to play bass notes pitched below the frequency range of reproducing speakers 2210/325 • Musical pitch modification (pitch analysis GIOH 2210/066; musical effects GIOH 2210/155) 2210/331 • Note pitch correction, i.e. modifying a note pitch or replacing it by the closest one in a given scale 2210/335 • Chord correction, i.e. modifying one or several notes within a chord, e.g. to correct wrong fingering or to improve harmony (natural chords GIOH 2210/0586) 2210/341 • Rhythm analysis GIOH 2210/071; accompaniment GIOH 2210/005) 2210/352 • Pattern variations, break or fill-in (accompaniment GIOH 2210/005) 2210/353 • Inserting a drum roll, e.g. as pattern break 2210/354 • Random process used to build a rhythm pattern 2210/355 • Random process used to build a rhythm pattern 2210/366 • Random process affecting a selection among a set of pre-established patterns 2210/357 • Tempo or beat alterations; Music timing control (tempo display GIOH 2210/078; tempo analysis GIOH 2210/076, humanising effect	functions <u>G10H 2250/201</u> , <u>G10H 2250/205</u>) 2210/315 . Dynamic effects for musical purposes, i.e.	2210/415 • Equally tempered scale, i.e. note tuning scale in which every pair of adjacent notes has an
(crossfading or envelope processing per se G10H 2250/025) 2210/321	of the time domain audio envelope, e.g. loudness- dependent tone color or musically desired	1/n if the scale has n notes per octave
2210/321 • Missing fundamental, i.e. creating the psychoacoustic impression of a missing fundamental tone through synthesis of higher harmonics, e.g. to play bass notes pitched below the frequency range of reproducing speakers 2210/325 • Musical pitch modification (pitch analysis G10H 2210/056; musical effects G10H 2210/155) 2210/331 • Note pitch correction, i.e. modifying a note pitch or replacing it by the closest one in a given scale 2210/335 • • Chord correction, i.e. modifying one or several notes within a chord, e.g. to correct wrong fingering or to improve harmony (natural chords G10H 2210/0586) 2210/341 • Rhythm pattern selection, synthesis or composition (Rhythm analysis G10H 2210/005) 2210/345 • Pattern variations, break or fill-in (accompaniment G10H 2210/005) 2210/351 • Inserting a drum roll, e.g. as pattern break 2210/356 • Random process used to build a rhythm patterns 2210/361 • Selection among a set of pre-established patterns 2210/371 • Rhythm stresses or accents, e.g. note extended from weak to strong beat or started before strong beat 2210/375 • Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect	(crossfading or envelope processing per se	major thirds, far better minor thirds and
harmonics, e.g. to play bass notes pitched below the frequency range of reproducing speakers 2210/325	psychoacoustic impression of a missing	semitone equal temperament, at the cost of a flatter fifth
2210/331 • Note pitch correction, i.e. modifying a note pitch or replacing it by the closest one in a given scale 2210/335 • Chord correction, i.e. modifying one or several notes within a chord, e.g. to correct wrong fingering or to improve harmony (natural chords G10H 2210/586) • Rhythm pattern selection, synthesis or composition (Rhythm analysis G10H 2210/007): accompaniment G10H 2210/005) • Pattern variations, break or fill-in (accompaniment G10H 2210/005) • Inserting a drum roll, e.g. as pattern break 2210/356 • Random process used to build a rhythm pattern 2210/361 • Selection among a set of pre-established patterns 2210/371 • Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to strong beat 2210/375 • Tempo or beat alterations; Music timing control (tempo display G10H 2210/0081; tempo analysis G10H 2210/0076; humanising effect	harmonics, e.g. to play bass notes pitched below the frequency range of reproducing speakers	octave, e.g. for Arabic music (other Arabic scales, double harmonic scale or major locrian
or replacing it by the closest one in a given scale 2210/335 Chord correction, i.e. modifying one or several notes within a chord, e.g. to correct wrong fingering or to improve harmony (natural chords G10H 2210/586) 2210/341 . Rhythm pattern selection, synthesis or composition (Rhythm analysis G10H 2210/071; accompaniment G10H 2210/005) 2210/346 . Pattern variations, break or fill-in (accompaniment G10H 2210/005) 2210/351 . Inserting a drum roll, e.g. as pattern break 2210/356 . Random process used to build a rhythm pattern 2210/361 . Selection among a set of pre-established rhythm patterns 2210/371 . Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to strong beat 2210/375 . Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect 2210/376 . Chord correction, i.e. modifying one or several at least 13, despite a slightly less accurate fifth than the standard 12 interval equally tempered scale. 2210/441 . Janko scale, i.e. 41 equal intervals per octave, e.g. as used in the "tonal plexus" keyboard wit 211 keys per octave arranged in 12 staggered columns, i.e. in 41 regions of 5 keys each plus 6 duplicate enharmonic keys (janko keyboards i.e. not using the janko scale G10H 2220/251) 2210/361 . Selection among a set of pre-established rhythm patterns 2210/376 . Random process affecting a selection among a set of pre-established patterns 2210/377 . Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to strong beat or started before strong beat 2210/375 . Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect	<u>G10H 2210/066</u> ; musical effects <u>G10H 2210/155</u>)	2210/435 Huygens scale, i.e. 31 equal intervals per
fingering or to improve harmony (natural chords G10H 2210/586) 2210/341 • Rhythm pattern selection, synthesis or composition (Rhythm analysis G10H 2210/071; accompaniment G10H 2210/005) 2210/346 • Pattern variations, break or fill-in (accompaniment G10H 2210/005) 2210/351 • Inserting a drum roll, e.g. as pattern break (2210/356) 2210/356 • Random process used to build a rhythm pattern (2210/366) 2210/361 • Random process used to build a rhythm pattern (2210/366) 2210/362 • Random process affecting a selection among a set of pre-established patterns (2210/371) 2210/371 • Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to strong beat (2210/375) 2210/375 • Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect) 2210/365 • Round or the first of the control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect) 2210/375 • Round or the first of the control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect) 2210/366 • Round or the first of the control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect)	2210/335 Chord correction, i.e. modifying one or several	provides decent matches for harmonics up to at least 13, despite a slightly less accurate fifth
(Rhythm analysis G10H 2210/071; accompaniment G10H 2210/005) 2210/346	fingering or to improve harmony (natural chords <u>G10H 2210/586</u>)	scale 2210/441 Janko scale, i.e. 41 equal intervals per octave,
(accompaniment G10H 2210/005) 2210/351 Inserting a drum roll, e.g. as pattern break 2210/356 Random process used to build a rhythm pattern 2210/361 Selection among a set of pre-established rhythm patterns 2210/366 Random process affecting a selection among a set of pre-established patterns Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to strong beat 2210/375 Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect i.e. not using the janko scale G10H 2220/251) i.e. not using the janko scale G10H 2220/251) 2210/445 . 45 equal intervals per octave 2210/451 . Holder scale or Holdrian comma, i.e. 53 equal intervals per octave, with 31 intervals equal to an almost just perfect fifth; Keyboards therefore e.g. "generalized keyboard" of Robert Holford Macdowall Bosanquet 2210/455 . 70 equal intervals per octave octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard G10H 2220/251) 2210/465 Selection among a set of pre-established rhythm intervals per octave, with 31 intervals equal to an almost just perfect fifth; Keyboards therefore e.g. "generalized keyboard" of Robert Holford Macdowall Bosanquet 2210/455 . Jankovski scale or twelfth tone scale, i.e. octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard G10H 2220/251) 2210/465 Selection among a set of pre-established rhythm intervals per octave 2210/455 Selection among a set of pre-established rhythm intervals per octave 2210/455 Selection among a set of pre-established rhythm intervals per octave 2210/455 Selection among a set of pre-established rhythm intervals per octave 2210/455 Selection among a set of pre-established rhythm intervals per octave 2210/455 Selection among a set of pre-established rhythm intervals per octave 2210/455 Selection among a set of pre-established rhythm intervals per octave 2210/456 Selection among a set of	(Rhythm analysis G10H 2210/071; accompaniment	e.g. as used in the "tonal plexus" keyboard with 211 keys per octave arranged in 12 staggered columns, i.e. in 41 regions of 5 keys each plus
2210/356 . Random process used to build a rhythm pattern 2210/361 . Selection among a set of pre-established rhythm patterns 2210/362 . Random process affecting a selection among a set of pre-established patterns 2210/373 . Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to strong beat 2210/375 . Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect 2210/356 . Random process used to build a rhythm pattern 2210/451 . Holder scale or Holdrian comma, i.e. 53 equal intervals per octave, with 31 intervals equal to an almost just perfect fifth; Keyboards therefore e.g. "generalized keyboard" of Robert Holford Macdowall Bosanquet 2210/455 70 equal intervals per octave 2210/461 Jankovski scale or twelfth tone scale, i.e. octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard G10H 2220/251) 2210/465 84 equal intervals per octave	(accompaniment <u>G10H 2210/005</u>)	6 duplicate enharmonic keys (janko keyboards, i.e. not using the janko scale G10H 2220/251)
 2210/361 . Selection among a set of pre-established rhythm patterns 2210/366 . Random process affecting a selection among a set of pre-established patterns 2210/371 . Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to strong beat 2210/375 . Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect intervals per octave, with 31 intervals equal to an almost just perfect fifth; Keyboards therefo e.g. "generalized keyboard" of Robert Holford Macdowall Bosanquet . 70 equal intervals per octave Jankovski scale or twelfth tone scale, i.e. octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard G10H 2220/251) . 84 equal intervals per octave 		
patterns 2210/366 • Random process affecting a selection among a set of pre-established patterns 2210/371 • Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to strong beat or started before strong beat 2210/375 • Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect an almost just perfect fifth; Keyboards therefore e.g. "generalized keyboard" of Robert Holford Macdowall Bosanquet 2210/455 • 70 equal intervals per octave 2210/461 • Jankovski scale or twelfth tone scale, i.e. octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard G10H 2220/251) 2210/465 • 84 equal intervals per octave		
of pre-established patterns 2210/371 Rhythm syncopation, i.e. timing offset of rhythmic stresses or accents, e.g. note extended from weak to strong beat or started before strong beat 2210/375 Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect Macdowall Bosanquet 2210/455 Dankovski scale or twelfth tone scale, i.e. octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard G10H 2220/251) 2210/465 Macdowall Bosanquet 2210/465 Macdowall Bosanquet 2210/461 Substitute of twelfth tone scale, i.e. octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard G10H 2220/251) Macdowall Bosanquet 2210/465 Macdowall Bosanquet Macdowall Bosanquet 2210/465 Macdowall Bosanquet Macdowall Bosanquet Macdowall Bosanquet Macdowall Bosanquet	patterns	an almost just perfect fifth; Keyboards therefor,
rhythmic stresses or accents, e.g. note extended from weak to strong beat or started before strong beat 2210/461 Jankovski scale or twelfth tone scale, i.e. octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard G10H 2220/251) 2210/465 Tempo or beat alterations; Music timing control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect 2210/461 Jankovski scale or twelfth tone scale, i.e. octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard G10H 2220/251) 2210/465 84 equal intervals per octave	of pre-established patterns	Macdowall Bosanquet
control (tempo display G10H 2220/081; tempo analysis G10H 2210/076; humanising effect	rhythmic stresses or accents, e.g. note extended from weak to strong beat or started before strong beat	2210/461 Jankovski scale or twelfth tone scale, i.e. octave divided in 72 equal intervals, e.g. moria in Byzantine music theory (janko keyboard
	control (tempo display <u>G10H 2220/081</u> ; tempo analysis <u>G10H 2210/076</u> ; humanising effect	

2210/471 • Natural or just intonation scales, i.e. based on harmonics consonance such that most adjacent pitches are related by harmonically pure ratios of small integers (pitch correction only when playing chords to ensure chord consonance G10H 2210/586)	 Pentatonal or pentatonic scale, i.e. five pitches or notes per octave, e.g. basic chinese musical scale, black piano keys, javanese gamelan slendro scale, japanese shakuhachi flute (balinese pentatonic scales with deliberate interference beating, e.g. balinese gamelan slendro scale G10H 2210/515)
 . Zarlino scales, e.g. octave subdivision based on the pitch ratios 9/8 + 10/9 + 16/15 + 9/8 + 10/9 + 9/8 + 16/15 2210/481 . Pythagorean scale, i.e. in which the frequency 	2210/545 Yona Nuki, i.e. a family of pentatonic scales without fourth or seventh, e.g. Hirajoshi, Iwato, Kumoi, Sino-indian [Raga Amritavarsini] used, e.g. for japanese traditional music, koto or
relationships of all intervals should be based on the perfect fifth, with ratio 3:2	shamisen tunings 2210/551 • • • Okinawa pentatonic scale, i.e. Okinawan
2210/486 Werckmeister scales, i.e. family of scales with 12 mostly rational intervals, e.g. for organs 2210/491 Meantone scales, i.e. in which all non-	min'yo, e.g. including the half-steps omitted in the min'yo pentatonic scale used in the main japanese islands
octave intervals are generated from a stack of tempered perfect fifths; and wherein, by choosing an appropriate size for major and	 2210/555 Tonality processing, involving the key in which a musical piece or melody is played (tonality analysis, detection or identification G10H 2210/081)
minor thirds, the syntonic comma is tempered	2210/561 Changing the tonality within a musical piece
to unison, e.g. quarter comma meantone,	2210/565 . Manual designation or selection of a tonality
syntonic comma, d'Alembert modified	2210/571 . Chords; Chord sequences (special keyboards for
meantone 2210/496 Redfield scales, i.e. 12 intervals per	playing chords, e.g. accordion <u>G10H 2230/245</u> , janko keyboard <u>G10H 2220/251</u>)
octave, based on note ratios equal to $(2^**p)^*(3^**q)^*(5^*r)$ with p, q, r positive or	2210/576 Chord progression
negative integers	2210/581 Chord inversion
2210/501 • • • Altered natural scale, i.e. 12 unequal intervals not foreseen in the above	 Natural chords, i.e. adjustment of individual note pitches in order to generate just intonation chords (scale natural G10H 2210/471; chord
2210/506 Danielou 53 interval scale, with note ratios equal to $(2^{**p})(3^{**q})(5^{**r})$, with	correction <u>G10H 2210/335</u> ; musical analysis <u>G10H 2210/031</u>)
p, q, r positive or negative integers (53	2210/591 . Chord with a suspended note, e.g. 2nd or 4th
interval equally tempered Holder scale G10H 2210/451)	2210/596 Chord augmented
2210/511 • Arabic scales, i.e. either double harmonic scale	2210/601 Chord diminished
or major locrian scale; vosta or zaid modes (17 or 24 equal interval scales used in arabic music	2210/606 • Chord ninth, i.e. including ninth or above, e.g. 11th or 13th
G10H 2210/415 or G10H 2210/431) 2210/515 Balinese scales, e.g. for gamelan, with	• Chord ninth or above, to which is added a tension note
instruments played in pairs and tuned slightly	2210/616 • Chord seventh, major or minor
apart to produce interference beating ideally	Chord seventh dominant
at a consistent speed for all pairs of notes	2210/626 Chord sixth
in all registers; Balinese pentatonic scales,	2220/00 Input/output interfacing specifically adapted for
e.g. Balinese slendro scale, or five-tone	electrophonic musical tools or instruments
modes of the heptatonic pelog scale, itself substantially a 7-note subset of 9-tone equal	2220/005 • Non-interactive screen display of musical or status data (graphical user interfaces
temperament (pentatonic javanese slendro scale G10H 2210/541)	specifically adapted for electrophonic musical instruments G10H 2220/091; fingering displays
2210/521 • Polynesian scales	G10H 2220/041)
2210/525 . Diatonic scales, e.g. aeolian, ionian or major,	2220/011 • Lyrics displays, e.g. for karaoke applications
dorian, locrian, lydian, mixolydian, phrygian,	2220/015 • Musical staff, tablature or score displays, e.g. for
i.e. seven note, octave-repeating musical scales comprising five whole steps and two half steps for each octave, in which the two half steps are separated from each other by either two or three	score reading during a performance. (graphical musical score editing G10H 2220/121; musical score displays resulting from a transcription G10H 2210/086)
whole steps	2220/021 • Indicator, i.e. non-screen output user interfacing,
2210/531 • Bluenote scale, i.e. 7-tone scale of 2+1+2+1+3+1+2 semitones (hexatonic blues scales G10H 2210/535)	e.g. visual or tactile instrument status or guidance information using lights, LEDs, seven segments
2210/535 • Hexatonal or hexatonic scales, i.e. six pitches or notes per octave, e.g. whole tone scale,	displays (screen displays <u>G10H 2220/005</u> , graphical user interfaces adapted for electrophonic musical instruments <u>G10H 2220/091</u> ; tactile key feedback
augmented scale, Prometheus scale, blues scale	G10H 2220/311)
	2220/026 . associated with a key or other user input device, e.g. key indicator lights
	2220/031 Blinking or flashing indicator lights

2220/036 Chord indicators, e.g. displaying note fingering when several notes are to be played simultaneously as a chord	2220/131 for abstract geometric visualisation of music, e.g. for interactive editing of musical parameters linked to abstract geometric figures
2220/041 Remote key fingering indicator, i.e. fingering shown on a display separate from the instrument itself or substantially disjoint from the keys	• Musical aspects of games or videogames; Musical instrument-shaped game input interfaces (game background music G10H 2210/026; musical game scoring or performance evaluation G10H 2210/091)
2220/046 • • • Drumpad indicator, e.g. drumbeat strike indicator light on a drumpad or rim	2220/141 Games on or about music, i.e. based on musical knowledge, e.g. musical multimedia quizzes
2220/051 • • • Fret indicator, e.g. for playing guidance on a string instrument or string instrument emulator	(teaching of music per se G09B 15/00) 2220/145 . Multiplayer musical games, e.g. karaoke-like
2220/056 • • • Hand or finger indicator, e.g. for indicating which hand or which specific finger should be used	multiplayer videogames 2220/151 . Musical difficulty level setting or selection 2220/155 . User input interfaces for electrophonic musical
2220/061 LED, i.e. using a light-emitting diode as indicator	instruments (graphical user interfaces specifically adapted for electrophonic musical instruments
2220/066 Colour, i.e. indications with two or more different colours	G10H 2220/091; input means in general G06F 3/00) 2220/161 • with 2D or x/y surface coordinates sensing
2220/071 • • • Pedal indicator, e.g. guitar pedal status lights	(graphical user interface or touchscreen
2220/076 String indicator, e.g. on a stringed musical instrument for indicating which string is to be	input <u>G10H 2220/091</u> ; microtonal keyboard <u>G10H 2210/401</u>)
played, plucked or bowed	2220/165 for string input, i.e. special characteristics in
2220/081 • Beat indicator, e.g. marks or flashing LEDs to indicate tempo or beat positions (analysis tempo G10H 2210/076; tempo or beat alterations G10H 2210/375; rhythm pattern G10H 2210/341)	string composition or use for sensing purposes, e.g. causing the string to become its own sensor (transducers, e.g. piezoelectric or magnetic G10H 2220/461; plectrum sensors G10H 2220/191; guitar neck sensors or fret
2220/086 • Beats per minute [bpm] indicator, i.e. displaying a tempo value, e.g. in words or as numerical	switches <u>G10H 2220/301</u>)
value in beats per minute (analysis tempo G10H 2210/076; tempo or beat alterations G10H 2210/375)	 using electrified strings, e.g. strings carrying coded or AC signals for transducing, sustain, fret length or fingering detection
. Graphical user interface [GUI] specifically	2220/175 using nonmagnetic string materials, e.g. nylon; Sensors specially adapted therefor
adapted for electrophonic musical instruments, e.g. interactive musical displays, musical instrument	(piezoelectric transducers G10H 2220/525)
icons or menus; Details of user interactions therewith (GUI in general G06F 3/048)	 2220/181 by nonresonant wave interaction, i.e. string sensing using wavelengths unrelated to string resonant wavelengths, e.g. ultrasonic waves,
 using a touch screen (touch screen note input, e.g. using a displayed keyboard G10H 2220/241; personal digital assistant [PDA] G10H 2230/015 for graphical creation, edition or control of 	microwave or light waves, propagated along a musical instrument string to measure its fret length, e.g. for MIDI transcription
2220/101 • for graphical creation, edition or control of musical data or parameters	2220/185 • Stick input, e.g. drumsticks with position or
2220/106 • • • using icons, e.g. selecting, moving or linking icons, on-screen symbols, screen regions or segments representing musical elements or	contact sensors (stick for music conducting applications, e.g. conductor baton movement detection G10H 2220/206)
parameters	 2220/191 Plectrum or pick sensing, e.g. for detection of string striking or plucking (Plectra in general, e.g.
2220/111 for graphical orchestra or soundstage control, e.g. on-screen selection or positioning of	for stringed musical instruments G10D 3/173)
instruments in a virtual orchestra, using movable or selectable musical instrument	2220/195 • Particle energy or molecular configuration used as musical control data
icons (soundstage sound field effects	2220/201 • • for movement interpretation, i.e. capturing
G10H 2210/305) for graphical addition of cound parameters on	and recognizing a gesture or a specific kind of movement, e.g. to control a musical instrument
2220/116 • • • for graphical editing of sound parameters or waveforms, e.g. by graphical interactive control of timbre, partials or envelope (non-graphical waveform editing G10H 2250/615)	2220/206 Conductor baton movement detection used to adjust rhythm, tempo or expressivity of, e.g. the playback of musical pieces
2220/121 • • • for graphical editing of a musical score, staff or tablature (mere score display G10H 2220/015;	2220/211 for microphones, i.e. control of musical parameters either directly from microphone
score transcription G10H 2210/086)	signals or by physically associated peripherals,
2220/126 for graphical editing of individual notes, parts	e.g. karaoke control switches or rhythm sensing accelerometer within the microphone casing
or phrases represented as variable length segments on a 2D or 3D representation, e.g.	(microphones <u>per se</u> <u>H04R</u>)
graphical edition of musical collage, remix files or pianoroll representations of MIDI-like files	2220/215 using a magnetic strip on a card or sheet

 . Keyboards, i.e. configuration of several keys or key-like input devices relative to one another (details of individual keys or key-like devices 	2220/305 using a light beam to detect key, pedal or note actuation (light beams in general G10H 2220/411)
G10H 2220/265; continuous keyboards or keyboards implementing specific musical scales,	2220/311 • • • with controlled tactile or haptic feedback effect; output interfaces therefor
e.g. quartertone <u>G10H 2210/395</u> ; switch matrix keyboards, e.g. on guitar necks <u>G10H 2220/295</u>)	2220/315 • for joystick-like proportional control of musical input; Videogame input devices used for
 2220/226 Whole-tone keyboards, i.e. having as many keys on the upper row as on the lower row 2220/231 Alphanumeric, used for musical purposes or 	musical input or control, e.g. gamepad, joysticks (joysticks per se G06F 3/033, G05G 9/047, A63F 13/20)
with additional musical features, e.g. typewriter or pc-type keyboard reconfigured such that letters or symbols are assigned to musical notes	2220/321 • Garment sensors, i.e. musical control means with trigger surfaces or joint angle sensors, worn as a garment by the player, e.g. bracelet, intelligent
2220/236 • • • representing an active musical staff or tablature, i.e. with key-like position sensing at the expected note positions on the staff (active	clothing (vital parameter sensing G10H 2220/371; wearable interfaces in general G06F 3/00)
keyboard representation on a touchscreen G10H 2220/241)	 2220/326 Control glove or other hand or palm-attached control device 2220/331 Ring or other finger-attached control device
2220/241 on touchscreens, i.e. keys, frets, strings,	
tablature or staff displayed on a touchscreen display for note input purposes	2220/336 Control shoe or boot, i.e. sensor-equipped lower part of lower limb, e.g. shoe, toe ring, sock, ankle bracelet or leg control
2220/246 with reduced number of keys per octave, some notes missing	attachment (garment sensors <u>G10H 2220/321</u> ; floor sensing devices, e.g. sensing mats
2220/251 arranged as 2D or 3D arrays; Keyboards	G10H 2220/341)
ergonomically organised for playing chords or	2220/341 • Floor sensors, e.g. platform or groundsheet
for transposing, e.g. Janko keyboard (special keyboards for playing chords, e.g. accordion	with sensors to detect foot position, balance
G10H 2230/245)	or pressure, steps, stepping rhythm, dancing movements or jumping (shoe sensors
2220/256 foldable or rollable, e.g. for transport	G10H 2220/336)
2220/261 Numeric keypad used for musical purposes,	2220/346 Hopscotch sensing mats, i.e. including several
e.g. musical input via a telephone or calculator- like keyboard	step sensing zones, e.g. for detection of rhythmic dancing in time to background music
2220/265 . Key design details; Special characteristics of individual keys of a keyboard; Key-like musical input devices, e.g. finger sensors,	according to stepping indications (games involving music <u>G10H 2220/135</u> ; performance evaluation or scoring <u>G10H 2210/091</u> ,
pedals, potentiometers, selectors (keyboards G10H 2220/221, special musical scales	videogames in general A63F 13/00) 2220/351 • Environmental parameters, e.g. temperature,
G10H 2210/395)	ambient light, atmospheric pressure, humidity,
2220/271 Velocity sensing for individual keys, e.g. by	used as input for musical purposes
placing sensors at different points along the kinematic path for individual key velocity estimation by delay measurement between	2220/355 Geolocation input, i.e. control of musical parameters based on location or geographic position, e.g. provided by GPS, WiFi network
adjacent sensor signals (velocity sensing common to several keys G10H 2220/221)	location databases or mobile phone base station position databases
2220/275 Switching mechanism or sensor details of	2220/361 Mouth control in general, i.e. breath, mouth,
individual keys, e.g. details of key contacts, hall effect or piezoelectric sensors used for	teeth, tongue or lip-controlled input devices or sensors detecting, e.g. lip position, lip vibration,
key position or movement sensing purposes;	air pressure, air velocity, air flow or air jet angle
Mounting thereof	2220/365 Bow control in general, i.e. sensors or transducers
2220/281 with two contacts, switches or sensor triggering levels along the key kinematic path	on a bow; Input interface or controlling process for emulating a bow, bowing action or generating bowing parameters, e.g. for appropriately
2220/285 with three contacts, switches or sensor	controlling a specialised sound synthesiser
triggering levels along the key kinematic	(bowed string instrument sound synthesis per se G10H 2250/445; electrophonic stringed
2220/291 with four or more contacts, switches or	instrument details G10H 2230/075)
sensor triggering levels along the key kinematic path	2220/371 • Vital parameter control, i.e. musical instrument control based on body signals, e.g. brainwaves,
2220/295 Switch matrix, e.g. contact array common to several keys, the actuated keys being	pulsation, temperature, perspiration; biometric information (signals from body positions or
identified by the rows and columns in contact	movements <u>G10H 2220/321</u>)
2220/301 Fret-like switch array arrangements for guitar necks	 2220/376 using brain waves, e.g. EEG 2220/381 using glottal signals from an electroglottograph [EGG] or from a neck-worn glottis pick-up
	device

2220/386 using genetic information [DNA] or unique characterizing features of individuals, e.g.	2220/475 on the side, i.e. picking up vibrations from a side of the bridge
fingerprints, iris, facial or vocal features 2220/391 • Angle sensing for musical purposes, using	2220/481 on top, i.e. transducer positioned between the strings and the bridge structure itself
data from a gyroscope, gyrometer or other	2220/485 One transducer per string, e.g. 6 transducers for
angular velocity or angular movement sensing device (angles measured by an accelerometer or	a 6 string guitar 2220/491 Two or more transducers per string, e.g. 8
gravimeter G10H 2220/395; angles calculated	transducers on a 4-string violin bridge
from 3D position sensing G10H 2220/401; player body joint angle sensing G10H 2220/321)	2220/495 Single bridge transducer, common to all strings
2220/395 . Acceleration sensing or accelerometer use, e.g.	2220/501 Two or more bridge transducers, at least one transducer common to several strings
3D movement computation by integration of accelerometer data, angle sensing with respect to	2220/505 . Dual coil electrodynamic string transducer, e.g.
the vertical, i.e. gravity sensing. (conductor baton	for humbucking, to cancel out parasitic magnetic fields
movement sensing <u>G10H 2220/206</u> , angle sensing without reference to gravity <u>G10H 2220/391</u> ;	2220/511 Stacked, i.e. one coil on top of the other
player body joint angle sensing G10H 2220/321)	2220/515 Staggered, i.e. two coils side by side
2220/401 3D sensing, i.e. three-dimensional (x, y, z)	 2220/521 Hall effect transducers or similar magnetic field sensing semiconductor devices, e.g. for string
position or movement sensing. (movement pattern or gesture sensing G10H 2220/201;	vibration sensing or key movement sensing
geolocation sensing G10H 2220/355, 3D sensing	2220/525 • Piezoelectric transducers for vibration sensing or vibration excitation in the audio range;
with accelerometer G10H 2220/395) 2220/405 Beam sensing or control, i.e. input interfaces	Piezoelectric strain sensing, e.g. as key velocity
involving substantially immaterial beams,	sensor; Piezoelectric actuators, e.g. key actuation in response to a control voltage
radiation, or fields of any nature, used, e.g. as a switch as in a light barrier, or as a control device,	2220/531 made of piezoelectric film
e.g. using the theremin electric field sensing	2220/535 • • • • Piezoelectric polymer transducers, e.g. made of stretched and poled polyvinylidene
principle (theremins <u>G10H 2230/051</u>) 2220/411 Light beams (key actuation detection using	difluoride [PVDF] sheets in which the
light G10H 2220/305)	molecular chains of vinylidene fluoride CH ₂ - CF ₂ have been oriented in a preferential
2220/415 Infrared beams 2220/421 Laser beams	direction
2220/425 Radio control, i.e. input or control device	2220/541 • • • using piezoceramics, e.g. lead titanate [PbTiO ₃], zinc oxide [$Zn_2 O_3$], lithium niobate
involving a radio frequency signal	[LiNbO ₃], sodium tungstate [NaWO ₃], bismuth
2220/431 Use of microwaves 2220/435 Ultrasound, i.e. input or control device	ferrite [BiFeO ₃] 2220/545 Barium titanate piezoceramics [BaTiO ₃]
involving inaudible pressure waves, e.g.	2220/545 Barium titanate piezoceramics [BaTiO ₃] 2220/551 using LZT or PZT [lead-zirconate-titanate]
focused as a beam 2220/441 . Image sensing, i.e. capturing images or optical	piezoceramics [Pb[ZrxTi1-x]O3, 0=x=1]
patterns for musical purposes or musical control	2220/555 Bimorph transducers, i.e. piezoelectric bending multilayer structures with one or more
purposes (image analysis, inspection, positioning or tracking G06T 7/00, recognising music	piezoelectric layers, e.g. piezo on metal, serial
notations <u>G06V 30/304</u>)	bimorph or parallel bimorph 2220/561 • Piezoresistive transducers, i.e. exhibiting
2220/445 Bar codes or similar machine readable optical code patterns, e.g. two dimensional mesh	vibration, pressure, force or movement -
pattern, for musical input or control purposes	dependent resistance, e.g. strain gauges, carbon- doped elastomers or polymers for piezoresistive
(bar codes <u>G06K 7/10</u>) 2220/451 Scanner input, e.g. scanning a paper document	drumpads, carbon microphones
such as a musical score for automated	2220/565 . Shielding, electromagnetic or magnetic, e.g. for transducers, i.e. for controlling, orienting or
conversion into a musical file format 2220/455 Camera input, e.g. analyzing pictures from a	suppressing magnetic fields or for preventing
video camera and using the analysis results as	unintentional generation, propagation and reception of electromagnetic energy in
control data	electrophonic musical instruments, their vicinity
• Transducers, i.e. details, positioning or use of assemblies to detect and convert mechanical	or their interconnections (dual coil humbucking transducers <u>G10H 2220/505</u>)
vibrations or mechanical strains into an electrical	
signal, e.g. audio, trigger or control signal (contact microphones for use on musical instrument	2230/00 General physical, ergonomic or hardware implementation of electrophonic musical tools or
<u>H04R 1/46</u>)	instruments, e.g. shape or architecture
2220/465 • Bridge-positioned, i.e. assembled to or attached with the bridge of a stringed musical instrument	2230/005 • Device type or category2230/011 • Hybrid piano, e.g. combined acoustic and
2220/471 at bottom, i.e. transducer positioned at the	electronic piano with complete hammer
bottom of the bridge, between the bridge and the body of the instrument	mechanism as well as key-action sensors coupled to an electronic sound generator
are over of the modulion	

2230/015 • PDA [personal digital assistant] or palmtop computing devices used for musical purposes, e.g. portable music players, tablet computers,	2230/091 • • • Spint hurdygurdy, i.e. mimicking characteristics of acoustic instruments with rosined wheel rubbing against strings
e-readers or smart phones in which mobile telephony functions need not be used (touch-screen interfaces G10H 2220/096)	2230/095 Spint zither, i.e. mimicking any neckless stringed instrument in which the strings do not extend beyond the sounding board
2230/021 . Mobile ringtone, i.e. generation, transmission, conversion or downloading of ringing tones or other sounds for mobile telephony; Special	2230/101 Spint koto, i.e. mimicking any traditional asian-style plucked zither with movable bridges
musical data formats or protocols herefor (mobile telephone transmission specifically adapted for electrophonic musical tools or instruments G10H 2240/251)	2230/105 Spint dulcimer, i.e. mimicking any zither- like instrument with small hand-played mallet hammers (Appalachian dulcimer G10H 2230/095)
2230/025 • Computing or signal processing architecture features	2230/111 Spint ukulele, i.e. mimicking any smaller guitar-like flat bridge string instruments
 Use of cache memory for electrophonic musical instrument processes, e.g. for improving processing capabilities or solving interfacing problems Power management, i.e. specific power supply 	2230/115 Spint sitar, i.e. mimicking any long-necked plucked string instrument with a large number of additional non-playable sympathetic resonating strings or an additional gourd-like resonating chamber
solutions for electrophonic musical instruments, e.g. auto power shut-off, energy saving designs, power conditioning, connector design, avoiding	2230/121 Spint mandolin, i.e. mimicking instruments of the lute family with hard sounding board, e.g. with strings arranged and tuned in pairs for
inconvenient wiring 2230/041 • Processor load management, i.e. adaptation	tremolo playing (lute with skin -like sounding board G10H 2230/151)
or optimization of computational load or data throughput in computationally intensive musical processes to avoid overload artifacts, e.g. by deliberately suppressing less audible or less	 2230/125 Spint harp, i.e. mimicking harp-like instruments, e.g. large size concert harp, with pedal 2230/131 Spint harp celtic, i.e. mimicking smaller
relevant tones or decreasing their complexity 2230/045 Special instrument [spint], i.e. mimicking the ergonomy, shape, sound or other characteristic of a	sized harps without pedal, eg. celtic harp, lever harp, folk harp, Irish harp 2230/135 Spint harp celtic, i.e. minneking smaner sized harps without pedal, eg. celtic harp, lever harp, folk harp, Irish harp
specific acoustic musical instrument category 2230/051 • Spint theremin, i.e. mimicking electrophonic	which the sound is not generated by vibrating strings, e.g. guitar-shaped game interfaces
musical instruments in which tones are controlled or triggered in a touch-free manner by interaction with beams, jets or fields, e.g. theremin, air guitar, water jet controlled musical instrument,	2230/141 Spint guitar drum, i.e. mimicking a guitar used at least partly as a percussion instrument
i.e. hydrolauphone	2230/145 Spint guitar keyboard, i.e. mimicking a combination of a guitar-like instrument, with
2230/055 • Spint toy, i.e. specifically designed for children, e.g. adapted for smaller fingers or simplified in some way; Musical instrument-shaped game input interfaces with simplified control features.	or without strings, and a piano-like keyboard, e.g. with white and black keys arranged like on a piano
interfaces with simplified control features 2230/061 • Spint organ, i.e. mimicking acoustic musical	2230/151 Spint banjo, i.e. mimicking a stringed instrument with a piece of plastic or animal
instruments with pipe organ or harmonium features; Electrophonic aspects of acoustic pipe organs or harmoniums; MIDI-like control therefor	skin stretched over a circular frame or gourd, e.g. shamisen or other skin-covered lutes 2230/155 • Spint wind instrument, i.e. mimicking musical
2230/065 . Spint piano, i.e. mimicking acoustic musical instruments with piano, cembalo or spinet features, e.g. with piano-like keyboard; Electrophonic aspects of piano-like acoustic keyboard instruments; MIDI-like control therefor	wind instrument features; Electrophonic aspects of acoustic wind instruments; MIDI-like control therefor. (wind instrument sound synthesis G10H 2250/461; mouth control, e.g. breath G10H 2220/361; natural aerodynamic noise
2230/071 Spint harpsichord, i.e. mimicking plucked keyboard instruments, e.g. harpsichord, virginal, muselar, spinet, clavicytherium, ottavino, archicembalo	synthesis, e.g. wind G10H 2250/431) 2230/161 • Spint whistle, i.e. mimicking wind instruments in which the air is split against an edge, e.g. musical whistles, three tone samba whistle,
2230/075 • Spint stringed, i.e. mimicking stringed instrument features, electrophonic aspects of acoustic stringed musical instruments without keyboard; MIDI-like control therefor (string instrument sound synthesis G10H 2250/441)	penny whistle, pea whistle; whistle-emulating mouth interfaces; MIDI control therefor, e.g. for calliope 2230/165 Spint recorder, i.e. mimicking any end-blown whistle flute with several finger holes,
2230/081 Spint viola 2230/085 Spint cello	e.g. recorders, xiao, kaval, shakuhachi and
2230/003 · • • Spilit Cello	hocchiku flutes

2230/171 Spint brass mouthpiece, i.e. mimicking brass- like instruments equipped with a cupped mouthpiece, e.g. allowing it to be played like a brass instrument, with lip controlled sound generation as in an acoustic brass instrument; Embouchure sensor or MIDI interfaces therefor	2230/255 Spint xylophone, i.e. mimicking any multitoned percussion instrument with a multiplicity of tuned resonating bodies, regardless of their material or shape, e.g. xylophone, vibraphone, lithophone, metallophone, marimba, balafon, ranat, gamban, anklong
2230/175 Spint trumpet, i.e. mimicking cylindrical	2230/261 Spint triangle
bore brass instruments, e.g. bugle 2230/181 Spint trombone, i.e. mimicking trombones or other slide musical instruments permitting a continuous musical scale (microtonal scale	2230/265 Spint maracas, i.e. mimicking shells or gourds filled with seeds or dried beans, fitted with a handle, e.g. maracas, rumba shakers, shacshacs
2230/185 Spint horn, i.e. mimicking conical bore brass instruments (hornpipes G10H 2230/241)	2230/271 Spint gong, i.e. mimicking circular flat, nippled or bowl-shaped metallic percussion instruments (G10H 2230/321 takes precedence)
2230/191 Spint French horn, i.e. mimicking	2230/275 Spint drum
an orchestral horn with valves for switching pipe lengths (English horn G10H 2230/231) Spirt flute is mimisking or application of the state of the	2230/281 Spint drum assembly, i.e. mimicking two or more drums or drumpads assembled on a common structure, e.g. drum kit (multi-toned
2230/195 Spint flute, i.e. mimicking or emulating a transverse flute or air jet sensor arrangement	percussion instruments <u>G10H 2230/255</u>) 2230/285 Spint drum tomtom, i.e. mimicking side-
therefor, e.g. sensing angle, lip position, etc, to trigger octave change; (input	mounted drums without snares, e.g. in a drumkit
breath <u>G10H 2220/361</u> ; end-blown flutes <u>G10H 2230/161</u>)	2230/291 Spint drum bass, i.e. mimicking bass drums; Pedals or interfaces therefor
2230/201 Spint piccolo, i.e. half-size transverse	2230/295 Spint drum brush, i.e. mimicking use of a
flute, e.g. ottavino (piccolo clarinet G10H 2230/241)	brush to generate or trigger a percussive sound
2230/205 Spint reed, i.e. mimicking or emulating reed instruments, sensors or interfaces therefor	2230/301 Spint drum rim, i.e. mimicking using or
2230/211 Spint harmonica, i.e. mimicking mouth operated wind instruments with multiple tuned free reeds, a.k.a. harmonica, blues harp, mouth organ, pitch pipe, ChengGong,	striking the rim of a drum or percussion instrument, rimshot; Interfacing aspects of the generation of different drumsound harmonic contents when a drum sensor is struck closer to the rim
(free reed instruments not operated by mouth, e.g. accordion G10H 2230/245) 2230/215 Spint bagpipe, i.e. mimicking instruments	2230/305 Spint drum snare, i.e. mimicking using strands of snares made of curled metal
with enclosed reeds fed from a constant reservoir; Bagpipe-like electrophonic	wire, metal cable, plastic cable, or gut cords stretched across the drumhead, e.g. snare drum, side drum, military drum, field drum
instrument; Midi-like interfaces therefor	2230/311 Spint bongo
2230/221 Spint saxophone, i.e. mimicking conical	2230/315 Spint conga
bore musical instruments with single reed mouthpiece, e.g. saxophones, electrophonic emulation or interfacing aspects therefor	2230/321 Spint cymbal, i.e. mimicking thin center-held gong-like instruments made of copper-based alloys, e.g. ride cymbal, china cymbal, sizzle
2230/225 Spint oboe, i.e. mimicking double reed	cymbal, swish cymbal, zill, i.e. finger cymbals
woodwind with conical bore, e.g. oboe	2230/325 Spint cymbal crash, i.e. mimicking thin-
2230/231 Spint english horn 2230/235 Spint bassoon, i.e. mimicking double reed low range woodwind with doubled back conical bore, e.g. bassoon	edged cymbals designed to produce a loud, sharp "crash", either mounted on a stand and played with a drum stick, e.g. crash cymbal, or played in pairs by hand, e.g. clash cymbals
2230/241 Spint clarinet, i.e. mimicking any member of the single reed cylindrical bore woodwind instrument family, e.g. piccolo clarinet, octocontrabass, chalumeau, hornpipes, zhaleika	2230/331 Spint cymbal hihat, e.g. mimicking high-hat cymbal; Details of the pedal interface, of the pedal action emulation or of the generation of the different sounds resulting from this pedal action
2230/245 • Spint accordion, i.e. mimicking accordions; Electrophonic instruments with one or more typical accordion features, e.g. special accordion	2230/335 Spint cyldrum [cylindrical body hit or struck on the curved surface for musical purposes, e.g. drinking glass, oil drum]
keyboards or bellows, electrophonic aspects of mechanical accordions, Midi-like control therefor	2230/341 Spint claves, i.e. mimicking a pair of thick dowels producing a bright clicking sound when
• Spint percussion, i.e. mimicking percussion instruments; Electrophonic musical instruments with percussion instrument features; Electrophonic aspects of acoustic percussion instruments, MIDI-like control therefor (gensound percussion G10H 2250/435)	struck against each other

2230/345	Spint castanets, i.e. mimicking a joined pair	2240/071 Wave, i.e. Waveform Audio File Format,
	of concave shells held in the hand to produce clicks for rhythmic accents or a ripping or	coding, e.g. uncompressed PCM audio according to the RIFF bitstream format method
	rattling sound consisting of a rapid series of	2240/075 . Musical metadata derived from musical analysis
	clicks, e.g. castanets, chácaras, krakebs, qraqib, garagab	or for use in electrophonic musical instruments (additional information unrelated to its juxtaposed
2230/351	Spint bell, i.e. mimicking bells, e.g. cow-bells	musical file data G10H 2240/091; audio retrieval
2230/355	(bells in general G10K 1/06) • Spint spint, i.e. electrophonic musical instruments	G06F 16/60) 2240/081 • Genre classification, i.e. descriptive metadata
2230/333	with features of acoustic instruments covered by	for classification or selection of musical
	G10D 17/00, electrophonic aspects of acoustic instruments covered by G10D 17/00, e.g. aeolian	pieces according to style (analysis genre G10H 2210/036)
	harps, MIDI-like control therefor	2240/085 • Mood, i.e. generation, detection or selection of a
2230/361	Spint mechautomatic, i.e. electrophonic	particular emotional content or atmosphere in a
	musical instruments with features of traditional mechanical automatic acoustic instruments, e.g.	musical piece 2240/091 • Info, i.e. juxtaposition of unrelated auxiliary
	electrophonic emulation of historic mechanical	information or commercial messages with or
	pianoroll pianos, electrophonic aspects of partly mechanical automatic acoustic instruments	between music files (metadata G10H 2240/075) 2240/095 Identification code, e.g. ISWC for musical works;
	covered by G10F, e.g. hybrid pianos, MIDI-like	Identification dataset
2230/365	control therefor • Ergonomy of electrophonic musical instruments	2240/101 User identification
2230/303	Using hook and loop-type fastener or similar	2240/105 User profile, i.e. data about the user, e.g. for user settings or user preferences
	attachment to fasten detachable elements	2240/111 User Password, i.e. security arrangements
2240/00	Data organisation or data communication aspects,	to prevent third party unauthorised use, e.g. password, id number, code, pin
	specifically adapted for electrophonic musical tools or instruments	2240/115 • Instrument identification, i.e. recognizing an
2240/005	Data structures for use in electrophonic musical	electrophonic musical instrument, e.g. on a
	devices; Data structures including musical parameters derived from musical analysis (audio	network, by means of a code, e.g. IMEI, serial number, or a profile describing its capabilities
	retrieval G06F 16/60)	2240/121 • Musical libraries, i.e. musical databases indexed by
2240/011	Files or data streams containing coded musical	musical parameters, wavetables, indexing schemes using musical parameters, musical rule bases or
	information, e.g. for transmission (audio coding G10L 19/00)	knowledge bases, e.g. for automatic composing
2240/016	File editing, i.e. modifying musical data files or	methods (audio retrieval <u>G06F 16/60</u>) 2240/125 • Library distribution, i.e. distributing musical
	streams as such (editing by means of a graphical user interface G10H 2220/091)	pieces from a central or master library
2240/021	for MIDI-like files or data streams	• Library retrieval, i.e. searching a database or selecting a specific musical piece, segment,
2240/026	File encryption of specific electrophonic music instrument file or stream formats, e.g. MIDI,	pattern, rule or parameter set
	note oriented formats, sound banks, wavetables	2240/135 Library retrieval index, i.e. using an indexing scheme to efficiently retrieve a music piece
	(digital rights management [DRM] G06F 21/00; encryption H04L 9/00)	2240/141 Library retrieval matching, i.e. any of the steps
2240/031	File merging MIDI, i.e. merging or mixing a	of matching an inputted segment or phrase
	MIDI-like file or stream with a non-MIDI file or	with musical database contents, e.g. query by humming, singing or playing; the steps may
2240/036	stream, e.g. audio or video • File multilingual, e.g. multilingual lyrics for	include, e.g. musical analysis of the input,
	karaoke	musical feature extraction, query formulation, or details of the retrieval process
2240/041	File watermark, i.e. embedding a hidden code in an electrophonic musical instrument file or stream	2240/145 • Sound library, i.e. involving the specific use of a
	for identification or authentification purposes	musical database as a sound bank or wavetable; indexing, interfacing, protocols or processing
2240/046	(audio watermarking G10L 19/018) • File format, i.e. specific or non-standard musical	therefor
2240/040	file format used in or adapted for electrophonic	• Thumbnail, i.e. retrieving, playing or managing a short and musically relevant song preview from
	musical instruments, e.g. in wavetables (details of musical waveform synthesis G10H 2250/541)	a library, e.g. the chorus (thumbnail extraction,
2240/051	AC3, i.e. Audio Codec 3, Dolby Digital	analysis phrases G10H 2210/061) Library undata in making or modifying a
2240/056	MIDI or other note-oriented file format	2240/155 • Library update, i.e. making or modifying a musical database using musical parameters
2240/061	MP3, i.e. MPEG-1 or MPEG-2 Audio Layer III, lossy audio compression	as indices (data structures involving musical
2240/066	MPEG audio-visual compression file formats,	parameters <u>G10H 2240/005</u>) 2240/161 • Memory and use thereof, in electrophonic musical
	e.g. MPEG-4 for coding of audio-visual objects (MP3 G10H 2240/061)	instruments, e.g. memory map (data structures
	(MILD STOLL BETOLDOL)	G10H 2240/005; memory cache G10H 2230/031; libraries G10H 2240/121; files G10H 2240/011)

libraries <u>G10H 2240/121</u>; files <u>G10H 2240/011</u>)

2240/165 • Memory card, i.e. removable module or card for storing music data for an electrophonic musical instrument	2240/265 CATV transmission, i.e. electrophonic musical instruments connected to community antennas or cable television networks
• Transmission of musical instrument data, control or status information; Transmission, remote access or control of music data for electrophonic musical instruments (details about the transmitted data contents G10H 2240/011)	 2240/271 Serial transmission according to any one of RS-232 standards for serial binary single-ended data and control signals between a DTE and a DCE 2240/275 Musical interface to a personal computer PCI
 for jam sessions or musical collaboration through a network, e.g. for composition, ensemble playing or repeating; Compensation of network or internet delays therefor 	bus, "peripheral component interconnect bus" 2240/281 • Protocol or standard connector for transmission of analog or digital data to or from an electrophonic musical instrument
 Billing, i.e. purchasing of data contents for use with electrophonic musical instruments; Protocols therefor; Management of transmission or connection time therefor 	 USB, i.e. either using a USB plug as power supply or using the USB protocol to exchange data SCSI, i.e. Small Computer System Interface
 2240/185 . Error prevention, detection or correction in files or streams for electrophonic musical instruments 2240/191 . CRC, i.e. error detection using a cyclic 	2240/295 Packet switched network, e.g. token ring (circuit-switched networks, e.g. traditional analog telephone transmission G10H 2240/241)
redundancy check 2240/195 Reed-solomon error detection or correction, i.e. by considering the message symbols as polynomial coefficients	2240/301 Ethernet, e.g. according to IEEE 802.3 2240/305 Internet or TCP/IP protocol use for any electrophonic musical instrument data or musical parameter transmission purposes
2240/201 • Physical layer or hardware aspects of transmission to or from an electrophonic musical instrument, e.g. voltage levels, bit streams, code	2240/311 MIDI transmission (G10H 2240/056 takes precedence) 2240/315 Firewire, i.e. transmission according to
words or symbols over a physical link connecting network nodes or instruments 2240/205 Synchronous transmission of an analog or	IEEE1394 2240/321 Bluetooth 2240/325 . Synchronizing two or more audio tracks or
digital signal, e.g. according to a specific intrinsic timing, or according to a separate clock	files according to musical features or musical timings (synchronised lyrics, e.g. for karaoke G10H 2220/011)
22/0/211 Wireless transmission as of music parameters	
2240/211 Wireless transmission, e.g. of music parameters or control data by radio, infrared or ultrasound (beam G10H 2220/405)	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 • Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00)
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 • Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 • Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form 2240/225 Frequency division multiplexing	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 • Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions therefor G10H 2250/131; details of musical
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form 2240/225 Frequency division multiplexing 2240/231 Quadrature modulation, e.g. QAM 2240/235 Pulse amplitude modulation, e.g. quantized or analog	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions therefor G10H 2250/131; details of musical waveform synthesis G10H 2250/541) 2250/011 Genetic algorithms, i.e. using computational steps analogous to biological selection, recombination
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 . Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 . Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form 2240/225 . Frequency division multiplexing 2240/231 . Quadrature modulation, e.g. QAM 2240/235 . Pulse amplitude modulation, e.g. quantized or analog 2240/241 . Telephone transmission, i.e. using twisted pair telephone lines or any type of telephone network	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 • Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions therefor G10H 2250/131; details of musical waveform synthesis G10H 2250/541) 2250/011 • Genetic algorithms, i.e. using computational steps
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 . Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 . Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form 2240/225 . Frequency division multiplexing 2240/231 . Quadrature modulation, e.g. QAM 2240/235 . Pulse amplitude modulation, e.g. quantized or analog 2240/241 . Telephone transmission, i.e. using twisted pair telephone lines or any type of telephone network 2240/245 ISDN [Integrated Services Digital Network] 2240/251 . Mobile telephone transmission, i.e. transmitting, accessing or controlling	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 • Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions therefor G10H 2250/131; details of musical waveform synthesis G10H 2250/541) 2250/011 • Genetic algorithms, i.e. using computational steps analogous to biological selection, recombination and mutation on an initial population of, e.g. sounds, pieces, melodies or loops to compose or otherwise generate, e.g. evolutionary music or sound synthesis 2250/015 • Markov chains, e.g. hidden Markov models [HMM], for musical processing, e.g. musical
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form 2240/225 Frequency division multiplexing 2240/231 Quadrature modulation, e.g. QAM 2240/235 Pulse amplitude modulation, e.g. quantized or analog 2240/241 Telephone transmission, i.e. using twisted pair telephone lines or any type of telephone network 2240/245 ISDN [Integrated Services Digital Network] 2240/251 Mobile telephone transmission, i.e. transmitting, accessing or controlling music data wirelessly via a wireless or mobile telephone receiver, analog or digital, e.g. DECT GSM, UMTS (smartphone, PDA or palmtop used for	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 • Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions therefor G10H 2250/131; details of musical waveform synthesis G10H 2250/541) • Genetic algorithms, i.e. using computational steps analogous to biological selection, recombination and mutation on an initial population of, e.g. sounds, pieces, melodies or loops to compose or otherwise generate, e.g. evolutionary music or sound synthesis 2250/015 • Markov chains, e.g. hidden Markov models [HMM], for musical processing, e.g. musical analysis or musical composition 2250/021 • Dynamic programming, e.g. Viterbi, for finding the most likely or most desirable sequence in music analysis, processing or composition (Viterbi decoding H03M 13/41)
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form 2240/225 Frequency division multiplexing 2240/231 Quadrature modulation, e.g. QAM 2240/235 Pulse amplitude modulation, e.g. quantized or analog 2240/241 Telephone transmission, i.e. using twisted pair telephone lines or any type of telephone network 2240/245 ISDN [Integrated Services Digital Network] 2240/251 Mobile telephone transmission, i.e. transmitting, accessing or controlling music data wirelessly via a wireless or mobile telephone receiver, analog or digital, e.g. DECT GSM, UMTS	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 • Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions therefor G10H 2250/131; details of musical waveform synthesis G10H 2250/541) • Genetic algorithms, i.e. using computational steps analogous to biological selection, recombination and mutation on an initial population of, e.g. sounds, pieces, melodies or loops to compose or otherwise generate, e.g. evolutionary music or sound synthesis 2250/015 • Markov chains, e.g. hidden Markov models [HMM], for musical processing, e.g. musical analysis or musical composition 2250/021 • Dynamic programming, e.g. Viterbi, for finding the most likely or most desirable sequence in music analysis, processing or composition (Viterbi decoding H03M 13/41) 2250/025 • Envelope processing of music signals in, e.g. time
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form 2240/225 Frequency division multiplexing 2240/231 Quadrature modulation, e.g. QAM 2240/235 Pulse amplitude modulation, e.g. quantized or analog 2240/241 Telephone transmission, i.e. using twisted pair telephone lines or any type of telephone network 2240/245 ISDN [Integrated Services Digital Network] 2240/251 Mobile telephone transmission, i.e. transmitting, accessing or controlling music data wireless or mobile telephone receiver, analog or digital, e.g. DECT GSM, UMTS (smartphone, PDA or palmtop used for musical purposes G10H 2230/015; mobile ringtone G10H 2230/021) 2240/255 Optical fibre transmission for electrophonic	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 • Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions therefor G10H 2250/131; details of musical waveform synthesis G10H 2250/541) • Genetic algorithms, i.e. using computational steps analogous to biological selection, recombination and mutation on an initial population of, e.g. sounds, pieces, melodies or loops to compose or otherwise generate, e.g. evolutionary music or sound synthesis 2250/015 • Markov chains, e.g. hidden Markov models [HMM], for musical processing, e.g. musical analysis or musical composition 2250/021 • Dynamic programming, e.g. Viterbi, for finding the most likely or most desirable sequence in music analysis, processing or composition (Viterbi decoding H03M 13/41) 2250/025 • Envelope processing of music signals in, e.g. time domain, transform domain or cepstrum domain
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form 2240/225 Frequency division multiplexing 2240/231 Quadrature modulation, e.g. QAM 2240/235 Pulse amplitude modulation, e.g. quantized or analog 2240/241 Telephone transmission, i.e. using twisted pair telephone lines or any type of telephone network 2240/245 ISDN [Integrated Services Digital Network] 2240/251 Mobile telephone transmission, i.e. transmitting, accessing or controlling music data wirelessly via a wireless or mobile telephone receiver, analog or digital, e.g. DECT GSM, UMTS (smartphone, PDA or palmtop used for musical purposes G10H 2230/015; mobile ringtone G10H 2230/021) 2240/255 Optical fibre transmission for electrophonic musical instrument purposes, e.g. hum	Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions therefor G10H 2250/131; details of musical waveform synthesis G10H 2250/541) Cenetic algorithms, i.e. using computational steps analogous to biological selection, recombination and mutation on an initial population of, e.g. sounds, pieces, melodies or loops to compose or otherwise generate, e.g. evolutionary music or sound synthesis Markov chains, e.g. hidden Markov models [HMM], for musical processing, e.g. musical analysis or musical composition The most likely or most desirable sequence in music analysis, processing or composition (Viterbi decoding H03M 13/41) Envelope processing of music signals in, e.g. time domain, transform domain or cepstrum domain Spectrum envelope processing
or control data by radio, infrared or ultrasound (beam G10H 2220/405) 2240/215 Spread spectrum, i.e. transmission on a bandwidth considerably larger than the frequency content of the original information 2240/221 Time division multiplexing, with different channels in different time slots, the data in the time slots may be in digital or analog form 2240/225 Frequency division multiplexing 2240/231 Quadrature modulation, e.g. QAM 2240/235 Pulse amplitude modulation, e.g. quantized or analog 2240/241 Telephone transmission, i.e. using twisted pair telephone lines or any type of telephone network 2240/245 ISDN [Integrated Services Digital Network] 2240/251 Mobile telephone transmission, i.e. transmitting, accessing or controlling music data wireless or mobile telephone receiver, analog or digital, e.g. DECT GSM, UMTS (smartphone, PDA or palmtop used for musical purposes G10H 2230/015; mobile ringtone G10H 2230/021) 2240/255 Optical fibre transmission for electrophonic	2250/00 Aspects of algorithms or signal processing methods without intrinsic musical character, yet specifically adapted for or used in electrophonic musical processing (methods with intrinsic musical character G10H 2210/00) 2250/005 • Algorithms for electrophonic musical instruments or musical processing, e.g. for automatic composition or resource allocation (mathematical functions therefor G10H 2250/131; details of musical waveform synthesis G10H 2250/541) • Genetic algorithms, i.e. using computational steps analogous to biological selection, recombination and mutation on an initial population of, e.g. sounds, pieces, melodies or loops to compose or otherwise generate, e.g. evolutionary music or sound synthesis 2250/015 • Markov chains, e.g. hidden Markov models [HMM], for musical processing, e.g. musical analysis or musical composition 2250/021 • Dynamic programming, e.g. Viterbi, for finding the most likely or most desirable sequence in music analysis, processing or composition (Viterbi decoding H03M 13/41) 2250/025 • Envelope processing of music signals in, e.g. time domain, transform domain or cepstrum domain

2250/041 • Delay lines applied to musical processing (reverberation effects G10H 2210/281; time-delay networks H03H 9/30; chain of active-delay devices H03K 5/133)	2250/155 • Graham function, i.e. mathematical description of the fluid dynamics of air flowing through a gap, where there is a given pressure differential on either side of the gap, e.g. to model air velocity
2250/046 with intermediate taps	in wind instruments for physical modeling sound
2250/051 with variable time delay or variable length	synthesis
2250/055 • Filters for musical processing or musical effects; Filter responses, filter architecture, filter coefficients or control parameters therefor (tone controls	2250/161 • Logarithmic functions, scaling or conversion, e.g. to reflect human auditory perception of loudness or frequency
H03G 5/00; graphic equalizers H03G 9/00; digital filters in general H03H 17/00; current or voltage-controlled filters H03H 11/1291) 2250/061 Allpass filters	2250/165 • Polynomials, i.e. musical processing based on the use of polynomials, e.g. distortion function for tube amplifier emulation, filter coefficient calculation, polynomial approximations of
2250/065 Lattice filter, Zobel network, constant	waveforms, physical modeling equation solutions
resistance filter or X-section filter, i.e. balanced	2250/171 Hermite polynomials
symmetric all-pass bridge network filter exhibiting constant impedance over frequency	2250/175 Jacobi polynomials of several variables, e.g. Heckman-Opdam polynomials, or of one variable only, e.g. hypergeometric polynomials
2250/071 . All pole filter, i.e. autoregressive [AR] filter	
(IIR defined by their temporal impulse response G10H 2250/121) 2250/075 • All zero filter, i.e. moving average [MA] filter	2250/181 Gegenbauer or ultraspherical polynomials, e.g. for harmonic analysis 2250/185 Legendre polynomials, e.g. for the
 All zero filter, i.e. moving average [MA] filter or finite inpulse response [FIR] filter (FIR defined by their temporal impulse response 	modeling of air flow dynamics in wind instruments
G10H 2250/115)	2250/191 Chebyshev polynomials, e.g. to provide
2250/081 Autoregressive moving average [ARMA] filter	filter coefficients for sharp rolloff filters
2250/085 • Butterworth filters	(Chebyshev filters <u>G10H 2250/091</u> ;
2250/091 • Chebyshev filters (Chebyshev polynomials G10H 2250/191)	Chebyshev windows <u>G10H 2250/271</u>) 2250/195 Lagrange polynomials, e.g. for polynomial
2250/095 . Filter coefficient interpolation	interpolation or cryptography
2250/101 • Filter coefficient update; Adaptive filters, i.e. with	2250/201 Parabolic or second order polynomials,
filter coefficient calculation in real time 2250/105 . Comb filters	occurring, e.g. in vacuum tube distortion modeling or for modeling the gate voltage to
2250/111 • Impulse response, i.e. filters defined or specifed	drain current relationship of a JFET
by their temporal impulse response features, e.g. for echo or reverberation applications	2250/205 Third order polynomials, occurring, e.g. in vacuum tube distortion modeling
(reverberation effects G10H 2210/281)	2250/211 . Random number generators, pseudorandom generators, classes of functions therefor (musical
2250/115 • FIR impulse, e.g. for echoes or room acoustics, the shape of the impulse response is specified in particular according to delay times (FIR filters for musical processing G10H 2250/075)	processes using white noise or nonwhite noise generators <u>G10H 2250/295</u> ; noise formant generator <u>G10H 2250/495</u> ; magnetic or
2250/121 IIR impulse (all pole filters for musical processing G10H 2250/071)	electromagnetic noise shielding <u>G10H 2220/565</u>) 2250/215 . Transforms, i.e. mathematical transforms
2250/125 Notch filters	into domains appropriate for musical signal
2250/131 • Mathematical functions for musical analysis,	processing, coding or compression
processing, synthesis or composition (algorithms for musical processing G10H 2250/005; computation of mathematical functions G06F 17/10 and	2250/221 Cosine transform; DCT [discrete cosine transform], e.g. for use in lossy audio compression such as MP3 (MP3 format
<u>G06F 7/544</u>)	G10H 2240/061)
2250/135 . Autocorrelation	2250/225 MDCT [Modified discrete cosine transform],
2250/141 . Bessel functions, e.g. for smoothing or modulating, for FM audio synthesis or for expressing the vibration modes of a circular drum	i.e. based on a DCT of overlapping data (adaptive MDCT compression, e.g. ATRAC [adaptive transform acoustic coding] G10H 2250/575)
membrane	2250/231 Fermat transform
2250/145 . Convolution, e.g. of a music input signal	2250/235 Fourier transform; Discrete Fourier Transform
with a desired impulse response to compute	[DFT]; Fast Fourier Transform [FFT]
an output (transforms, i.e. mathematical	2250/241 Hadamard transform, Walsh-Hadamard
transforms into domains appropriate for musical	transform, Hadamard-Rademacher-Walsh
signal processing, coding or compression	transform, Walsh transform, or Walsh-Fourier
G10H 2250/215)	transform
2250/151 • Fuzzy logic	2250/245 Hartley transform,; Discrete Hartley transform
	[DHT]; Fast Hartley transform [FHT]

2250/251 Wavelet transform, i.e. transform with both frequency and temporal resolution, e.g. for compression of percussion sounds; Discrete Wavelet Transform [DWT]	2250/385 Train, i.e. sounds which are part of a railroad soundscape, e.g. steam engines, diesel, electric, train whistles, rail wheels, railway crossing
2250/255 Z-transform, e.g. for dealing with sampled	2250/391 . Gensound footsteps, i.e. footsteps, kicks or tap- dancing sounds
signals, delays or digital filters	2250/395 • Gensound nature
2250/261 • Window, i.e. apodization function or tapering	2250/401 Crowds, e.g. restaurant, waiting hall,
function amounting to the selection and appropriate weighting of a group of samples in a digital signal within some chosen time interval,	demonstration, subway corridor at rush hour (applause, cheering, booing G10H 2250/365) 2250/405 • Fire, e.g. cracks and pops of burning wood
outside of which it is zero valued	2250/411 Water, e.g. seashore, waves, brook, waterfall,
2250/265 Blackman Harris window	dripping faucet
2250/271 Chebyshev window (Chebyshev polynomials	2250/415 Weather
G10H 2250/191; Chebyshev filters	2250/421 Rain
<u>G10H 2250/091</u>)	2250/425 Thunder
2250/275 Gaussian window	2250/431 Natural aerodynamic noises, e.g. wind
2250/281 Hamming window	gust sounds, rustling leaves, beating
2250/285 Hann or Hanning window	sails (gensound wind instruments
2250/291 Kaiser windows; Kaiser-Bessel Derived [KBD] windows, e.g. for MDCT	G10H 2250/461; spint wind instruments G10H 2230/155)
2250/295 • Noise generation, its use, control or rejection for	2250/435 Gensound percussion, i.e. generating or
music processing (white noise or pseudorandom	synthesising the sound of a percussion
generators G10H 2250/211; use of noise in formant	instrument; Control of specific aspects of
synthesis G10H 2250/495; automatic gain control	percussion sounds, e.g. harmonics, under the
<u>H03G 3/32</u> ; speech or noise detection <u>G10L 25/84</u>)	influence of hitting force, hitting position, settings
2250/301 . Pink 1/f noise or flicker noise	or striking instruments such as mallet, drumstick,
2250/305 . Noise or artifact control in electrophonic	brush, hand (spint percussion G10H 2230/231)
musical instruments (transducer shielding	Gensound string, i.e. generating the sound of a
<u>G10H 2220/565</u> ; filter notch <u>G10H 2250/125</u> ; waveform aliasing <u>G10H 2250/545</u>)	string instrument, controlling specific features
2250/311 • Neural networks for electrophonic musical	of said sound (spint piano G10H 2230/065; spint stringed instruments G10H 2230/075)
instruments or musical processing, e.g. for musical	2250/445 Bowed string instrument sound generation,
recognition or control, automatic composition or	controlling specific features of said sound,
improvisation (musical analysis <u>G10H 2210/031</u> ;	e.g. use of fret or bow control parameters
neural networks <u>G06N 3/02</u>)	for violin effects synthesis (bow interfaces
2250/315 • Sound category-dependent sound synthesis	per se G10H 2220/365; modulation effects
processes [Gensound] for musical use (details	<u>G10H 2210/195;</u> spint viola <u>G10H 2230/081;</u>
of musical waveform synthesis <u>G10H 2250/541;</u>	spint cello <u>G10H 2230/085</u>)
general musical sound synthesis principles	2250/451 Plucked or struck string instrument sound
G10H 2250/471); Sound category-specific	synthesis, controlling specific features of said sound (spint harpsichord G10H 2230/071; spint
synthesis-controlling parameters or control means therefor	stringed instruments G10H 2230/075)
2250/321 • Gensound animals, i.e. generating animal voices	2250/455 • Gensound singing voices, i.e. generation
or sounds	of human voices for musical applications,
2250/325 Birds	vocal singing sounds or intelligible
2250/331 Ducks	words at a desired pitch or with desired
2250/335 Sea birds, e.g. seagulls	vocal effects, e.g. by phoneme synthesis
2250/341 Cats	(formant synthesis G10H 2250/481; parcor
2250/345 Cattle, e.g. cows	synthesis G10H 2250/505; modulation
2250/351 Dogs	effects G10H 2210/195; ensemble effects
2250/355 Elk or other animals in the Cervidae family,	G10H 2210/245; speech synthesis in general
e.g. moose, wapiti, reindeer	G10L 13/00) 2250/461 • Gensound wind instruments, i.e. generating or
2250/361 Insects, e.g. cricket	synthesising the sound of a wind instrument,
2250/365 . Gensound applause, e.g. handclapping; Cheering;	controlling specific features of said sound
Booing (crowd sounds G10H 2250/401)	(spint wind instruments G10H 2230/155;
2250/371 • Gensound equipment, i.e. synthesizing sounds	mouth or breath sensors G10H 2220/361;
produced by man-made devices, e.g. machines	natural aerodynamic noise synthesis, e.g. wind
2250/375 Harbour, i.e. sounds which are part of a harbour	<u>G10H 2250/431</u>)
soundscape, e.g. ships, fog horn, buoy, bells,	2250/465 Reed instrument sound synthesis, controlling
cranes	specific features of said sound (spint reed
2250/381 Road, i.e. sounds which are part of a road,	<u>G10H 2230/205</u>)
street or urban traffic soundscape, e.g. automobiles, bikes, trucks, traffic, vehicle	
horns, collisions	
none, complete	

2250/471 • General musical sound synthesis principles,	2250/561 Parabolic waveform approximation, e.g.
i.e. sound category-independent synthesis	using second order polynomials or parabolic
methods (details of musical waveform synthesis	responses (parabolic or second order
G10H 2250/541; special instrument [spint] G10H 2230/045; sound category-specific synthesis	polynomials <u>G10H 2250/201</u>)
G10H 2250/045, sound category-specific synthesis G10H 2250/315)	2250/565 • Polynomial waveform approximation, i.e. using polynomials of third order or higher (third
2250/475 • FM synthesis, i.e. altering the timbre of simple	order polynomials G10H 2250/205)
waveforms by frequency modulating them with	2250/571 . Waveform compression, adapted for music
frequencies also in the audio range, resulting in	synthesisers, sound banks or wavetables (audio
different-sounding tones exhibiting more complex	compression G10L 19/00)
waveforms	2250/575 Adaptive MDCT-based compression, e.g. using
• Formant synthesis, i.e. simulating the human speech production mechanism by exciting	a hybrid subband-MDCT, as in ATRAC (non adaptive MDCT G10H 2250/225)
formant resonators, e.g. mimicking vocal	2250/581 Codebook-based waveform compression
tract filtering as in LPC synthesis vocoders,	2250/585 CELP [code excited linear prediction]
wherein musical instruments may be used	2250/591 DPCM [delta pulse code modulation]
as excitation signal to the time-varying filter estimated from a singer's speech (gensound	2250/595 ADPCM [adaptive differential pulse code
singing voices G10H 2250/455; parcor	modulation]
synthesis G10H 2250/505; effect Helmholtz	2250/601 Compressed representations of spectral
<u>G10H 2210/275</u>)	envelopes, e.g. LPC [linear predictive coding], LAR [log area ratios], LSP [line spectral pairs],
2250/485 Formant correction therefor	reflection coefficients
2250/491 Formant interpolation therefor	2250/605 Dynamic range companding algorithms,
2250/495 Use of noise in formant synthesis	e.g. "mu"-law, primarily used in the digital
2250/501 Formant frequency shifting, sliding formants (wah-wah spectral modulation	telephone systems of North America and Japan,
G10H 2210/231)	or A-law as used in European digital telephone systems
2250/505 • Parcor synthesis, i.e. music synthesis using	2250/611 Waveform decimation, i.e. integer division of
partial autocorrelation techniques, e.g. in which	the sampling rate for reducing the number of
the impulse response of the digital filter in a parcor speech synthesizer is used as a musical	samples in a discrete-time signal, e.g. by low-
signal (gensound singing voices G10H 2250/455;	pass anti-alias filtering followed by the actual
formant synthesis G10H 2250/481)	downsampling 2250/615 • Waveform editing, i.e. setting or modifying
2250/511 . Physical modelling or real-time simulation of the	2250/615 • Waveform editing, i.e. setting or modifying parameters for waveform synthesis. (graphical
acoustomechanical behaviour of acoustic musical	sound editing <u>G10H 2220/116</u>)
instruments using, e.g. waveguides or looped delay lines (models in general G05B 17/00)	2250/621 . Waveform interpolation
2250/515 • Excitation circuits or excitation algorithms	2250/625 Interwave interpolation, i.e. interpolating
therefor	between two different waveforms, e.g. timbre or pitch or giving one waveform the shape of
2250/521 Closed loop models therefor, e.g. with filter	another while preserving its frequency or vice
and delay line	versa
2250/525 Pluridimensional array-based models therefor	2250/631 Waveform resampling, i.e. sample rate
2250/531 Room models, i.e. acoustic physical modelling of a room, e.g. concert hall (reverberation or	conversion or sample depth conversion
echo G10H 2210/281; soundscape or sound	(waveform decimation <u>G10H 2250/611</u>)
field simulation G10H 2210/301)	2250/635 . Waveform resolution or sound quality selection, e.g. selection of high or low sampling rates,
2250/535 Waveguide or transmission line-based models	lossless, lossy or lossier compression algorithms
2250/541 • Details of musical waveform synthesis, i.e.	2250/641 Waveform sampler, i.e. music samplers; Sampled
audio waveshape processing from individual	music loop processing, wherein a loop is a sample
wavetable samples, independently of their origin or of the sound they represent (sound category-	of a performance that has been edited to repeat
dependent sound synthesis G10H 2250/315; special	seamlessly without clicks or artifacts 2250/645 . Waveform scaling, i.e. amplitude value
instruments [spint] G10H 2230/045; general musical	normalisation
sound synthesis principles <u>G10H 2250/471</u>)	
2250/545 • Aliasing, i.e. preventing, eliminating or deliberately using aliasing noise, distortions or	
artifacts in sampled or synthesised waveforms,	
e.g. by band limiting, oversampling or	
undersampling, respectively	
2250/551 . Waveform approximation, e.g. piecewise	
approximation of sinusoidal or complex waveforms	
2250/555 Piecewise linear waveform approximation	
=== v v v v v v v v v v v v v v v v	