

**From:** R J Moncuse  
**To:** [PTABNPR2018](#)  
**Subject:** Proposed changes to claim construction standard for interpreting in "IPR" post-grant review  
**Date:** Saturday, July 7, 2018 9:23:48 PM

---

To: USPTO Director Andrei Iancu,  
United States Patent and Trademark Office, Department of Commerce.

Dear Director Iancu,

I am a long term investor in Commercial Intellectual Property Invention and Development.

I have witnessed firsthand the destruction and corruption of Intellectual property rights which has been wrought by the ill conceived and miscarried application of the "American Invents Act" over the past nine years.

I strongly urge that the PTAB:

**Apply the Phillips standard of claim construction used in Article III courts.** Applying BRI ("broadest reasonable interpretation"), as is now the case, to an issued patent is incorrect and harmful because that is same standard used during examination. Inspection prior to issuance necessarily must be stricter than inspection after issuance. This is a basic premise of quality control (6 sigma, TQM, lean, etc.). If the original examination is not done to a tighter standard than what is desired for the final product, then the final product is doomed to a high failure rate. More importantly, a patent claim can only be permitted to have a single scope, regardless of the adjudication venue. The patent owner, the public, and any accused infringer must all have notice and be able to rely on fixed metes and bounds in order for the patent to serve any useful purpose.

**Defer to prior constructions, absent clear error.** Often an accused infringer will seek a broad construction for purposes of invalidating a patent and a narrow construction for purposes of arguing non-infringement. This is not fair. If a court or the PTAB has previously adopted a construction of the same term in the context of the same or essentially the same specification, this construction must be adopted by the PTAB.

Very Sincerely,

R. J. Moncuse  
1moncuse@att.net