EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 1244

DATE: JANUARY 1, 2022

PROJECT MP0518

The following classification changes will be effected by this Notice of Changes:

Action	<u>Subclass</u>	Group(s)	
SCHEME:			
Titles Changed:	G06C	1/00	
	G06F	7/499, 7/78	
	G21F	7/00, 7/06	
Notes Modified:	H03K	Subclass	
DEFINITIONS:			
Definitions Modified:	G06C	1/00	

No other subclasses/groups are impacted by this Notice of Changes.

This Notice of Changes includes the following [Check the ones included]:

1. CLA	ASSIFICATION SCHEME CHANGES
	A. New, Modified or Deleted Group(s)
	B. New, Modified or Deleted Warning(s)
	C. New, Modified or Deleted Note(s)
	D. New, Modified or Deleted Guidance Heading(s)
2. DEF	FINITIONS
	A. New or Modified Definitions (Full definition template)
	B. Modified or Deleted Definitions (Definitions Quick Fix)
3.	REVISION CONCORDANCE LIST (RCL)
4.	CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL
5 🗍	CHANGES TO THE CROSS-REFERENCE LIST (CRL)

DATE: JANUARY 1, 2022

PROJECT MP0518

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS 606C - DIGITAL COMPUTERS IN WHICH ALL THE COMPUTATION IS EFFECTED MECHANICALLY

Type*	<u>Symbol</u>	Indent Level Number of dots (e.g. 0, 1, 2)	Title "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to#
M	G06C 1/00	0	Computing aids in which the computing members form at least part of the displayed result and are manipulated directly by hand, e.g. abacuses, pocket adding devices	

SUBCLASS G06F - ELECTRIC DIGITAL DATA PROCESSING

Type*	<u>Symbol</u>	Indent Level Number of dots (e.g. 0, 1, 2)	Title "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to [#]
M	G06F 7/499	3	Denomination or exception handling, e.g. rounding or overflow	
M	G06F 7/78	2	for changing the order of data flow, e.g. matrix transposition or LIFO buffers; Overflow or underflow handling therefor	

SUBCLASS G21F - PROTECTION AGAINST X-RADIATION, GAMMA RADIATION, CORPUSCULAR RADIATION OR PARTICLE BOMBARDMENT; TREATING RADIOACTIVELY CONTAMINATED MATERIAL; DECONTAMINATION ARRANGEMENTS THEREFOR

Type*	<u>Symbol</u>	Indent Level Number of dots (e.g. 0, 1, 2)	Title "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to [#]
M	G21F 7/00	0	Shielded cells or rooms	

DATE: JANUARY 1, 2022

PROJECT MP0518

M	G21F 7/06	1	Structural combination with remotely-	
			controlled apparatus, e.g. with manipulators	

^{*}N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; T= existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

NOTES:

- **No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- U groups: it is obligatory to display the required "anchor" symbol (U group), i.e. the entry immediately preceding a new group or an array of new groups to be created (in case new groups are not clearly subgroups of C-type groups). Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types.
- "Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD> , <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("Transferred to") symbol, however it is required to specify "<no transfer>" in the "Transferred to" column for such cases.
- For finalisation projects, the deleted "F" symbols should have <no transfer> in the "Transferred to" column.
- For more details about the types of scheme change, see CPC Guide.

DATE: JANUARY 1, 2022

PROJECT MP0518

B. New, Modified or Deleted Note(s)

SUBCLASS H03K - PULSE TECHNIQUE

Type*	Location	<u>Old Note</u>	New/Modified Note
M	H03K	1.This subclass covers:	1.This subclass covers:
		 methods, circuits, devices, or apparatus using active elements operating in a discontinuous or switching manner for generating, counting, amplifying, shaping, modulating, demodulating, or otherwise manipulating signals; 	- methods, circuits, devices or apparatus using active elements operating in a discontinuous or switching manner for generating, counting, amplifying, shaping, modulating, demodulating or otherwise manipulating signals;
		 electronic switching not involving contact-making and braking; 	- electronic switching not involving contact-making and braking;
		- logic circuits handling electric pulses.	- logic circuits handling electric pulses.
		2.In this subclass, the following expression is used with the meaning indicated:	2.In this subclass, the following expression is used with the meaning indicated:
		- "active element" exercises control over the conversion of input energy into an oscillation or a discontinuous flow of energy.	- "active element" exercises control over the conversion of input energy into an oscillation or a discontinuous flow of energy.
		3.In this subclass, where the claims of a patent document are not limited to a specific circuit element, the document is classified at least according to the elements used in the described embodiment.	3.In this subclass, where the claims of a patent document are not limited to a specific circuit element, the document is classified at least according to the elements used in the described embodiment.

N = new note, M = modified note, D = deleted note

NOTE: The "Location" column only requires the symbol PRIOR to the location of the note. No further directions such as "before" or "after" are required.

DATE: JANUARY 1, 2022

PROJECT MP0518

2. A. DEFINITIONS (modified)

G06C 1/00

<u>Delete</u>: The entire Limiting references section.

Informative references

<u>Insert</u>: The following new row into the Informative references table.

Arrangements for table look-up comprising also	G06C3/00
computing elements manipulated by hand	