EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 1497

DATE: AUGUST 1, 2023

PROJECT RP0713-F

The following classification changes will be effected by this Notice of Changes:

Action	<u>Subclass</u>	Group(s)
SCHEME:		
Symbols Deleted:	G01P	9/00, 9/02, 9/04
Warnings Deleted:	G01C	19/005, 19/02, 19/065, 19/56
	G01C	21/16
	G01P	9/00, 9/02, 9/04
Notes Deleted:	G01P	9/00
DEFINITIONS:		
Definitions Deleted:	G01P	9/00

No other subclasses/groups are impacted by this Notice of Changes.

This Notice of Changes includes the following [Check the ones included]:

1. CI	LASSIF	ICATION SCHEME CHANGES
	\boxtimes	A. New, Modified or Deleted Group(s)
	\boxtimes	B. New, Modified or Deleted Warning(s)
	\boxtimes	C. New, Modified or Deleted Note(s)
		D. New, Modified or Deleted Guidance Heading(s)
2. D	EFINIT	IONS
		A. New or Modified Definitions (Full definition template)
	\boxtimes	B. Modified or Deleted Definitions (Definitions Quick Fix)
3.	REV	ISION CONCORDANCE LIST (RCL)
4. 🗵	CHA	NGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)
5. F	1 CHA	NGES TO THE CROSS-REFERENCE LIST (CRL)

DATE: AUGUST 1, 2023

PROJECT RP0713-F

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS G01P-MEASURING LINEAR OR ANGULAR SPEED, ACCELERATION, DECELERATION, OR SHOCK; INDICATING PRESENCE, ABSENCE, OR DIRECTION, OF

MOVEMENT (measuring or recording blood flow A61B 5/02, A61B 8/06; monitoring speed or deceleration of electrically-propelled vehicles B60L 3/00; vehicle lighting systems adapted to indicate speed B60Q 1/54; determining position or course in navigation, measuring ground distance in geodesy or surveying G01C; combined measuring devices for measuring two or more variables of movement G01C 23/00; measuring velocity of sound G01H; measuring velocity of light G01J 7/00; measuring direction or velocity of solid objects by reception or emission of radiowaves or other waves and based on propagation effects, e.g. Doppler effect, propagation time, direction of propagation, G01S; measuring speed of nuclear radiation G01T; measuring acceleration of gravity G01V; {measuring or recording the speed of trains B61L 23/00; speed indicators incorporated in motor vehicles B60K 35/00; measuring frequency or phase G01R; traffic control G08G})

Type*	<u>Symbol</u>	Indent Level Number of dots (e.g. 0, 1, 2)	Title "CPC only" text should normally be enclosed in {curly brackets}**	<u>Trans ferred to</u> #
D	G01P 9/00	0	{Measuring speed by using gyroscopic effect, e.g. using gas, using electron beam (gyroscopes or turn-sensitive devices perse G01C 19/00)}	<no fer="" trans=""></no>
D	G01P 9/02	1	{using rotary gyroscopes}	<no fer="" trans=""></no>
D	G01P 9/04	1	{using turn-sensitive devices with vibrating masses, e.g. tuning-fork}	<no transfer=""></no>

^{*}N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers fro from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; T = existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

NOTES:

- **No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- U groups: it is obligatory to display the required "anchor" symbol (U group), i.e. the entry immediately preceding a new group or an array of new groups to be created (in case new groups are not clearly subgroups of C-type groups). Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types.
- "Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as
 precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.

DATE: AUGUST 1, 2023

PROJECT RP0713-F

- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("Transferred to") symbol, however it is required to specify "<no transfer>" in the "Transferred to" column for such cases.
- For finalisation projects, the deleted "F" symbols should have <no transfer> in the "Transferred to" column.
- For more details about the types of scheme change, see CPC Guide.

DATE: AUGUST 1, 2023

PROJECT RP0713-F

B. New, Modified or Deleted Warning(s)

SUBCLASS G01C-MEASURING DISTANCES, LEVELS OR BEARINGS; SURVEYING; NAVIGATION; GYROSCOPIC INSTRUMENTS; PHOTOGRAMMETRY OR VIDEOGRAMMETRY

(measuring liquid level G01F; radio navigation, determining distance or velocity by use of propagation effects, e.g. Doppler effects, propagation time, of radio waves, analogous arrangements using other waves G01S)

<u>Type</u> *	Location	Old Warning	New/Modified Warning
D	G01C 19/005	Group G01C 19/005 is incomplete pending reclassification of documents from groups G01P 9/00, G01P 9/02, and G01P 9/04. All groups listed in this Warning should be considered in order to perform a complete search.	Delete entire Warning
D	G01C 19/02	Groups G01C 19/02, G01C 19/025, G01C 19/04, G01C 19/06, G01C 19/08, G01C 19/10, G01C 19/12, G01C 19/14, G01C 19/16, G01C 19/18, G01C 19/20, G01C 19/22, G01C 19/24, G01C 19/26, G01C 19/28, G01C 19/30, G01C 19/32, G01C 19/34, G01C 19/36, G01C 19/38, G01C 19/40, G01C 19/42, G01C 19/44, G01C 19/46, G01C 19/48, G01C 19/50, G01C 19/52, and G01C 19/54 are incomplete pending reclassification of documents from group G01P 9/02. All groups listed in this Warning should be considered in order to perform a complete search.	Delete entire Warning
D	G01C 19/065	Group G01C 19/065 is incomplete pending reclassification of documents from groups G01P 9/00 and G01P 9/02. Groups G01P 9/00, G01P 9/02, and G01C 19/065 should be considered in order to performa complete search.	Delete entire Warning

DATE: AUGUST 1, 2023

PROJECT RP0713-F

<u>Type</u> *	Location	Old Warning	New/Modified Warning
D	G01C 19/56	Groups G01C 19/56 - G01C 19/5783 are incomplete pending reclassification of documents from group G01P 9/04. All groups listed in this Warning should be considered in order to perform a complete search.	Delete entire Warning
D	G01C 21/16	Groups G01C 21/16 - G01C 21/188 are incomplete pending reclassification of documents from groups G01P 9/00, G01P 9/02, and G01P 9/04. All groups listed in this Warning should be considered in order to perform a complete search.	Delete entire Warning

SUBCLASS G01P - MEASURING LINEAR OR ANGULAR SPEED, ACCELERATION, DECELERATION, OR SHOCK; INDICATING PRESENCE, ABSENCE, OR DIRECTION, OF MOVEMENT (measuring or recording blood flow A61B 5/02, A61B 8/06; monitoring speed or deceleration of electrically-propelled vehicles B60L 3/00; vehicle lighting systems adapted to indicate speed B60Q 1/54; determining position or course in navigation, measuring ground distance in geodesy or surveying G01C; combined measuring devices for measuring two or more variables of movement G01C 23/00; measuring velocity of sound G01H; measuring velocity of light G01J 7/00; measuring direction or velocity of solid objects by reception or emission of radiowaves or other waves and based on propagation effects, e.g. Doppler effect, propagation time, direction of propagation, G01S; measuring speed of nuclear radiation G01T; measuring acceleration of gravity G01V; {measuring or recording the speed of trains B61L 23/00; speed indicators incorporated in motor vehicles B60K 35/00; measuring frequency or phase G01R; traffic control G08G})

<u>Type</u> *	Location	Old Warning	New/Modified Warning
D	G01P 9/00	Group G01P 9/00 is no longer used for the classification of documents as of January 1, 2022. The content of this group is being reclassified into groups G01C 19/005, G01C 21/165, G01C 21/165, G01C 21/1654, G01C 21/1656, G01C 21/1656, G01C 21/183, G01C 21/185 and G01C 21/188. All groups listed in this Warning should be considered in order to performa complete search.	Delete entire Warning

DATE: AUGUST 1, 2023

PROJECT RP0713-F

Type*	Location	Old Warning	New/Modified Warning
D	G01P 9/02	Group G01P 9/02 is no longer used for the classification of documents as of January 1, 2022. The content of this group is being reclassified into groups G01C 19/005, G01C 19/02, G01C 19/025, G01C 19/04, G01C 19/06, G01C 19/065, G01C 19/08, G01C 19/10, G01C 19/12, G01C 19/14, G01C 19/16, G01C 19/18, G01C 19/20, G01C 19/22, G01C 19/24, G01C 19/26, G01C 19/28, G01C 19/30, G01C 19/30, G01C 19/32, G01C 19/34, G01C 19/36, G01C 19/38, G01C 19/36, G01C 19/38, G01C 19/36, G01C 19/38, G01C 19/40, G01C 19/46, G01C 19/46, G01C 19/46, G01C 19/48, G01C 19/50, G01C 19/52, G01C 19/54, G01C 21/165, G01C 21/165, G01C 21/1654, G01C 21/1656, G01C 21/1654, G01C 21/185 and G01C 21/188. All groups listed in this Warning should be considered in order to perform a complete search.	Delete entire Warning

DATE: AUGUST 1, 2023

PROJECT RP0713-F

<u>Type</u> *	Location	Old Warning	New/Modified Warning
D	G01P 9/04	C C01D 0/04 : 1	Delete seting Westing
D	G01P 9/04	Group G01P 9/04 is no longer used for the classification of	Delete entire Warning
		documents as of January 1,	
		2022. The content of this	
		group is being reclassified into	
		groups G01C 19/005,	
		G01C 19/56, G01C 19/5607,	
		G01C 19/5614,	
		G01C 19/5621,	
		G01C 19/5628,	
		G01C 19/5635,	
		G01C 19/5642,	
		G01C 19/5649,	
		G01C 19/5656,	
		G01C 19/5663, G01C 19/567,	
		G01C 19/5677,	
		G01C 19/5684,	
		G01C 19/5691,	
		G01C 19/5698,	
		G01C 19/5705,	
		G01C 19/5712,	
		G01C 19/5719,	
		G01C 19/5726,	
		G01C 19/5733, G01C 19/574,	
		G01C 19/5747,	
		G01C 19/5755, G01C 19/5762,	
		G01C 19/5762, G01C 19/5769,	
		G01C 19/5776,	
		G01C 19/5770, G01C 19/5783, G01C 21/16,	
		G01C 21/165, G01C 21/1652,	
		G01C 21/1654,	
		G01C 21/1656, G01C 21/166,	
		G01C 21/18, G01C 21/183,	
		G01C 21/185 and	
		G01C 21/188.	
		All groups listed in this	
		Warning should be considered	
		in order to perform a complete	
		search.	

^{*}N = new warning, M = modified warning, D = deleted warning

NOTE: The ``Location" column only requires the symbol PRIOR to the location of the warning. No further directions such as ``before" or ``after" are required.

DATE: AUGUST 1, 2023

PROJECT RP0713-F

C. New, Modified or Deleted Note(s)

SUBCLASS G01P-MEASURING LINEAR OR ANGULAR SPEED, ACCELERATION, DECELERATION, OR SHOCK; INDICATING PRESENCE, ABSENCE, OR DIRECTION, OF

MOVEMENT (measuring or recording blood flow A61B 5/02, A61B 8/06; monitoring speed or deceleration of electrically-propelled vehicles B60L 3/00; vehicle lighting systems adapted to indicate speed B60Q 1/54; determining position or course in navigation, measuring ground distance in geodesy or surveying G01C; combined measuring devices for measuring two or more variables of movement G01C 23/00; measuring velocity of sound G01H; measuring velocity of light G01J 7/00; measuring direction or velocity of solid objects by reception or emission of radiowaves or other waves and based on propagation effects, e.g. Doppler effect, propagation time, direction of propagation, G01S; measuring speed of nuclear radiation G01T; measuring acceleration of gravity G01V; {measuring or recording the speed of trains B61L 23/00; speed indicators incorporated in motor vehicles B60K 35/00; measuring frequency or phase G01R; traffic control G08G})

Type*	Location	Old Note	New/Modified Note
D	G01P 9/00	Absolute angular speed sensors are classified under G01C 19/00 and s.gr.	Delete entire Note

^{*}N = new note, M = modified note, D = deleted note

NOTE: The "Location" column only requires the symbol PRIOR to the location of the note. No further directions such as "before" or "after" are required.

DATE: AUGUST 1, 2023

PROJECT RP0713-F

2. B. DEFINITIONS QUICK FIX

Symbol	Location of change (e.g., section title)	Existing reference symbol or text	Action; New symbol; New text
G01P 9/00	Definition		Delete entire Definition

Notes:

Use this Definitions Quick Fix (DQF) table to:

- Delete an entire definition
- Delete an entire section
- Change a reference symbol
- Delete a reference symbol
- Delete text in a References section
- Correct one error in spelling, article use, or verb tense

Otherwise, use the standard template.

Reminder: Never delete F symbol definitions.

DATE: AUGUST 1, 2023

PROJECT RP0713-F

4. CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

CPC	<u>IPC</u>	Action*
G01P 9/00		DELETE
G01P 9/02		DELETE
G01P 9/04		DELETE

*Action column:

- For an (N) or (Q) entry, provide an IPC symbol and complete the Action column with "NEW."
- For an existing CPC main trunk entry or indexing entry where the existing IPC symbol needs to be changed, provide an updated IPC symbol and complete the Action column with "UPDATED."
- For a (D) CPC entry or indexing entry complete the Action column with "DELETE." IPC symbol does not need to be included in the IPC column.
- For an (N) 2000 series CPC entry which is positioned within the main trunk scheme (breakdown code) provide an IPC symbol and complete the action column with "NEW".
- For an (N) 2000 series CPC entry positioned at the end of the CPC scheme (orthogonal code), with no IPC equivalent, complete the IPC column with "CPCONLY" and complete the action column with "NEW".

NOTES:

- F symbols are not included in the CICL table above.
- T and M symbols are not included in the CICL table above unless a change to the existing IPC is desired.