EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 1533

DATE: JANUARY 1, 2024

PROJECT RP11790

The following classification changes will be effected by this Notice of Changes:

<u>Action</u>	Subclass	Group(s)
SCHEME:		
Symbols Deleted:	C11D	11/0005, 11/0011, 11/0017, 11/0023,
		11/0029, 11/0035, 11/0041, 11/0047,
		11/0052, 11/0058, 11/0064, 11/007,
		11/0076
Symbols New:	C11D	2111/00, 2111/10, 2111/12, 2111/14,
		2111/16, 2111/18, 2111/20, 2111/22,
		2111/24, 2111/40, 2111/42, 2111/44,
		2111/46, 2111/48
Titles Changed:	C11D	11/00
Guidance Headings New:	C11D	2111/00
DEFINITIONS:		
Definitions Deleted:	C11D	11/0029
(no frozen (F) symbol definitions		
should be deleted)		
Definitions Modified:	C11D	11/00

The following subclasses/groups are also impacted by this Notice of Changes (indicate subclasses/groups outside of the project scope, such as those listed in the CRL): A47L15/0002, B01D11/00, C10L10/18, C23G

This Notice of Changes includes the following [Check the ones included]:

1. CL	ASSIF	FICATION SCHEME CHANGES
	\boxtimes	A. New, Modified or Deleted Group(s)
		B. New, Modified or Deleted Warning(s)
		C. New, Modified or Deleted Note(s)
	\boxtimes	D. New, Modified or Deleted Guidance Heading(s)
2. DEI	FINIT	TONS
	\boxtimes	A. New or Modified Definitions (Full definition template)
	\boxtimes	B. Modified or Deleted Definitions (Definitions Quick Fix)
3. 🛛	REV	TSION CONCORDANCE LIST(RCL)
4. 🛛	CHA	ANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)
5. 🛛	CHA	ANGES TO THE CROSS-REFERENCE LIST (CRL)

DATE: JANUARY 1, 2024

PROJECT RP11790

1. CLASSIFICATION SCHEMECHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS C11D - DETERGENT COMPOSITIONS; USE OF SINGLE SUBSTANCES AS DETERGENTS; SOAP OR SOAP-MAKING; RESIN SOAPS; RECOVERY OF GLYCEROL

Type*	<u>Symbol</u>	Indent Level Number of dots	Title "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to#
		(e.g. 0, 1, 2)		
M	C11D11/00	0	Special methods for preparing compositions containing mixtures of detergents	
D	C11D11/0005	1	{Special cleaning or washing methods}	<administrative 40="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0011	2	{characterised by the objects to be cleaned}	<administrative 10="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0017	3	{"Soft" surfaces, e.g. textiles}	<administrative 12="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0023	3	{"Hard" surfaces}	<administrative 14="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0029	4	{Metals}	<administrative 16="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0035	4	{Glasses or plastics}	<administrative 18="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0041	4	{Industrial or commercial equipment, e.g. reactors, tubes or engines (C11D11/0047 takes precedence)}	<administrative 20="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0047	4	{Electronic devices, e.g. PCBs or semiconductors}	<administrative 22="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0052	4	{Mineral surfaces, e.g. stones, frescoes, plaster, walls or concrete}	<administrative 24="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0058	2	{involving the application of foamor a tempory coating on the surface to be cleaned}	<administrative 42="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0064	2	{Multi-step methods}	<administrative 44="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/007	2	{involving applying energy, e.g. irradiation}	<administrative 46="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0076	2	{Regeneration of cleaning solutions}	<administrative 48="" c11d2111="" to="" transfer=""></administrative>
U	C11D19/00	0	Recovery of glycerol from a saponification liquor	
N	C11D2111/00	0	Cleaning compositions characterised by the objects to be cleaned; Cleaning compositions characterised by non-standard cleaning or washing processes	
N N	C11D2111/10 C11D2111/12	1 2	Objects to be cleaned Soft surfaces, e.g. textile	

DATE: JANUARY 1, 2024

PROJECT RP11790

Type*	<u>Symbol</u>	Indent Level Number of dots (e.g. 0, 1, 2)	Title "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to#
N	C11D2111/14	2	Hard surfaces	
N	C11D2111/16	3	Metals	
N	C11D2111/18	3	Glass; Plastics	
N	C11D2111/20	3	Industrial or commercial equipment, e.g. reactors, tubes or engines	
N	C11D2111/22	3	Electronic devices, e.g. PCBs or semiconductors	
N	C11D2111/24	3	Mineral surfaces, e.g. stones, frescoes, plasters, walls or concretes	
N	C11D2111/40	1	Specific cleaning or washing processes	
N	C11D2111/42	2	Application of foamor a temporary coating on the surface to be cleaned	
N	C11D2111/44	2	Multi-step processes	
N	C11D2111/46	2	applying energy, e.g. irradiation	_
N	C11D2111/48	2	Regeneration of cleaning solutions	

*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; T = existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

- **No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- U groups: it is obligatory to display the required "anchor" symbol (U group), i.e. the entry immediately preceding a new group or an array of new groups to be created (in case new groups are not clearly subgroups of C-type groups). Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types.
- "Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("Transferred to") symbol, however it is required to specify "<no transfer>" in the "Transferred to" column for such cases.
- For finalisation projects, the deleted "F" symbols should have <no transfer> in the "Transferred to" column.
- For more details about the types of scheme change, see CPC Guide.

DATE: JANUARY 1, 2024

PROJECT RP11790

D. New, Modified or Deleted Guidance Heading(s)

SUBCLASS C11D - DETERGENT COMPOSITIONS (preparations specially adapted for washing the hair A61Q 5/02, A61K 8/00; methods or apparatus for disinfection or sterilisation A61L; special washing compositions for cleaning semi-permeable membranes B01D 65/06); USE OF SINGLE SUBSTANCES AS DETERGENTS; SOAP OR SOAP-MAKING; RESIN SOAPS; RECOVERY OF GLYCEROL

Type*	<u>Location</u>	Old Guidance Heading	<u>New/Modified Guidance</u> <u>Heading</u>
N	C11D2111/00- C11D2111/00		Objects cleaned; Non-standard cleaning processes

^{*}N = new guidance heading, M =modified guidance heading, D = deleted guidance heading

- The "Location" column requires the symbol AFTER the guidance heading location. No further directions such as "before" or "after" are required.
- In cases where there may be confusion as to whether a new group falls within the scope of a guidance heading, indicate the guidance heading and whether the group does or does not go with the guidance heading. This can be included in the "Location" column. For example, the guidance heading "Compounds containing carbon together with sulfur, selenium or tellurium with or without hydrogen, halogens, oxygen or nitrogen" encompasses groups C07C 301/00-395/00 only. If a new group C07C 398/00 is proposed and is included in the guidance heading scope, indicate this in the "Location" column as follows: 398/00 to be included under the guidance heading: "Compounds containing carbon together with sulfur, selenium or tellurium with or without hydrogen, halogens, oxygen or nitrogen."

DATE: JANUARY 1, 2024

PROJECT RP11790

2. A. Definitions (modified)

C11D11/00

Definition statement

Replace: The existing Definition statement text with the following updated text.

Any specific features related to processes for preparing compositions containing mixtures of detergents.

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Replace: The existing Informative references table text with the following updated text.

Special methods for preparing compositions containing	C11D17/0047
mixture of detergents in the form of blocks, bars or tablets	

DATE: JANUARY 1, 2024

PROJECT RP11790

2. B. DEFINITIONS QUICK FIX

Symbol	Location of change	Existing reference symbol or	Action; New symbol; New text
	(e.g., section title)	text	
C11D11/0029			Delete the entire Definition.

Notes:

Use this Definitions Quick Fix (DQF) table to:

- Delete an entire definition
- Delete an entire section
- Change a reference symbol
- Delete a reference symbol
- Delete text in a References section
- Correct one error in spelling, article use, or verb tense

 $Otherwise, use the \, standard \, template.$

Reminder: Never delete Fsymbol definitions.

DATE: JANUARY 1, 2024

PROJECT RP11790

3. REVISION CONCORDANCE LIST (RCL)

Type*	From CPC Symbol	To CPC Symbol(s)
	(existing)	
D	C11D11/0005	<a 2111="" 40="" c11d="" dministrative="" to="" transfer="">
D	C11D11/0011	<administrative 10="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0017	<administrative 12="" 2111="" c11d="" to="" transfer=""></administrative>
D	C11D11/0023	<administrative 14="" 2111="" c11d="" to="" transfer=""></administrative>
D	C11D11/0029	<administrative 16="" 2111="" c11d="" to="" transfer=""></administrative>
D	C11D11/0035	<administrative 18="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0041	<administrative 20="" 2111="" c11d="" to="" transfer=""></administrative>
D	C11D11/0047	<administrative 2111="" 22="" c11d="" to="" transfer=""></administrative>
D	C11D11/0052	<a 2111="" 24="" c11d="" dministrative="" to="" transfer="">
D	C11D11/0058	<administrative 42="" c11d2111="" to="" transfer=""></administrative>
D	C11D11/0064	<a 2111="" 44="" c11d="" dministrative="" to="" transfer="">
D	C11D11/007	<a 2111="" 46="" c11d="" dministrative="" to="" transfer="">
D	C11D11/0076	<administrative 2111="" 48="" c11d="" to="" transfer=""></administrative>

^{*} C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed.

- Only C, D, F, and Q type entries are included in the table above.
- When multiple symbols are included in the "To" column, do not use ranges of symbols.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("To") symbol, however it is required to specify "<no transfer>" in the "To" column for such cases.
- RCL is not needed for finalisation projects.

DATE: JANUARY 1, 2024

PROJECT RP11790

4. CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

<u>CPC</u>	<u>IPC</u>	Action*
C11D11/0005		DELETE
C11D11/0011		DELETE
C11D11/0017		DELETE
C11D11/0023		DELETE
C11D11/0029		DELETE
C11D11/0035		DELETE
C11D11/0041		DELETE
C11D11/0047		DELETE
C11D11/0052		DELETE
C11D11/0058		DELETE
C11D11/0064		DELETE
C11D11/007		DELETE
C11D11/0076		DELETE
C11D2111/00	CPCONLY	NEW
C11D2111/10	CPCONLY	NEW
C11D2111/12	CPCONLY	NEW
C11D2111/14	CPCONLY	NEW
C11D2111/16	CPCONLY	NEW
C11D2111/18	CPCONLY	NEW
C11D2111/20	CPCONLY	NEW
C11D2111/22	CPCONLY	NEW
C11D2111/24	CPCONLY	NEW
C11D2111/40	CPCONLY	NEW
C11D2111/42	CPCONLY	NEW
C11D2111/44	CPCONLY	NEW
C11D2111/46	CPCONLY	NEW
C11D2111/48	CPCONLY	NEW

*Action column:

- For an (N) or (Q) entry, provide an IPC symbol and complete the Action column with "NEW."
- For an existing CPC main trunk entry or indexing entry where the existing IPC symbol needs to be changed, provide an updated IPC symbol and complete the Action column with "UPDATED."
- For a (D) CPC entry or indexing entry complete the Action column with "DELETE." IPC symbol does not need to be included in the IPC column.
- For an (N) 2000 series CPC entry which is positioned within the main trunk scheme (breakdown code) provide an IPC symbol and complete the action column with "NEW".
- For an (N) 2000 series CPC entry positioned at the end of the CPC scheme (orthogonal code), with no IPC equivalent, complete the IPC column with "CPCONLY" and complete the action column with "NEW".

- F symbols are <u>not</u> included in the CICL table above.
- T and M symbols are not included in the CICL table above unless a change to the existing IPC is desired.

DATE: JANUARY 1, 2024

PROJECT RP11790

5. CHANGES TO THE CROSS-REFERENCELIST (CRL)

<u>Definitions references impacted by this revision project</u>

Location of reference to be changed	Referenced subclass or group to be changed	Section of definition	Action; New reference symbol; New text
A47L15/0002	C11D11/0005	Informative references	Replace symbol C11D 11/0005 with C11D 2111/40
B01D11/00	C11D11/0047	Informative references	Replace symbol C11D 11/0047 with C11D 2111/22
C10L10/18	C11D11/0041	Informative references	Replace symbol C11D 11/0041 with C11D 2111/20
C23G	C11D11/0011	Application- oriented references	Replace symbol C11D 11/0011 with C11D 2111/10
C23G	C11D11/0029	Informative references	Replace symbol C11D 11/0029 with C11D 2111/16
C23G	C11D11/0041	Informative references	Replace symbol C11D 11/0041 with C11D 2111/20
C23G	C11D11/0047	Informative references	Replace symbol C11D 11/0047 with C11D 2111/22
C23G1/00	C11D11/0029	Informative references	Replace symbol C11D 11/0029 with C11D 2111/16
C23G1/00	C11D11/0041	Informative references	Replace symbol C11D 11/0041 with C11D 2111/20
C23G 1/00	C11D11/0047	Informative references	Replace symbol C11D 11/0047 with C11D 2111/22

- The CRL tables above are used for changes to locations <u>outside</u> of the project scope. Changes to references in scheme titles or definitions <u>inside</u> the project scope will be reflected in the "scheme change" template or one of the "definition" templates.
- In addition to other changes proposed in the tables above, in the column titled "Referenced subclass or group to be changed," <u>referenced</u> D symbols should indicate an action of "delete" or should indicate a replacement symbol and <u>referenced</u> F symbols should indicate a replacement symbol.
- When a reference is deleted, text related to that reference will also be deleted unless other references or a range of references associated with the same text remain.