EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 537

DATE: AUGUST 1, 2018

PROJECT MP0184

The following classification changes will be effected by this Notice of Changes:

<u>Action</u>	Subclass	Group(s)
SCHEME:		
Titles Changed:	A61N	5/025, 5/045, 5/0601, 5/0618, 5/0619, 5/0624, 5/0625, 5/10, 5/1002, 5/1007, 5/1029
DEFINITIONS:		
Definitions New:	A61N	5/025, 5/0601, 5/0618, 5/0619, 5/0624, 0625, 5/10, 5/1007, 5/1029

The following subclasses/groups are also impacted by this Notice of Changes): A61M21/00 This Notice of Changes includes the following [Check the ones included]:

1.	CLASSIFICATION SCHEME CHANGES A. New, Modified or Deleted Group(s)
	B. New, Modified or Deleted Warning Notice(s)
	C. New, Modified or Deleted Note(s)
	D. New, Modified or Deleted Guidance Heading(s)
2.	DEFINITIONS (New or Modified) A. DEFINITIONS (Full definition template)
	B. DEFINITIONS (Definitions Quick Fix)
3.	REVISION CONCORDANCE LIST (RCL)
4.	CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)
5.	CROSS-REFERENCE LIST (CRL)

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

 ${\bf SUBCLASS~A61N-ELECTROTHERAPY;\,MAGNETOTHERAPY;\,RADIATION~THERAPY;\,ULTRASOUND~THERAPY}$

DATE: AUGUST 1, 2018

PROJECT MP0184

Type*	Symbol	Indent Level Number of dots (e.g. 0, 1, 2)	Title (new or modified) "CPC only" text should normally be enclosed in {curly brackets}**	<u>Transferred to</u> [±]
M	A61N 5/025	3	{Warming the body, e.g. hyperthermia treatment}	
M	A61N 5/045	3	{specially adapted for treatment inside the body}	
M	A61N 5/0601	2	{Apparatus for use inside the body}	
M	A61N 5/0618	3	{Psychological treatment}	
M	A61N 5/0619	3	{Acupuncture}	
M	A61N5/0624	3	{for eliminating microbes, germs, bacteria on or in the body}	
M	A61N 5/0625	3	{Warming the body, e.g. hyperthermia treatment}	
M	A61N5/10	1	X-ray therapy; Gamma-ray therapy; Particle-irradiation therapy (A61N 5/01 takes precedence)	
M	A61N 5/1002	3	{Intraluminal radiation therapy}	
M	A61N 5/1007	3	{Arrangements or means for the introduction of sources into the body}	
M	A61N5/1029	4	{Radioactive dressings}	

^{*}N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; E= existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

DATE: AUGUST 1, 2018

PROJECT MP0184

NOTES:

- **No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- For U groups, the minimum requirement is to include the U group located immediately prior to the N group or N group array, in order to show the N group hierarchy and improve the readability and understanding of the scheme. Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types except "D" which requires only a symbol.
- #"Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>" or "<administrative transfer to XX and YY simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be "invention information", unless otherwise indicated, and to 2000 series groups is assumed to be "additional information".

DATE: AUGUST 1, 2018

PROJECT MP0184

2. A. DEFINITIONS (new)

Insert the following new definitions.

A61N 5/025

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Heating by other appliances	A61F 7/00
Hot air bath	A61H 33/06
Heating by RF	A61N 1/403
Heating by infrared radiation	A61N 5/0625

A61N 5/0601

References

Informative references

Illuminating body cavities	A61B 1/06
By intraoral means	A61B 6/145
By using a source unit in the interior of the body	A61B 6/4057
Devices for heating or cooling body cavities	A61F 7/12
X-ray tubes having a small cross-section to facilitate introduction	H01J 35/32
into small cavities	

DATE: AUGUST 1, 2018

PROJECT MP0184

A61N 5/0618

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Other devices or methods to cause a change in the state of	A61M 21/00
consciousness; Devices for producing or ending sleep by	
mechanical, optical, or acoustical means, e.g. for hypnosis	

A61N 5/0619

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Acupuncture in general	A61H 39/00
------------------------	------------

A61N 5/0624

References

Informative references

Sterilization of articles or products by radiation	A61L 2/08
--	-----------

DATE: AUGUST 1, 2018

PROJECT MP0184

A61N 5/0625

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Heating by other appliances	A61F 7/00
Hot air bath	A61H 33/06
Heating by RF	A61N 1/403
Heating using microwaves	A61N 5/025

A61N 5/10

References

Limiting references

This place does not cover:

Informative references

Radiation diagnosis, e.g. combined with radiation therapy	A61B 6/00
Irradiation devices in general	G21K 1/00
X-ray tubes, Lenard tubes	H01J 35/00
X-ray techniques, in particular circuits for feeding or controlling X-ray	H05G
tubes	

DATE: AUGUST 1, 2018

PROJECT MP0184

A61N 5/1002

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

A61N 5/1007

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Needle guides in general	A61B 17/3403
Apparatus for implanting surgical devices	A61B 17/3468
Devices for implanting seeds or pellets in general	A61M 37/0069

A61N 5/1029

References

Informative references

FILTERS IMPLANTABLE INTO BLOOD VESSELS;	A61F
PROSTHESES; DEVICES PROVIDING PATENCY TO, OR	
PREVENTING COLLAPSING OF, TUBULAR STRUCTURES OF	
THE BODY, E.G. STENTS; ORTHOPAEDIC, NURSING OR	
CONTRACEPTIVE DEVICES; FOMENTATION; TREATMENT OR	
PROTECTION OF EYES OR EARS; BANDAGES, DRESSINGS	
OR ABSORBENT PADS; FIRST-AID KITS	
Dressings in general	A61L 15/00

DATE: AUGUST 1, 2018

PROJECT MP0184

5. CROSS-REFERENCE LIST (CRL)

<u>Definitions references impacted by this revision project</u>

Location of reference to be changed	Referenced subclass or group to be changed	Section of definition	Action; New reference symbol; New text
A61M 21/00	Body clock A61N 5/0618	Informative references	Replace: In the existing row in the Informative references table, only the text "Body clock" with the following new text: Psychological treatment using light therapy

NOTES:

- The CRL tables above are used for changes to locations <u>outside</u> of the project scope. Changes to references in scheme titles or definitions <u>inside</u> the project scope will be reflected in the "scheme change" template or one of the "definition" templates.
- In addition to other changes proposed in the tables above, in the column titled "Referenced subclass or group to be changed," <u>referenced</u> D symbols should indicate an action of "delete" or should indicate a replacement symbol and <u>referenced</u> F symbols should indicate a replacement symbol.
- When a reference is deleted, text related to that reference will also be deleted unless other references or a range of references associated with the same text remain.