EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 733

DATE: AUGUST 1, 2019

PROJECT MP0445

The following classification changes will be effected by this Notice of Changes:

<u>Action</u>	Subclass	Group(s)
SCHEME:		
Titles Changed:	E02D	29/0258
	E02F	3/14
		9/2278
	E04F	13/0833
		19/0459
	E21C	3/06
DEFINITIONS:		
Definitions Modified:	E04F	13/0833
		19/0459

No other subclasses/groups are impacted by this Notice of Changes.

This Notice of Changes includes the following [Check the ones included]:

1. CL	. CLASSIFICATION SCHEME CHANGES						
		A. New, Modified or Deleted Group(s)					
		B. New, Modified or Deleted Warning(s)					
		C. New, Modified or Deleted Note(s)					
		D. New, Modified or Deleted Guidance Heading(s)					
2. DEI	FINIT	IONS					
		A. New or Modified Definitions (Full definition template)					
		B. Modified or Deleted Definitions (Definitions Quick Fix)					
3.	REV	ISION CONCORDANCE LIST (RCL)					
4.	CHA	NGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)					
5.	CHA	NGES TO THE CROSS-REFERENCE LIST (CRL)					

CPC NOTICE OF CHANGES 733

DATE: AUGUST 1, 2019

PROJECT MP0445

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

SUBCLASS E02D - FOUNDATIONS; EXCAVATIONS; EMBANKMENTS (specially adapted for hydraulic engineering E02B); UNDERGROUND OR UNDERWATER STRUCTURES { (tunnels, tunnelling, mining E21)}

Type*	<u>Symbol</u>	Indent	Title "CPC only" text should normally be enclosed in {curly brackets}**	<u>Transferred to</u> [#]
M	E02D 29/0258	2	{characterised by constructional features}	

SUBCLASS E02F - DREDGING; SOIL-SHIFTING (winning peat E21C49/00)

Type*	<u>Symbol</u>	Indent Level Number of dots (e.g. 0, 1, 2)	Title "CPC only" text should normally be enclosed in {curly brackets}**	<u>Transferred to</u> [±]
M	E02F 3/14	4	Buckets; Chains; Guides for buckets or chains; Drives for chains	
M	E02F 9/2278	3	{Hydraulic circuits}	

SUBCLASS E04F - FINISHING WORK ON BUILDINGS, e.g. STAIRS, FLOORS (windows, doors E06B)

Type*	<u>Symbol</u>	Indent Level Number of dots (e.g. 0, 1,	Title "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to [#]
M	E04F 13/0833	5	{not adjustable (E04F13/0857 takes precedence)}	
M	E04F 19/0459	3	{characterised by the fixing method}	

CPC NOTICE OF CHANGES 733

DATE: AUGUST 1, 2019

PROJECT MP0445

SUBCLASS E21C - MINING OR QUARRYING

Type*	<u>Symbol</u>	Indent Level Number of dots (e.g. 0, 1, 2)	Title "CPC only" text should normally be enclosed in {curly brackets}**	<u>Transferred to</u> [#]
M	E21C 3/06	1	{Means for driving the impulse member}	

*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; E = existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

NOTES:

- **No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- U groups: it is obligatory to display the required "anchor" symbol (U group), i.e. the entry immediately preceding a new group or an array of new groups to be created (in case new groups are not clearly subgroups of C-type groups). Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types.
- "Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD> , <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("Transferred to") symbol, however it is required to specify "<no transfer>" in the "Transferred to" column for such cases.
- For finalisation projects, the deleted "F" symbols should have <no transfer> in the "Transferred to" column.
- For more details about the types of scheme change, see CPC Guide.

CPC NOTICE OF CHANGES 733

DATE: AUGUST 1, 2019

PROJECT MP0445

2. B. DEFINITIONS QUICK FIX

Symbol	Location of change	Existing reference symbol or text	Action; New symbol; New text
	(e.g., section title)		
E04F 13/0833	Definition statement	Separate fastening elements for coverings composed of a plurality of similar covering elements, without load-supporting elongated furring elements between wall and covering elements, (the fastening element being) not adjustable e.g.: no adjustment or compensation means for tolerances, inaccuracy, by means of screws, teeth, wedges,	Replace: The existing Definition statement with the following new statement: Separate fastening elements for coverings composed of a plurality of similar covering elements, without load-supporting elongated furring elements between wall and covering elements, the fastening element being not adjustable, e.g. no adjustment or compensation means for tolerances, inaccuracy, or by means of screws, teeth, wedges.
E04F 13/0833	Limiting references		Insert: The following new Limiting references section: Limiting references This place does not cover: Supporting consoles, e.g. adjustable only in a direction parallel to the wall E04F 13/0857
E04F 13/0833	Special rules of classification	Not used, see subgroups	Delete: The entire Special rules of classification section.
E04F 19/0459	Special rules of classification	Only the subgroups of this group are used	<u>Delete</u> : The entire Special rules of classification section.

NOTES:

- The table above is used for corrections or modifications to existing definitions, e.g. delete an entire definition or part thereof; propose new wording or modify wording of a section, change the symbol the definition is associated with, change or delete a reference symbol, etc.
- Do not delete (F) symbol definitions.