EUROPEAN PATENT OFFICE U.S. PATENT AND TRADEMARK OFFICE

CPC NOTICE OF CHANGES 867

DATE: MAY 1, 2020

PROJECT RP0658

The following classification changes will be effected by this Notice of Changes:

Action*	Subclass	Group(s)
SCHEME:		
Symbols Deleted:	F01L	2101/00, 2101/02
	F01L	2103/00, 2103/01, 2103/02
	F01L	2105/00, 2105/02
	F01L	2107/00
	F01L	2109/00
	F01L	2111/00
	F01L	2113/00
Symbols New:	F01L	2301/00, 2301/02
	F01L	2303/00, 2303/01, 2303/02
	F01L	2305/00, 2305/02
	F01L	2307/00
	F01L	2309/00
	F01L	2311/00
	F01L	2313/00

The following subclasses/groups are also impacted by this Notice of Changes (indicate subclasses/groups outside of the project scope, such as those listed in the CRL):

F01L1/12, F01L1/14, F01L1/24, F01L1/352, F01L7/00

This Notice of Changes includes the following [Check the ones included]:

1.	CLA	ASSIF	ICATION SCHEME CHANGES
		\boxtimes	A. New, Modified or Deleted Group(s)
			B. New, Modified or Deleted Warning(s)
			C. New, Modified or Deleted Note(s)
			D. New, Modified or Deleted Guidance Heading(s)
2.	DEF	FINIT	IONS
			A. New or Modified Definitions (Full definition template)
			B. Modified or Deleted Definitions (Definitions Quick Fix)
3.	\boxtimes	REV	ISION CONCORDANCE LIST (RCL)
4.	\boxtimes	CHA	NGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)
5.	\boxtimes	CHA	NGES TO THE CROSS-REFERENCE LIST (CRL)

DATE: MAY 1, 2020

PROJECT RP0658

1. CLASSIFICATION SCHEME CHANGES

A. New, Modified or Deleted Group(s)

F01L CYCLICALLY OPERATING VALVES FOR MACHINES OR ENGINES (valves in general F16K)

Type*	Symbol	Indent Level	<u>Title</u> "CPC only" text should normally be	Transferred to#
		Number	enclosed in {curly brackets}**	
		of dots		
		(e.g. 0, 1,		
		<u>2)</u>		
D	F01L	0	Using particular materials	<administrative td="" to<="" transfer=""></administrative>
	2101/00			F01L 2301/00>
D	F01L	1	Using ceramic materials	<administrative td="" to<="" transfer=""></administrative>
	2101/02			F01L 2301/02>
D	F01L	0	Manufacturing of components used in valve	<administrative td="" to<="" transfer=""></administrative>
D	2103/00 F01L	1	arrangements	F01L 2303/00> <administrative td="" to<="" transfer=""></administrative>
D	-	1	Tools for producing, mounting or adjusting,	
	2103/01 F01L	1	e.g. some part of the distribution Initial camshaft settings	F01L 2303/01> <administrative td="" to<="" transfer=""></administrative>
D	2103/02	1	initial canishatt settings	F01L 2303/02>
D	F01L	0	Valve arrangements comprising rollers	<administrative td="" to<="" transfer=""></administrative>
	2105/00		varve arrangements comprising rollers	F01L 2305/00>
D	F01L	1	Mounting of rollers	<administrative td="" to<="" transfer=""></administrative>
	2105/02	1	Woulding of folicis	F01L 2305/02>
D	F01L	0	Preventing the rotation of tappets	<administrative td="" to<="" transfer=""></administrative>
	2107/00		8 11	F01L 2307/00>
D	F01L	0	Self-contained lash adjusters	<administrative td="" to<="" transfer=""></administrative>
	2109/00		Č	F01L 2309/00>
D	F01L	0	Differential gears located between crankshafts	<administrative td="" to<="" transfer=""></administrative>
	2111/00		and camshafts for varying the timing of	F01L 2311/00>
			valves	
D	F01L	0	Rotary valve drives	<administrative td="" to<="" transfer=""></administrative>
	2113/00			F01L 2313/00>
U	F01L	1	the camshaft being driven by gear wheels	
7.7	2250/06		TT	
N	F01L	0	Using particular materials	
N	2301/00	1	TT-iniil-	
N	F01L 2301/02	1	Using ceramic materials	
N	F01L	0	Manufacturing of components used in valve	
1N	2303/00		arrangements	
N	F01L	1	Tools for producing, mounting or adjusting,	
1,	2303/01	1	e.g. some part of the distribution	
N	F01L	1	Initial camshaft settings	
- '	2303/02	_		
N	F01L	0	Valve arrangements comprising rollers	
	2305/00			

DATE: MAY 1, 2020

PROJECT RP0658

Type*	Symbol	Indent Level Number of dots (e.g. 0, 1,	Title "CPC only" text should normally be enclosed in {curly brackets}**	Transferred to#
N	F01L 2305/02	1	Mounting of rollers	
N	F01L 2307/00	0	Preventing the rotation of tappets	
N	F01L 2309/00	0	Self-contained lash adjusters	
N	F01L 2311/00	0	Differential gears located between crankshafts and camshafts for varying the timing of valves	
N	F01L 2313/00	0	Rotary valve drives	

*N = new entries where reclassification into entries is involved; C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; T= existing entries with enlarged file scope, which receive documents from C or D entries, e.g. when a limiting reference is removed from the entry title; M = entries with no change to the file scope (no reclassification); D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed; U = entries that are unchanged.

- **No {curly brackets} are used for titles in CPC only <u>subclasses</u>, e.g. C12Y, A23Y; 2000 series symbol titles of groups found at the end of schemes (orthogonal codes); or the Y section titles. The {curly brackets} <u>are</u> used for 2000 series symbol titles found interspersed throughout the main trunk schemes (breakdown codes).
- U groups: it is obligatory to display the required "anchor" symbol (U group), i.e. the entry immediately preceding a new group or an array of new groups to be created (in case new groups are not clearly subgroups of C-type groups). Always include the symbol, indent level and title of the U group in the table above.
- All entry types should be included in the scheme changes table above for better understanding of the overall scheme change picture. Symbol, indent level, and title are required for all types.
- "Transferred to" column <u>must</u> be completed for all C, D, F, and Q type entries. F groups will be deleted once reclassification is completed.
- When multiple symbols are included in the "Transferred to" column, avoid using ranges of symbols in order to be as precise as possible.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("Transferred to") symbol, however it is required to specify "<no transfer>" in the "Transferred to" column for such cases.
- For finalisation projects, the deleted "F" symbols should have <no transfer> in the "Transferred to" column.
- For more details about the types of scheme change, see CPC Guide.

DATE: MAY 1, 2020

PROJECT RP0658

3. REVISION CONCORDANCE LIST (RCL)

Type*	From CPC Symbol	To CPC Symbol(s)
	(existing)	
D	F01L 2101/00	<administrative 00="" 2301="" f01l="" to="" transfer=""></administrative>
D	F01L 2101/02	<administrative 02="" 2301="" f01l="" to="" transfer=""></administrative>
D	F01L 2103/00	<administrative 00="" 2303="" f01l="" to="" transfer=""></administrative>
D	F01L 2103/01	<administrative 01="" 2303="" f01l="" to="" transfer=""></administrative>
D	F01L 2103/02	<administrative 02="" 2303="" f01l="" to="" transfer=""></administrative>
D	F01L 2105/00	<administrative 00="" 2305="" f01l="" to="" transfer=""></administrative>
D	F01L 2105/02	<administrative 02="" 2305="" f01l="" to="" transfer=""></administrative>
D	F01L 2107/00	<administrative 00="" 2307="" f01l="" to="" transfer=""></administrative>
D	F01L 2109/00	<administrative 00="" 2309="" f01l="" to="" transfer=""></administrative>
D	F01L 2111/00	<administrative 00="" 2311="" f01l="" to="" transfer=""></administrative>
D	F01L 2113/00	<administrative 00="" 2313="" f01l="" to="" transfer=""></administrative>

^{*} C = entries with modified file scope where reclassification of documents from the entries is involved; Q = new entries which are firstly populated with documents via administrative transfers from deleted (D) entries. Afterwards, the transferred documents into the Q entry will either stay or be moved to more appropriate entries, as determined by intellectual reclassification; D = deleted entries; F = frozen entries will be deleted once reclassification of documents from the entries is completed.

- Only C, D, F, and Q type entries are included in the table above.
- When multiple symbols are included in the "To" column, do not use ranges of symbols.
- For administrative transfer of documents, the following text should be used: "< administrative transfer to XX>", "<administrative transfer to XX and YY simultaneously>", or "<administrative transfer to XX, YY, ...and ZZ simultaneously>" when administrative transfer of the same documents is to more than one place.
- Administrative transfer to main trunk groups is assumed to be the source allocation type, unless otherwise indicated.
- Administrative transfer to 2000/Y series groups is assumed to be "additional information".
- If needed, instructions for allocation type should be indicated within the angle brackets using the abbreviations "ADD" or "INV": <administrative transfer to XX ADD>, <administrative transfer to XX INV>, or < administrative transfer to XX ADD, YY INV, ... and ZZ ADD simultaneously>.
- In certain situations, the "D" entries of 2000-series or Y-series groups may not require a destination ("To") symbol, however it is required to specify "<no transfer>" in the "To" column for such cases.
- RCL is not needed for finalisation projects.

DATE: MAY 1, 2020

PROJECT RP0658

4. CHANGES TO THE CPC-TO-IPC CONCORDANCE LIST (CICL)

<u>CPC</u>	<u>IPC</u>	Action*
T047 0404/00		222
F01L 2101/00		DELETE
F01L 2101/02		DELETE
F01L 2103/00		DELETE
F01L 2103/01		DELETE
F01L 2103/02		DELETE
F01L 2105/00		DELETE
F01L 2105/02		DELETE
F01L 2107/00		DELETE
F01L 2109/00		DELETE
F01L 2111/00		DELETE
F01L 2113/00		DELETE
F01L 2301/00	CPCONLY	NEW
F01L 2301/02	CPCONLY	NEW
F01L 2303/00	CPCONLY	NEW
F01L 2303/01	CPCONLY	NEW
F01L 2303/02	CPCONLY	NEW
F01L 2305/00	CPCONLY	NEW
F01L 2305/02	CPCONLY	NEW
F01L 2307/00	CPCONLY	NEW
F01L 2309/00	CPCONLY	NEW
F01L 2311/00	CPCONLY	NEW
F01L 2313/00	CPCONLY	NEW

*Action column:

- For an (N) or (Q) entry, provide an IPC symbol and complete the Action column with "NEW."
- For an existing CPC main trunk entry or indexing entry where the existing IPC symbol needs to be changed, provide an updated IPC symbol and complete the Action column with "UPDATED."
- For a (D) CPC entry or indexing entry complete the Action column with "DELETE." IPC symbol does not need to be included in the IPC column.
- For an (N) 2000 series CPC entry which is positioned within the main trunk scheme (breakdown code) provide an IPC symbol and complete the action column with "NEW".
- For an (N) 2000 series CPC entry positioned at the end of the CPC scheme (orthogonal code), with no IPC equivalent, complete the IPC column with "CPCONLY" and complete the action column with "NEW".

- F symbols are <u>not</u> included in the CICL table above.
- T and M symbols are not included in the CICL table above unless a change to the existing IPC is desired.

DATE: MAY 1, 2020

PROJECT RP0658

5. CROSS-REFERENCE LIST (CRL)

<u>Definitions</u> references impacted by this revision project

Location of reference to be changed	Referenced subclass or group to be changed	Section of definition	Action; New reference symbol; New text
F01L1/12	F01L2105/00	Informative references	Replace with F01L2305/00
F01L1/12	F01L2105/02	Informative references	Replace with F01L2305/02
F01L1/14	F01L2107/00	Informative references	Replace with F01L2307/00
F01L1/24	F01L2109/00	Informative references	Replace with F01L2309/00
F01L1/352	F01L2111/00	Informative references	Replace with F01L2311/00
F01L7/00	F01L2113/00	Informative references	Replace with F01L2313/00

- The CRL tables above are used for changes to locations <u>outside</u> of the project scope. Changes to references in scheme
 titles or definitions <u>inside</u> the project scope will be reflected in the "scheme change" template or one of the "definition"
 templates.
- In addition to other changes proposed in the tables above, in the column titled "Referenced subclass or group to be changed," <u>referenced</u> D symbols should indicate an action of "delete" or should indicate a replacement symbol and <u>referenced</u> F symbols should indicate a replacement symbol.
- When a reference is deleted, text related to that reference will also be deleted unless other references or a range of references associated with the same text remain.