

C12Q

MEASURING OR TESTING PROCESSES INVOLVING ENZYMES, NUCLEIC ACIDS OR MICROORGANISMS (immunoassay [G01N 33/53](#)); COMPOSITIONS OR TEST PAPERS THEREFOR; PROCESSES OF PREPARING SUCH COMPOSITIONS; CONDITION-RESPONSIVE CONTROL IN MICROBIOLOGICAL OR ENZYMOLOGICAL PROCESSES

Definition statement

This place covers:

Processes in which there is a direct or indirect qualitative or quantitative measurement or test of a material which contains enzymes or microorganisms or processes in which a material containing enzymes or microorganisms is used to perform a qualitative or quantitative measurement or test, e.g. testing for antimicrobial activity or cholesterol, geomicrobiological testing.

In vivo or in vitro or in silico measuring or testing processes involving nucleic acid e.g. nucleic acid hybridisation including PCR (Polymerase Chain Reaction).

Compositions or test papers containing microorganisms or enzymes which can be used to detect or identify a chemical compound or composition, e.g. paper strips for the testing of blood sugar.

Compositions or test papers distinguished by the use of indicators which can be used to detect or identify the presence of microorganisms or enzymes.

Processes of making such test compositions.

Processes involving enzymes or microorganisms in which a process parameter is measured and that or another process parameter is varied in response to such measurement, i.e. condition responsive control.

Relationships with other classification places

Controlling or regulating in general is classified in [G05](#).

In groups [C12M-C12Q](#) and within each of these groups, in the absence of an indication to the contrary, classification is made in the last appropriate place.

The codes of group [C12R](#) are only for use as Indexing Codes associated with groups [C12C-C12Q](#) so as to provide information concerning the microorganisms used in the processes classified in these groups.

References

Limiting references

This place does not cover:

Measuring or testing apparatus with condition measuring or sensing means, e.g. colony counters	C12M 1/34
Apparatus for condition-responsive control processes	C12M 1/36
Observation of the progress or of the result of processes specified in this group by any of the methods specified in groups G01N 3/00 - G01N 29/00	G01N
Immunoassay	G01N 33/53
Immunoassay with enzyme label	G01N 33/535
Immunoassay with the carrier being a biological cell or cell fragment	G01N 33/554
Immunoassay for microorganisms	G01N 33/569

Immunoassay for venereal diseases	G01N 33/571
Immunoassay for enzymes and isoenzymes	G01N 33/573
Immunoassay for cancer	G01N 33/574
Immunoassay for hepatitis	G01N 33/576

Informative references

Attention is drawn to the following places, which may be of interest for search:

Microorganisms per se	C12N 1/00
Human, animal or plant cells per se	C12N 5/00
Viruses per se	C12N 7/00
Enzymes per se	C12N 9/00 , C12N 11/00
Investigating or analysing materials by determining their chemical or physical properties	G01N
Investigating or analysing biological material	G01N 33/48 - G01N 33/98
Chemical analysis involving blood sugar, e.g. galactose	G01N 33/66
Chemical analysis involving proteins, peptides and amino acids	G01N 33/68
Chemical analysis involving lipids, e.g. cholesterol	G01N 33/92

Special rules of classification

In this group classification is made according to the most relevant feature rather than according to the last-place-rule.

In this group, test media are classified in the appropriate group for the relevant test process.

In this group, viruses, protozoa, unicellular and multicellular fungi, yeasts and unicellular and multicellular algae are considered as microorganisms. Sub-cellular parts, unless specifically provided for, are classified with the whole cell.

Classification in main group [C12Q 1/00](#) and sub-groups [C12Q 1/001](#) - [C12Q 1/66](#) is further refined using Indexing Codes from the range [C12Q 2304/00](#) - [C12Q 2337/52](#). The definitions and scope of these Indexing Codes are self evident. The codes and definitions are listed at the end of this document.

Due to the strong relationship between the range [C12Q 1/00](#) - [C12Q 1/66](#) and the range [G01N 33/50](#) - [G01N 33/98](#), "Chemical analysis of biological material", and the rather broad nature of the definitions some of the [C12Q 1/001](#) - [C12Q 1/66](#) sub-groups, refinement of the classification in this area by allocation of Indexing Codes from the range [G01N 2333/00](#) - [G01N 2800/60](#), where possible, is considered mandatory.

Observation of the progress or of the result of processes specified in this group by any of the methods specified in groups [G01N 3/00](#) - [G01N 29/00](#) may require additional classification in these groups.

Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

Enzyme	Proteinaceous material which causes a chemical change in a starting material without being consumed in the reaction.
--------	--

Involving	when used in relation to a substance, includes the testing for the substance as well as employing the substance as a determinant or reactant in a test for a different substance.
Microorganism	Single-celled organisms such as bacteria, actinomycetales or single-celled fungi, e.g. yeasts; for the purposes of classification, this term also includes viruses, undifferentiated human, animal or plant cells, protozoa, tissues and unicellular algae.
Nucleic acid	comprises nucleic acids as in vitro compounds as well as sub-cellular parts in vivo like chromosome territories within the nucleus, plasmids, gene sequences, genetic information, mutations, polymorphisms such as SNPs, in silico base sequences, aptamers (ligand binding nucleic acids) and ribozymes (catalytic active RNA molecules).

C12Q 1/00

Measuring or testing processes involving enzymes, nucleic acids or microorganisms (measuring or testing apparatus with condition measuring or sensing means, e.g. colony counters, [C12M 1/34](#)); Compositions therefor; Processes of preparing such compositions

Definition statement

This place covers:

Processes in which there is a direct or indirect qualitative or quantitative measurement or test of a material which contains enzymes or microorganisms or processes in which a material containing enzymes or microorganisms is used to perform a qualitative or quantitative measurement or test, e.g. testing for antimicrobial activity or cholesterol, geomicrobiological testing.

In vivo or in vitro or in silico measuring or testing processes involving nucleic acid e.g. nucleic acid hybridisation including PCR (Polymerase Chain Reaction). See section range [C12Q 1/68](#) - [C12Q 1/708](#).

Compositions or test papers containing microorganisms or enzymes which can be used to detect or identify a chemical compound or composition, e.g. paper strips for the testing of blood sugar.

Compositions or test papers distinguished by the use of indicators which can be used to detect or identify the presence of microorganisms or enzymes.

Processes of making such test compositions.

Processes involving enzymes or microorganisms in which a process parameter is measured and that or another process parameter is varied in response to such measurement, i.e. condition responsive control.

Relationships with other classification places

Controlling or regulating in general is classified in [G05](#).

References

Limiting references

This place does not cover:

Measuring or testing apparatus with condition measuring or sensing means, e.g. colony counters	C12M 1/34
--	---------------------------

Apparatus for condition-responsive control processes	C12M 1/36
Testing involving animal cells	G01N 33/5005
Testing involving plant cells	G01N 33/5097
Immunoassay	G01N 33/53
Immunoassay with enzyme label	G01N 33/535
Immunoassay with the carrier being a biological cell or cell fragment	G01N 33/554
Immunoassay for microorganisms	G01N 33/569
Immunoassay for plant cells	G01N 33/56961
Immunoassay for animal cells	G01N 33/56966
Immunoassay for venereal diseases	G01N 33/571
Immunoassay for enzymes and isoenzymes	G01N 33/573
Immunoassay for cancer	G01N 33/574

Informative references

Attention is drawn to the following places, which may be of interest for search:

Microorganisms per se	C12N 1/00
Human, animal or plant cells per se	C12N 5/00
Viruses per se	C12N 7/00
Enzymes per se	C12N 9/00 , C12N 11/00
Investigating or analysing materials by determining their chemical or physical properties	G01N
Observation of the progress or of the result of processes specified in this group by any of the methods specified in groups G01N 3/00 - G01N 29/00	G01N
Investigating or analysing biological material	G01N 33/48 - G01N 33/98
Chemical analysis involving blood sugar, e.g. galactose	G01N 33/66
Chemical analysis involving proteins, peptides and amino acids	G01N 33/68
Chemical analysis involving lipids, e.g. cholesterol	G01N 33/92

Special rules of classification

In this group classification is made according to the most relevant feature rather than according to the last-place-rule.

In this group, test media are classified in the appropriate group for the relevant test process.

In this group, viruses, protozoa, unicellular and multicellular fungi, yeasts and unicellular and multicellular algae are considered as microorganisms. Sub-cellular parts, unless specifically provided for, are classified with the whole cell.

Classification in main group [C12Q 1/00](#) and sub-groups [C12Q 1/001](#) - [C12Q 1/66](#) is further refined using Indexing Codes from the range [C12Q 2304/00](#) - [C12Q 2337/52](#). The definitions and scope of these Indexing Codes are self evident. The codes and definitions are listed at the end of this document.

Due to the strong relationship between the range [C12Q 1/00](#) - [C12Q 1/66](#) and the range [G01N 33/50](#) - [G01N 33/98](#), "Chemical analysis of biological material", and the rather broad nature of the definitions some of the [C12Q 1/001](#) - [C12Q 1/66](#) sub-groups, refinement of the classification in this area by allocation of Indexing Codes from the range [G01N 2333/00](#) - [G01N 2800/60](#), where possible, is considered mandatory.

Observation of the progress or of the result of processes specified in this group by any of the methods specified in groups [G01N 3/00](#) - [G01N 29/00](#) may require additional classification in these groups.

C12Q 1/001

{Enzyme electrodes}

Definition statement

This place covers:

Enzyme-based Electrochemical sensors where inventive concept lies in the enzyme aspect e.g. enzyme used, how attached to electrode, enzyme mediator involvement, enzyme sensing mechanism/system.

References

Informative references

Attention is drawn to the following places, which may be of interest for search:

Attention is drawn to the following places, which may be of interest for search and classification:

Apparatus specifically adapted for solid-phase testing in biospecific ligand binding assays or immunological testing/immunoassays	G01N 33/54366
Involving physiochemical end-point determination	G01N 33/54373
Electrodes	G01N 33/5438.

C12Q 1/002

{Electrode membranes}

Definition statement

This place covers:

Enzyme electrodes where inventive concept lies in the use of or construction of a membrane on or in which an enzyme or multi-enzyme sensing system is attached or entrapped

Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

Membrane	Any non-conductive porous structure
----------	-------------------------------------

C12Q 1/003

{Functionalisation}

Definition statement

This place covers:

Inventive concept lies in chemical e.g. silylation or physical e.g. plasma treatment of the electrode membrane to alter/create functional groups for attachment of enzyme. May also include crosslinking or other treatments of membrane polymers. Overlap with [G01N 33/54353](#), [G01N 33/5436](#), [G01N 33/54393](#).

Relationships with other classification places

Chemical functionalisation of solid-phases for ligand attachment for use in biospecific ligand binding assays or immunological testing/immunoassays [G01N 33/54353](#).

With the ligand physically entrapped within the solid phase [G01N 33/5436](#).

Treatment of solid-phases (e.g. coating, irradiation) for the purpose of improving reaction conditions (e.g. reduction of non-specific binding, promotion of specific binding [G01N 33/54393](#)).

C12Q 1/004

{mediator-assisted}

Definition statement

This place covers:

Enzyme electrodes where the enzyme or multi-enzyme sensing system requires a mediator e.g. co-factors (NAD/FAD), ferredoxins.

C12Q 1/005

{involving specific analytes or enzymes (including groups of enzymes, e.g. oxidases; [C12Q 1/004](#) takes precedence)}

Definition statement

This place covers:

Enzyme electrodes directed to analysis of specific molecules or use of specific enzymes. Use of multi-enzyme systems such as oxido-reductase systems may also be classified in [C12Q 1/004](#) if the mediator is of importance.

C12Q 1/006

{for glucose}

Definition statement

This place covers:

Enzyme electrodes specifically designed for the analysis of glucose.

C12Q 1/007

{involving isoenzyme profiles (for detection of an individual isoenzyme [C12Q 1/25](#) - [C12Q 1/66](#))}

Definition statement

This place covers:

Methods for determining isoenzyme profiles.Overlap with [G01N 33/573](#), [G01N 33/5735](#).

References**Informative references**

Attention is drawn to the following places, which may be of interest for search:

Attention is drawn to the following places, which may be of interest for search and classification:

Biospecific ligand binding assays or immunological testing/immunoassays for isoenzymes	G01N 33/573
--	-----------------------------

C12Q 1/008

{for determining co-enzymes or co-factors, e.g. NAD, ATP}

Definition statement

This place covers:

Methods for detecting, measuring or identifying co-enzymes or co-factors e.g. NAD, ATP involved in enzyme reactions.

References**Informative references**

Attention is drawn to the following places, which may be of interest for search:

Attention is drawn to the following places, which may be of interest for search and classification:

Biospecific ligand binding assays or immunological testing/immunoassays for co-enzymes or co-factors	G01N 33/5735
--	------------------------------

C12Q 1/02

involving viable microorganisms

Definition statement

This place covers:

Methods or processes for living microorganisms which cannot be classified elsewhere in [C12Q 1/00](#)-[C12Q 1/66](#). Includes Total Viable Organism (TVO) testing and electrophysical measurements such as ion channel current.

[C12Q 1/02](#) and subgroups includes testing for microorganisms where the desired result indicates non-viability.

References

Limiting references

This place does not cover:

Specific binding assays/Immunoassays for microorganisms are classified in	G01N 33/569 - G01N 33/571
For hepatitis	G01N 33/576

C12Q 1/025

{for testing or evaluating the effect of chemical or biological compounds, e.g. drugs, cosmetics (antimicrobial activity [C12Q 1/18](#))}

Definition statement

This place covers:

Methods or processes for testing or evaluating non antimicrobial chemical or biological compounds such as drugs, cosmetics.

References

Limiting references

This place does not cover:

Testing or evaluating the effect of chemical or biological compounds, e.g. drugs, cosmetics using animal cells	G01N 33/5008
--	------------------------------

C12Q 1/04

Determining presence or kind of microorganism; Use of selective media for testing antibiotics or bacteriocides; Compositions containing a chemical indicator therefor {([C12Q 1/6897](#) takes precedence)}

Definition statement

This place covers:

Methods or processes (qualitative testing) designed to determine the presence or identity (variety, species, genus or Gram +/-) of a microorganism, including compositions containing an indicator for presence or identity of a microorganism.

C12Q 1/045

{Culture media therefor}

Definition statement

This place covers:

Methods, processes or compositions wherein the inventive concept lies in the composition or content of the culture media e.g. percentage ratio of components, compounds present in medium itself (carbon source, nitrogen source, vitamins etc.)

C12Q 1/06**Quantitative determination****Definition statement**

This place covers:

Methods and processes (quantitative testing) for numerical counting the number of viable microorganisms or viable/non-viable ratio in a sample.

C12Q 1/08**using multifield media****Definition statement**

This place covers:

Methods, processes or compositions involving use of a multifield media (single media permitting identification of multiple results or single item e.g. petri dish comprising more than one medium to allow multiple results) in methods and processes (quantitative testing) for numerical counting the number of viable microorganisms or viable/non-viable ratio in a sample.

C12Q 1/10**Enterobacteria****Definition statement**

This place covers:

Methods, processes or compositions involving quantitative determination of Enterobacteria e.g. Citrobacter, Serratia, Proteus, Providencia, Morganella, Yesinia, Escherichia, Shigella, Salmonella, Klebsiella, Enterobacter, Erwinia, Hafnia.

C12Q 1/12**Nitrate to nitrite reducing bacteria****Definition statement**

This place covers:

Methods, processes or compositions involving quantitative determination of bacteria under nitrate to nitrite reducing conditions. Some bacteria e.g. E.Coli use nitrate under anaerobic growth conditions.

C12Q 1/14**Streptococcus; Staphylococcus****Definition statement**

This place covers:

Methods, processes or compositions involving quantitative determination of Streptococcus or Staphylococcus bacteria.

C12Q 1/16**using radioactive material****Definition statement**

This place covers:

Methods, processes or compositions for detecting presence or kind of microorganism (qualitative testing) designed to determine the presence or identity (variety, species, genus or Gram +/-) of a microorganism. wherein the inventive concept lies in the use of radioisotopes (e.g. 11C, 13 C, 14C, 2H, 3H, 15N, 35S, 35P).

C12Q 1/18**Testing for antimicrobial activity of a material****Definition statement**

This place covers:

Methods or processes for testing of antimicrobial activity of a compound on living microorganisms.

C12Q 1/20**using multifold media****Definition statement**

This place covers:

Methods, processes or compositions involving the use of a multifold media (single media permitting identification of multiple results or single item e.g. petri dish comprising more than one medium to allow multiple results) in methods or processes for testing of antimicrobial activity of a compound on living microorganisms.

C12Q 1/22**Testing for sterility conditions****Definition statement**

This place covers:

Methods or processes for testing if sterility conditions have been achieved or are being maintained. Examples are labels for food packaging, testing of medical instrument sterilization methods, air or water quality.

Special rules of classification

In the following sub-groups [C12Q 1/25](#) - [C12Q 1/66](#) classification is based on the Enzyme Nomenclature as the IUB internationally agreed method (<http://www.chem.qmul.ac.uk/iubmb/enzyme>).

C12Q 1/24

Methods of sampling, or inoculating or spreading a sample; Methods of physically isolating an intact microorganisms

Definition statement

This place covers:

Methods for sampling/physically isolating intact microorganisms (including non-viable microorganisms) are classified in [C12Q 1/24](#) irrespective of what becomes of them afterwards. If the isolated microorganisms are further subject to immunoassay/biospecific binding assay a further symbol from [G01N 33/569](#) or subgroups would be added.

C12Q 1/25

involving enzymes not classifiable in groups [C12Q 1/26](#) {- [C12Q 1/66](#)}

Definition statement

This place covers:

Methods, processes or compositions involving enzymes having unidentifiable EC number and enzymes which cannot be classified elsewhere in [C12Q 1/26-C12Q 1/66](#). Classified under this symbol are methods, processes or compositions involving enzymes classified EC 6.X.X.X. These enzymes are characterised by bond formation C-O (6.1), C-S (6.2), C-N (6.3), C-C (6.4), P-O (.5), N-Met (6.6) and may commonly be known as ligase, synthase, carboxylase, cyclase, chelatase.

C12Q 1/26

involving oxidoreductase

Definition statement

This place covers:

Methods, processes or compositions involving enzymes classified as EC 1.X.X.X oxidoreductases, not comprising as part of the IUB name 'dehydrogenase' (see [C12Q 1/32](#)) and which cannot be classified elsewhere in [C12Q 1/26-C12Q 1/32](#). Enzymes are characterised by the catalysis of oxidation/reduction reactions and may comprise as part of their IUB name reductase, oxidase, synthase, dismutase, hydrogenase, oxygenase

C12Q 1/28

involving peroxidase

Definition statement

This place covers:

Methods, processes or compositions involving peroxidase enzymes classified EC 1.11.1.X including peroxidase enzyme itself (EC 1.11.1.7).

C12Q 1/30

involving catalase

Definition statement

This place covers:

Methods, processes or compositions involving catalase enzyme, EC 1.11.1.6.

C12Q 1/32

involving dehydrogenase

Definition statement

This place covers:

Methods, processes or compositions involving enzymes having an EC number 1.X.X.X and which contain 'dehydrogenase' in the IUB standard enzyme name.

C12Q 1/34

involving hydrolase

Definition statement

This place covers:

Methods, processes or compositions involving enzymes classified as EC 3.X.X.X hydrolases and which cannot be classified elsewhere in [C12Q 1/37-C12Q 1/46](#). Enzymes are characterised by the catalysis of the addition or removal of a water molecule and may comprise as part of their IUB name hydrolase, lipase, lactonase, nuclease, nucleotidase, NTPase, helicase, amidase, sulfatase, depolymerase, glycosylase and variants e.g. ribonuclease. Methods, processes or compositions involving urease (EC 3.5.1.5) - [C12Q 1/58](#). Methods, processes or compositions involving (phospho)lipase - [C12Q 1/61](#).

C12Q 1/37

involving peptidase or proteinase

Definition statement

This place covers:

Methods, processes or compositions involving enzymes classified as EC 3.4.X.X. The enzymes are classified as acting on peptide bonds and may comprise as part of the IUB name peptidase and variants e.g. dipeptidase, aminopeptidase. Methods, processes or compositions involving clotting factors - [C12Q 1/56](#).

There are many enzymes classified in the area EC 3.4.21.X - 3.4.23.X which retain the 'original' names e.g. trypsin, complement factors, kallikrein, subtilisin, papain, Meprin A, renin.

C12Q 1/40

involving amylase

Definition statement

This place covers:

Methods, processes or compositions involving enzymes classified as EC 3.2.1.X. Enzymes are characterised by hydrolysis of O - and S -glycosyl compounds and may comprise as part of the IUB name (sugar residue)sidase e.g. galactosidase, mannosidase.

There are many enzymes classified in the area EC 3.2.1.X which retain the 'original' names e.g. amylase, lysozyme, lactase.

C12Q 1/42**involving phosphatase****Definition statement**

This place covers:

Methods, processes or compositions involving enzymes classified as EC 3.1.3.X. Enzymes are characterised by hydrolysis of phosphoric monoesters and usually comprise as part of the IUB name phosphatase.

C12Q 1/44**involving esterase****Definition statement**

This place covers:

Methods, processes or compositions involving enzymes classified as EC 3.1.X.X having as part of the IUB name 'esterase' or variant e.g. diesterase, thioesterase. Enzymes are characterised by acting on ester bonds.

C12Q 1/46**involving cholinesterase****Definition statement**

This place covers:

Methods, processes or compositions involving acetylcholinesterase, EC 3.1.1.7 or cholinesterase EC 3.1.1.8.

C12Q 1/48**involving transferase****Definition statement**

This place covers:

Methods, processes or compositions involving enzymes classified as EC 2.X.X.X transferases and which cannot be classified elsewhere in [C12Q 1/485-C12Q 1/52](#). Enzymes are characterised by the transfer of a functional group and may comprise as part of their IUB name kinase, transferase, synthase, phosphorylase and variants e.g. aminotransferase.

C12Q 1/485**{involving kinase}****Definition statement**

This place covers:

Methods, processes or compositions involving enzymes classified as EC 2.7.X.X having as part of the IUB name 'kinase' or variant. Enzymes are characterised by the transfer of phosphorus-containing groups.

C12Q 1/50**involving creatine phosphokinase****Definition statement**

This place covers:

Methods, processes or compositions involving enzyme creatine (phospho)kinase, EC 2.7.3.2.

C12Q 1/52**involving transaminase****Definition statement**

This place covers:

Methods, processes or compositions involving enzymes classified as EC 2.6.1.X and may comprise as part of the IUB name 'transaminase'. Enzymes are characterised by the transfer of nitrogenous groups.

C12Q 1/527**involving lyase****Definition statement**

This place covers:

Methods, processes or compositions involving enzymes classified as EC 4.X.X.X lyases and may comprise as part of the IUB name lyase, carboxylase, aldolase, hydratase and variants e.g. decarboxylase, dehydratase. Enzymes are characterised by the catalysis of reactions involving the formation of or addition to a double bond.

C12Q 1/533**involving isomerase****Definition statement**

This place covers:

Methods, processes or compositions involving enzymes classified as EC 5.X.X.X isomerases and may comprise as part of the IUB name racemase, mutase, epimerase, isomerase, tautomerase, synthase and variants e.g. aminomutase. Enzymes are characterised by the catalysis of isomerisation reactions.

Special rules of classification

The sub-groups [C12Q 1/54](#) - [C12Q 1/66](#) are intended to highlight specific subject-matter which might also take an earlier symbol. The sub-groups [C12Q 1/54](#) - [C12Q 1/66](#) take precedence over earlier sub-groups under the Last Place Rule.

C12Q 1/54

involving glucose or galactose

Definition statement

This place covers:

Methods, processes or compositions involving glucose or galactose where glucose or galactose are the final analyte or subject of the test e.g. diabetes testing, glucose demand for testing presence of microorganisms, Glucose Tolerance Test, use of glucose or galactose in the production of enzymes. Electrochemical glucose sensors where the inventive concept is in an electrode or other sensor structure to specifically enhance glucose determinations are classified in [C12Q 1/006](#).

C12Q 1/56

involving blood clotting factors, e.g. involving thrombin, thromboplastin, fibrinogen

Definition statement

This place covers:

Methods, processes or compositions involving blood clotting factors e.g. thrombin, fibrinogen, thromboplastin. Includes investigation and/or identification of compounds which are present in or modulate the clotting pathway.

C12Q 1/58

involving urea or urease

Definition statement

This place covers:

Methods, processes or compositions involving detection of urea or urease (EC 3.5.1.5). Includes measurement of Biological Nitrogen Demand. Urea electrodes where the inventive concept is in the electrode are classified in [C12Q 1/001](#) - [C12Q 1/005](#). Includes detection of ammonia.

C12Q 1/60

involving cholesterol

Definition statement

This place covers:

Methods, processes or compositions involving detection of cholesterol or LDL-cholesterol. Cholesterol electrodes where the inventive concept is in the electrode are classified in [C12Q 1/005](#).

Relationships with other classification places

Overlap with [G01N 33/92](#).

C12Q 1/61**involving triglycerides****Definition statement**

This place covers:

Methods, processes or compositions involving detection of triglycerides e.g. as biomarkers for disease, HDL, LDL, CM values or acting as substrate for determination of (phospho)lipase enzymes.

Relationships with other classification places

Overlap with [G01N 33/92](#).

C12Q 1/62**involving uric acid****Definition statement**

This place covers:

Methods, processes or compositions involving detection of uric acid, often using the enzyme uricase (EC 1.7.3.3). Includes detection of uric acid as breakdown product indicative of other analytes e.g. purine bases, nucleotides.

C12Q 1/64**Geomicrobiological testing, e.g. for petroleum****Definition statement**

This place covers:

Methods, processes or compositions involving detection of microbiological degradation or contamination of in-situ hydrocarbon reserves, hydrocarbon reserve prospecting using microorganisms, monitoring of microorganism contamination of liquid hydrocarbon fuels, carbon dioxide sequestering by subterranean microorganism methane production.

C12Q 1/66**involving luciferase****Definition statement**

This place covers:

Methods, processes or compositions involving luciferase (EC 1.13.12.X or EC 1.14.14.3).

Involving nucleic acids

C12Q 1/68**involving nucleic acids****Definition statement**

This place covers:

All documents which can not be classified in any of the other groups but relate to the enzymatic manipulation of nucleic acids.

Relationships with other classification places

The group [C12Q 1/00](#) relates to enzymes. From [C12Q 1/68](#) onwards, assays and products for analysing or detecting nucleic acids are covered irrespective of whether enzymes or microorganisms are involved. [C12Q 1/70](#) similarly relates to nucleic acid assays and products for analysing or detecting viruses or bacteriophages.

Nucleic acid amplification reactions are classified in [C12P 19/34](#) if the focus of the subject-matter is on the enzymes or the enzyme modifications per se. However if the enzyme modification results in a changed/improved analytical effect classification is also effected in [C12Q 1/68](#).

References

Limiting references

This place does not cover:

Apparatuses and devices used for the enzymatic analysis of nucleic acids are not classified in	C12Q 1/68 and groups.
Design and fabrication of microarrays (biochips) wherein the invention resides in the synthesis of polypeptides or polynucleotides; Apparatus and devices for combinatorial chemistry or for making molecular arrays.	B01J 19/0046
Microfluidic systems used for nucleic acid analysis like thermal cyclers (PCR-machines), capillary sequencers	B01L 1/00 - B01L 99/00
Chemical synthesis or modification of nucleosides, nucleotides or oligonucleotides, (chemically linked to other compounds (fluorescent labels,.....	C07H 21/00 - C07H 21/04
Coulter counters	G01N 1/00 - G01N 1/30 , G01N 13/00 - G01N 13/04 , G01N 15/00 - G01N 15/1484 - G01N 19/00 - G01N 19/10 , G01N 35/00 - G01N 35/1097
Sensors and electronic devices involving nucleic acids wherein the electrical detection is important	G01N 27/00 , G01N 31/00
Sensors and electronic devices wherein the optical detection is important	G01N 31/00
Bioinformatics	G06F 19/10 - G06F 19/24
Computer systems using nucleic acids	G11C 13/0019

Informative references

Attention is drawn to the following places, which may be of interest for search:

Immunization, vaccines	A61K 39/00
Viral antigens in a vaccine	A61K 39/12
Gene therapy	A61K 48/00
Bacterial, fungal, protozoal, vertebrate antigens.	C07K 14/00 - C07K 14/825
Antibodies	C07K 16/00
Undifferentiated human, animal or plant cells	C12N 5/00
Plant cells	C12N 5/04

Animal cells	C12N 5/06
Cells modified by introduction of foreign genetic material	C12N 5/10
Viruses; Bacteriophages	C12N 7/00
Bacterial, fungal and protozoan enzymes	C12N 9/00
Extraction and purification of nucleic acids from biological samples, e.g. pure separation or isolation methods; Conditions, buffers or apparatuses therefore	C12N 15/1003 - C12N 15/1017
Isolating individual clones by screening libraries; making libraries	C12N 15/1034 - C12N 15/1093
Non-coding nucleic acids modulating the expression of genes (e.g. siRNA, miRNA,..); aptamers	C12N 15/11
DNA/RNA encoding protein; preparation by recombinant DNA technology	C12N 15/111 - C12N 15/907
Bacterial vectors	C12N 15/70 - C12N 15/73
Vectors for fungal cells	C12N 15/80 - C12N 15/815
Animal vectors and their preparation	C12N 15/85 , C12N 15/64
Protein diagnostics and detection	G01N 33/50

Special rules of classification

The classification rules for [C12Q 1/68](#), [C12Q 1/70](#), and subgroups are discussed in the following annexes 1 and 2.

Annex 1:

Use of the following classification schemes:

CPC Classes:[C12Q 1/68](#) - [C12Q 1/70](#)

CPC (500) codes:[C12Q 2500/00](#) - [C12Q 2565/60](#)

The CPC classes in the range [C12Q 1/68](#) - [C12Q 1/70](#) are divided in method groups and nucleic acid product groups (primers, probes, arrays, and other nucleic acid products) as shown in the tables below:

Method classes:

Symbol	Title
C12Q 1/68	involving nucleic acids, general aspects
C12Q 1/6804	Nucleic acid analysis utilising immunogens
C12Q 1/6806	Preparing nucleic acids for analysis, e.g. for PCR assay
C12Q 1/6809	Sequence identification involving differential detection
C12Q 1/6811	Selection methods for production or design of target specific oligonucleotide or binding molecules
C12Q 1/6813	Hybridisation assays
C12Q 1/6816	characterised by the means of detection
C12Q 1/6818	involving interaction of at least two labels, e.g. resonant energy transfer
C12Q 1/682	Signal amplification

C12Q 1/6823	Release of bound marker
C12Q 1/6825	Nucleic acid detection involving sensors
C12Q 1/6827	for mutation or polymorphism detection
C12Q 1/683	involving restriction enzymes, e.g. RFLP
C12Q 1/6832	Enhancement of hybridisation reaction
C12Q 1/6834	Nucleic acid analysis involving immobilisation; Immobilisation characterised by the carrier or coupling agent
C12Q 1/6837	characterised by the use of probe arrays or probe chips
C12Q 1/6839	Triple helix formation in hybridisation assays
C12Q 1/6841	"In-situ" hybridisation
C12Q 1/6844	Nucleic acid amplification reactions
C12Q 1/6846	Common amplification features
C12Q 1/6848	preventing contamination
C12Q 1/6851	Quantitative amplification
C12Q 1/6853	using modified primers or templates
C12Q 1/6855	Ligating adaptors
C12Q 1/6858	Allele specific amplification
C12Q 1/686	Polymerase Chain Reaction (PCR)
C12Q 1/6862	Ligase Chain Reaction (LCR)
C12Q 1/6865	Promoter based amplification, e.g. NASBA, 3SR, TAS
C12Q 1/6867	Replicase based amplifications, e.g. Q-beta replicase
C12Q 1/6869	Methods for sequencing; sequencing using nanopores and other sequencing systems based on physical properties of nucleic acids e.g. Atomic Force Microscopy (AFM)
C12Q 1/6872	involving mass spectrometry
C12Q 1/6874	involving nucleic acid arrays, e.g. Sequencing By Hybridisation (SBH)
C12Q 1/6897	involving reporter genes operably linked to promoters
C12Q 1/70	involving viruses and Bacteriophages

Nucleic acid product groups:

Symbol	Title
C12Q 1/6876	Hybridisation probes, primers, and other nucleic acid products
C12Q 1/6879	for sex determination
C12Q 1/6881	for tissue and cell typing, e.g. HLA probes
C12Q 1/6883	for diseases caused by alterations of genetic material
C12Q 1/6886	for cancer
C12Q 1/6888	for detection or identification of organisms
C12Q 1/6889	for bacteria
C12Q 1/6893	for protozoa
C12Q 1/6895	for plants, fungi, or algae

C12Q 1/701	Specific hybridization probes
C12Q 1/702	for retroviruses
C12Q 1/703	Viruses associated with AIDS
C12Q 1/705	for herpetoviridae, e.g. herpes simplex, varicella zoster
C12Q 1/706	for hepatitis
C12Q 1/707	non-A, non-B Hepatitis, excluding hepatitis D
C12Q 1/708	for papilloma

Depending on which kind of application is being classified (i.e. method or product), different rules for classification apply. In this first Annex 1, only the rules for classifying the method applications are discussed. In Annex 2, the classification rules for product applications and the use of the indexing scheme for non-invention information which applies both to product and method applications are discussed.

1. Rules for classification of method applications

1.1 CPC codes [C12Q 2500/00](#) - [C12Q 2565/634](#) are "technical feature" codes and are used in a C-set in combination with an appropriate base class selected from [C12Q 1/68](#) - [C12Q 1/70](#) to define the essential technical features of the invention.

1.2 Use of CPC500 codes is restricted to the C-set format and only in combination with the method classes (see above). This means that the use of CPC500 codes in C-sets where the base class is a analyte/product class (see above) is not allowed.

1.3 During classification, after allocation of an appropriate base class, such as [C12Q 1/6827](#), a CPC500 indexing code describing the essential technical features of the invention can be added to the base class in a C-set.

1.4 Indexing codes of a C-set must be entered in their full form, e.g. [C12Q 2525/191](#).

1.5 It is important to note that in the C-set, only the essential technical features of the invention are to be represented : only exceptionally more than three " technical feature" codes should make up the C-set.

1.6 All indexing codes from groups [C12Q 2500/00](#) - [C12Q 2565/634](#) are to be used in the context literally expressed in the phrase ascribed to the code, i.e. the use of an indexing code is neither restricted by its hierarchical position in a group nor by the definition of the group in which the code is found. 1.7 Indexing codes [C12Q 2500/00](#) - [C12Q 2565/634](#) should not be used outside a C-set as free CPC codes.

1.8 Examples

A method is described for detecting the presence of a nucleic acid or protein target molecule in a sample which method involves, inter alia, the formation of an active ribozyme and cleavage of an assayable marker dependent on the presence or absence of the target:

CPC: [C12Q 1/6823](#) (methods for detection involving release of bound labels/markers)essential technical feature: [C12Q 2521/337](#) (use of ribozyme)

C-set: [C12Q 1/6823](#); [C12Q 2521/337](#)

Retrieval during search: (just a few possibilities)

C12Q 1/6823 S C12Q 2521/337 /ECL	(retrieves all C-sets with ribozyme)
C12Q 2521/337 /ECL	(retrieves all EC classes where ribozyme is in a C-set)

C12Q 1/6823/EC and C12Q 2521/337/ECL	(retrieves all application having at least the EC class C12Q 1/6823 and the indexing code C12Q 2521/337 in a C-set (not necessarily a C-set with C12Q 1/6823 as a base class))
--	--

To facilitate finding of an appropriate code(s), the codes have been arranged within groups arranged in a directory. The codes assigned to the Main groups and to Header groups within the directory are not to be used as indexing codes for the purpose of classification. Main groups and Header groups serve merely as means to assist in the logical retrieval of an appropriate indexing code within the directory.

Annex 2:

Use of the following classification schemes:

CPC (600) codes: [C12Q 2600/00](#) - [C12Q 2600/178](#)

CPC non-invention information: [C12Q 1/68](#) - [C12Q 1/70](#)

1. CPC codes [C12Q 2600/00](#)- [C12Q 2600/178](#):

Symbol	Title
C12Q 2600/00	Oligonucleotides characterized by their use (not used)
C12Q 2600/106	Pharmacogenomics, i.e. genetic variability in individual responses to drugs and drug metabolism
C12Q 2600/112	Disease subtyping / staging /classification
C12Q 2600/118	Prognosis of disease development
C12Q 2600/124	Animal traits, i.e. production traits, including athletic performance or the like
C12Q 2600/13	Plant traits
C12Q 2600/136	Screening for pharmacological compounds
C12Q 2600/142	Toxicological screening, e.g. expression profiles which identify toxicity
C12Q 2600/148	Screening for cosmetic compounds
C12Q 2600/154	Methylation markers
C12Q 2600/156	Polymorphic markers (excluding Methylation markers)
C12Q 2600/158	Expression markers
C12Q 2600/16	Primer sets for multiplex assays
C12Q 2600/166	Oligonucleotides used as internal standards/controls/normalisation probes
C12Q 2600/172	Haplotypes
C12Q 2600/178	miRNA, siRNA or ncRNA

1.1 Rules for classification:

1.1.1 The use of the [C12Q 2600/00](#) ICO codes is restricted to the nucleic acid product classes in the range [C12Q 1/68](#) - [C12Q 1/70](#):

Symbol	Title
C12Q 1/6876	Hybridisation probes, primers, and other nucleic acid products

C12Q 1/6879	for sex determination
C12Q 1/6881	for tissue and cell typing, e.g. HLA probes
C12Q 1/6883	for diseases caused by alterations of genetic material
C12Q 1/6886	for cancer
C12Q 1/6888	for detection or identification of organisms
C12Q 1/689	for bacteria
C12Q 1/6893	for protozoa
C12Q 1/6895	for plants, fungi, or algae
C12Q 1/701	Specific hybridization probes
C12Q 1/702	for retroviruses
C12Q 1/703	Viruses associated with AIDS
C12Q 1/705	for herpetoviridae, e.g. herpes simplex, varicella zoster
C12Q 1/706	for hepatitis
C12Q 1/707	non-A, non-B Hepatitis, excluding hepatitis D
C12Q 1/708	for papilloma

1.1.2 The [C12Q 2600/00](#) CPC codes are given as independent CPC codes and are not used in a C-set

1.1.3 The use of the [C12Q 2600/00](#) ICO codes is compulsory. They should be given if the claims and/or examples support a functional use as given by any of the [C12Q 2600/00](#) CPC codes shown above.

1.2 Examples

a) An application relates to the identification of the TNF haplotype TNF-1031C/-857C/-863C/-308G and its association with Crohn's Disease. The invention also relates to the identification of the -857C allele. The methods and means for determining these polymorphisms are trivial.

The EC class for this application would be [C12Q 1/6883](#).

The methods for determining these polymorphisms are trivial but adding the code [C12Q 2600/156](#) (polymorphic marker) will aid in retrieving the pertinent information of this application.

In search, the combination of [C12Q 1/6883](#), [C12Q 2600/156](#), and keywords will directly lead to the most relevant documents.

The complete classification should therefore be:

[C12Q 1/6883C12Q 2600/156](#)

2) An application relates to the use of the B1153 gene in testing for an allergic disease. The expression level of this gene is increased in patients with an allergic disease. The methods and means for determining the expression level are trivial. The EC class for this application would be [C12Q 1/6883](#).

The methods for determining the expression level are trivial but adding the code [C12Q 2600/158](#) (expression marker) will aid in retrieving the pertinent information of this application.

In search, the combination of [C12Q 1/6883](#), [C12Q 2600/158](#), and keywords will directly lead to the most relevant documents.

The complete classification should therefore be:

[C12Q 1/6883](#)[C12Q 2600/158](#)

3) An application relates to the use of an SNP for determining if a patient would benefit from an anti-cancer therapy. The methods and means for determining the SNP are trivial.

The EC class for this application would be [C12Q 1/6886](#).

The methods for determining the SNP are trivial but adding the code [C12Q 2600/156](#) (expression marker) will aid in retrieving the pertinent information of this application.

In addition, the application relates to pharmacogenomics. If the application provides support for this claim, the code [C12Q 2600/106](#) is given. If no support is present, only the code for polymorphic marker is given.

The complete classification should therefore be:

[C12Q 1/6883](#)

[C12Q 2600/156](#)

If no support is present

or

[C12Q 1/6886](#)

[C12Q 2600/106](#)

[C12Q 2600/156](#)

If the application provides support for a pharmacogenomics claim.

2. CPC codes [C12Q 1/68](#) - [C12Q 1/70](#): non-invention information (additional information)

Symbol	Title
C12Q 1/68	involving nucleic acids, general aspects
C12Q 1/6804	Nucleic acid analysis utilising immunogens
C12Q 1/6806	Preparing nucleic acids for analysis, e.g. for PCR assay
C12Q 1/6809	Sequence identification involving differential detection
C12Q 1/6811	Selection methods for production or design of target specific oligonucleotide or binding molecules
C12Q 1/6813	Hybridisation assays
C12Q 1/6816	characterised by the means of detection
C12Q 1/6818	involving interaction of at least two labels, e.g. resonant energy transfer
C12Q 1/682	Signal amplification
C12Q 1/6823	Release of bound marker
C12Q 1/6825	Nucleic acid detection involving sensors
C12Q 1/6827	for mutation or polymorphism detection
C12Q 1/683	involving restriction enzymes, e.g. RFLP
C12Q 1/6832	Enhancement of hybridisation reaction
C12Q 1/6834	Nucleic acid analysis involving immobilisation; Immobilisation characterised by the carrier or coupling agent
C12Q 1/6837	characterised by the use of probe arrays or probe chips

C12Q 1/6839	Triple helix formation in hybridisation assays
C12Q 1/6841	"In-situ" hybridisation
C12Q 1/6844	Nucleic acid amplification reactions
C12Q 1/6846	Common amplification features
C12Q 1/6848	preventing contamination
C12Q 1/6851	Quantitative amplification
C12Q 1/6853	using modified primers or templates
C12Q 1/6855	Ligating adaptors
C12Q 1/6858	Allele specific amplification
C12Q 1/686	Polymerase Chain Reaction (PCR)
C12Q 1/6862	Ligase Chain Reaction (LCR)
C12Q 1/6865	Promoter based amplification, e.g. NASBA, 3SR, TAS
C12Q 1/6867	Replicase based amplifications, e.g. Q-beta replicase
C12Q 1/6869	Methods for sequencing
C12Q 1/6872	involving mass spectrometry
C12Q 1/6874	involving nucleic acid arrays, e.g. Sequencing By Hybridisation (SBH)
C12Q 1/6876	Hybridisation probes, primers, and other nucleic acid products
C12Q 1/6879	for sex determination
C12Q 1/6881	for tissue and cell typing, e.g. HLA probes
C12Q 1/6883	for diseases caused by alterations of genetic material
C12Q 1/6886	for cancer
C12Q 1/6888	for detection or identification of organisms
C12Q 1/689	for bacteria
C12Q 1/6893	for protozoa
C12Q 1/6895	for plants, fungi, or algae
C12Q 1/6897	involving reporter genes operably linked to promoters
C12Q 1/70	involving virus or bacteriophage
C12Q 1/701	Specific hybridization probes
C12Q 1/702	for retroviruses
C12Q 1/703	Viruses associated with AIDS
C12Q 1/705	for herpetoviridae, e.g. herpes simplex, varicella zoster
C12Q 1/706	for hepatitis
C12Q 1/707	non-A, non-B Hepatitis, excluding hepatitis D
C12Q 1/708	for papilloma

2.1 Rules for classification for the non-invention indexing codes:

2.1.1 These codes cannot be used as a component of a C-set. Since the use of these indexing codes is not obligatory, the classifier has discretion as to when and how to use these non-invention information indexing codes.

2.2 Example of use:

An application relates to oligonucleotide probes used for the species-specific identification of parodontopathogenic bacteria by in situ hybridization. The methods for performing the in situ hybridization are trivial.

The EC class for this application would be [C12Q 1/689](#) for the bacterial detection probes.

The method for determining the in situ hybridization is trivial but adding the code [C12Q 1/6841](#) (pointing towards in situ hybridization) will aid in retrieving additional information for this application.

In search, the combination of [C12Q 1/689](#), [C12Q 1/6841](#), and keywords will directly lead to the most relevant documents.

The complete classification should therefore be:

[C12Q 1/689](#)

[C12Q 1/6841](#)

[C12Q 1/68](#)

C12Q 1/6804

Nucleic acid analysis using immunogens (immunoassay [G01N 33/53](#))

Definition statement

This place covers:

All applications where immunological compounds are used in the analysis of nucleic acids. (antibodies specific for single or double stranded DNA) This group also includes these applications where nucleic acid detection is used for analysing or detecting proteins and immunogens. (e.g.. immuno PCR)

References

Limiting references

This place does not cover:

Antibodies	C07K 16/00
Immunoassays where the invention is in the immunological part of the application and immunoassays as such	G01N 33/53
Immunoassay for nucleic acids	G01N 33/5308

Informative references

Attention is drawn to the following places, which may be of interest for search:

Immunoassays	G01N 33/53
--------------	----------------------------

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#)

Documents in which an immunological reaction is used to measure the presence or progress of a hybridization reaction are classified in this subgroup. For example the use of an antibody specific to double stranded DNA or the use of a hapten label on the hybridization strand which is subsequently detected immunologically.

Also classified in this subgroup are immunoassays in which the immunological reaction is detected by hybridizing a nucleic acid label. (NOTE: As this is a special case and it is often difficult to distinguish

where the contribution over the state of the art lies, documents relating to immunoassays using nucleic acid labels are ADDITIONALLY classified in the appropriate subgroup of [G01N 33/50](#) and allocated the [G01N 2458/10](#) symbol.

Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

Immunogens	means immunological compounds such as antibodies and antigens
------------	---

C12Q 1/6806

Preparing nucleic acids for analysis, e.g. for polymerase chain reaction [PCR] assay ([C12Q 1/6804](#) takes precedence)

Definition statement

This place covers:

All applications which deal with the preparation/modification of nucleic acids in order to use them or prepare them for subsequent analysis (e.g.. amplification techniques (PCR), hybridisation techniques, sequencing of nucleic acids,...). This group also contains applications dealing with the preservation of DNA or RNA samples.

References

Limiting references

This place does not cover:

Extracting or separating nucleic acids from biological samples, e.g. pure separation or isolation methods; Conditions, buffers or apparatuses therefore	C12N 15/1003
Extracting or separating nucleic acids from biological samples by means of a solid support carrier, e.g. particles, polymers	C12N 15/1006
Extracting or separating nucleic acids from biological samples by chromatography, e.g. electrophoresis, ion-exchange, reverse phase	C12N 15/101
Extracting or separating nucleic acids from biological samples by using magnetic beads	C12N 15/1013
Extracting or separating nucleic acids from biological samples by filtration, e.g. using filters, frits, membranes	C12N 15/1017

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#)

C12Q 1/6809

Methods for determination or identification of nucleic acids involving differential detection

Definition statement

This place covers:

All document where the invention concerns a method for determining differential expression (RNA level) and comparative genomics (genomic DNA level) and improvements to such methods. However,

if the methods disclosed by an application are known, these applications are classified as products based on the use of the products identified.

References

Limiting references

This place does not cover:

The screening and making of libraries (e.g. cDNA libraries)	C12N 15/1072
---	------------------------------

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6811

Selection methods for production or design of target specific oligonucleotides or binding molecules

Definition statement

This place covers:

The design of primers and probes using enzymatic techniques for obtaining them.

References

Limiting references

This place does not cover:

Isolating an individual clone by screening libraries	C12N 15/1034
Screening libraries presented on the surface of microorganisms, e.g. phage display, E. coli display	C12N 15/1037
Ribosome/Polysome display, e.g. SPERT, ARM	C12N 15/1041
Preparation or screening of libraries displayed on scaffold proteins	C12N 15/1044
SELEX	C12N 15/1048
Gene trapping, e.g. exon-, intron-, IRES-, signal sequence-trap cloning, trap vectors	C12N 15/1051
Protein x Protein interaction, e.g. two hybrid selection	C12N 15/1055
Directional evolution of libraries, e.g. evolution of libraries is achieved by mutagenesis and screening or selection of mixed population of organisms	C12N 15/1058
mRNA-Display, e.g. polypeptide and encoding template are connected covalently]	C12N 15/1062
Preparation or screening of tagged libraries, e.g. tagged microorganisms by STM-mutagenesis, tagged polynucleotides, gene tags	C12N 15/1065
Template (nucleic acid) mediated chemical library synthesis, e.g. chemical and enzymatical DNA-templated organic molecule synthesis, libraries prepared by non ribosomal polypeptide synthesis (NRPS), DNA/ RNA-polymerase mediated polypeptide synthesis	C12N 15/1068
Differential gene expression library synthesis, e.g. subtracted libraries, differential screening	C12N 15/1072
By coupling phenotype to genotype, not provided for in other groups of this group	C12N 15/1075

Screening libraries by altering the phenotype or phenotypic trait of the host (reporter assays C12N 15/1086)	C12N 15/1079
Preparation or screening gene libraries by chromosomal integration of polynucleotide sequences, HR-, site-specific-recombination, transposons, viral vectors	C12N 15/1082
Preparation or screening of expression libraries, e.g. reporter assays	C12N 15/1086
Design, preparation, screening or analysis of libraries using computer algorithms	C12N 15/1089
General methods of preparing gene libraries, not provided for in other subgroups	C12N 15/1093
Phage display	G01N 33/00
Bioinformatics for probe design or probe optimisation	G06F 19/20
Probe design or optimisation using bioinformatics	G06F 19/20

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6813

Hybridisation assays

Definition statement

This place covers:

All applications dealing with hybridisation assays which can not be classified in any of the hybridisation subgroups

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6816

characterised by the detection means ([C12Q 1/6804](#) takes precedence)

Definition statement

This place covers:

All applications dealing with the detection of hybridisation assays which can not be classified in any of the subgroups: [C12Q 1/6818](#), [C12Q 1/682](#), [C12Q 1/6823](#), and [C12Q 1/6825](#).

If the detection depends on the use of immunogens, the application is classified in [C12Q 1/6804](#).

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

Means of detection	the mechanism used to detect the hybridisation of a nucleic acid probe to its nucleic acid target (e.g. labels,...)
--------------------	---

C12Q 1/6818

involving interaction of two or more labels, e.g. resonant energy transfer

Definition statement

This place covers:

all applications dealing with the detection of hybridisation events using the interaction between the labels as principle.

References

Limiting references

This place does not cover:

the use of this detection principle in non-hybridisation based techniques such as nucleic acid amplification ([C12Q 1/6844](#)) or sequencing ([C12Q 1/6869](#)) unless the invention resides in an improvement which has general applicability also for hybridisation assays (for instance an improved Taqman probe). In this case both [C12Q 1/6818](#) and an amplification or sequencing group can be given. In all other cases, the class for either NA amplification or NA sequencing is used in combination with an appropriate technical Indexing Code as explained in Annex1.

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#)

C12Q 1/682

Signal amplification

Definition statement

This place covers:

all applications where the detection signal generated in a hybridisation reaction is amplified (for instance the use of branched probes or rolling circle amplification to amplify the hybridisation signal).

References

Limiting references

This place does not cover:

amplification of target nucleic acids as such wherein the target amplification results in an increase of signal is not seen as signal amplification. In these cases, the class for either NA amplification or NA sequencing is used in combination with an appropriate technical Indexing Code as explained in Annex1.

electronic signal amplification

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#)

C12Q 1/6823

Release of bound markers

Definition statement

This place covers:

all applications wherein the hybridisation detection depends on the physical separation and subsequent detection of a signalling moiety.

References

Limiting references

This place does not cover:

the use of this detection principle in non-hybridisation based techniques such as nucleic acid amplification ([C12Q 1/6844](#)) or sequencing ([C12Q 1/6869](#)) unless the invention resides in an improvement which has general applicability also for hybridisation assays. In this case both [C12Q 1/6823](#) and an amplification or sequencing group can be given. In all other cases, the class for either NA amplification or NA sequencing is used in combination with an appropriate technical Indexing Code as explained in Annex1.

C12Q 1/6825

Nucleic acid detection involving sensors

Definition statement

This place covers:

all applications wherein the detection of the hybridisation reaction depends on the electrical or physical properties of the label or of the nucleic acid molecules themselves.

References

Limiting references

This place does not cover:

Sensors wherein the optical detection is important	G01N 21/00
Sensors and electronic devices involving nucleic acids wherein the electrical detection is important	G01N 27/00 , G01N 31/00 , G01N 33/00
Sensors and electronic devices involving proteins	G01N 33/543

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6827

for detection of mutation or polymorphism

Definition statement

This place covers:

all methods dealing with the detection of polymorphisms using an hybridisation assay and which can not be classified in [C12Q 1/683](#). The detection of methylation and splice variants is seen as polymorphism detection and therefore classified in this group if the detection principle is based on a hybridisation assay.

References

Limiting references

This place does not cover:

Allele specific amplification	C12Q 1/6858
The detection of polymorphisms using amplification based techniques which are classified in	C12Q 1/6858

Application-oriented references

Examples of places where the subject matter of this place is covered when specially adapted, used for a particular purpose, or incorporated in a larger system:

Sequence identification involving differential detection	C12Q 1/6809
--	-----------------------------

Informative references

Attention is drawn to the following places, which may be of interest for search:

Allele specific amplification	C12Q 1/6858
-------------------------------	-----------------------------

Special rules of classification

the detection of polymorphisms using amplification based techniques which are classified in [C12Q 1/6858](#). The use of allele specific primer extension is covered by [C12Q 1/6858](#) and not [C12Q 1/6827](#)

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6832

Enhancement of hybridisation reaction

Definition statement

This place covers:

all applications dealing with the enhancement of the binding between a target and its probe (e.g. use of special buffer components, temperatures, probe modifications,...)

References

Limiting references

This place does not cover:

Improving the efficiency of amplification reactions	C12Q 1/6848
---	-----------------------------

Informative references

Attention is drawn to the following places, which may be of interest for search:

Sequence identification involving differential detection	C12Q 1/6809
Allele specific amplification	C12Q 1/6858

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6834**Enzymatic or biochemical coupling of nucleic acids to a solid phase****Definition statement**

This place covers:

All applications dealing with the enzymatic and biochemical coupling of nucleic acids to solid surfaces for the use in low throughput assays and the application of those solid surfaces in the subsequent analysis of a nucleic acid.

References**Limiting references**

This place does not cover:

Design and fabrication of microarrays (biochips) wherein the invention resides in the synthesis of polypeptides or polynucleotides; Apparatus and devices for combinatorial chemistry or for making molecular arrays.	B01J 19/0046
Chemical synthesis or modification of nucleosides, nucleotides or oligonucleotides, (chemically linked to other compounds (fluorescent labels,.....	C07H 21/00 - C07H 21/04

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6837**using probe arrays or probe chips ([C12Q 1/6874](#) takes precedence)****Definition statement**

This place covers:

all nucleic acid analysis methods which depend on the use of probe arrays (biochips, microarray). If the use of the array is in the context of a method which can be classified in another group of the hybridisation based assays (e.g.. [C12Q 1/6813](#)), the classifier has to decide based on the relevance of the method to classify the application in either one of these groups or even to classify the application in both groups if necessary. However, If the use is for sequencing then the application is only classified in [C12Q 1/6874](#).

References**Limiting references**

This place does not cover:

Design and fabrication of microarrays (biochips) wherein the invention resides in the synthesis of polypeptides or polynucleotides; Apparatus and devices for combinatorial chemistry or for making molecular arrays.	B01J 19/0046
Chemical synthesis or modification of nucleosides, nucleotides or oligonucleotides, (chemically linked to other compounds (fluorescent labels,.....	C07H 21/00 - C07H 21/04

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6839**Triple helix formation or other higher order conformations in hybridisation assays****Definition statement**

This place covers:

All methods dealing with the formation of a triple helix DNA conformation. This group also covers other higher order conformations of nucleic acids (quadruplex).

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6841**In situ hybridisation****Definition statement**

This place covers:

all applications dealing with methods for the analysis of a nucleic acid in a cell or positionally in a chromosome like Fluorescent In Situ Hybridisation (FISH).

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6844**Nucleic acid amplification reactions****Definition statement**

This place covers:

all amplification methods which do not belong in any of the amplification groups ([C12Q 1/6846-D10](#)). Generally amplification techniques which use a mechanism for amplifying nucleic acids and for which no group exists are classified in [C12Q 1/6844](#). An example of such an amplification technique is strand displacement amplification (SDA).

References**Limiting references**

This place does not cover:

Microfluidic systems used for nucleic acid analysis like thermal cyclers (PCR-machines), capillary sequencers,...	B01L 1/00 - B01L 99/00
Chemical synthesis of oligonucleotides	C07H 21/00

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6848

characterised by the means for preventing contamination or increasing the specificity or sensitivity of an amplification reaction

Definition statement

This place covers:

methods for preventing contamination in an amplification reaction such as the use of wax barriers, containers, uracil glycosylase, hot start and nested PCR. In addition, all methods relating to increasing the specificity of an amplification reaction are classified in this group. These include the use of modified nucleotides (e.g. in amplification reactions designed for amplifying GC-rich templates), special buffer components, pH,,reaction conditions,... If the method is designed for a specific amplification technique like PCR ([C12Q 1/686](#)), than it is both classified in the specific amplification group, i.e. [C12Q 1/686](#), and in [C12Q 1/6848](#).

References

Limiting references

This place does not cover:

Improving the efficiency of hybridisation reactions	C12Q 1/6832
---	-----------------------------

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6851

Quantitative amplification

Definition statement

This place covers:

methods for the quantitative amplification of nucleic acids including the use of standards or mathematical models. This group also covers methods (both again enzymatic and mathematical) for determining the amplification efficiency.

References

Limiting references

This place does not cover:

Quantitation of nucleic acids in array (hybridisation) based formats and in differential expression arrays using mathematical models	G06F 19/20
--	----------------------------

Informative references

Attention is drawn to the following places, which may be of interest for search:

Quantitation of nucleic acids in array (hybridisation) based formats and in differential expression arrays using mathematical models	G06F 19/20
--	----------------------------

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6853

using modified primers or templates

Definition statement

This place covers:

methods using modified primers or templates.

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6855

Ligating adaptors

Definition statement

This place covers:

methods where the primer or the template is modified by the ligation to an adaptor.

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6858

Allele-specific amplification

Definition statement

This place covers:

all methods dealing with the detection of polymorphisms using an amplification assay. The detection of methylation and splice variants is seen as polymorphism detection and therefore classified in this group if the detection principle is based on an amplification assay. This includes allele specific primer extension (also when only one dNTP or ddNTP is incorporated using a polymerase).

References

Limiting references

This place does not cover:

Hybridisation based polymorphism detection	C12Q 1/6827
Hybridisation based polymorphism detection involving restriction enzymes	C12Q 1/683
Sequencing	C12Q 1/6869

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/686**Polymerase chain reaction [PCR]****Definition statement**

This place covers:

all applications dealing with PCR and modifications/improvements thereof (e.g Taqman, multiplex-PCR,...).

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6862**Ligase chain reaction [LCR]****Definition statement**

This place covers:

all applications dealing with LCR and modifications/improvements thereof.

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6865**Promoter-based amplification, e.g. nucleic acid sequence amplification [NASBA], self-sustained sequence replication [3SR] or transcription-based amplification system [TAS]****Definition statement**

This place covers:

all applications dealing with promoter based amplification and modifications/improvements thereof.

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

Glossary of terms

In this place, the following terms or expressions are used with the meaning indicated:

NASBA	Nucleic acid sequence based amplification
3SR	selfsustained sequence replication
TAS	transcription-based amplification system

C12Q 1/6867

Replicase-based amplification, e.g. using Q-beta replicase

Definition statement

This place covers:

all applications dealing with replicase based amplifications and modifications/improvements thereof.

Special rules of classification

Annex1.

C12Q 1/6869

Methods for sequencing

Definition statement

This place covers:

all nucleic acid sequencing methods which can not be classified in the subgroups for sequencing using mass spectrometry ([C12Q 1/6872](#)) and sequencing using solid surfaces ([C12Q 1/6874](#)). This group also covers methods for sequencing using nanopores and other sequencing systems based on physical properties of nucleic acids (e.g. Atomic Force Microscopy (AFM)).

References

Limiting references

This place does not cover:

Allele specific primer extension	C12Q 1/6858
Microfluidic systems used for nucleic acid analysis like thermal cyclers (PCR-machines), capillary sequencers	B01L 1/00 - B01L 99/00
Apparatus for sequencing using nanopores or nanochannels	G01N 33/48721

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6872

involving mass spectrometry

Definition statement

This place covers:

all applications dealing with mass spectrometry based sequencing and modifications/improvements thereof.

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6874

involving nucleic acid arrays, e.g. sequencing by hybridisation

Definition statement

This place covers:

all applications dealing with nucleic acid array based sequencing and modifications/improvements thereof.

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6876

Nucleic acid products used in the analysis of nucleic acids, e.g. primers or probes

Definition statement

This place covers:

all nucleic acid products used in the analysis of nucleic acids (primers, probes, controls,...) which can not be classified in any of the subgroups [C12Q 1/6879](#) - [C12Q 1/6895](#). If an application relates both to methods and nucleic acid products, than these applications are classified in both the appropriate method and product subgroups.

References

Limiting references

This place does not cover:

Differential detection	C12Q 1/6809
Polymorphism detection by Hybridisation	C12Q 1/6827
Allele specific amplification	C12Q 1/6858
Probes and primers for the detection of viruses and bacteriophages	C12Q 1/701 - C12Q 1/708
Virus antigen in a vaccine	A61K 39/12
Modified nucleosides, nucleotides	C07H 21/00
Bacterial, fungal and protozoal antigens.	C07K 14/195 - C07K 14/365
Antibodies	C07K 16/00
Virus, Bacteriophages	C12N 7/00
Bacterial, fungal and protozoan enzymes	C12N 9/00
Non-coding nucleic acids modulating the expression of genes (e.g. siRNA, miRNA,..); aptamers	C12N 15/11
Bacterial vectors	C12N 15/70 - C12N 15/73
Vectors for fungal cells	C12N 15/80 - C12N 15/815
Animal vectors and their preparation	C12N 15/85 , C12N 15/64

Special rules of classification

See Annex 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6883**for diseases caused by alterations of genetic material****Definition statement**

This place covers:

all nucleic acid based diagnostic products. Those include both products for detecting the alterations (polymorphisms (including methylation and splice variants)) of genetic material and for detecting differential expression of a disease gene. If an application also discloses methods for detecting such polymorphisms or differential expression, the classifier should decide based on the relevance of this method to classify the application also in the appropriate method groups (e.g. [C12Q 1/6827](#), [C12Q 1/683](#), [C12Q 1/6858](#) , [C12Q 1/6809](#)).

References**Limiting references**

This place does not cover:

Primers and probes for cancer assays	C12Q 1/6886
Diagnostic immunoassays	G01N 33/53

Informative references

Attention is drawn to the following places, which may be of interest for search:

Diagnostic immunoassays	G01N 33/53
-------------------------	----------------------------

Special rules of classification

See Annex 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6886**for cancer (immunoassay for cancer [G01N 33/574](#))****Definition statement**

This place covers:

all nucleic acid based cancer diagnostic products.

References**Limiting references**

This place does not cover:

Cancer diagnostic immunoassays	G01N 33/53
--------------------------------	----------------------------

Informative references

Attention is drawn to the following places, which may be of interest for search:

Cancer diagnostic immunoassays	G01N 33/53
--------------------------------	----------------------------

Special rules of classification

See Annex 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/6897**involving reporter genes operably linked to promoters****Definition statement**

This place covers:

All methods which use the detection of reporter genes or the activity of specific promoters for screening and nucleic acid analysis.

References**Limiting references**

This place does not cover:

Preparation or screening of expression libraries, e.g. reporter assays	C12N 15/1086
If the screening or the analysis focuses on protein interaction, expression or activity,	G01N 33/5008

Special rules of classification

See Annex 1 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/70**involving virus or bacteriophage****Definition statement**

This place covers:

all methods which are specifically designed for the analysis of viral nucleic acids or for the analysis of nucleic acids of bacteriophages. (NOTE: According to the hierarchy this subgroup should not be limited to analysis involving nucleic acids. In practice, however, as Immunoassays/protein based Biospecific binding assays for viruses are classified in [G01N](#), this subgroup is effectively limited to analysis of viral/bacteriophageal nucleic acids). Methods which are generally applicable to nucleic acid analysis should also be classified in the relevant [C12Q 1/68](#) subgroup.

References**Limiting references**

This place does not cover:

Virus antigen in a vaccine	A61K 39/12
Virus	C12N 7/00
Immunoassay/protein based Biospecific binding assay for viruses	G01N 33/56983

Special rules of classification

See annex 1 and 2 under the "special rules" section of [C12Q 1/68](#).

C12Q 1/701

{Specific hybridization probes}

Definition statement

This place covers:

all probes and primers for the detection and analysis of viruses and bacteriophages not covered by any of the subgroups [C12Q 1/703](#) - [C12Q 1/708](#).

Special rules of classification

See Annexes 1 and 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/702

{for retroviruses}

Definition statement

This place covers:

probes and primers for the detection and analysis of retroviruses. Methods specifically designed for retroviruses are covered in [C12Q 1/70](#) and [C12Q 1/68](#) if necessary.

Special rules of classification

See Annexes 1 and 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/703

{Viruses associated with AIDS}

Definition statement

This place covers:

probes and primers for the detection and analysis of AIDS associated viruses. Methods specifically designed for AIDS associated viruses are covered in [C12Q 1/70](#) and [C12Q 1/68](#) if necessary.

Special rules of classification

See Annexes 1 and 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/705

{for herpetoviridae, e.g. herpes simplex, varicella zoster}

Definition statement

This place covers:

probes and primers for the detection and analysis of herpetoviridae. Methods specifically designed for herpetoviridae are covered in [C12Q 1/70](#) and [C12Q 1/68](#) if necessary.

Special rules of classification

See Annexes 1 and 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/706**{for hepatitis}****Definition statement***This place covers:*

probes and primers for the detection and analysis of hepatitis. Methods specifically designed for hepatitis are covered in [C12Q 1/70](#) and [C12Q 1/68](#) if necessary.

Special rules of classification

See Annexes 1 and 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/707**{non-A, non-B Hepatitis, excluding hepatitis D}****Definition statement***This place covers:*

probes and primers for the detection and analysis of non-A, non-B, and non-D hepatitis. Methods specifically designed for non-A, non-B, and non-D hepatitis are covered in [C12Q 1/70](#) and [C12Q 1/68](#) if necessary.

Special rules of classification

See Annexes 1 and 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 1/708**{for papilloma}****Definition statement***This place covers:*

probes and primers for the detection and analysis of papilloma. Methods specifically designed for papilloma are covered in [C12Q 1/70](#) and [C12Q 1/68](#) if necessary.

Special rules of classification

See Annexes 1 and 2 under the "Special rules" section of [C12Q 1/68](#).

C12Q 3/00**Condition responsive control processes (apparatus therefor [C12M 1/36](#); controlling or regulating in general [G05](#))****Definition statement***This place covers:*

Processes involving enzymes or microorganisms in which a process parameter is measured and that or another process parameter is varied in response to such measurement.