

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

SHAPING

B21 MECHANICAL METAL-WORKING WITHOUT ESSENTIALLY REMOVING MATERIAL; PUNCHING METAL

(NOTES omitted)

B21B ROLLING OF METAL (auxiliary operations used in connection with metal-working operations covered in [B21](#), see [B21C](#); bending by rolling [B21D](#); manufacture of particular objects, e.g. screws, wheels, rings, barrels, balls, by rolling [B21H](#); pressure welding by means of a rolling mill [B23K 20/04](#))

NOTE

In this subclass, the following terms or expressions are used with the meanings indicated:

- "rolling" means rolling operations in which plastic deformations occur;
- "continuous process" means a process employing a mill train designed to have the workpiece enter one pair of rolls before leaving the preceding pair.

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Metal-rolling methods or mills for making semi-finished products of solid or profiled cross-section (B21B 17/00 - B21B 23/00 take precedence; with respect to composition of material to be rolled B21B 3/00 ; extending closed shapes of metal bands by simultaneous rolling at two or more zones B21B 5/00 ; metal-rolling stands as units B21B 13/00 ; continuous casting into moulds having walls formed by moving rolls B22D 11/06); Sequence of operations in milling trains; Layout of rolling-mill plant, e.g. grouping of stands; Succession of passes or of sectional pass alternations	1/0815	. . {from flat-rolled products, e.g. by longitudinal shearing}
		1/082	. . Piling sections having lateral edges specially adapted for interlocking with each other in order to build a wall
		1/085	. . Rail sections
		1/0855	. . . {Rerolling or processing worn or discarded rail sections}
		1/088	. . H- or I-sections
		1/0883	. . . {using forging or pressing devices}
		1/0886	. . . {using variable-width rolls}
		1/09	. . L-sections
		1/092	. . T-sections
		1/095	. . U-or channel sections
		1/098	. . Z-sections
		1/10	. . in a single two-high or universal rolling mill {stand (B21B 1/085 - B21B 1/098 take precedence)}
		1/12	. . in a continuous process {, i.e. without reversing stands (B21B 1/085 - B21B 1/098 take precedence)}
		1/14	. . in a non-continuous process {, i.e. at least one reversing stand (B21B 1/085 - B21B 1/098 take precedence)}
		1/16	. for rolling {wire rods, bars, merchant bars, rounds} wire or material of like small cross-section
		1/163	. . {Rolling or cold-forming of concrete reinforcement bars or wire (reinforcement bars per se E04C 5/03); Rolls therefor}
		1/166	. . {Rolling wire into sections or flat ribbons}
		1/18	. . in a continuous process
		1/20	. . in a non-continuous process,(e.g. skew rolling, i.e. planetary cross rolling)
1/02	. for rolling heavy work, e.g. ingots, slabs, {blooms, or} billets, in which the cross-sectional form is unimportant {; Rolling combined with forging or pressing}		
2001/022	. . {Blooms or billets}		
1/024	. . {Forging or pressing (forging or pressing devices as units B21B 15/0035)}		
1/026	. . {Rolling}		
2001/028	. . {Slabs}		
1/04	. . in a continuous process		
1/06	. . in a non-continuous process {, e.g. triplet mill, reversing mill}		
1/08	. for rolling {structural sections, i.e.} work of special cross-section, e.g. angle steel (rolling metal of indefinite length in repetitive shapes specially designed for the manufacture of particular objects B21H 8/00)		
1/0805	. . {Flat bars, i.e. having a substantially rectangular cross-section}		
2001/081	. . {Roughening or texturing surfaces of structural sections, bars, rounds, wire rods}		

- 1/22 . for rolling {plates, strips,} bands or sheets of indefinite length ([B21B 1/42](#) takes precedence)
- 2001/221 . . {by cold-rolling}
- 1/222 . . {in a rolling-drawing process; in a multi-pass mill}
- 1/224 . . {Edge rolling of flat products}
- 2001/225 . . {by hot-rolling}
- 1/227 . . {Surface roughening or texturing}
- 2001/228 . . {skin pass rolling or temper rolling}
- 1/24 . . in a continuous {or semi-continuous} process {([B21B 1/224](#) takes precedence)}
- 1/26 . . . by hot-rolling {, e.g. Steckel hot mill}
- 1/265 {and by compressing or pushing the material in rolling direction}
- 1/28 . . . by cold-rolling {, e.g. Steckel cold mill}
- 1/30 . . in a non-continuous process {([B21B 1/224](#) takes precedence)}
- 1/32 . . . in reversing {single stand} mills, e.g. with intermediate storage reels for accumulating work
- 1/34 by hot-rolling
- 1/36 by cold-rolling
- 1/38 . for rolling sheets of limited length, e.g. folded sheets, superimposed sheets, {pack rolling} ([B21B 1/40](#) takes precedence; folding sheets before, or separating layers after, rolling [B21B 47/00](#))
- 2001/383 . . {Cladded or coated products}
- 2001/386 . . {Plates}
- 1/40 . for rolling foils which present special problems, e.g. because of thinness
- 1/42 . for step-by-step or planetary rolling (making tubes by pilgrim-step rolling [B21B 21/00](#))
- 1/46 . for rolling metal immediately subsequent to continuous casting (metal-rolling stands [B21B 13/22](#); continuous casting [B22D 11/00](#), e.g. into moulds with rolls [B22D 11/06](#))
- 1/463 . . {in a continuous process, i.e. the cast not being cut before rolling}
- 1/466 . . {in a non-continuous process, i.e. the cast being cut before rolling}
- 3/00 Rolling materials of special alloys so far as the composition of the alloy requires or permits special rolling methods or sequences {; Rolling of aluminium, copper, zinc or other non-ferrous metals}(altering special metallurgical properties of alloys, other than structure consolidation or mechanical properties resulting therefrom [C21D](#), [C22F](#))**
- 2003/001 . {Aluminium or its alloys}
- 3/003 . {Rolling non-ferrous metals immediately subsequent to continuous casting, i.e. in-line rolling}
- 2003/005 . {Copper or its alloys}
- 2003/006 . {Powder metal alloys}
- 2003/008 . {Zinc or its alloys}
- 3/02 . Rolling special iron alloys {, e.g. stainless steel}
- 5/00 Extending closed shapes of metal bands by rolling (manufacture of circular shapes, e.g. wheel rims, [B21H 1/06](#))**
- 9/00 Measures for carrying out rolling operations under special conditions, e.g. in vacuum or inert atmosphere to prevent oxidation of work; Special measures for removing fumes from rolling mills**
- 11/00 Subsidising the rolling process by subjecting rollers or work to vibrations, {e.g. ultrasonic vibrations}**
- 13/00 Metal-rolling stands, i.e. an assembly composed of a stand frame, rolls, and accessories ([B21B 17/00](#) - [B21B 23/00](#) take precedence)**
- 13/001 . {Convertible or tiltable stands, e.g. from duo to universal stands, from horizontal to vertical stands}
- 2013/003 . {Inactive rolling stands}
- 13/005 . {Cantilevered roll stands}
- 2013/006 . {Multiple strand rolling mills; Mill stands with multiple caliber rolls}
- 13/008 . {Skew rolling stands, e.g. for rolling rounds}
- 13/02 . with axes of rolls arranged horizontally
- 2013/021 . . {Twin mills}
- 13/023 . . {the axis of the rolls being other than perpendicular to the direction of movement of the product, e.g. cross-rolling}
- 2013/025 . . {Quarto, four-high stands}
- 2013/026 . . {Quinto, five high-stands}
- 2013/028 . . {Sixto, six-high stands}
- 13/04 . . Three-high arrangement
- 13/06 . with axes of rolls arranged vertically {, e.g. edgers}
- 13/08 . with differently-directed roll axes, e.g. for the so-called "universal" rolling process
- 13/10 . . all axes being arranged in one plane
- 13/103 . . . {for rolling bars, rods or wire}
- 2013/106 . . . {for sections, e.g. beams, rails}
- 13/12 . . axes being arranged in different planes
- 13/14 . having counter-pressure devices acting on rolls to inhibit deflection of same under load; {Back-up rolls}(counter-pressure devices as such [B21B 29/00](#))
- 13/142 . . {by axially shifting the rolls, e.g. rolls with tapered ends or with a curved contour for continuously-variable crown CVC}
- 13/145 . . {Lateral support devices for rolls acting mainly in a direction parallel to the movement of the product}
- 13/147 . . {Cluster mills, e.g. Sendzimir mills, Rohn mills, i.e. each work roll being supported by two rolls only arranged symmetrically with respect to the plane passing through the working rolls}
- 13/16 . with alternatively operative rolls {, e.g. revolver stands, turret mills}
- 13/18 . for step-by-step or planetary rolling; {pendulum mills}(methods [B21B 1/42](#); making tubes by pilgrim-step rolling [B21B 21/00](#))
- 13/20 . . for planetary rolling
- 13/22 . for rolling metal immediately subsequent to continuous casting, {i.e. in-line rolling of steel}(methods therefor [B21B 1/46](#); continuous casting [B22D 11/00](#), e.g. into moulds with rolls [B22D 11/06](#))
- 15/00 Arrangements for performing additional metal-working operations specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills**

- 15/0007 . {Cutting or shearing the product}
- 2015/0014 . . {transversely to the rolling direction}
- 2015/0021 . . {in the rolling direction}
- 2015/0028 . {Drawing the rolled product}
- 15/0035 . {Forging or pressing devices as units}
- 15/0042 . . {Tool changers}
- 15/005 . . {Lubricating, cooling or heating means}
- 2015/0057 . {Coiling the rolled product}
- 2015/0064 . {Uncoiling the rolled product}
- 2015/0071 . {Levelling the rolled product}
- 2015/0078 . {Extruding the rolled product}
- 15/0085 . {Joining ends of material to continuous strip, bar or sheet}
- 2015/0092 . {Welding in the rolling direction}
- 15/02 . in which work is subjected to permanent internal twisting, e.g. for producing reinforcement bars for concrete
- Rolling methods or mills specially designed for making or processing tubes (control of tube rolling [B21B 37/78](#))**
- 17/00 Tube-rolling by rollers of which the axes are arranged essentially perpendicular to the axis of the work, e.g. "axial" tube-rolling**
- 17/02 . with mandrel, {i.e. the mandrel rod contacts the rolled tube over the rod length} ([B21B 17/08](#) takes precedence)
- 17/04 . . in a continuous process
- 17/06 . . in a discontinuous process
- 17/08 . with mandrel having one or more protrusions {, i.e. only the mandrel plugs contact the rolled tube; Press-piercing mills}
- 17/10 . . in a continuous process
- 17/12 . . in a discontinuous process {, e.g. plug-rolling mills}
- 17/14 . without mandrel {, e.g. stretch-reducing mills}
- 19/00 Tube-rolling by rollers arranged outside the work and having their axes not perpendicular to the axis of the work (straightening by rollers [B21D](#))**
- 19/02 . the axes of the rollers being arranged essentially diagonally to the axis of the work, e.g. "cross" tube-rolling {; Diescher mills, Stiefel disc piercers or Stiefel rotary piercers}
- 19/04 . . Rolling basic material of solid, i.e. non-hollow, structure; Piercing {, e.g. rotary piercing mills}
- 19/06 . . Rolling hollow basic material, {e.g. Assel mills} ([B21B 19/04](#) takes precedence; separating work from mandrel [B21C 45/00](#))
- 19/08 . . . Enlarging tube diameter
- 19/10 . . . Finishing, e.g. smoothing, sizing {, reeling}
- 19/12 . the axes of the rollers being arranged essentially parallel to the axis of the work
- 19/14 . . Rolling tubes by means of additional rollers arranged inside the tubes
- 19/16 . . Rolling tubes without additional rollers arranged inside the tubes
- 21/00 Pilgrim-step tube-rolling {, i.e. pilger mills}**
- 21/005 . {with reciprocating stand, e.g. driving the stand}
- 21/02 . Rollers therefor
- 21/04 . Pilgrim-step feeding mechanisms ([B21B 21/06](#) takes precedence)
- 21/045 . . {for reciprocating stands}
- 21/06 . Devices for revolving work between the steps
- 21/065 . . {for reciprocating stands}
- 23/00 Tube-rolling not restricted to methods provided for in only one of groups [B21B 17/00](#), [B21B 19/00](#), [B21B 21/00](#), e.g. combined processes {planetary tube rolling, auxiliary arrangements, e.g. lubricating, special tube blanks, continuous casting combined with tube rolling} ([B21B 25/00](#) takes precedence)**
- 2023/005 . {Roughening or texturing surfaces of tubes}
- 25/00 Mandrels for metal tube rolling mills, e.g. mandrels of the types used in the methods covered by group [B21B 17/00](#); Accessories or auxiliary means therefor {; Construction of, or alloys for, mandrels or plugs}**
- 25/02 . Guides, supports, or abutments for mandrels, e.g. carriages {or steadiers}; Adjusting devices for mandrels
- 25/04 . Cooling or lubricating mandrels during operation
- 25/06 . Interchanging mandrels {, fixing plugs on mandrel rods or cooling during interchanging mandrels (separating tubes from mandrels [B21C 45/00](#))}
- 27/00 Rolls, {roll alloys or roll fabrication} (shape of working surfaces required by special processes [B21B 1/00](#)); Lubricating, cooling or heating rolls while in use**
- 27/005 . {Rolls with a roughened or textured surface; Methods for making same}
- 27/02 . Shape or construction of rolls (for rolling metal of indefinite length in repetitive shapes specially designed for the manufacture of particular objects [B21H 8/02](#) {; [B21B 27/005](#) takes precedence})
- 27/021 . . {Rolls for sheets or strips}
- 2027/022 . . . {Rolls having tapered ends}
- 27/024 . . {Rolls for bars, rods, rounds, tubes, wire or the like}
- 27/025 . . . {Skew rolls}
- 27/027 . . {Vertical rolls}
- 27/028 . . {Variable-width rolls}
- 27/03 . . Sleeved rolls { ([B21B 27/028](#) takes precedence)}
- 27/032 . . . {Rolls for sheets or strips}
- 27/035 . . . {Rolls for bars, rods, rounds, tubes, wire or the like}
- 27/037 {Skew rolls}
- 27/05 . . . with deflectable sleeves
- 27/055 {with sleeves radially deflectable on a stationary beam by means of hydraulic supports (in general [F16C 13/00](#); for paper-making machines [D21G 1/00](#); regulating devices therefor [B21B 37/36](#))}
- 27/06 . Lubricating, cooling or heating rolls
- 27/08 . . internally
- 2027/083 . . . {cooling internally}
- 2027/086 . . . {heating internally}
- 27/10 . . externally
- 2027/103 . . . {cooling externally}
- 27/106 . . . {Heating the rolls}
- 28/00 Maintaining rolls or rolling equipment in effective condition (lubricating, cooling or heating rolls while in use [B21B 27/06](#))**
- 28/02 . Maintaining rolls in effective condition, e.g. reconditioning

- 28/04 . . while in use, e.g. polishing {or grinding while the rolls are in their stands}
- 29/00 Counter-pressure devices acting on rolls to inhibit deflection of same under load, e.g. backing rolls {; Roll bending devices, e.g. hydraulic actuators acting on roll shaft ends (control devices responsive to roll bending B21B 37/38)}**
- 31/00 Rolling stand structures; Mounting, adjusting, or interchanging rolls, roll mountings, or stand frames**
- 31/02 . Rolling stand frames {or housings}; Roll mountings {; Roll chocks}
- 2031/021 . . {Integral tandem mill housings}
- 2031/023 . . {Transverse shifting one housing}
- 2031/025 . . {Shifting the stand in or against the rolling direction}
- 2031/026 . . {Transverse shifting the stand}
- 31/028 . . {Prestressing of rolls or roll mountings in stand frames}
- 31/04 . . with tie rods {in frameless stands}, e.g. prestressed tie rods
- 31/06 . . Fastening stands or frames to foundation, e.g. to the sole plate (in general F16M)
- 31/07 . Adaptation of roll {neck} bearings (bearings in general F16C)
- 2031/072 . . {Bearing materials}
- 31/074 . . {Oil film bearings, e.g. "Morgoil" bearings}
- 31/076 . . {Cooling; Lubricating roller bearings}
- 31/078 . . {Sealing devices (sealings in general F16J 15/00)}
- 31/08 . Interchanging rolls, roll mountings, or stand frames {, e.g. using C-hooks; Replacing roll chocks on roll shafts}
- 31/10 . . by horizontally displacing {, i.e. horizontal roll changing}
- 31/103 . . . {Manipulators or carriages therefor}
- 31/106 . . . {Vertical displacement of rolls or roll chocks during horizontal roll changing}
- 31/12 . . by vertically displacing
- 31/14 . . by pivotally displacing
- 31/16 . Adjusting {or positioning} rolls (control devices B21B 37/00)
- 31/18 . . by moving rolls axially
- 31/185 . . . {and by crossing rolls}
- 31/20 . . by moving rolls perpendicularly to roll axis
- 31/203 . . . {Balancing rolls}
- 2031/206 . . . {Horizontal offset of work rolls}
- 31/22 . . . mechanically {, e.g. by thrust blocks, inserts for removal}
- 31/24 by screws
- 31/26 Adjusting eccentrically-mounted roll bearings
- 31/28 by toggle-lever mechanisms
- 31/30 by wedges or their equivalent
- 31/32 . . . by liquid pressure {, e.g. hydromechanical adjusting}
- 33/00 Safety devices not otherwise provided for (safety devices in general F16P); Breaker blocks; Devices for freeing jammed rolls {for handling cobbles; Overload safety devices}**
- 2033/005 . {Cobble-freeing}
- 33/02 . Preventing fracture of rolls
- 35/00 Drives for metal-rolling mills {, e.g. hydraulic drives}**
- 2035/005 . {Hydraulic drive motors}
- 35/02 . for continuously-operating mills (B21B 35/10, B21B 35/12 take precedence)
- 35/025 . . {for stretch-reducing of tubes}
- 35/04 . . each stand having its own motor or motors
- 35/06 . for non-continuously-operating mills or for single stands (B21B 35/10, B21B 35/12 take precedence)
- 35/08 . . for reversing rolling mills
- 35/10 . Driving arrangements for rolls which have only a low-power drive; Driving arrangements for rolls which receive power from the shaft of another roll
- 2035/103 . . {Fluid-driven rolls or rollers}
- 2035/106 . . {Non-driven or idler rolls or rollers}
- 35/12 . Toothed-wheel gearings specially adapted for metal-rolling mills; Housings or mountings therefor
- 35/14 . Couplings, driving spindles, or spindle carriers specially adapted for, or specially arranged in, metal-rolling mills (couplings or shafts in general F16)
- 35/141 . . {Rigid spindle couplings, e.g. coupling boxes placed on roll necks (rigid couplings in general F16D 1/00)}
- 35/142 . . {Yielding spindle couplings; Universal joints for spindles (yielding couplings in general F16D 3/00)}
- 35/143 . . . {having slidably-interengaging teeth, e.g. gear-type couplings (universal joints with the coupling parts having slidably-interengaging teeth, in general, F16D 3/18)}
- 35/144 {Wobbler couplings}
- 35/145 . . . {Hooke's joints or the like with each coupling part pivoted with respect to an intermediate member (Hooke's joints in general F16D 3/26)}
- 35/146 {Tongue and slipper joints (tongue and slipper joints in general F16D 3/265)}
- 35/147 . . {Lubrication of spindle couplings}
- 35/148 . . {Spindle carriers or balancers}
- 2035/149 . . {Measuring devices for spindles or couplings}
- 37/00 Control devices or methods specially adapted for metal-rolling mills or the work produced thereby (methods or devices for measuring specially adapted for metal-rolling mills B21B 38/00)**
- 2037/002 . {Mass flow control}
- 37/005 . {Control of time interval or spacing between workpieces}
- 37/007 . {Control for preventing or reducing vibration, chatter or chatter marks (B21B 37/66 takes precedence)}
- 37/16 . Control of thickness, width, diameter or other transverse dimensions (B21B 37/58 takes precedence)
- 37/165 . . {responsive mainly to the measured thickness of the product}
- 37/18 . . Automatic gauge control
- 37/20 . . . in tandem mills
- 37/22 . . Lateral spread control; Width control, e.g. by edge rolling
- 37/24 . . Automatic variation of thickness according to a predetermined programme

41/02	. Returning work to repeat the pass or passes {within the same stand}	2045/0236	. . {Laying heads for overlapping rings on cooling conveyor}
41/04	. . above or underneath the rolling stand or rolls	45/0239	. . {Lubricating}
41/06	. in which the direction of movement of the work is turned through approximately 180 degrees, {e.g. repeaters, i.e. from one stand to another}	45/0242	. . . {Lubricants}
41/08	. without overall change in the general direction of movement of the work	45/0245	. . . {Lubricating devices}
41/10	. . Loop deflectors {(B21B 39/084 takes precedence)}	45/0248 {using liquid lubricants, e.g. for sections, for tubes}
41/12	. Arrangements of interest only with respect to provision for indicating or controlling operations	45/0251 {for strips, sheets, or plates}
43/00	Cooling beds, whether stationary or moving; Means specially associated with cooling beds, e.g. for braking work or for transferring it to or from the bed (conveying means in general B65G)	2045/0254 {for structural sections, e.g. H-beams}
43/003	. {Transfer to bed}	45/0257 {for wire, rods, rounds, bars}
43/006	. {Transfer from bed}	2045/026 {for tubes}
43/02	. Cooling beds comprising rakes {racks, walking beams} or bars (B21B 43/10 takes precedence)	45/0263 {using solid lubricants}
43/04	. Cooling beds comprising rolls or worms	45/0266	. . {Measuring or controlling thickness of liquid films}
43/06	. Cooling beds comprising carriages (B21B 43/08 takes precedence)	45/0269	. . {Cleaning}
43/08	. Cooling beds comprising revolving drums or recycling chains {or discs}	45/0272	. . . {Cleaning compositions}
43/10	. Cooling beds with other work-shifting elements projecting through the bed	45/0275	. . . {Cleaning devices}
43/12	. Devices for positioning workpieces "flushed", i.e. with all their axial ends arranged in line on cooling beds or on co-operating conveyors {, e.g. before cutting}	45/0278 {removing liquids}
45/00	Devices for surface {or other} treatment of work, specially combined with or arranged in, or specially adapted for use in connection with, metal-rolling mills (B21B 15/00, {B21B 1/227 and B21B 27/005} take precedence; technical features of scaling-off devices B21C 43/00)	45/0281 {removing coolants}
45/002	. {Increasing friction between work and working rolls by using friction increasing substance}	45/0284 {removing lubricants}
45/004	. {Heating the product}	45/0287 {removing solid particles, e.g. dust, rust}
2045/006	. . {in vacuum or in inert atmosphere}	45/029	. . . {Liquid recovering devices}
45/008	. {Heat shields}	45/0293 {Recovering coolants}
45/02	. for lubricating, cooling, or cleaning {(in particular in combination with forging or pressing devices B21B 15/005, control of flatness or profile using lubricating or cooling B21B 37/44)}	45/0296 {Recovering lubricants}
45/0203	. . {Cooling}	45/04	. for de-scaling {, e.g. by brushing (descaling of rod or wire B21C 43/04)}
45/0206	. . . {Coolants}	45/06	. . of strip material (B21B 45/08 takes precedence)
45/0209	. . . {Cooling devices, e.g. using gaseous coolants}	45/08	. . hydraulically
2045/0212 {using gaseous coolants}	47/00	Auxiliary arrangements, devices or methods in connection with rolling of multi-layer sheets of metal (soaking pits C21D 9/70)
45/0215 {using liquid coolants, e.g. for sections, for tubes}	47/02	. for folding sheets before rolling
45/0218 {for strips, sheets, or plates (B21B 45/023, B21B 45/0233 take precedence)}	47/04	. for separating layers after rolling
2045/0221 {for structural sections, e.g. H-beams}	99/00	Subject matter not provided for in other groups of this subclass
45/0224 {for wire, rods, rounds, bars (B21B 45/023, B21B 45/0233 take precedence)}	<hr/>	
2045/0227 {for tubes}	2201/00	Special rolling modes
45/023 {by immersion in a bath}	2201/02	. Austenitic rolling
45/0233 {Spray nozzles, Nozzle headers; Spray systems}	2201/04	. Ferritic rolling
		2201/06	. Thermomechanical rolling
		2201/08	. Batch rolling
		2201/10	. Endless rolling
		2201/12	. Isothermic rolling
		2201/14	. Soft reduction
		2201/16	. Two-phase or mixed-phase rolling
		2201/18	. Vertical rolling pass lines
		Equipment codes	
		2203/00	Auxiliary arrangements, devices or methods in combination with rolling mills or rolling methods
		2203/02	. Backlash elimination
		2203/04	. Brakes
		2203/06	. Cassettes
		2203/08	. Clutches
		2203/10	. Counterweights
		2203/12	. Covers or shieldings
		2203/14	. Dummy bars or slabs
		2203/16	. Eccentrics
		2203/18	. Rolls or rollers

2203/182	. . Fluid driven rolls or rollers
2203/185	. . Reversible rolls for changing grooves
2203/187	. . Tilting rolls
2203/20	. Flywheels
2203/22	. Hinged chocks
2203/24	. Hydrostatic bearings or guides
2203/26	. Motors, drives
2203/28	. Mounting or dismounting bearing and chock as a unit
2203/30	. Quick or bayonet couplings
2203/32	. Roll changing stools
2203/34	. Rotational position or alignment
2203/36	. Spacers
2203/38	. Strain gauges
2203/40	. Torsion bars or shafts
2203/42	. Turntables
2203/44	. Vibration dampers
2205/00	Particular shaped rolled products
2205/02	. Tailored blanks
2205/04	. Taper- or wedge-shaped profiles
2261/00	Product parameters
2261/02	. Transverse dimensions
2261/04	. . Thickness, gauge
2261/043	. . . Blanks with variable thickness in the rolling direction
2261/046	. . . Different thickness in width direction
2261/05	. . . Different constant thicknesses in one rolled product
2261/06	. . Width
2261/065	. . . Blanks with variable width
2261/08	. . Diameter
2261/10	. . Cross-sectional area
2261/12	. Length
2261/14	. Roughness
2261/18	. Weight
2261/20	. Temperature
2261/21	. . Temperature profile
2261/22	. Hardness
2263/00	Shape of product
2263/02	. Profile, e.g. of plate, hot strip, sections
2263/04	. Flatness
2263/06	. . Edge waves
2263/08	. . Centre buckles
2263/10	. Lateral spread defects
2263/12	. . Dog bone
2263/16	. Alligatoring
2263/20	. End shape; fish tail; tongue
2263/30	. Shape in top view
2265/00	Forming parameters
2265/02	. Tension
2265/04	. . Front or inlet tension
2265/06	. . Interstand tension
2265/08	. . Back or outlet tension
2265/10	. Compression, e.g. longitudinal compression
2265/12	. Rolling load or rolling pressure; roll force
2265/14	. Reduction rate
2265/16	. . Extension
2265/18	. Elongation
2265/20	. Slip
2265/22	. Pass schedule
2265/24	. asymmetric rolling
2267/00	Roll parameters
2267/02	. Roll dimensions
2267/06	. . Roll diameter
2267/065	. . . Top and bottom roll have different diameters; Asymmetrical rolling
2267/08	. . Roll eccentricity
2267/10	. Roughness of roll surface
2267/12	. Roll temperature
2267/18	. Roll crown; roll profile
2267/19	. . Thermal crown
2267/20	. . Ground camber or profile
2267/22	. . Hydraulic expansion of rolls
2267/24	. Roll wear
2267/26	. Hardness of the roll surface
2267/28	. Elastic moduli of rolls
2269/00	Roll bending or shifting
2269/02	. Roll bending; vertical bending of rolls
2269/04	. . Work roll bending
2269/06	. . Intermediate roll bending
2269/08	. . Back-up roll bending
2269/10	. Horizontal bending of rolls
2269/12	. Axial shifting the rolls
2269/14	. . Work rolls
2269/16	. . Intermediate rolls
2269/18	. . Back-up rolls
2271/00	Mill stand parameters
2271/02	. Roll gap, screw-down position, draft position
2271/025	. . Tapered roll gap
2271/04	. . Screw-down speed, draft speed
2271/06	. Mill spring
2273/00	Path parameters
2273/02	. Vertical deviation, e.g. slack, looper height
2273/04	. Lateral deviation, meandering, camber of product
2273/06	. Threading
2273/08	. . Threading-in or before threading-in
2273/10	. . Threading-out or after threading-out
2273/12	. End of product
2273/14	. . Front end or leading end
2273/16	. . Tail or rear end
2273/18	. Presence of product
2273/20	. Track of product
2273/22	. Aligning on rolling axis, e.g. of roll calibers
2273/24	. Web positioning
2275/00	Mill drive parameters
2275/02	. Speed
2275/04	. . Roll speed
2275/05	. . . Speed difference between top and bottom rolls
2275/06	. . Product speed
2275/08	. . Coiler speed
2275/10	. Motor power; motor current
2275/12	. . Roll torque