# **CPC** COOPERATIVE PATENT CLASSIFICATION

# PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

## **TRANSPORTING**

B

### B61 RAILWAYS

(NOTE omitted)

# **B61D BODY DETAILS OR KINDS OF RAILWAY VEHICLES** (vehicles in general <u>B60</u>; adaptation of vehicles to special systems <u>B61B</u>; underframes <u>B61F</u>)

### WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

### Kinds of railway or tramway vehicles

1/00	Carriages for ordinary railway passenger traffic (mine cars <u>B61D 11/00</u> ; tramcars <u>B61D 13/00</u> )
1/02	. General arrangements in sleeping or couchette
	carriages ( <u>B61D 1/08</u> takes precedence)
1/04	• General arrangements of seats ( <u>B61D 1/06</u> takes precedence; seats <u>per se B61D 33/00</u> )
1/06	• with multiple deck arrangement
1/08	• • of sleeping carriages
3/00	Wagons or vans (tank wagons <u>B61D 5/00;</u> hopper wagons <u>B61D 7/00;</u> tipping wagons <u>B61D 9/00;</u>
	mine cars <u>B61D 11/00</u> ; vehicles specially adapted for
	animal transportation <u>B60P 3/04;</u> {container traffic
	$\frac{B65G}{B}$
3/005	• {convertible ( <u>B61D 3/04</u> , <u>B61D 3/06</u> , <u>B61D 15/04</u> take precedence)}
3/02	• with multiple deck arrangements (for carrying
	vehicles <u>B61D 3/18</u> )
3/04	• with movable floors, e.g. rotatable or floors which
	can be raised or lowered
3/06	• Flat-bottomed cars convertible into hoppers
3/08	• Flat wagons including posts or standards {(open
	loading compartments for load-carrying vehicles, in
	general <u>B62D 33/02;</u> movable or detachable racks
	or stanchions <u>B62D 33/0207</u> )}
3/10	Articulated vehicles
3/12	• • comprising running gear interconnected by loads
3/14	• comprising running gear interconnected by load supports facilitating low-level load transport
3/16	• adapted for carrying special loads
3/163	• {for carrying animals}
3/166	• {for carrying very heavy loads}
3/18	. for vehicles {(vehicles adapted to carry other
	vehicles, in general, <u>B60P 3/06</u> )}
3/181	• • • { with special accommodation for the motor
	vehicle driver or passengers ( <u>B61D 1/06</u> takes precedence)}
3/182	• • • {specially adapted for heavy vehicles, e.g.
	public work vehicles, trucks, trailers}
3/184	•••• {the heavy vehicles being of the trailer or
	semi-trailer type}
3/185	{Railway vehicles}

3/187	• • {Details, e.g. bridges for floor connections}
3/188	• • • {Wheel guides for the vehicles being
	carried}
3/20	for forwarding containers
5/00	Tank wagons for carrying fluent materials
5/002	• {for particulate or powder materials}
5/004	• { with loading and unloading means using fluids or vacuum }
5/006	• • • {with porous walls}
5/008	• {Trackside means for assisting charge or discharge (for hopper cars <u>B61D 7/32</u> )}
5/02	<ul> <li>having more than one tank</li> </ul>
5/04	• {with means for cooling, heating, or insulating}
5/06	• Mounting of tanks; Integral bodies and frames
5/08	• {Covers or access openings; Arrangements thereof}
-	
7/00	<b>Hopper cars</b> (flat bottomed cars convertible into hoppers <u>B61D 3/06</u> )
7/02	• with discharge openings in the bottoms (with body
1/02	in two halves and discharge by tipping the halves
	B61D 9/00)
7/04	• the openings being above axle level during
	discharge
7/06	• with openings capable of discharging both between
	and outside the wheels
7/08	• with openings capable of discharging only outside
- 40	the wheels
7/10	• the discharge being assisted by tipping the bottom
7/12	<ul> <li>the hoppers being movable (<u>B61D 9/00</u> takes precedence)</li> </ul>
7/14	• Adaptations of hopper elements to railways
7/16	• Closure elements for discharge openings
7/18	pivoted
7/20	sliding
7/22	Sealing means thereof
7/24	Opening or closing means
7/26	mechanical
7/28	•••• hydraulic or pneumatic
7/30	controlled by means external to cars
7/32	Means for assisting charge or discharge
9/00	Tipping wagons
9/02	• characterised by operating means for tipping

9/04	. Adaptations of rail vehicle elements to tipping
	wagons
9/06	• • Bodies
9/08	• Frames; Supporting or guiding means for the bodies
9/10	. Devices preventing overturning when tipping
9/12	• Body fitments or devices facilitating or controlling outflow on discharge
9/14	• Tipping systems controlled by trackside means
11/00	Mine cars ( <u>B61D 5/00</u> - <u>B61D 9/00</u> take precedence)
11/02	Body construction
13/00	Tramway vehicles
13/02	. Double-deckers
15/00	Other railway vehicles, e.g. scaffold cars; Adaptations of vehicles for use on railways
	(conveyor frames mounted for movement on rail
	tracks <u>B65G 41/02</u> ; wheeled machines used in
	permanent way construction or maintenance $\underline{E01B}$ )
15/02	• Breakdown cranes (crane gear <u>B66C</u> )
15/04	• convertible into other non-vehicular apparatus, e.g. exhibition stands
15/06	• Buffer cars; Arrangements or construction of railway vehicles for protecting them in case of collisions (buffers <u>B61G 11/00</u> )
15/08	• Railway inspection trolleys
15/10	• hand or foot propelled
15/105	• • • {for cableways}
15/12	• • power propelled
15/125	• • { for cableways }

### Body details of railway or tramway vehicles

17/00	Construction details of vehicle bodies (for tank
	wagons <u>B61D 5/00</u> ; for hopper cars <u>B61D 7/00</u> ;
	body details specially adapted for tipping wagons
	<u>B61D 9/06;</u> for mine cars <u>B61D 11/00</u> )

### <u>NOTE</u>

{<u>B61D 17/005</u> takes precedence over <u>B61D 17/048</u> - <u>B61D 17/16</u>}

- 17/005 (with bodies characterised by use of plastics materials (<u>B61D 17/005</u> takes precedence; bogie frames comprising parts made from fibre einforced matrix material <u>B61F 5/523</u>)}
- 17/02 reducing air resistance by modifying contour {; Constructional features for fast vehicles sustaining sudden variations of atmospheric pressure, e.g. when crossing in tunnels}
- 17/04 with bodies of metal; with composite, e.g. metal and wood body structures
- 17/041 . . {with bodies characterised by use of light metal, e.g. aluminium (B61D 17/045 takes precedence)}
- 17/043 . . {connections between superstructure sub-units (for road vehicles <u>B62D 27/00</u>)}
- 17/045 . . . {The sub-units being construction modules (modular super-structures for vehicles carrying a large number of passengers <u>B62D 31/025</u>)}
- 17/046 . . . {readily releasable, i.e. dismountable or collapsible sub-units, e.g. for shipping (convertible wagons <u>B61D 3/005</u>)}
- 17/048 . . {Interior walls, e.g. separation walls between compartments (B61D 17/06, B61D 17/08, B61D 17/18 take precedence)}

17/06	• • End walls
17/08	Sides
17/10	Floors
17/12	• • Roofs (movable or foldable roofs, covers or
	tarpaulins <u>B61D 39/00</u> )
17/14	• • • with gangways
17/16	Hatches in roofs
17/18	• Internal lining, e.g. insulating
17/185	• • • {for sound insulating (arrangement of engine rooms <u>B61C 17/04;</u> sound insulating elements
	for road vehicles <u>B60R 13/08</u> )}
17/20	• Communication passages between coaches; Adaptation of coach ends therefor
17/22	• • • flexible, e.g. bellows
17/24	• with body structures of wood
17/26	• with body structures of concrete
19/00	<b>Door arrangements specially adapted for rail</b> <b>vehicles</b> (locks for vehicles <u>E05B 77/00-E05B 85/00;</u> door-operating mechanisms <u>E05F</u> )
19/001	• {for wagons or vans (closure elements for
	hopper car discharge openings <u>B61D 7/16;</u> doors
	convertible into loading and unloading ramps
19/002	<u>B61D 47/00; B61D 19/003</u> takes precedence)} • {specially adapted for grain cars}
19/002	<ul> <li>(specially adapted for grain cars)</li> <li>(characterised by the movements of the door)</li> </ul>
19/003	<ul> <li>{characterised by the movements of the door}</li> <li>{swinging (<u>B61D 19/008</u> takes precedence)}</li> </ul>
19/004	<ul> <li>(swinging (<u>B61D 19/008</u>, <u>B61D 19/009</u> take</li> <li>(sliding (<u>B61D 19/008</u>, <u>B61D 19/009</u> take</li> </ul>
	precedence)}
19/006	• • {vertically $(\underline{B61D \ 19/006} \text{ takes precedence})$ }
19/007	• • {The doors being wall panels enabling complete opening of the wagon sides, e.g. for
10/000	quick loading or unloading }
19/008 19/009	<ul> <li>• {both swinging and sliding}</li> <li>• {both sliding and plugging, (e.g. for refrigerator</li> </ul>
19/009	cars)}
19/02	• for carriages ( <u>B61D 19/003</u> takes precedence)
19/023	• {Emergency exits}
19/026	• • {Safety devices for preventing passengers
	from being injured by movements of doors
	or variations in air pressure (safety devices
	in passenger lifts for preventing trapping of
	passengers between closing doors <u>B66B 13/26;</u>
	acting on power-operated mechanisms for wings E05F 15/00)}
22/00	
23/00	<b>Construction of steps for railway vehicles</b> (ladders in general <u>E06C</u> )
23/02	<ul> <li>Folding steps for railway vehicles {, e.g. hand or mechanically actuated}</li> </ul>
23/025	• • {electrically or fluid actuated}
25/00	Window arrangements peculiar to rail vehicles
	(vehicle window arrangements in general
	<u>B60J</u> ; cleaning vehicle windows <u>B60S</u> ; heating
	arrangements specially adapted for transparent or
	reflecting areas H05B 3/84)
Heating, cooli	ing, ventilating, lighting, or air-conditioning,
	il vehicles (for vehicles in general <u>B60</u> )
27/00	Heating eaching contileting on air conditioning

27/00 Heating, cooling, ventilating, or air-conditioning {(heating, cooling or ventilating devices for vehicles in general <u>B60H 1/00</u>; devices for moistening air in vehicles <u>B60H 3/02</u>; devices for filtering air in vehicles <u>B60H 3/06</u>)}

27/0000	
27/0009	• {Means for controlling or equalizing air pressure
	shocks in trains, e.g. when passing or crossing in
07/0010	tunnels}
27/0018	• {Air-conditioning means, i.e. combining at least
	two of the following ways of treating or supplying
	air, namely heating, cooling or ventilating (air-
	conditioning in general <u>F24F</u> )}
27/0027	• • {for freight cars; Isothermic wagons}
27/0036	• {Means for heating only (heating in general $\underline{F24}$ )}
27/0045	• Electric heating (for vehicles in general
	<u>B60H 1/2215;</u> supplying electric power to electric
	heating circuits of electrically-propelled vehicles
	<u>B60L 1/02</u> )}
27/0054	• • {combined with heating means using recuperated
	energy from other sources, e.g. from the brakes}
27/0063	• • {the heat being derived from independent means,
	i.e. autonomous devices, e.g. stoves}
27/0072	• {Means for cooling only (cooling in general <u>F25</u> )}
27/0081	• • {of wagons for transporting refrigerated goods
	(vehicles for transporting refrigerated goods
	<u>B60P 3/20</u> )}
27/009	• {Means for ventilating only (ventilation in general
	<u>F24F</u> )}
29/00	Lighting
<i></i>	ruentine

<u>Furniture or furnishings peculiar to rail vehicles (for vehicles in general B60)</u>

31/00	Sleeping accommodation
33/00	Seats
33/0007	• {Details; Accessories}
33/0014	• • {Seat frames ( <u>B61D 33/0092</u> takes precedence)}
33/0021	• • • {for adjustable or reclining seats}
33/0028	• • { for reversible seats }
33/0035	• • {Cushions or the like; Covers}
33/0042	• • • {Spring cushions}
33/005	• • {Head, arm or footrests}
33/0057	• {characterised by their mounting in vehicles
	( <u>B61D 33/0028</u> and <u>B61D 33/0092</u> take
<b>22</b> /22.44	precedence)}
33/0064	• {not adjustably mounted; supports therefor}
33/0071	{Removable seats}
33/0078	• {adjustably mounted}
33/0085	• • {rotatably}
33/0092	• {Safety seats, e.g. comprising safety locking means; Seats for children}
25/00	Sanitation
<b>35/00</b> 35/002	
35/002	<ul> <li>{Washing facilities}</li> <li>{Toilet facilities}</li> </ul>
35/003	<ul> <li>{ronet facilities}</li> <li>{comprising toilet waste receiving, treatment,</li> </ul>
55/007	storage, disposal or removal devices}
37/00	Other furniture or furnishings
37/003	• {luggage rack and umbrella-stand for rail vehicles
	(luggage racks within vehicle bodies in general, e.g.
	busses <u>B60R 5/003</u> )}
37/006	• {for restaurant cars or the like}
Other details	s peculiar to rail vehicles (for vehicles in general <u>B60</u> )
39/00	Wagon or like covers; Tarpaulins; Movable or

39/00	Wagon or like covers; Tarpaulins; Movable or foldable roofs
39/001	• {Tiltable roofs}

CPC - 2024.01	

39/002	• {Sliding or folding roofs}
39/002	<ul> <li>(shall go rolang roots)</li> <li>(telescopic)</li> </ul>
39/005	<ul> <li>(terescopie)</li> <li>(for articulated wagons)</li> </ul>
39/005	• {Opening and closing means}
39/000	<ul> <li>(Opening and crossing means)</li> <li>(Controlled by trackside means (systems for</li> </ul>
591001	tipping wagons controlled by trackside means B61D 9/14)}
39/008	• {Sealing means}
41/00	Indicators for reserved seats; Warning or like signs; Devices or arrangements in connection with tickets, e.g. ticket holders; Holders for cargo tickets or the like
41/02	• Holders or devices for cargo tickets or the like
41/04	• Indicators for reserved seats
41/06	• Holders for fare tickets
43/00	Devices for using the energy of the movements of the vehicles
45/00	Means or devices for securing or supporting the
	cargo, including protection against shocks (for
	vehicles in general <u>B60P 7/00</u> )
45/001	<ul><li>vehicles in general <u>B60P 7/00</u>)</li><li>{Devices for fixing to walls or floors}</li></ul>
45/002	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>{Fixing sheet metal, boxes, or the like}</li> </ul>
45/002 45/003	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>{Fixing sheet metal, boxes, or the like}</li> <li>{Fixing of logs, beams, barrels, pipes, or the like}</li> </ul>
45/002	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>{Fixing sheet metal, boxes, or the like}</li> </ul>
45/002 45/003	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>{Fixing sheet metal, boxes, or the like}</li> <li>{Fixing of logs, beams, barrels, pipes, or the like}</li> <li>{Fixing semi-trailers (wagons for transporting</li> </ul>
45/002 45/003 45/004	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>. {Fixing sheet metal, boxes, or the like}</li> <li>. {Fixing of logs, beams, barrels, pipes, or the like}</li> <li>. {Fixing semi-trailers (wagons for transporting semi-trailers <u>B61D 3/184</u>)}</li> <li>. {by using fifth wheel locks}</li> <li>. {Fixing by movable walls}</li> </ul>
45/002 45/003 45/004 45/005	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>. {Fixing sheet metal, boxes, or the like}</li> <li>. {Fixing of logs, beams, barrels, pipes, or the like}</li> <li>. {Fixing semi-trailers (wagons for transporting semi-trailers <u>B61D 3/184</u>)}</li> <li>. {by using fifth wheel locks}</li> </ul>
45/002 45/003 45/004 45/005 45/006	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>. {Fixing sheet metal, boxes, or the like}</li> <li>. {Fixing of logs, beams, barrels, pipes, or the like}</li> <li>. {Fixing semi-trailers (wagons for transporting semi-trailers <u>B61D 3/184</u>)}</li> <li>. {by using fifth wheel locks}</li> <li>{Fixing by movable walls}</li> <li>{Fixing containers (vehicles for transporting</li> </ul>
45/002 45/003 45/004 45/005 45/006 45/007	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>. {Fixing sheet metal, boxes, or the like}</li> <li>. {Fixing of logs, beams, barrels, pipes, or the like}</li> <li>. {Fixing semi-trailers (wagons for transporting semi-trailers <u>B61D 3/184</u>)}</li> <li>. {by using fifth wheel locks}</li> <li>{Fixing by movable walls}</li> <li>{Fixing containers (vehicles for transporting containers <u>B61D 3/20</u>)}</li> <li>. {Shock absorbing devices}</li> </ul>
45/002 45/003 45/004 45/005 45/006 45/007 45/008	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>. {Fixing sheet metal, boxes, or the like}</li> <li>. {Fixing of logs, beams, barrels, pipes, or the like}</li> <li>. {Fixing semi-trailers (wagons for transporting semi-trailers <u>B61D 3/184</u>)}</li> <li>. {by using fifth wheel locks}</li> <li>{Fixing by movable walls}</li> <li>{Fixing containers (vehicles for transporting containers <u>B61D 3/20</u>)}</li> <li>. {Shock absorbing devices}</li> </ul> Loading or unloading devices combined with vehicles, e.g. loading platforms, {doors convertible
45/002 45/003 45/004 45/005 45/006 45/007 45/008	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>. {Fixing sheet metal, boxes, or the like}</li> <li>. {Fixing of logs, beams, barrels, pipes, or the like}</li> <li>. {Fixing semi-trailers (wagons for transporting semi-trailers <u>B61D 3/184</u>)}</li> <li>. {by using fifth wheel locks}</li> <li>{Fixing by movable walls}</li> <li>{Fixing containers (vehicles for transporting containers <u>B61D 3/20</u>)}</li> <li>. {Shock absorbing devices}</li> </ul> Loading or unloading devices combined with vehicles, e.g. loading platforms, {doors convertible into loading and unloading ramps}(combined with
45/002 45/003 45/004 45/005 45/006 45/007 45/008 <b>47/00</b>	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>{Fixing sheet metal, boxes, or the like}</li> <li>{Fixing of logs, beams, barrels, pipes, or the like}</li> <li>{Fixing semi-trailers (wagons for transporting semi-trailers <u>B61D 3/184</u>)}</li> <li>{by using fifth wheel locks}</li> <li>{Fixing by movable walls}</li> <li>{Fixing containers (vehicles for transporting containers <u>B61D 3/20</u>)}</li> <li>{Shock absorbing devices}</li> <li>Loading or unloading devices combined with vehicles, e.g. loading platforms, {doors convertible into loading and unloading ramps}(combined with vehicles in general <u>B60P</u>)</li> </ul>
45/002 45/003 45/004 45/005 45/006 45/007 45/008	<ul> <li>vehicles in general <u>B60P 7/00</u>)</li> <li>{Devices for fixing to walls or floors}</li> <li>. {Fixing sheet metal, boxes, or the like}</li> <li>. {Fixing of logs, beams, barrels, pipes, or the like}</li> <li>. {Fixing semi-trailers (wagons for transporting semi-trailers <u>B61D 3/184</u>)}</li> <li>. {by using fifth wheel locks}</li> <li>{Fixing by movable walls}</li> <li>{Fixing containers (vehicles for transporting containers <u>B61D 3/20</u>)}</li> <li>. {Shock absorbing devices}</li> </ul> Loading or unloading devices combined with vehicles, e.g. loading platforms, {doors convertible into loading and unloading ramps}(combined with

49/00 Other details