

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

TRANSPORTING

B62 LAND VEHICLES FOR TRAVELLING OTHERWISE THAN ON RAILS

B62M RIDER PROPULSION OF WHEELED VEHICLES OR SLEDGES; POWERED PROPULSION OF SLEDGES OR **{SINGLE-TRACK}** CYCLES; TRANSMISSIONS SPECIALLY ADAPTED FOR SUCH VEHICLES (arrangements or mounting of transmissions in vehicles in general [B60K](#); transmission elements per se [F16](#))

NOTE

In this subclass, the term "transmission" means all parts between the prime mover or the part to which a rider immediately applies propulsive effort, e.g. pedal cranks, and a driven ground wheel.

Rider propulsion of wheeled vehicles (propulsion by ground-engaging rods [B62M 29/02](#))

- 1/00** Rider propulsion of wheeled vehicles (rider propulsion with additional source of power [B62M 6/00](#); propulsion by ground-engaging rods [B62M 29/02](#))

NOTE

Groups [B62M 1/12-B62M 1/34](#) correspond to [IPC2013.01](#)

- 1/10 . involving devices which enable the mechanical storing and releasing of energy occasionally, e.g. arrangement of flywheels
- 1/105 . . {using elastic elements}
- 1/12 . operated by both hand and foot power
- 1/14 . operated exclusively by hand power
- 1/16 . . by means of a to-and-fro movable handlebar
- 1/18 . by movement of rider's saddle
- 1/20 . . with additional rider propulsion means
- 1/24 . with reciprocating levers, e.g. foot levers (levers with can be immobilised as foot rests [B62M 5/00](#))
- 1/26 . . characterised by rotary cranks combined with reciprocating levers
- 1/28 . . characterised by the use of flexible drive members, e.g. chains
- 1/30 . . characterised by the use of intermediate gears
- 1/32 . . characterised by directly driving the wheel axle, e.g. by using a ratchet wheel
- 1/34 . by walking on an endless belt
- 1/36 . with rotary cranks, e.g. with pedal cranks ([B62M 1/34](#) takes precedence; combined with reciprocating levers [B62M 1/26](#); cranks which can be immobilised as foot rests [B62M 5/00](#))
- 1/38 . . for directly driving the wheel axle

- 3/00** Construction of cranks operated by hand or foot
- 3/003 . {Combination of crank axles and bearings housed in the bottom bracket (bottom bracket frame details [B62K 19/34](#))}

- 2003/006 . {Crank arrangements to overcome dead points}
- 3/02 . of adjustable length

- 3/04 . . automatically adjusting
- 3/06 . with elliptical or other non-circular rotary movement
- 3/08 . Pedals
- 3/083 . . {Toe clip}
- 3/086 . . {Attachments between shoe and pedal other than toe clips, e.g. cleats (shoes for cyclists [A43B 5/14](#))}
- 3/10 . . All-metal pedals
- 3/12 . . with reflectors
- 3/14 . Hand-grips for hand-operated cranks
- 3/16 . Accessories
- 5/00** Foot-driven levers as pedal cranks which can be immobilised as foot-rests (immobilising against theft [B62H 5/10](#))
- 6/00** Rider propulsion of wheeled vehicles with additional source of power, e.g. combustion engine or electric motor
- NOTE
- In this main group, at each hierarchical level, in the absence of an indication to the contrary, classification is made in the first appropriate place
- 6/10 . Rider propelled cycles with auxiliary combustion engine
- 6/15 . . Control or actuating devices therefor
- 6/20 . . power-driven at crank shaft parts
- 6/25 . . power-driven at axle parts
- 6/30 . . power-driven at single endless flexible member, e.g. chain, between cycle crankshaft and wheel axle, the engine engaging the endless flexible member
- 6/35 . . power-driven by friction rollers or gears engaging the ground wheel
- 6/40 . Rider propelled cycles with auxiliary electric motor
- 6/45 . . Control or actuating devices therefor
- 6/50 . . . characterised by detectors or sensors, or arrangement thereof
- 6/55 . . power-driven at crank shafts parts
- 6/60 . . power-driven at axle parts

- 6/65 . . . with axle and driving shaft arranged coaxially
- 6/70 . . power-driven at single endless flexible member, e.g. chain, between cycle crankshaft and wheel axle, the motor engaging the endless flexible member
- 6/75 . . power-driven by friction rollers or gears engaging the ground wheel
- 6/80 . Accessories, e.g. power sources; Arrangements thereof
- 6/85 . . Solar cells
- 6/90 . . Batteries
- 7/00 Motorcycles characterised by position of motor or engine (rider propulsion with addition source of power, e.g. auxiliary combustion engine or electric motor [B62M 6/00](#); frames characterised by position of engine [B62K 11/00](#))**
 - 2007/005 . {the cycle being equipped with a pneumatic motor}
 - 7/02 . with engine between front and rear wheels
 - 7/04 . . below the frame
 - 7/06 . . directly under the saddle or seat
 - 7/08 . with the engine over the rear wheel
 - 7/10 . with the engine over the front wheel
 - 7/12 . with the engine beside or within the driven wheel
 - 7/14 . with the engine on an auxiliary wheeled unit, e.g. trailer, sidecar ([trailers B60P, B62D](#); [sidecars B62K 27/00](#))
 - 7/16 . . {with wheel of unit driven by the engine}
- Transmissions {(freewheels or freewheels clutches specially adapted for cycles [F16D 41/24](#))}**
 - 9/00 Transmissions characterised by use of an endless chain, belt, or the like (cycle chain guards [B62J 13/00](#))**
 - NOTE**
 - In this main group, at each hierarchical level, in the absence of an indication to the contrary, classification is made in the first appropriate place.
 - 2009/002 . {Non-circular chain rings or sprockets}
 - 2009/005 . {Details of transmission chains specially adapted for bicycles}
 - 2009/007 . {Guides to prevent chain from slipping off the sprocket}
 - 9/02 . of unchangeable ratio
 - 9/04 . of changeable ratio
 - 9/06 . . using a single chain, belt, or the like
 - 9/08 . . . involving eccentrically- mounted or elliptically-shaped driving or driven wheel; with expansible driving or driven wheel
 - 9/085 {involving eccentrically mounted driving or driven wheel}
 - 9/10 . . . involving different-sized wheels, {e.g. rear sprocket chain wheels} selectively engaged by the chain, belt, or the like {(bicycle hubs rotatably arranged on axle [B60B 27/023](#))}
 - 9/105 {involving front sprocket chain-wheels engaged by the chain, belt or the like}
 - 9/12 the chain, belt, or the like being laterally shiftable {, e.g. using a rear derailleur}
 - 9/121 Rear derailleurs
 - 9/122 electrically or fluid actuated; Controls thereof
 - 9/123 changing gears automatically
 - 9/124 Mechanisms for shifting laterally
 - 2009/12406 {Rear derailleur comprising a rigid pivoting arm}
 - 2009/12413 {Rear derailleur comprising telescoping mechanisms}
 - 9/1242 characterised by the linkage mechanisms
 - 9/1244 limiting or positioning the movement
 - 9/1246 using cams or plates
 - 9/1248 characterised by the use of biasing means, e.g. springs; Arrangements thereof
 - 9/125 Mounting the derailleur on the frame
 - 9/126 Chain guides; Mounting thereof
 - 9/127 Mounting or guiding of cables
 - 9/128 Accessories, e.g. protectors
 - 9/131 Front derailleurs
 - 9/132 electrically or fluid actuated; Controls thereof
 - 9/133 changing gears automatically
 - 9/134 Mechanisms for shifting laterally
 - 9/1342 characterised by the linkage mechanisms
 - 9/1344 limiting or positioning the movement
 - 9/1346 using cams or plates
 - 9/1348 characterised by the use of biasing means, e.g. springs; Arrangements thereof
 - 9/135 Mounting the derailleur on the frame
 - 9/136 Chain guides; Mounting thereof
 - 9/137 Mounting or guiding of cables
 - 9/138 Accessories, e.g. protectors
 - 9/14 the wheels being laterally shiftable
 - 9/16 . Tensioning or adjusting equipment for chains, belts or the like
- 11/00 Transmissions characterised by the use of interengaging toothed wheels or frictionally-engaging wheels (with roller engaging the periphery of ground wheel [B62M 13/00](#))**
 - 11/02 . of unchangeable ratio
 - 11/04 . of changeable ratio
 - 11/06 . . with spur gear wheels ([B62M 11/14](#) takes precedence)
 - 11/08 . . . {with a radially-shiftable intermediate gear wheel}
 - 11/10 . . with bevel gear wheels ([B62M 11/14](#) takes precedence)
 - 11/12 . . with frictionally-engaging wheels ([B62M 11/14](#) takes precedence)
 - 11/14 . . with planetary gears
 - 11/145 . . . {built in, or adjacent to, the bottom bracket}
 - 11/16 . . . built in, or adjacent to, the ground-wheel hub
 - 11/18 . . . with a plurality of planetary gear units
- 13/00 Transmissions characterised by use of friction rollers engaging the periphery of the ground wheel (for rider propelled cycles with additional source of power [B62M 6/35](#), [B62M 6/75](#))**
 - 13/02 . with changeable ratio, e.g. with roller of varying diameter
 - 13/04 . with means for moving roller into driving contact with ground wheel

- 15/00 **Transmissions characterised by use of crank shafts and coupling rods**
 - 17/00 **Transmissions characterised by use of rotary shaft, e.g. cardan shaft**
 - 19/00 **Transmissions characterised by use of non-mechanical gearing, e.g. fluid gearing**
 - 21/00 **Transmissions characterised by use of resilient elements therein**
 - 23/00 **Transmissions characterised by use of other elements; Other transmissions**
 - 23/02 . characterised by the use of two or more dissimilar sources of power, e.g. transmissions for hybrid motorcycles ([transmissions for wheeled vehicles using rider propulsion with additional source of power B62M 6/00](#))
 - 25/00 **Actuators for gearing speed-change mechanisms specially adapted for cycles (rider operated controls for cycles in general [B62K 23/00](#); gearing speed change mechanisms [F16H](#))**
 - 2025/003 . {with gear indicating means, e.g. a display}
 - 2025/006 . {with auxiliary shift assisting means}
 - 25/02 . with mechanical transmitting systems, e.g. cables, levers
 - 25/04 . . hand actuated
 - 25/045 . . . {having single actuating means operating both front and rear derailleur}
 - 25/06 . . foot actuated
 - 25/08 . with electrical or fluid transmitting systems
 - 27/00 **Propulsion devices for sledges or the like (pushed or pulled by persons or animals [B62B](#), [B62C](#); wind propulsion [B62B 15/00](#))**
 - 27/02 . power driven
 - 2027/021 . . {Snow bikes resembling conventional motorcycles}
 - 2027/022 . . {Snow drive conversions for cycles with wheels}
 - 2027/023 . . {Snow mobiles characterised by engine mounting arrangements}
 - 2027/025 . . {Snow mobiles characterised by the skis}
 - 2027/026 . . {Snow mobiles characterised by the suspension means}
 - 2027/027 . . {Snow mobiles characterised by the tracks}
 - 2027/028 . . {Snow mobiles characterised by chassis or bodywork}
 - 29/00 **Ground engaging propulsion devices for cycles, sledges, or rider-propelled wheeled vehicles, not otherwise provided for {(non-motorized scooters with skis or runners [B62K 3/002](#))}**
 - 29/02 . using ground-engaging rods
-
- 2700/00 **Rider propulsion of bicycles or vehicles having transmission mainly of unchangeable ratio**
 - 2700/001 . Propulsion of bicycles and vehicles using planetary gears transmission
 - 2700/003 . Propulsion of bicycles and vehicles using toothed wheels transmission
 - 2700/005 . Propulsion of bicycles and vehicles using bevel/conical wheels transmission
 - 2700/006 . Propulsion of bicycles and vehicles using cranks having reciprocating levers
 - 2700/008 . Propulsion of bicycles and vehicles using other means
 - 2701/00 **Transmissions for motorcycles or motorised bicycles characterised by position of engine or gear box**
 - 2701/0007 . Construction details of gear box for motorcycles
 - 2701/0015 . Transmissions and/or engine attachment to frame
 - 2701/0023 . Transmissions using belt, chain and friction wheel
 - 2701/003 . . Motorcycles or bicycles with engine besides or within driven wheel
 - 2701/0038 . . Motorcycles or bicycles with engine over the front or rear wheel
 - 2701/0046 . Gear change control and other for motorcycles or bicycles
 - 2701/0053 . . Control by means of a lever
 - 2701/0061 . . Control of pulleys in transmission
 - 2701/0069 . Engine control
 - 2701/0076 . Chain and chainwheel
 - 2701/0084 . Clutch control by driver
 - 2701/0092 . Clutch arrangement in the transmission
 - 2901/00 **Rear derailleur supported by the chain-stay or rear fork of the bicycle**