

CPC COOPERATIVE PATENT CLASSIFICATION

B PERFORMING OPERATIONS; TRANSPORTING

(NOTES omitted)

TRANSPORTING

B65 CONVEYING; PACKING; STORING; HANDLING THIN OR FILAMENTARY MATERIAL

B65G TRANSPORT OR STORAGE DEVICES, e.g. CONVEYORS FOR LOADING OR TIPPING, SHOP CONVEYOR SYSTEMS OR PNEUMATIC TUBE CONVEYORS (packaging [B65B](#); handling thin or filamentary materials, e.g. paper sheets or thread, [B65H](#); cranes [B66C](#); portable mobile or lifting or hauling appliances, e.g. hoists, [B66D](#); devices for lifting or lowering goods for loading or unloading purposes, e.g. fork-lift trucks, [B66F 9/00](#); emptying bottles, jars, casks, barrels or similar containers, not otherwise provided for, [B67C 9/00](#); delivering or transferring liquids [B67D](#); filling or discharging vessels for liquefied, solidified or compressed gases [F17C](#); pipe-line systems for fluids [F17D](#))

NOTE

This subclass does not cover road or railway vehicles, waterborne vessels or aircraft per se, or their adaptation for transport purposes. This subject matter is covered by classes [B60](#) - [B64](#), for example in the following places:

- vehicles adapted for load transportation [B60P](#);
- railway wagons adapted for load transportation [B61D](#);
- hand carts [B62B](#);
- superstructures for load-carrying vehicles [B62D 33/00](#);
- loading or load-accommodating arrangements on ships or vessels [B63B 25/00](#), [B63B 27/00](#);
- equipment for handling freight in aircraft [B64D 9/00](#)

WARNINGS

1. The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

| | | |
|----------------------------|------------|---|
| B65G33/28 | covered by | B65G 33/265 |
| B65G 47/10 | covered by | B65G 1/1373 |
| B65G 47/86 | covered by | B65G 47/842 , B65G 47/847 |
| B65G 49/07 | covered by | H01L 21/677 |
| B65G 69/32 | covered by | B65G 69/28 |
| B65G 69/34 | covered by | B65G 69/28 |

2. In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

Storing; Storage devices

| | | | |
|-------------|--|--------|---|
| 1/00 | Storing articles, individually or in orderly arrangement, in warehouses or magazines (conveyor combinations in warehouses, magazines or workshops B65G 37/00 ; stacking of articles B65G 57/00 ; removing articles from stacks B65G 59/00 ; loading machines B65G 65/02) | 1/0414 | {provided with satellite cars adapted to travel in storage racks} |
| | | 1/0421 | {with control for stacker crane operations} |
| | | 1/0428 | {Transfer means for the stacker crane between the alleys} |
| | | 1/0435 | {with pulling or pushing means on either stacking crane or stacking area} |
| 1/02 | . Storage devices (furniture A47B ; shop fittings A47F) | 1/0442 | . . . {for elongated articles (drill pipe racking E21B 19/14)} |
| 1/023 | . . {Arrangements of article supporting rollers on racks} | 1/045 | . . . {in a circular arrangement, e.g. towers} |
| | | 1/0457 | . . . {with suspended load carriers} |
| 1/026 | . . {Racks equipped with a displaceable load carrying surface to facilitate loading or unloading} | 1/0464 | . . . {with access from above} |
| | | 1/0471 | . . . {with access from beneath} |
| 1/04 | . . mechanical | 1/0478 | . . . {for matrix-arrangements} |
| | | 1/0485 | . . . {Check-in, check-out devices} |
| 1/0407 | . . . {using stacker cranes (constructional features of stacker cranes B66F 9/06)} | 1/0492 | . . . {with cars adapted to travel in storage aisles} |

- 1/06 . . . with means for presenting articles for removal at predetermined position or level ([B65G 1/12](#) takes precedence)
- 1/065 {with self propelled cars}
- 1/07 the upper article of a pile being always presented at the same predetermined level
- 1/08 the articles being fed by gravity {(braking arrangements for roller-ways [B65G 13/075](#); separating or stopping elements [B65G 47/88](#))}
- 1/10 . . . with relatively movable racks to facilitate insertion or removal of articles {(cabinets with means for moving compartments up and down [A47B 51/00](#); cabinet system, e.g. consisting of cabinets arranged in a row with means to open or close passages between adjacent cabinets [A47B 53/02](#))}
- 1/12 . . . with {separate} article supports or holders movable in a closed circuit to facilitate insertion or removal of articles {the articles being books, documents, forms or the like}
- 1/127 the circuit being confined in a vertical plane
- 1/133 the circuit being confined in a horizontal plane
- 1/137 . . . with arrangements or automatic control means for selecting which articles are to be removed
- 1/1371 {with data records}
- 1/1373 {for fulfilling orders in warehouses}
- 1/1375 {the orders being assembled on a commissioning stacker-crane or truck}
- 1/1376 {the orders being assembled on a commissioning conveyor}
- 1/1378 {the orders being assembled on fixed commissioning areas remote from the storage areas}
- 1/14 . . Stack holders or separators
- 1/16 . Special arrangements of articles in storage spaces
- 1/18 . . Articles inclined so as to be mutually self-supporting
- 1/20 . . Articles arranged in layers with spaces between articles
- 3/00 Storing bulk material or loose, i.e. disorderly, articles (filling or emptying storage spaces or containers, spreading-out or piling-up bulk material or loose articles [B65G 65/28](#), [B65G 65/30](#), [B65G 69/04](#))**
- 3/02 . in the open air ([B65G 3/04](#) takes precedence)
- 3/04 . in bunkers, hoppers, or like containers
- 5/00 Storing fluids in natural or artificial cavities or chambers in the earth**
- 5/005 . {in porous layers}

Devices assisting manual conveyance of articles over short distances, e.g. in storage depots, warehouses or factories (chutes [B65G 11/00](#); roller-ways [B65G 13/00](#); luggage carriers [A45C 13/38](#); holders or carriers for hand articles or for use while travelling or camping [A45F 5/00](#); vehicles in general, axles, wheels [B60](#); air-cushion vehicles [B60V](#); handcarts, sledges, features of hand-propelled wheeled devices or pedestrian-controlled, power-driven vehicles equally applicable to handcarts [B62B](#); ship-moving devices [B63C](#), [E02C](#); containers, pallets [B65D](#); air-cushions as bearing elements [F16C 29/00](#))

- 7/00 Devices for assisting manual moving or tilting heavy loads** (roller-ways [B65G 13/00](#); for tilting and emptying barrels or casks [B65G 65/24](#))
- 7/02 . Devices adapted to be interposed between loads and the ground or floor, e.g. crowbars with means for assisting conveyance of loads
- 7/04 . . Rollers
- 7/06 . . using fluid at high pressure supplied from an independent source to provide a cushion between load and ground {(conveying articles over a flat surface by jets located in the surface [B65G 51/00](#))}
- 7/08 . . for tilting the loads
- 7/10 . . for rolling cylindrical loads
- 7/12 . Load carriers, e.g. hooks, slings, harness, gloves, modified for load carrying
- 9/00 Apparatus for assisting manual handling having suspended load-carriers movable by hand or gravity**
- 9/002 . {Load-carriers, rollers therefor}
- 9/004 . {Loading or unloading arrangements}
- 9/006 . {Arresting, braking or escapement means}
- 9/008 . {Rails or switches}

Chutes; Kinds or types of conveyors; Constructional features, details, or auxiliary devices peculiar to conveyors of particular types (feeding or discharging conveyors by devices incorporated in or operatively associated with conveyors [B65G 47/00](#); loading or unloading [B65G 65/00](#); escalators or moving walkways [B66B 21/00](#); drag-line scraper conveyors [E02F 3/46](#))

- 11/00 Chutes (used as storage devices [B65G 1/02](#))**
- 11/02 . of straight form
- 11/023 . . {for articles}
- 11/026 . . {for bulk}
- 11/04 . for mail in buildings
- 11/06 . of helical or spiral form
- 11/063 . . {for articles}
- 11/066 . . {for bulk}
- 11/08 . with discontinuous guiding surfaces, e.g. arranged in zigzag or cascade formation
- 11/081 . . {for articles ([B65G 11/085](#) takes precedence)}
- 11/083 . . {for bulk ([B65G 11/085](#) takes precedence)}
- 11/085 . . {with zig-zag formations}
- 11/086 . . . {for articles}
- 11/088 . . . {for bulk}
- 11/10 . flexible
- 11/103 . . {for articles}
- 11/106 . . {for bulk}
- 11/12 . pivotable
- 11/123 . . {for articles}
- 11/126 . . {for bulk}
- 11/14 . extensible, e.g. telescopic

- 11/143 . . {for articles}
- 11/146 . . {for bulk}
- 11/16 . Interior surfaces; Linings
- 11/163 . . {for articles}
- 11/166 . . {for bulk}
- 11/18 . Supports or mountings
- 11/183 . . {for articles}
- 11/186 . . {for bulk}
- 11/20 . Auxiliary devices, e.g. for deflecting, controlling speed of, or agitating articles or solids
- 11/203 . . {for articles}
- 11/206 . . {for bulk}
- 13/00** **Roller-ways (storage devices comprising roller-ways [B65G 1/02](#); endless-chain conveyors comprising load-supporting rollers [B65G 17/00](#); rollers or arrangements thereof [B65G 39/00](#))**
- 13/02 . having driven rollers
- 13/04 . . all rollers driven
- 13/06 . . Roller driving means
- 13/065 . . . {with displacement of the roller}
- 13/07 . . . having endless driving elements
- 13/071 . . . with frictional engagement
- 13/073 . . . comprising free-wheel gearing
- 13/075 . Braking means
- 13/08 . of curved form; with branch-offs
- 13/10 . . Switching arrangements
- 13/11 . Roller frames
- 13/12 . . adjustable
- 15/00** **Conveyors having endless load-conveying surfaces, i.e. belts and like continuous members, to which tractive effort is transmitted by means other than endless driving elements of similar configuration (having load-conveying surfaces formed by interconnected longitudinal links [B65G 17/06](#))**
- 15/005 . {the surface being formed by one rope}
- 15/02 . for conveying in a circular arc
- 15/04 . the load being carried on the lower run of the endless surface
- 15/06 . with oppositely-moving parts of the endless surface located in the same plane and parallel to one another
- 15/08 . the load-carrying surface being formed by a concave or tubular belt, e.g. a belt forming a trough
- 15/10 . comprising two or more co-operating endless surfaces with parallel longitudinal axes, or a multiplicity of parallel elements, e.g. ropes defining an endless surface
- 15/105 . . {the surface being formed by two or more ropes}
- 15/12 . . with two or more endless belts
- 15/14 . . . the load being conveyed between the belts {([B65G 15/18](#), [B65G 15/20](#) take precedence)}
- 15/16 between an auxiliary belt and a main belt
- 15/18 . . . the belts being sealed at their edges
- 15/20 . . . arranged side by side, e.g. for conveyance of flat articles in vertical position
- 15/22 . comprising a series of co-operating units
- 15/24 . . in tandem
- 15/26 . . extensible, e.g. telescopic {(adjustment of length or configuration of load-carrier [B65G 21/14](#))}
- 15/28 . Conveyors with a load-conveying surface formed by a single flat belt, not otherwise provided for
- 15/30 . Belts or like endless load-carriers (co-operating with rails or the like [B65G 21/22](#); {co-operating} with rollers [B65G 39/20](#))
- 15/32 . . made of rubber or plastics
- 15/34 . . . with reinforcing layers, e.g. of fabric
- 15/36 the layers incorporating ropes, chains, or rolled steel sections
- 15/38 . . . with flame-resistant layers, e.g. of asbestos, glass
- 15/40 . . . troughed or tubular; formed with joints facilitating troughing
- 15/42 . . . having ribs, ridges, or other surface projections
- 15/44 for impelling the loads
- 15/46 . . . formed with guides
- 15/48 . . metallic
- 15/50 . . Endless load-carriers consisting of a series of parallel ropes or belt strips
- 15/52 . . . interconnected by transverse slats
- 15/54 . . Endless load-carriers made of interwoven ropes or wires
- 15/56 . . with edge-protecting or reinforcing means
- 15/58 . . with means for holding or retaining the loads in fixed position, e.g. magnetic
- 15/60 . Arrangements for supporting or guiding belts, e.g. by fluid jets
- 15/62 . . Guides for sliding belts
- 15/64 . . for automatically maintaining the position of the belts
- 17/00** **Conveyors having an endless traction element, e.g. a chain, transmitting movement to a continuous or substantially-continuous load-carrying surface or to a series of individual load-carriers; Endless-chain conveyors in which the chains form the load-carrying surface**
- 17/002 . {comprising load carriers resting on the traction element}
- 17/005 . {comprising individual load carriers which are movably mounted ([B65G 17/16](#) takes precedence)}
- 17/007 . {for conveying the load on the lower run or on both upper and lower runs of the conveyor}
- 17/02 . comprising a load-carrying belt attached to or resting on the traction element
- 17/04 . . the belt having loops forming load-receiving pockets
- 17/06 . having a load-carrying surface formed by a series of interconnected, e.g. longitudinal, links, plates, or platforms
- 17/061 . . {the load carrying surface being formed by profiles, rods, bars, rollers or the like attached to a single traction element ([B65G 17/24](#) takes precedence)}
- 17/062 . . . {the profiles, rods, bars, rollers or the like being interconnected by a mesh or grid-like structure}
- 17/063 . . {the load carrying surface being formed by profiles, rods, bars, rollers or the like attached to more than one traction element ([B65G 17/24](#) takes precedence)}
- 17/064 . . . {the profiles, rods, bars, rollers or the like being interconnected by a mesh or grid-like structure}
- 17/065 . . {the load carrying surface being formed by plates or platforms attached to a single traction element}

| | | | |
|--------|---|--------------|---|
| 17/066 | . . . {specially adapted to follow a curved path (for individual load carriers B65G 17/22)} | 17/485 | . . . {the load carriers being suspended} |
| 17/067 | . . {the load carrying surface being formed by plates or platforms attached to more than one traction element} | 19/00 | Conveyors comprising an impeller or a series of impellers carried by an endless traction element and arranged to move articles or materials over a supporting surface or underlying material, e.g. endless scraper conveyors |
| 17/068 | . . . {specially adapted to follow a curved path (for individual load carriers B65G 17/22)} | 19/02 | . for articles, e.g. for containers |
| 17/08 | . . the surface being formed by the traction element | 19/025 | . . {for suspended articles} |
| 17/083 | . . . {the surface being formed by profiles, rods, bars, rollers or the like} | 19/04 | . for moving bulk material in open troughs or channels |
| 17/086 | . . . {specially adapted to follow a curved path (for individual load carriers B65G 17/22)} | 19/06 | . . the impellers being scrapers similar in size and shape to the cross-section of the trough or channel |
| 17/10 | . . the surface forming a longitudinal trough | 19/08 | . . . and attached to a single belt, rope or chain |
| 17/12 | . comprising a series of individual load-carriers fixed, or normally fixed, relative to traction element | 19/10 | . . . and attached to a pair of belts, ropes or chains |
| 17/123 | . . {arranged to keep the load-carriers horizontally during at least a part of the conveyor run} | 19/12 | . . the impellers being plates having an area substantially smaller than that of the trough of channel cross-section |
| 17/126 | . . {Bucket elevators} | 19/14 | . for moving bulk material in closed conduits, e.g. tubes |
| 17/14 | . . with two spaced connections to traction element | 19/16 | . . the impellers being elements having an area substantially smaller than that of the conduit cross-section |
| 17/16 | . comprising individual load-carriers which are pivotally mounted, e.g. for free-swinging movement (guides inverting or tilting load-carriers for emptying { B65G 47/38 ; B65G 17/20 takes precedence}) | 19/165 | . . . {the impellers being endless helical springs} |
| 17/18 | . . and move in contact with a guiding surface | 19/18 | . Details |
| 17/20 | . comprising load-carriers suspended from overhead traction chains | 19/185 | . . {for article conveyors, e.g. for container conveyors (B65G 19/20 , B65G 19/22 , B65G 19/28 take precedence)} |
| 17/22 | . with oppositely-moving parts of the conveyor located in a common plane {and being formed by individual load carriers only} | 19/20 | . . Traction chains, ropes, or cables |
| 17/24 | . comprising a series of rollers which are moved {, e.g. over a supporting surface, by the traction element to effect conveyance of loads or load-carriers} | 19/205 | . . . {for article conveyors, e.g. for container conveyors} |
| 17/26 | . comprising a series of co-operating units, e.g. interconnected by pivots | 19/22 | . . Impellers, e.g. push-plates, scrapers; Guiding means therefor |
| 17/28 | . . extensible, e.g. telescopic {(adjustment of length or configuration of traction element B65G 21/14)} | 19/225 | . . . {for article conveyors, e.g. for container conveyors (B65G 19/24 takes precedence)} |
| 17/30 | . Details; Auxiliary devices (belts B65G 15/30 ; framework B65G 21/00) | 19/24 | . . . Attachment of impellers to traction element |
| 17/32 | . . Individual load-carriers | 19/245 | {for article conveyors, e.g. for container conveyors (B65G 19/26 takes precedence)} |
| 17/323 | . . . {Grippers, e.g. suction or magnetic} | 19/26 | pivotal |
| 17/326 | . . . {Clamps, constituted by articulated chain links} | 19/265 | {for article conveyors, e.g. for container conveyors} |
| 17/34 | . . . having flat surfaces, e.g. platforms, grids, forks | 19/28 | . . Troughs, channels, or conduits |
| 17/345 | {the surfaces being equipped with a conveyor} | 19/282 | . . . {for article conveyors, e.g. for container conveyors (B65G 19/30 takes precedence)} |
| 17/36 | . . . having concave surfaces, e.g. buckets | 19/285 | . . . {with detachable or replaceable parts, e.g. replaceable wear channels (B65G 19/282 takes precedence)} |
| 17/365 | {having open bottom buckets} | 19/287 | . . . {Coupling means for trough sections (B65G 19/282 takes precedence)} |
| 17/38 | . . Chains or like traction elements (drive chains F16G 13/00); Connections between traction elements and load-carriers | 19/30 | . . . with supporting surface modified to facilitate movement of loads, e.g. friction reducing devices |
| 17/385 | . . . {adapted to follow three-dimensionally curved paths} | 19/303 | {for article conveyors, e.g. for container conveyors} |
| 17/40 | . . . Chains acting as load-carriers | 19/306 | {the supporting surface being provided with rollers} |
| 17/42 | . . . Attaching load carriers to traction elements | 21/00 | Supporting or protective framework or housings for endless load-carriers or traction elements of belt or chain conveyors |
| 17/44 | by means excluding relative movements | 21/005 | . {for conveyors floating on liquids} |
| 17/46 | . . Means for holding or retaining the loads in fixed position on the load-carriers, e.g. magnetic | 21/02 | . consisting essentially of struts, ties, or like structural elements |
| 17/48 | . . Controlling attitudes of load-carriers during movement ({ B65G 17/18 takes precedence;} guides B65G 21/20 ; inverting or tilting load carriers to discharge contents B65G 47/38) | 21/04 | . . the ties being formed by longitudinal cables or ropes |

| | | | |
|--------------|---|--------------|--|
| 21/06 | . . constructed to facilitate rapid assembly or dismantling | 23/19 | . . . Suction elements |
| 21/08 | . Protective roofs or arch supports therefor | 23/20 | . . Screws |
| 21/10 | . movable, or having interchangeable or relatively movable parts; Devices for moving framework or parts thereof | 23/22 | . Arrangements or mountings of driving motors {(B65G 23/08 takes precedence)} |
| 21/105 | . . {having demountable driving or return heads} | 23/23 | . . of electric linear motors |
| 21/12 | . . to allow adjustment of position of load-carrier or traction element as a whole | 23/24 | . Gearing between driving motor and belt- or chain-engaging elements (contained in drums, rollers or wheels B65G 23/08) |
| 21/14 | . . to allow adjustment of length or configuration of load-carrier or traction element (varying speed of conveyance by adjusting configuration of load-carrier B65G 23/00; {tensioning arrangements for belt or chain B65G 23/44}) | 23/26 | . . Applications of clutches or brakes |
| 21/16 | . for conveyors having endless load-carriers movable in curved paths | 23/28 | . . Arrangements for equalising the drive to several elements |
| 21/18 | . . in three-dimensionally curved paths | 23/30 | . . Variable-speed gearing |
| 21/20 | . Means incorporated in, or attached to, framework or housings for guiding load-carriers, traction elements or loads supported on moving surfaces (arrangements for supporting belts B65G 15/60; rollers or roller arrangements B65G 39/00) | 23/32 | . for effecting drive at two or more points spaced along the length of the conveyors |
| 21/2009 | . . {Magnetic retaining means} | 23/34 | . . comprising a single motor coupled to spaced driving elements |
| 21/2018 | . . . {for retaining the load on the load-carrying surface, (retaining loads by magnetic load-carriers, e.g. belts B65G 15/58, chains B65G 17/46; individual magnetic grippers B65G 17/323)} | 23/36 | . . comprising two or more driving motors each coupled to a separate driving element, e.g. at either end of the conveyors |
| 21/2027 | . . {Suction retaining means} | 23/38 | . for effecting intermittent movement of belts or chains |
| 21/2036 | . . . {for retaining the load on the load-carrying surface (individual suction grippers B65G 17/323)} | 23/40 | . . Applications of pawl and ratchet mechanisms or Geneva wheels |
| 21/2045 | . . {Mechanical means for guiding or retaining the load on the load-carrying surface} | 23/42 | . . Reciprocating members engaging successive abutments on belts or chains |
| 21/2054 | . . . {comprising elements movable in the direction of load-transport} | 23/44 | . Belt or chain tensioning arrangements |
| 21/2063 | . . . {comprising elements not movable in the direction of load-transport} | 25/00 | Conveyors comprising a cyclically-moving, e.g. reciprocating, carrier or impeller which is disengaged from the load during the return part of its movement (jigging B65G 27/00) |
| 21/2072 | {Lateral guidance means} | 25/02 | . the carrier or impeller having different forward and return paths of movement, e.g. walking beam conveyors |
| 21/2081 | {for bulk material, e.g. skirts} | 25/04 | . the carrier or impeller having identical forward and return paths of movement, e.g. reciprocating conveyors |
| 21/209 | {for augmenting or creating a precession force between the load and the load-carrying surface} | 25/06 | . . having carriers, e.g. belts |
| 21/22 | . . Rails or the like engaging sliding elements or rollers attached to load-carriers or traction elements | 25/065 | . . . {Reciprocating floor conveyors} |
| 23/00 | Driving gear for endless conveyors; Belt- or chain-tensioning arrangements | 25/08 | . . having impellers, e.g. pushers |
| 23/02 | . Belt- or chain-engaging elements | 25/10 | . . . with impeller pivotally mounted on a reciprocating bar |
| 23/04 | . . Drums, rollers, or wheels {(B65G 23/18 takes precedence)} | 25/12 | . . . with impeller fixed to a reciprocating bar and the bar being rotated about its longitudinal axis on its return stroke |
| 23/06 | . . . with projections engaging abutments on belts or chains, e.g. sprocket wheels | 27/00 | Jigging conveyors |
| 23/08 | . . . with self-contained driving mechanisms, e.g. motors and associated gearing | 27/02 | . comprising helical or spiral channels or conduits for elevation of materials |
| 23/10 | . . . arranged intermediate the ends of the conveyors | 27/04 | . Load carriers other than helical or spiral channels or conduits |
| 23/12 | . . . Arrangements of co-operating drums or rollers to augment tractive effort applied to the belts | 27/06 | . . Joints connecting load-carrier sections |
| 23/14 | . . Endless driving elements extending parallel to belt or chain {(B65G 23/18 takes precedence)} | 27/08 | . Supports or mountings for load-carriers, e.g. framework, bases, spring arrangements {(spring arrangements as jigging movement transmitting units B65G 27/10)} |
| 23/16 | . . . with dogs engaging abutments on belts or chains | 27/10 | . Applications of devices for generating or transmitting jigging movements |
| 23/18 | . . Suction or magnetic elements | 27/12 | . . of shaking devices, i.e. devices for producing movements of low frequency and large amplitude |
| | | 27/14 | . . . hydraulic |
| | | 27/16 | . . of vibrators, i.e. devices for producing movements of high frequency and small amplitude |

| | | | |
|--------------|---|--------------|--|
| 27/18 | . . . Mechanical devices { (B65G 27/26 takes precedence) } | 35/06 | . comprising a load-carrier moving along a path, e.g. a closed path, and adapted to be engaged by any one of a series of traction elements spaced along the path (effecting drive at two or more points spaced along the length of an endless conveyor B65G 23/32) |
| 27/20 | rotating unbalanced masses | | |
| 27/22 | . . . Hydraulic or pneumatic devices | | |
| 27/24 | . . . Electromagnetic devices | | |
| 27/26 | . . . with elastic coupling between vibrator and load carrier | 35/063 | . . {the traction element being a rotating bar or tube } |
| 27/28 | . . with provision for dynamic balancing | 35/066 | . . . {the bar or the tube being provided with a helical or annular channel } |
| 27/30 | . . . by means of an oppositely-moving mass, e.g. a second conveyor | 35/08 | . comprising trains of unconnected load-carriers, e.g. belt sections, movable in a path, e.g. a closed path, adapted to contact each other and to be propelled by means arranged to engage each load-carrier in turn |
| 27/32 | . . with means for controlling direction, frequency or amplitude of vibration or shaking movement | | |
| 27/34 | . comprising a series of co-operating units | | |
| 29/00 | Rotary conveyors, e.g. rotating discs, arms, star-wheels or cones (mechanical projectors B65G 31/00 ; screw or rotary spiral conveyors B65G 33/00) | 37/00 | Combinations of mechanical conveyors of the same kind, or of different kinds, of interest apart from their application in particular machines or use in particular manufacturing processes (series of co-operating belt conveyor units B65G 15/22 ; series of co-operating chain conveyor units B65G 17/26 ; sequence control of combined conveyors B65G 43/10) |
| 29/02 | . for inclined or vertical transit | | |
| 31/00 | Mechanical throwing machines for articles or solid materials | | |
| 31/02 | . comprising belts | | |
| 31/04 | . comprising discs, drums, or like rotary impellers | 37/005 | . {comprising two or more co-operating conveying elements with parallel longitudinal axes (the conveying elements being endless surfaces B65G 15/10) } |
| 33/00 | Screw or rotary spiral conveyors | 37/02 | . Flow-sheets for conveyor combinations in warehouses, magazines or workshops |
| 33/02 | . for articles | | |
| 33/04 | . . conveyed between a single screw and guiding means | | |
| 33/06 | . . conveyed and guided by parallel screws | | |
| 33/08 | . for fluent solid materials | | |
| 33/10 | . . with non-enclosed screws | | |
| 33/12 | . . with screws formed by straight tubes or drums having internal threads, or by spiral or helical tubes | | |
| 33/14 | . . comprising a screw or screws enclosed in a tubular housing | | |
| 33/16 | . . . with flexible screws operating in flexible tubes | | |
| 33/18 | . . . with multiple screws in parallel arrangements {, e.g. concentric } | | |
| 33/20 | . . . the housing being rotatable relative to the screw | | |
| 33/22 | . . . with means for retarding material flow at the delivery end of the housing | | |
| 33/24 | . Details | | |
| 33/26 | . . Screws | | |
| 33/265 | . . . {with a continuous helical surface (flexible screws B65G 33/16) } | | |
| 33/30 | . . . with a discontinuous helical surface | | |
| 33/32 | . . Adaptations of bearings or couplings for supporting and connecting screws (B65G 33/16 takes precedence) | | |
| 33/34 | . . Applications of driving gear | | |
| 33/36 | . . . for rotating housing and screw at different speeds | | |
| 33/38 | . . . for effecting simultaneous rotation and reciprocation of screw | | |
| 35/00 | Mechanical conveyors not otherwise provided for | 39/00 | Rollers, e.g. drive rollers, or arrangements thereof incorporated in roller-ways or other types of mechanical conveyors (driving gear for rollers of roller-ways B65G 13/06) |
| 35/005 | . {with peristaltic propulsion along a flexible tube } | 39/02 | . Adaptations of individual rollers and supports therefor |
| 35/02 | . comprising an endless traction element, e.g. a belt, arranged to roll cylindrical articles over a supporting surface | 39/025 | . . { having spherical roller elements } |
| 35/04 | . comprising a flexible load carrier, e.g. a belt, which is wound up at one end and paid out at the other (reciprocating belt conveyors B65G 25/06) | 39/04 | . . the rollers comprising a number of roller forming elements mounted on a single axle |
| | | 39/06 | . . the roller sleeves being shock-absorbing, e.g. formed by helically-wound wires |
| | | 39/07 | . . Other adaptations of sleeves |
| | | 39/071 | . . . for aligning belts or sheets |
| | | 39/073 | . . . for cleaning belts |
| | | 39/08 | . . the rollers being magnetic |
| | | 39/09 | . . Arrangements of bearing or sealing means |
| | | 39/10 | . Arrangements of rollers (on a single axle B65G 39/04) |
| | | 39/12 | . . mounted on framework |
| | | 39/125 | . . . {for selectively adjusting troughing of the conveying belt } |
| | | 39/14 | . . . Spring-supported sets, e.g. permitting troughing of a load-carrying belt |
| | | 39/145 | { attached to ties formed by longitudinal cables or ropes } |
| | | 39/16 | . . . for aligning belts or chains |
| | | 39/18 | . . . for guiding loads |
| | | 39/20 | . . attached to moving belts or chains |
| | | 41/00 | Supporting frames or bases for conveyors as a whole, e.g. transportable conveyor frames |
| | | 41/001 | . {with the conveyor adjustably mounted on the supporting frame or base } |

Common features or details of, or auxiliary devices applicable to, conveyors of different kinds or types; Feeding or discharging devices incorporated in, or operatively associated with, conveyors

| | | | |
|--------------|---|---------|--|
| 41/002 | . . {Pivotably mounted} | 47/082 | {grouping articles in rows} |
| 41/003 | . . {mounted for linear movement only} | 47/084 | {grouping articles in a predetermined 2-dimensional pattern} |
| 41/005 | . . {mounted for both pivotal and linear movement} | 47/086 | {cubiform articles} |
| 41/006 | . {with the conveyor not adjustably mounted on the supporting frame or base} | 47/088 | {cylindrical articles} |
| 41/007 | . {Means for moving conveyor frames and control arrangements therefor (B65G 41/02 takes precedence)} | 47/12 | . . . from disorderly-arranged article piles or from loose assemblages of articles |
| 41/008 | . . {frames mounted on wheels or caterpillar (for movement on rail tracks B65G 41/02)} | 47/14 | arranging or orientating the articles by mechanical or pneumatic means during feeding (during transit by conveyor B65G 47/24 , B65G 47/26) |
| 41/02 | . Frames mounted on wheels for movement on rail tracks | 47/1407 | {the articles being fed from a container, e.g. a bowl} |
| 43/00 | Control devices, e.g. for safety, warning or fault-correcting | 47/1414 | {by means of movement of at least the whole wall of the container} |
| | NOTE | 47/1421 | {Vibratory movement} |
| | in this group the following indexing codes are used: | 47/1428 | {rotating movement} |
| | B65G 2811/0673 | 47/1435 | {using the centrifugal effect to arrange or orientate the articles} |
| | B65G 2812/02099 - B65G 2812/02108 | 47/1442 | {by means of movement of the bottom or a part of the wall of the container (devices using suction or magnetic forces B65G 47/1485)} |
| 43/02 | . detecting dangerous physical condition of load carriers, e.g. for interrupting the drive in the event of overheating | 47/145 | {Jigging or reciprocating movement} |
| 43/04 | . detecting slip between driving element and load-carrier, e.g. for interrupting the drive (B65G 43/02 takes precedence)} | 47/1457 | {Rotating movement in the plane of the rotating part} |
| 43/06 | . interrupting the drive in case of driving element breakage; Braking or stopping loose load-carriers | 47/1464 | {using the centrifugal effect to arrange or orientate the articles} |
| 43/08 | . Control devices operated by article or material being fed, conveyed or discharged (and controlling the discharging devices B65G 47/42)} | 47/1471 | {Movement in one direction, substantially outwards} |
| 43/10 | . Sequence control of conveyors operating in combination | 47/1478 | {by means of pick-up devices, the container remaining immobile} |
| | | 47/1485 | {using suction or magnetic forces} |
| | | 47/1492 | {the articles being fed from a feeding conveyor} |
| 45/00 | Lubricating, cleaning, or clearing devices | 47/16 | . . for feeding materials in bulk |
| 45/005 | . {Cleaning conveyor screws} | 47/18 | . . . Arrangements or applications of hoppers or chutes |
| 45/02 | . Lubricating devices | 47/19 | having means for controlling material flow, e.g. to prevent overloading |
| 45/04 | . . for rollers | 47/20 | the hoppers or chutes being movable |
| 45/06 | . . . forming belt troughing structure | 47/22 | . Devices influencing the relative position or the attitude of articles during transit by conveyors (during feeding B65G 47/14) |
| 45/08 | . . for chains | 47/24 | . . orientating the articles |
| 45/10 | . Cleaning devices (adaptations of roller sleeves for cleaning belts B65G 39/073) | 47/244 | . . . by turning them about an axis substantially perpendicular to the conveying plane |
| 45/105 | . . {comprising vibrating means} | 47/2445 | {by means of at least two co-operating endless conveying elements} |
| 45/12 | . . comprising scrapers | 47/248 | . . . by turning over or inverting them (B65G 47/244 takes precedence) |
| 45/14 | . . . Moving scrapers | 47/252 | about an axis substantially perpendicular to the conveying direction |
| 45/16 | . . . with scraper biasing means | 47/256 | . . . removing incorrectly orientated articles |
| 45/18 | . . comprising brushes | 47/26 | . . arranging the articles, e.g. varying spacing between individual articles |
| 45/20 | . . comprising screws | 47/261 | . . . {Accumulating articles} |
| 45/22 | . . comprising fluid applying means | 47/263 | {the conveyor drive is taken from a longitudinally extending shaft} |
| 45/24 | . . comprising plural diverse cleaning devices | 47/265 | {with one or more load advancing units travelling along the entire length of the accumulation line} |
| 45/26 | . . for gathering residue after cleaning | 47/266 | {by means of a series of pivotable stop elements} |
| 47/00 | Article or material-handling devices associated with conveyors; Methods employing such devices | | |
| 47/02 | . Devices for feeding articles or materials to conveyors | | |
| 47/04 | . . for feeding articles | | |
| 47/06 | . . . from a single group of articles arranged in orderly pattern, e.g. workpieces in magazines (de-stacking devices B65G 59/00) | | |
| 47/08 | spacing or grouping the articles during feeding (during transit by conveyor B65G 47/28) | | |

Feeding or...

- 47/268 {by means of belt or chain conveyor}
- 47/28 . . . during transit by a single conveyor
- 47/29 by temporarily stopping movement
{(stopping elements [B65G 47/88](#))}
- 47/295 {by means of at least two stopping
elements}
- 47/30 . . . during transit by a series of conveyors
- 47/31 by varying the relative speeds of the
conveyors forming the series
- 47/32 Applications of transfer devices {(such
devices *per se* [B65G 47/74](#))}
- 47/34 . . Devices for discharging articles or materials
from conveyor ([B65G 47/256](#) takes precedence)
- 47/36 . . by detaching suspended articles
- 47/38 . . by dumping, tripping, or releasing load carriers
(by flexing or tilting travelling structures
[B65G 47/94](#))
- 47/40 . . . by tilting conveyor buckets
- 47/42 . . operated by article or material being conveyed
and discharged {([B65G 47/46](#) takes precedence)}
- 47/44 . . Arrangements or applications of hoppers or
chutes
- 47/46 . . with distribution, e.g. automatically, to desired
points (in tube mail systems [B65G 51/36](#))
- 47/48 . . . according to bodily destination marks on either
articles or load-carriers
- 47/482 {using exclusively mechanical transmitting
means between destination marks and
switching means}
- 47/485 {using electric or electronic transmitting
means between destination marks and
switching means}
- 47/487 {the destination marks being mechanically
detected}
- 47/49 without bodily contact between article or
load carrier and automatic control device {,
e.g. the destination marks being electrically
or electronically detected}
- 47/493 {by use of light responsive means}
- 47/496 {by use of magnetic responsive means}
- 47/50 . . . according to destination signals stored in
separate systems
- 47/503 {the system comprising endless moving
means}
- 47/506 {the system comprising a shift-register}
- 47/51 . . . according to unprogrammed signals, e.g.
influenced by supply situation at destination
- 47/5104 {for articles}
- 47/5109 {first In - First Out systems: FIFO}
- 47/5113 {using endless conveyors
([B65G 47/5145](#) takes precedence)}
- 47/5118 {with variable accumulation capacity}
- 47/5122 {by displacement of the conveyor-
guiding means, e.g. of the loose
pulley-type ([B65G 47/5127](#) takes
precedence)}
- 47/5127 {by relative displacement between
conveyor and input or output}
- 47/5131 {by relative displacement between
conveyors or conveyor parts and
bridging means therebetween}
- 47/5136 {using rotary conveyors}
- 47/514 {using stacking and/or destacking
arrangements or stacks of articles or
article carriers}
- 47/5145 {with recirculation means}
- 47/515 {First In-Last Out systems [FILO]; Last
In-First Out systems [LIFO]}
- 47/5154 {using endless conveyors
([B65G 47/5186](#) takes precedence)}
- 47/5159 {with variable accumulation capacity}
- 47/5163 {by displacement of conveyor-
guiding means, e.g. of the loose
pulley type ([B65G 47/5168](#) takes
precedence)}
- 47/5168 {by relative displacement between
conveyor and conveyor in- or
output means}
- 47/5172 {by relative displacement between
conveyors or conveyor parts and
bridging means therebetween}
- 47/5177 {using rotary conveyor(s)}
- 47/5181 {using stacking or destacking
arrangements or stacks of articles or
article-carriers}
- 47/5186 {with recirculation means}
- 47/519 {collecting tables or bins as end-station}
- 47/5195 {for materials in bulk}
- 47/52 . . Devices for transferring articles or materials
between conveyors i.e. discharging or feeding
devices (loading or unloading by means not
incorporated in, or not operatively associated
with, conveyors [B65G 65/00](#); transfer of workpieces
during metal rolling [B21B 41/00](#))
- 47/525 . . {using fluid jets}
- 47/53 . . between conveyors which cross one another
- 47/54 . . . at least one of which is a roller-way
- 47/56 . . to or from inclined or vertical conveyor sections
- 47/57 . . . for articles
- 47/58 . . . for materials in bulk
- 47/60 . . to or from conveyors of the suspended, e.g.
trolley, type
- 47/61 . . . for articles
- 47/62 . . . for materials in bulk
- 47/64 . . Switching conveyors
- 47/641 . . . {by a linear displacement of the switching
conveyor}
- 47/642 {in a horizontal plane}
- 47/643 {in a vertical plane}
- 47/644 . . . {by a pivoting displacement of the switching
conveyor}
- 47/645 {about a horizontal axis}
- 47/646 {the axis being parallel to the conveying
direction}
- 47/647 {the axis being perpendicular to the
conveying direction}
- 47/648 {about a vertical axis}
- 47/66 . . Fixed platforms or combs, e.g. bridges between
conveyors
- 47/68 . . adapted to receive articles arriving in one layer
from one conveyor {lane} and to transfer them in
individual layers to more than one conveyor {lane
or to one broader conveyor lane}, or *vice versa*,
e.g. combining the flows of articles conveyed by
more than one conveyor
- 47/681 . . . {from distinct, separate conveyor lanes}

| | | | |
|----------|--|--------------|--|
| 47/682 | . . . {from a single conveyor lane consisting of one conveyor or several adjacent conveyors} | 47/88 | . . Separating or stopping elements, e.g. fingers (attached to star-shaped wheels B65G 47/84) |
| 47/683 | {with tilting of at least part of the conveyor to make use of gravity} | 47/8807 | . . . {with one stop} |
| 47/684 | {with recirculation of articles forming a buffer} | 47/8815 | {Reciprocating stop, moving up or down in the path of the article} |
| 2047/685 | {Devices for preventing jamming in converging flows} | 47/8823 | {Pivoting stop, swinging in or out of the path of the article} |
| 2047/686 | {Lane boundaries which reciprocate or oscillate, e.g. vibrating boundaries} | 47/883 | {Fixed stop} |
| 2047/687 | {Lane boundaries which comprise rotatable elements, e.g. discs, cylinders, endless belts} | 47/8838 | {with a linearly movable pusher element which lifts or releases the article} |
| 2047/688 | {Lane boundaries which are compliant} | 47/8846 | {with a pivoting pusher element which lifts or releases the article} |
| 2047/689 | {Lane boundaries which are of such shape that tight arrays of articles are broken up or prevented from forming} | 47/8853 | {with conveyors, e.g. pivoting or rotating, to transfer the article} |
| 47/69 | . . . the articles being accumulated temporarily {(accumulating articles during transit B65G 47/261)} | 47/8861 | {Stop in the form of a clamp on one or both sides of the article} |
| 47/70 | . . . with precedence controls among incoming article flows | 47/8869 | {stopping or lifting all articles from a conveyor} |
| 47/71 | . . . the articles being discharged {or distributed} to several {distinct separate} conveyors {or to a broader conveyor lane} | 47/8876 | . . . {with at least two stops acting as gates} |
| 47/715 | {to a broader conveyor lane} | 47/8884 | {Stops acting asynchronously, e.g. one stop open, next one closed or the opposite} |
| 47/72 | . . transferring materials in bulk from one conveyor to several conveyors, or <u>vice versa</u> | 47/8892 | {Stops acting independently of each other} |
| 47/74 | . Feeding, transfer, or discharging devices of particular kinds or types | 47/90 | . . Devices for picking-up and depositing articles or materials |
| 47/76 | . . Fixed or adjustable ploughs or transverse scrapers | 47/901 | . . . {provided with drive systems with rectilinear movements only} |
| 47/763 | . . . {Fixed ploughs or transverse scrapers} | 47/902 | . . . {provided with drive systems incorporating rotary and rectilinear movements} |
| 47/766 | . . . {Adjustable ploughs or transverse scrapers} | 47/904 | . . . {provided with rotary movements only} |
| 47/78 | . . Troughs having discharge openings and closures {(in air-slides B65G 53/20)} | 47/905 | . . . {Control arrangements} |
| 47/80 | . . Turntables carrying articles or materials to be transferred, e.g. combined with ploughs or scrapers | 47/907 | . . . {with at least two picking-up heads} |
| 47/82 | . . Rotary or reciprocating members for direct action on articles or materials, e.g. pushers, rakes, shovels {(means for pushing glass articles onto a conveyor C03B 9/453)} | 47/908 | . . . {with inflatable picking-up means (inflatable gripping members on load engaging elements for cranes B66C 1/46)} |
| 47/84 | . . Star-shaped wheels or devices having endless travelling belts or chains, the wheels or devices being equipped with article-engaging elements {(not used, see B65G 47/841 , B65G 47/846)} | 47/91 | . . . incorporating pneumatic, e.g. suction, grippers |
| 47/841 | . . . {Devices having endless travelling belts or chains equipped with article-engaging elements} | 47/911 | {with air blasts producing partial vacuum} |
| 47/842 | {the article-engaging elements being grippers} | 47/912 | {provided with drive systems with rectilinear movements only} |
| 47/843 | {the article-engaging elements being suction or magnetic means} | 47/914 | {provided with drive systems incorporating rotary and rectilinear movements} |
| 47/844 | {the article-engaging elements being pushers transversally movable on the supporting surface, e.g. pusher-shoes} | 47/915 | {provided with drive systems with rotary movements only} |
| 47/845 | {the article engaging elements being pushers moving in parallel and independently from the supporting conveyor} | 47/917 | {control arrangements} |
| 47/846 | . . . {Star-shaped wheels or wheels equipped with article-engaging elements} | 47/918 | {with at least two picking-up heads} |
| 47/847 | {the article-engaging elements being grippers} | 47/92 | . . . incorporating electrostatic or magnetic grippers |
| 47/848 | {the article-engaging elements being suction or magnetic means} | 47/94 | . . Devices for flexing or tilting travelling structures; Throw-off carriages |
| | | 47/945 | . . . {tilting endless surfaces, e.g. belts} |
| | | 47/95 | . . . adapted for longitudinal delivery |
| | | 47/96 | . . . Devices for tilting links or platform {(releasing load-carriers B65G 47/38)} |
| | | 47/962 | {tilting about an axis substantially parallel to the conveying direction} |
| | | 47/965 | {tilting about a sided-axis, i.e. the axis is not located near the center-line of the load-carrier} |
| | | 47/967 | {tilting about an axis perpendicular to the conveying direction} |
| | | 49/00 | Conveying systems characterised by their application for specified purposes not otherwise provided for |
| | | 49/02 | . for conveying workpieces through baths of liquid |
| | | 49/025 | . . {conveyor feeding and discharging means} |

Feeding or...

- 49/04 . . the workpieces being immersed and withdrawn by movement in a vertical direction
- 49/0404 . . . {specially adapted for very long workpieces, e.g. chains, cables or belts}
- 49/0409 . . . {specially adapted for workpieces of definite length}
- 49/0413 {arrangements for conveyance through the bath}
- 49/0418 {chain or belt conveyors}
- 49/0422 {screws}
- 49/0427 {jigging conveyors}
- 49/0431 {reciprocating conveying means}
- 49/0436 {arrangements for conveyance from bath to bath}
- 49/044 {along a continuous circuit}
- 49/0445 {the circuit being movable vertically as a whole}
- 49/045 {the circuit being fixed}
- 49/0454 {by means of containers -or workpieces- carriers (containers or carriers as such see C25D 17/00)}
- 49/0459 {movement in a vertical direction is caused by self-contained means}
- 49/0463 {movement in a vertical direction is caused by lifting means or fixed or adjustable guiding means located at the bath area}
- 49/0468 {without container or workpieces carriers}
- 49/0472 {along a non continuous circuit}
- 49/0477 {with lifting means for circuit parts}
- 49/0481 {with lifting means locating at the bath area}
- 49/0486 {provided with rotating or pivoting arms}
- 49/049 {provided with vertical guiding means}
- 49/0495 {conveying by flows of fluids}
- 49/05 . . for fragile or damageable materials or articles
- 49/06 . . for fragile sheets, e.g. glass
- 49/062 {Easels, stands or shelves, e.g. castor-shelves, supporting means on vehicles; (vehicles adapted to carry glass sheets B60P 3/002; storing articles B65G 1/00 or A47B 53/02; packaging for glass sheets B65D 85/48)}
- 49/063 {Transporting devices for sheet glass}
- 49/064 {in a horizontal position (B65G 49/066 takes precedence)}
- 49/065 {supported partially or completely on fluid cushions, e.g. a gas cushion (in general B65G 51/00)}
- 49/066 {being suspended; Suspending devices, e.g. clamps, supporting tongs}
- 49/067 . . . {Sheet handling, means, e.g. manipulators, devices for turning or tilting sheet glass (suction cups B65G 49/061; combined with vertical conveyors C03B 33/00 - C03B 33/10; stacking and destacking B65G 49/068)}
- 49/068 . . . {Stacking or destacking devices; Means for preventing damage to stacked sheets, e.g. spaces (stacking in general B65G 57/00; destacking in general B65G 59/00; spacer sheets in general B65H)}
- 49/069 {Means for avoiding damage to stacked plate glass, e.g. by interposing paper or powder spacers in the stack (maculation per se B65H 39/00)}
- 49/07 . . for semiconductor wafers {Not used, see H01L 21/677} (specially adapted for conveying of semiconductor wafers during manufacture or treatment of semiconductor or electric solid state devices or components H01L 21/677)
- 49/08 . . for ceramic mouldings
- 49/085 . . . {for loading or unloading racks or similar frames; loading racks therefor}

Non-mechanical conveying through pipes or tubes (pipe-line systems F17D); Floating in troughs

- 51/00** **Conveying articles through pipes or tubes by fluid flow or pressure; Conveying articles over a flat surface, e.g. the base of a trough, by jets located in the surface**
- 51/01 . . Hydraulic transport of articles (B65G 51/04 takes precedence; water roundabouts A63G 3/00)
- 51/02 . . Directly conveying the articles, e.g. slips, sheets, stockings, containers or workpieces, by flowing gases
- 51/025 . . {Conveying ammunition through pipes}
- 51/03 . . over a flat surface or in troughs
- 51/035 . . . {for suspended articles, e.g. bottles}
- 51/04 . . Conveying the articles in carriers having a cross-section approximating that of the pipe or tube; Tube mail systems
- 51/06 . . Despatch carriers for tube mail
- 51/08 . . Controlling or conditioning the operating medium
- 51/10 . . . at section junctions of pneumatic systems
- 51/12 Pneumatic gates
- 51/14 Pneumatic sluices
- 51/16 . . . varying, e.g. starting or stopping, gas pressure or flow
- 51/18 . . Adaptations of pipes or tubes; Pipe or tube joints
- 51/20 . . Braking arrangements
- 49/061 . . . {Lifting, gripping, or carrying means, for one or more sheets forming independent means of transport, e.g. suction cups, transport frames (suction means as load-engaging elements attached to the lifting or lowering gear of cranes B66C 1/02; suction cups for attaching purposes F16B 47/00; suction cups on gripping heads B25J 15/0616; suction cups in general B65G 47/91; suction cups combined with cutting means on vertical conveyors C03B 33/00 - C03B 33/10; devices for turning sheets B65G 49/067; suspending devices B65G 49/066)}

NOTE

In group B65G 49/06 and subgroups it is desirable to add indexing codes for specific aspects of conveying systems. The indexing codes are chosen from groups B65G 2249/00 - B65G 2249/045

- 51/22 . . Arrangements for stopping the carriers en route in order to control carrier sequence; Blocking or separating devices
- 51/24 . . Switches
- 51/26 . . Stations
- 51/28 . . . for despatch
- 51/30 . . . for delivery
- 51/32 . . . for despatch, delivery, and transit
- 51/34 . . Two-way operation
- 51/36 . . Other devices for indicating or controlling movements of carriers, e.g. for supervising individual tube sections, for counting carriers, for reporting jams or other operating difficulties
- 51/38 . . . Contact devices on interior of tubes for detecting passage of carriers
- 51/40 . . . Automatically distributing the carriers to desired stations
- 51/42 according to indications on carriers
- 51/44 without mechanical contact between carriers and controllers
- 51/46 according to separate signal systems
- 53/00 Conveying materials in bulk through troughs, pipes or tubes by floating the materials or by flow of gas, liquid or foam**
- 53/02 . Floating material troughs
- 53/04 . Conveying materials in bulk pneumatically through pipes or tubes; Air slides
- 53/06 . . Gas pressure systems operating without fluidisation of the materials
- 53/08 . . . with mechanical injection of the materials, e.g. by screw
- 53/10 . . . with pneumatic injection of the materials by the propelling gas
- 53/12 the gas flow acting directly on the materials in a reservoir
- 53/14 the gas flow inducing feed of the materials by suction effect
- 53/16 . . Gas pressure systems operating with fluidisation of the materials
- 53/18 . . . through a porous wall
- 53/20 of an air slide, e.g. a trough
- 53/22 the systems comprising a reservoir, e.g. a bunker
- 53/24 . . Gas suction systems
- 53/26 . . . operating with fluidisation of the materials
- 53/28 . . Systems utilising a combination of gas pressure and suction ([inducing feed of the materials by suction in gas pressure systems B65G 53/14](#))
- 53/30 . Conveying materials in bulk through pipes or tubes by liquid pressure
- 53/32 . Conveying concrete, e.g. for distributing same at building sites ([mixing concrete on or by conveyors B28C 5/34](#))
- 53/34 . Details
- 53/36 . . Arrangements of containers ([hoppers B65D 3/06; containers in general B65D](#))
- 53/38 . . Modification of material containing walls to facilitate fluidisation ([hoppers with walls modified for fluidisation of contents B65D 88/72](#))
- 53/40 . . Feeding or discharging devices
- 53/42 . . . Nozzles
- 53/44 . . . Endless conveyors
- 53/46 . . . Gates or sluices, e.g. rotary wheels
- 53/4608 {Turnable elements, e.g. rotary wheels with pockets or passages for material}
- 53/4616 {with axis of turning parallel to flow}
- 53/4625 {with axis of turning perpendicular to flow}
- 53/4633 {the element having pockets, rotated from charging position to discharging position, i.e. discrete flow}
- 53/4641 {with means for clearing out the pockets}
- 53/465 {with a closable outlet}
- 53/4658 {the element having passages simultaneously connectable to both inlet and outlet ports}
- 53/4666 {with axis of turning neither parallel nor perpendicular to flow, i.e. mixed flow}
- 53/4675 {with flexible wall parts, e.g. peristaltic devices}
- 53/4683 {with a reciprocating mover acting directly on material}
- 53/4691 {of air-lock type, i.e. at least two valves opening asynchronously}
- 53/48 . . . Screws or like rotary conveyors
- 53/50 . . . Pneumatic devices ([incorporated in nozzles B65G 53/42](#))
- 53/52 . . Adaptations of pipes or tubes
- 53/521 . . . {means for preventing the accumulation or for removal of deposits ([preventing accumulation in pipes in general F16L 55/24](#))}
- 53/523 . . . {Wear protection}
- 53/525 . . . {for conveyance in plug-form}
- 53/526 . . . {with means for special treatment to facilitate transport}
- 53/528 . . . {Flux combining or dividing arrangements ([B65G 53/56 takes precedence](#))}
- 53/54 . . . Flexible pipes or tubes
- 53/56 . . . Switches
- 53/58 . . Devices for accelerating or decelerating flow of the materials; Use of pressure generators ([controlling pressure of propelling gas B65G 53/66](#))
- 53/60 . . Devices for separating the materials from propellant gas
- 53/62 . . . using liquid
- 53/64 . . . in discrete amounts
- 53/66 . . Use of indicator or control devices, e.g. for controlling gas pressure, for controlling proportions of material and gas, for indicating or preventing jamming of material ([controlling the flow of coal firing systems C21B 5/003](#))}
- 54/00 Non-mechanical conveyors not otherwise provided for**
- 54/02 . electrostatic, electric, or magnetic
- 54/025 . . {the load being magnetically coupled with a piston-like driver moved within a tube}

Stacking or de-stacking; Loading or unloading (by means incorporated in, or operatively associated with, conveyors [B65G 47/00](#); lift trucks [B60P](#); [B66F](#); handling sheet material or flat articles made therefrom [B65H](#); cranes [B66C](#); loading or unloading by soil-shifting or like equipment [E02F](#); stacking or de-stacking data record cards in association with machines for marking or sensing data [G06K](#))

NOTE

In groups [B65G 57/00](#) - [B65G 61/00](#), the following term is used with the meaning indicated:

- "stacking" means disposing articles individually or in layers one above each other

- 57/00 Stacking of articles** ([B65G 60/00](#) takes precedence; feeding, piling or stacking sheets [B65H](#))
- 57/005 . {by using insertions or spacers between the stacked layers}
- 57/02 . by adding to the top of the stack
- 57/03 . . from above
- 57/035 . . . {with a stepwise downward movement of the stack}
- 57/04 . . . by suction or magnetic devices
- 57/06 . . . Gates for releasing articles
- 57/08 . . articles being tilted or inverted prior to depositing
- 57/081 . . . alternate articles being inverted
- 57/09 . . from alongside
- 57/10 . . . by devices, e.g. reciprocating, acting directly on articles for horizontal transport to the top of stack
- 57/11 . . the articles being stacked by direct action of the feeding conveyor
- 57/112 . . . the conveyor being adjustable in height
- 57/14 . . . the articles being transferred from carriers moving in an endless path adjacent to the stacks
- 57/16 . . Stacking of articles of particular shape
- 57/165 . . . {nested}
- 57/18 . . . elongated, e.g. sticks, rods, bars
- 57/183 {Angle irons}
- 57/186 {Cylindrical articles, e.g. tubes, rods, etc.}
- 57/20 . . . three-dimensional, e.g. cubiform, cylindrical
- 57/22 in layers each of predetermined arrangement
- 57/24 the layers being transferred as a whole, e.g. on pallets
- 57/245 {with a stepwise downward movement of the stack}
- 57/26 the arrangement providing for spaces between the articles
- 57/28 . by assembling the articles and tilting the assembled articles to a stacked position
- 57/30 . by adding to the bottom of the stack
- 57/301 . . {by means of reciprocatory or oscillatory lifting and holding or gripping devices}
- 57/302 . . . {added articles being lifted to substantially stationary grippers or holders}
- 57/303 . . . {the stack being lowered by mobile grippers or holders onto added articles}
- 57/305 . . {by means of rotary devices or endless elements}
- 57/306 . . . {the rotary devices being wheels}
- 57/307 . . . {the rotary devices being screws}
- 57/308 . . . {by means of endless elements}
- 57/32 . characterised by stacking during transit

- 59/00 De-stacking of articles** ([B65G 60/00](#) takes precedence)
- 59/005 . {by using insertions or spacers between the stacked layers}
- 59/02 . De-stacking from the top of the stack
- 59/023 . . {by means insertable between the stacked articles or layers}
- 59/026 . . . {with a stepwise upward movement of the stack}
- 59/04 . . by suction or magnetic devices
- 59/045 . . . {with a stepwise upward movement of the stack}
- 59/06 . De-stacking from the bottom of the stack
- 59/061 . . {articles being separated substantially along the axis of the stack}
- 59/062 . . . {by means of reciprocating or oscillating escapement-like mechanisms}
- 59/063 {comprising lifting means}
- 59/065 {by angularly displacing the stack relatively to the lower most article or *vice versa*}
- 59/066 . . . {by means of rotary devices or endless elements}
- 59/067 . . {articles being separated substantially perpendicularly to the axis of the stack}
- 59/068 . . . {by means of endless elements}
- 59/08 . De-stacking after preliminary tilting of the stack
- 59/10 . De-stacking nested articles
- 59/101 . . {by means of oscillating escapement-like mechanisms}
- 59/102 . . . {the axis of oscillation being substantially parallel to the axis of the stack}
- 59/103 . . . {comprising lifting or gripping means}
- 59/105 . . {by means of reciprocating escapement-like mechanisms}
- 59/106 . . . {comprising lifting or gripping means}
- 59/107 . . {by means of rotary devices or endless elements}
- 59/108 . . . {the axis of rotation being substantially parallel to the axis of the stack}
- 59/12 . characterised by de-stacking during transit
- 60/00 Simultaneously or alternatively stacking and de-stacking of articles**
- 61/00 Use of pick-up or transfer devices or of manipulators for stacking or de-stacking articles not otherwise provided for**
- 63/00 Transferring or trans-shipping at storage areas, railway yards or harbours {or in opening mining cuts}; Marshalling yard installations**
- 63/002 . {for articles}
- 63/004 . . {for containers}
- 63/006 . . . {using slanted guides}
- 63/008 . {for bulk material}
- 63/02 . with essentially horizontal transit otherwise than by bridge
- 63/022 . . {for articles}
- 63/025 . . . {for containers}
- 63/027 . . {for bulk material}
- 63/04 . with essentially-horizontal transit by bridges equipped with conveyors
- 63/042 . . {for articles}
- 63/045 . . . {for containers}
- 63/047 . . . {for bulk material}
- 63/06 . with essentially-vertical transit

- 63/062 . . {for articles}
- 63/065 . . . {for containers}
- 63/067 . . {for bulk material}
- 65/00 Loading or unloading (of vehicles [B65G 67/00](#))**
- 65/005 . {Control arrangements}
- 65/02 . Loading or unloading machines comprising essentially a conveyor for moving the loads associated with a device for picking-up the loads
- 65/04 . . with pick-up shovels ([constructions of shovels E02F](#))
- 65/06 . . with endless scraping or elevating pick-up conveyors
- 65/08 . . with reciprocating pick-up conveyors
- 65/10 . . . Raking or scraping devices
- 65/12 . . . operations at positions off-set from the conveyor centreline
- 65/14 . . with jiggling pick-up conveyors, e.g. duck-bills
- 65/16 . . with rotary pick-up conveyors
- 65/18 . . . Discs
- 65/20 . . . Paddle wheels
- 65/22 . . . Screws
- 65/23 . Devices for tilting and emptying of containers
- 65/24 . . for manual tilting of barrels or casks
- 65/28 . Piling or unpling loose materials in bulk, e.g. coal, manure, timber, not otherwise provided for ([by soil-shifting or like equipment E02F](#))
- 65/30 . Methods or devices for filling or emptying bunkers, hoppers, tanks, or like containers, of interest apart from their use in particular chemical or physical processes or their application in particular machines, e.g. not covered by a single other subclass ([devices for tilting and emptying containers B65G 65/23](#); [such containers having means facilitating filling or emptying B65D 88/54](#))
- NOTE**
- Methods or devices for filling bunkers, hoppers, or containers are only classified in group [B65G 65/30](#) if they are of general application apart from their use in particular processes or their application in particular machines or if they are not covered by a single other subclass
- 65/32 . . Filling devices
- 65/34 . . Emptying devices ([conveyor construction B65G 15/00 - B65G 35/00](#); [devices similar to vehicle tipplers B65G 67/48](#))
- 65/36 . . . Devices for emptying from the top
- 65/365 {comprising a vertical passage located inside the container}
- 65/38 Mechanical devices
- 65/40 . . . Devices for emptying otherwise than from the top
- 65/42 using belt or chain conveyors
- 65/425 {arranged to be movable}
- 65/44 using reciprocating conveyors, e.g. jiggling conveyors
- 65/46 using screw conveyors
- 65/463 {arranged vertically or substantially vertically within the container ([B65G 65/466 takes precedence](#))}
- 65/466 {arranged to be movable}
- 65/48 using other rotating means, e.g. rotating pressure sluices in pneumatic systems ([B65G 53/46 takes precedence](#))
- 65/4809 {rotating about a substantially vertical axis}
- 65/4818 {and having the form of rotating tables or pans}
- 65/4827 {with particular surface features, e.g. ribs, roughening}
- 65/4836 {and moving material over a stationary surface, e.g. sweep arms or wheels}
- 65/4845 {flexible, e.g. chains, cables, spring arms}
- 65/4854 {mounted on a carriage, e.g. for movement along slit-like outlets}
- 65/4863 {by means of eccentric motion}
- 65/4872 {through which material passes, e.g. fan-like wheels}
- 65/4881 {rotating about a substantially horizontal axis}
- 65/489 {in the form of rotating tubular chutes}
- 67/00 Loading or unloading vehicles (by means incorporated in the vehicles [B60-B64](#), e.g., [B60P 1/00](#), [B61D 9/00](#), [B63B 27/00](#), [B64D 9/00](#); [ground or aircraft-carrier-deck installations for aircraft B64F 1/32](#))**
- 67/02 . Loading or unloading land vehicles
- 67/04 . . Loading land vehicles ([loading or unloading boats to or from land vehicles B60P 3/10](#))
- 67/06 . . . Feeding articles or materials from bunkers or tunnels
- 67/08 . . . using endless conveyors
- 67/10 . . . using conveyors covering the whole length of vehicle trains
- 67/12 . . . Loading elongated articles, e.g. rails, logs
- 67/14 . . . Loading hardened bricks, briquettes, or the like
- 67/16 . . . Loading coke-oven products ([discharging coke-ovens C10B 33/00](#))
- 67/18 . . . Refuelling locomotives with solid fuels
- 67/20 . . . Loading covered vehicles
- 67/22 . . . Loading moving vehicles
- 67/24 . . Unloading land vehicles
- 67/26 . . . using rakes or scrapers
- 67/28 External transverse blades attached to endless conveyors
- 67/30 . . . using transportable tipping apparatus
- 67/32 . . . using fixed tipping installations
- 67/34 Apparatus for tipping wagons or mine cars ([inverting wagons B65G 67/48](#))
- 67/36 endwise
- 67/38 comprising a turntable
- 67/40 toward one end only
- 67/42 sideways
- 67/44 by passing the vehicles over a stretch of transversely-inclined rails
- 67/46 Apparatus for lifting and tilting
- 67/48 Vehicle tipplers
- 67/50 Rotary vehicle tipplers, i.e. rotating through 360 degrees
- 67/52 having several decks
- 67/54 Vehicle-locking means
- 67/56 Vehicle and tippler interlocking controls

- 67/60 . Loading or unloading ships ([arrangement of ship-based loading or unloading equipment for cargo or passengers B63B 27/00](#))
 - 67/603 . . {using devices specially adapted for articles}
 - 67/606 . . {using devices specially adapted for bulk material}
 - 67/62 . . using devices influenced by the tide or by the movements of the ship, e.g. devices on pontoons
 - 69/00** **Auxiliary measures taken, or devices used, in connection with loading or unloading (by means incorporated in, or operatively associated with, conveyors [B65G 47/00](#); preventing fire [A62C 3/00](#); in vehicles, see the relevant subclasses, e.g., [B60P 1/58](#), [B61D 7/32](#), [B62D 33/00](#), [B63B 25/00](#), [B64D 9/00](#))**
 - 69/001 . {Buffers for vehicles at loading stations}
 - 69/003 . {Restraining movement of a vehicle at a loading station using means not being part of the vehicle}
 - 69/005 . . {the means engaging at least one wheel of the vehicle}
 - 69/006 . {Centring or aligning a vehicle at a loading station using means not being part of the vehicle}
 - 69/008 . {Dock- or bumper-seals}
 - 69/02 . Filling storage spaces as completely as possible, e.g. application of vibrators
 - 69/04 . Spreading out the materials conveyed over the whole surface to be loaded; Trimming heaps of loose materials
 - 69/0408 . . {by relatively moving an endless feeding means ([B65G 69/0458](#) takes precedence)}
 - 69/0416 . . {with scraping belts or chains}
 - 69/0425 . . {with vibrating or shaking means}
 - 69/0433 . . {with screw conveyors}
 - 69/0441 . . {with chutes, deflector means or channels ([B65G 69/0458](#) takes precedence)}
 - 69/045 . . {with scraping devices ([B65G 69/0416](#) takes precedence)}
 - 69/0458 . . {with rotating means, e.g. tables, arms}
 - 69/0466 . . {with throwing devices}
 - 69/0475 . . {with air jets}
 - 69/0483 . . {with electric or magnetic means}
 - 69/0491 . . {with a pneumatic feeding conveyor}
 - 69/06 . Fluidising
 - 69/08 . Devices for emptying storage spaces as completely as possible ([devices preventing the formation of bridges in large containers B65D 88/64](#))
 - 69/10 . Obtaining an average product from stored bulk material
 - 69/12 . Sieving bulk materials during loading or unloading
 - 69/14 . Pulverising loaded or unloaded materials
 - 69/16 . Preventing pulverisation, deformation, breakage, or other mechanical damage to the goods or materials
 - 69/165 . . {using descending or lowering endless conveyors}
 - 69/18 . Preventing escape of dust
 - 69/181 . . {by means of sealed systems}
 - 69/182 . . . {with aspiration means}
 - 69/183 . . . {with co-operating closure members on each of the parts of a separable transfer channel}
 - 69/185 . . {by means of non-sealed systems}
 - 69/186 . . . {with aspiration means}
 - 69/187 . . . {with non-return closures}
 - 69/188 . . . {with spraying means}
 - 69/20 . Auxiliary treatments, e.g. aerating, heating, humidifying, deaerating, cooling, de-watering or drying, during loading or unloading; Loading or unloading in a fluid medium other than air
 - 69/22 . Horizontal loading or unloading platforms ([as road or railway equipment B61B 1/00, E01F 1/00](#))
 - 69/24 . . having platform level adjusting means
 - 69/26 . . Rotatable platforms
 - 69/28 . Loading ramps; Loading docks ([as road or railway equipment B61B 1/00, E01F 1/00](#))
 - 69/2805 . . {permanently installed on the dock}
 - 69/2811 . . . {pivoting ramps}
 - 69/2817 {with fluid-operated means}
 - 69/2823 {extensible by pivoting parts}
 - 69/2829 {extensible by sliding parts}
 - 69/2835 {with spring-operated means}
 - 69/2841 {extensible by pivoting parts}
 - 69/2847 {extensible by sliding parts}
 - 69/2852 {with electric motor-operated means}
 - 69/2858 {with weight counterbalancing means}
 - 69/2864 . . . {adjustable with respect to the dock}
 - 69/287 . . {Constructional features of deck or surround}
 - 69/2876 . . . {Safety or protection means, e.g. skirts}
 - 69/2882 {operated by detectors or sensors}
 - 69/2888 {Vehicle barriers mounted on deck}
 - 69/2894 {Safety legs}
 - 69/30 . . Non-permanently installed loading ramps, e.g. transportable
-
- 2201/00** **Indexing codes relating to handling devices, e.g. conveyors, characterised by the type of product or load being conveyed or handled**
 - 2201/02 . Articles
 - 2201/0202 . . Agricultural and processed food products
 - 2201/0205 . . . Biscuits
 - 2201/0208 . . . Eggs
 - 2201/0211 . . . Fruits and vegetables
 - 2201/0214 . . Articles of special size, shape or weigh
 - 2201/0217 . . . Elongated
 - 2201/022 . . . Flat
 - 2201/0223 . . . Heavy
 - 2201/0226 . . Cigarettes
 - 2201/0229 . . Clothes, clothes hangers
 - 2201/0232 . . Coils, bobbins, rolls
 - 2201/0235 . . Containers
 - 2201/0238 . . . Bags
 - 2201/0241 . . . Barrels, drums
 - 2201/0244 . . . Bottles
 - 2201/0247 Suspended bottles
 - 2201/025 . . . Boxes
 - 2201/0252 . . . Cans
 - 2201/0255 Milkcans
 - 2201/0258 . . . Trays, totes or bins
 - 2201/0261 . . . Puck as article support
 - 2201/0264 . . Luggage
 - 2201/0267 . . Pallets
 - 2201/027 . . Tablets, capsules, pills or the like
 - 2201/0273 . . Tires
 - 2201/0276 . . Tubes and pipes
 - 2201/0279 . . Wheelbarrows

- 2201/0282 . . . Wooden articles, e.g. logs, trunks or planks
- 2201/0285 . . . Postal items, e.g. letters, parcels
- 2201/0288 . . . Signatures, i.e. sections of printed magazines, papers or books
- 2201/0291 . . . Pig used in pipe conveyors, e.g. a Molch
- 2201/0294 . . . Vehicle bodies
- 2201/0297 . . . Wafer cassette
- 2201/04 . . . Bulk
- 2201/042 . . . Granular material
- 2201/045 . . . Sand, soil and mineral ore
- 2201/047 . . . Articles manipulated as bulk
- 2201/06 . . . Articles and bulk

Storing; Storage devices

2203/00 Indexing code relating to control or detection of the articles or the load carriers during conveying

- 2203/02 . . . Control or detection
- 2203/0208 . . . relating to the transported articles
- 2203/0216 Codes or marks on the article
- 2203/0225 Orientation of the article
- 2203/0233 Position of the article
- 2203/0241 Quantity of articles
- 2203/025 Speed of the article
- 2203/0258 Weight of the article
- 2203/0266 . . . relating to the load carrier(s)
- 2203/0275 Damage on the load carrier
- 2203/0283 Position of the load carrier
- 2203/0291 Speed of the load carrier
- 2203/04 . . . Detection means
- 2203/041 . . . Camera
- 2203/042 . . . Sensors
- 2203/043 Magnetic
- 2203/044 Optical
- 2203/045 Thermic
- 2203/046 RFID
- 2203/047 . . . Switches
- 2203/048 . . . Satellite

2205/00 Stopping elements used in conveyors to stop articles or arrays of articles

- 2205/02 . . . where the stop device is adaptable to the size of the article or array
- 2205/04 . . . where the stop device is not adaptable
- 2205/06 . . . Cushioned or damping stop devices, e.g. using springs or other mechanical actions

2207/00 Indexing codes relating to constructional details, configuration and additional features of a handling device, e.g. Conveyors

- 2207/02 . . . Use of adhesive
- 2207/04 . . . Advertising elements
- 2207/06 . . . Air cushion support of articles
- 2207/08 . . . Adjustable and/or adaptable to the article size
- 2207/10 . . . Antistatic features
- 2207/12 . . . Chain pin retainers
- 2207/14 . . . Combination of conveyors
- 2207/16 . . . Convertible to another type of conveyor
- 2207/18 . . . Crossing conveyors
- 2207/20 . . . Earthquake protection
- 2207/22 . . . Heat or fire protection
- 2207/24 . . . Helical or spiral conveying path
- 2207/26 . . . Hygienic features, e.g. easy to sanitize
- 2207/28 . . . Impact protection

- 2207/30 . . . Modular constructions
- 2207/32 . . . Noise prevention features
- 2207/34 . . . Omni-directional rolls
- 2207/36 . . . Pushing shoes on conveyors
- 2207/38 . . . Pin used as carrier of one article
- 2207/40 . . . Safety features of loads, equipment or persons
- 2207/42 . . . Soft elements to prevent damage to articles, e.g. bristles, foam
- 2207/44 . . . Spiral conveyor tracks
- 2207/46 . . . Tray unloading features
- 2207/48 . . . Wear protection or indication features

2209/00 Indexing codes relating to order picking devices in General

- 2209/02 . . . Batch order forming, e.g. several batches simultaneously
- 2209/04 . . . Indication location means
- 2209/06 . . . Use of order trucks
- 2209/08 . . . Orders with a high and a low volume
- 2209/10 . . . Partial order forming

2249/00 Aspects relating to conveying systems for the manufacture of fragile sheets

- 2249/02 . . . Controlled or contamination-free environments or clean space conditions
- 2249/04 . . . Arrangements of vacuum systems or suction cups
- 2249/045 . . . Details of suction cups suction cups

2811/00 Indexing codes relating to common features for more than one conveyor kind or type

- 2811/06 . . . Devices controlling the relative position of articles
- 2811/0605 . . . by arranging articles in groups or arranging grouped articles
- 2811/061 Grouping articles in layers
- 2811/0615 Devices for arranging grouped articles in a single lane
- 2811/0621 . . . by modifying the orientation or position of articles
- 2811/0626 Orientation of articles
- 2811/0631 . . . by varying the spacing between individual articles
- 2811/0636 by means of one or several star-shaped wheels
- 2811/0642 using a fixed stopping element and means to pass the element
- 2811/0647 . . . Changing the direction of movement of articles or bulk material
- 2811/0652 Accessories
- 2811/0657 Deflectors
- 2811/0663 Pick-up means
- 2811/0668 Magnetic or electrostatic devices
- 2811/0673 . . . Control of conveying operations
- 2811/0678 Determining the path to be followed
- 2811/0684 by stopping or tilting load-carriers not leaving the conveyor path
- 2811/0689 Releasing constant material flow
- 2811/0694 for permanently occupying the conveyor path
- 2811/09 . . . Driving means for the conveyors
- 2811/091 . . . the conveyor type being irrelevant
- 2811/092 a single conveyor having more than one driving means
- 2811/093 Control means for automatic stop, start or warning variation during conveying operations
- 2811/095 . . . Speed variation control means
- 2811/096 without reversal of the conveying direction
- 2811/097 with reversal of the conveying direction

| | | | |
|----------------|---|------------|---|
| 2811/098 | . . . for combined motions | 2812/02396 | Links and their attaching means |
| 2812/00 | Indexing codes relating to the kind or type of conveyors | 2812/02405 | Means preventing dust penetration |
| 2812/01 | . Conveyors composed of several types of conveyors | 2812/02415 | . . . with load-carrying surfaces supported by traction means |
| 2812/011 | . . . one conveyor being driven by another one | 2812/02425 | Continuous or uninterrupted load-carrying surfaces |
| 2812/012 | . . . for conveying material successively by a series of conveyors | 2812/02435 | the surfaces being below the traction means |
| 2812/013 | . . . without relative movement between conveyors | 2812/02445 | the surfaces being an endless belt |
| 2812/014 | . . . with relative movement between conveyors | 2812/02455 | the surfaces being above, between or beside the traction means |
| 2812/015 | the conveyors being movably linked | 2812/02465 | for conveyance along curves |
| 2812/016 | . . . for conveying material by co-operating units in tandem | 2812/02475 | along vertical curves |
| 2812/017 | . . . using tilted or side by side conveyor sections | 2812/02485 | the load-carrying surfaces being fixed or non-movably linked to the traction means |
| 2812/018 | . . . between conveyor sections | 2812/02495 | load-carrying surfaces using platforms or grids |
| 2812/019 | . . . using two or more elevators | 2812/02504 | load-carrying surfaces with up-standing walls, e.g. with bucket profile |
| 2812/02 | . Belt or chain conveyors | 2812/02514 | in longitudinal direction only |
| 2812/02009 | . . Common features for belt or chain conveyors | 2812/02524 | in transverse direction only |
| 2812/02019 | . . . Supporting or guiding frames | 2812/02534 | the surfaces being an endless belt |
| 2812/02029 | Transportable conveyor frames | 2812/02544 | with bucket profile |
| 2812/02039 | Profiles or beams | 2812/02554 | the load-carrying surfaces being pivotally attached to the traction means |
| 2812/02049 | with guiding means for displaceable conveyor accessories | 2812/02564 | Tipping means |
| 2812/02059 | with supporting arrangements for ducts or cables or shaped as fluid ducts | 2812/02574 | Guiding means to maintain load-carrying surfaces horizontal |
| 2812/02069 | Rails | 2812/02584 | the load-carrying surfaces resting on the traction means |
| 2812/02079 | Switches | 2812/02594 | Reversing means |
| 2812/02089 | . . . Driving means | 2812/02603 | Load-carrying surfaces adapted to be displaced relative to the traction means |
| 2812/02099 | . . . Safety measures in case of driving element breakage | 2812/02613 | the load-carrying surfaces being separated from each other, e.g. individual load carriers |
| 2812/02108 | . . . Protection means | 2812/02623 | and pivotally mounted |
| 2812/02118 | . . . Gathering means for material falling from the conveyor | 2812/02633 | for bulk material |
| 2812/02128 | . . Belt conveyors | 2812/02643 | Loading or unloading means |
| 2812/02138 | . . . Common features for belt conveyors | 2812/02653 | for articles |
| 2812/02148 | Driving means for the belts | 2812/02663 | Loading or unloading means |
| 2812/02158 | Means preventing dust penetration | 2812/02673 | the load-carriers being arranged above, between or beside the traction means |
| 2812/02168 | Belts provided with guiding means, e.g. rollers | 2812/02683 | and fixed or non-movably linked to the traction means |
| 2812/02178 | . . . characterised by the material | 2812/02693 | for vertical or inclined conveyance |
| 2812/02188 | Metallic belts | 2812/02702 | Details |
| 2812/02198 | Non-metallic belts | 2812/02712 | Loading or unloading means |
| 2812/02207 | Partially metallic belts | 2812/02722 | Frames |
| 2812/02217 | . . . characterised by the configuration | 2812/02732 | with guiding means for the traction means |
| 2812/02227 | . . . for vertical conveyance | 2812/02742 | Bucket elevators for bulk material |
| 2812/02237 | provided with buckets | 2812/02752 | Elevators for articles |
| 2812/02247 | using belts with bucket profiles | 2812/02762 | Load-carriers |
| 2812/02257 | the load remaining on the belt due to centrifugal forces | 2812/02772 | Plates or buckets |
| 2812/02267 | . . Conveyors having endless traction elements | 2812/02782 | with upstanding walls |
| 2812/02277 | . . . Common features for chain conveyors | 2812/02792 | the load-carriers being connected pivotally to the traction means |
| 2812/02287 | Driving means | 2812/02801 | Loading or unloading means |
| 2812/02297 | Arrangements for downward conveyance | 2812/02811 | guided at least partially along a vertical or inclined direction |
| 2812/02306 | Driving drums | | |
| 2812/02316 | with means for assuring constant linear speed of chains | | |
| 2812/02326 | Chains, cables or the like | | |
| 2812/02336 | Accessories | | |
| 2812/02346 | Grippers associated with chain parts | | |
| 2812/02356 | characterised by the material | | |
| 2812/02366 | Flexible links | | |
| 2812/02376 | characterised by the configuration | | |
| 2812/02386 | Woven chains | | |

- 2812/02821 with guiding means to remain in a load-carrying position
- 2812/02831 the load-carriers resting on the traction means
- 2812/02841 Reversing means
- 2812/02851 load-carriers adapted to be displaced relative to the traction means
- 2812/02861 moving the materials over supporting surfaces by impeller means, e.g. scrapers
- 2812/02871 for bulk material
- 2812/02881 Scraper conveyors
- 2812/02891 Troughs, channels or conduits
- 2812/029 Guiding means for displaceable conveyor accessories
- 2812/0291 Supporting arrangements for cables or ducts
- 2812/0292 with oppositely-moving parts of the conveyor located in a common plane
- 2812/0293 Guiding means for the scrapers
- 2812/0294 Wear pieces
- 2812/0295 Scraper chains
- 2812/0296 Attachments of scrapers to traction elements
- 2812/0297 to one chain
- 2812/0298 to more than one chain
- 2812/0299 Conveyors having independant belt or chain conveyor sections
- 2812/03 Vibrating conveyors
- 2812/0304 Driving means or auxiliary devices
- 2812/0308 Driving means
- 2812/0312 for shaking
- 2812/0316 using oppositely moving cylinders
- 2812/032 Help-conveyors
- 2812/0324 Frames
- 2812/0328 dismantable
- 2812/0332 deformable
- 2812/0336 movable
- 2812/034 Frame parts
- 2812/0344 Guiding means for conveyed materials
- 2812/0348 Supporting or guiding means for troughs
- 2812/0352 Rollers or balls
- 2812/0356 the roller or ball holders joining trough parts
- 2812/036 Pivoting arms
- 2812/0364 Springs
- 2812/0368 Flexible non-elastic suspension means, e.g. chains, cables
- 2812/0372 Connections between trough parts
- 2812/0376 using a traction or stiffening means connecting all trough parts
- 2812/038 adjustable
- 2812/0384 Troughs, tubes or the like
- 2812/0388 characterised by the configuration
- 2812/0392 Screw-, spiral- or ring-shaped
- 2812/0396 characterised by the material
- 2812/05 Screw-conveyors
- 2812/0505 Driving means, constitutive elements or auxiliary devices
- 2812/0511 Conveyor screws
- 2812/0516 characterised by the material
- 2812/0522 Flexible screws
- 2812/0527 characterised by the configuration, e.g. hollow, toothed
- 2812/0533 with opposite threads
- 2812/0538 with changing diameter
- 2812/0544 Houses or frames
- 2812/055 Connecting means
- 2812/0555 characterised by the materials, e.g. flexible houses
- 2812/0561 characterised by the shape
- 2812/0566 for preventing blockage of materials
- 2812/0572 Discharging valves
- 2812/0577 for bulk material
- 2812/0583 Drum arrangements
- 2812/0588 without houses
- 2812/0594 with parallel screws
- 2812/06 Skip or hopper conveyors
- 2812/0609 Constitutive elements or auxiliary devices
- 2812/0618 Skips, hoppers or similar containers
- 2812/0627 characterised by the configuration
- 2812/0636 provided with guiding means
- 2812/0645 for vertical transport
- 2812/0654 Tipping means
- 2812/0663 arranged on tracks along which the skips are guided
- 2812/0672 Loading or unloading skips
- 2812/0681 by reciprocating skips along guiding means
- 2812/069 for vertical shaft transport
- 2812/08 Chutes
- 2812/081 Connecting means
- 2812/082 telescopic
- 2812/083 pivoting
- 2812/084 Cleaning means
- 2812/085 characterised by the configuration
- 2812/086 Screw-like chutes
- 2812/087 provided with material moving or braking means
- 2812/088 characterised by the material
- 2812/09 Walking beam conveyors
- 2812/12 Conveyors with reciprocating means
- 2812/14 Turntables
- 2812/15 Throwing-conveyors
- 2812/16 Pneumatic conveyors
- 2812/1608 for bulk material
- 2812/1616 Common means for pneumatic conveyors
- 2812/1625 Feeding or discharging means
- 2812/1633 using Venturi effect
- 2812/1641 Air pressure systems
- 2812/165 Details
- 2812/1658 with fluidisation of materials
- 2812/1666 without porous wall
- 2812/1675 in which materials continuously flow from suction to pressure pipes
- 2812/1683 without passing through the air-pressure generator
- 2812/1691 Pumping systems
- 2812/18 Conveyors with suspended load-carriers operated by hand or gravity
- 2812/182 load-carriers, rollers therefor
- 2812/184 loading or unloading arrangements
- 2812/186 Arresting, braking or escapement means
- 2812/188 Rails or switches
- 2812/99 Conveyor systems not otherwise provided for

| | | | |
|----------------|---|--|--|
| 2813/00 | Indexing codes relating to transport for special purposes | | |
| 2813/02 | . Devices without motors and bearing wheels for moving or tilting heavy loads | | |
| 2813/023 | . . Load-carriers | | |
| 2813/026 | . . . for bales, boxes or the like, by using pointed means | | |
| 2814/00 | Indexing codes relating to loading or unloading articles or bulk materials | | |
| 2814/02 | . Auxiliary devices or arrangements | | |
| 2814/0205 | . . for preventing breakage, pulverisation or damage to materials | | |
| 2814/0211 | . . . using moving braking means to slow down the speed during free fall | | |
| 2814/0217 | . . for emptying as completely as possible | | |
| 2814/0223 | . . . General arrangements | | |
| 2814/0229 | . . . Air jet devices | | |
| 2814/0235 | . . . using liquid means | | |
| 2814/0241 | . . for spreading out the material over the whole surface to be loaded | | |
| 2814/0247 | . . . by displacement of the feeding means | | |
| 2814/0252 | . . . using scraping belts or chains | | |
| 2814/0258 | . . . using shaking or vibrating means | | |
| 2814/0264 | . . . using screw conveyors | | |
| 2814/027 | . . . using chutes | | |
| 2814/0276 | . . . using scraping means other than belts or chains | | |
| 2814/0282 | . . . using turntables | | |
| 2814/0288 | . . . using throwing means | | |
| 2814/0294 | . . . using air jets | | |
| 2814/03 | . Loading or unloading means | | |
| 2814/0301 | . . General arrangements | | |
| 2814/0302 | . . . Central control devices | | |
| 2814/0304 | . . . Stacking devices | | |
| 2814/0305 | Adding to the top | | |
| 2814/0307 | the loading platform being lowered during stacking | | |
| 2814/0308 | . . . Destacking devices | | |
| 2814/031 | Removing from the top | | |
| 2814/0311 | Other article loading or unloading devices | | |
| 2814/0313 | with vertically reciprocating platforms | | |
| 2814/0314 | for moving bulk material downwards | | |
| 2814/0316 | to a storage room | | |
| 2814/0317 | by tipping a container | | |
| 2814/0319 | through a closable or non-closable outlet opening | | |
| 2814/032 | using a belt or chain conveyor in or beneath the opening | | |
| 2814/0322 | as measuring instrument | | |
| 2814/0323 | with chutes or plates in or beneath the opening | | |
| 2814/0325 | with rotating drums, cylinders or cones in or beneath the opening | | |
| 2814/0326 | . . . for moving bulk material upwards or horizontally | | |
| 2814/0328 | Picking-up means | | |
| 2814/0329 | Common features for picking-up means | | |
| 2814/0331 | Belt or chain conveyors | | |
| 2814/0332 | Bucket conveyors | | |
| 2814/0334 | Scraper conveyors | | |
| 2814/0335 | Shaking or vibrating conveyors | | |
| 2814/0337 | Paddle wheels | | |
| 2814/0338 | Inclined plates or chutes | | |
| 2814/034 | Raking devices | | |
| 2814/0341 | Scraping devices | | |
| 2814/0343 | Rotating discs, drums or gathering arms | | |
| 2814/0344 | . . Control or feeding or discharging using level or weight measuring means | | |
| 2814/0346 | . . for guided skips | | |
| 2814/0347 | . . for cars or linked car-trains with individual load-carriers | | |
| 2814/0349 | . . . loading continuously successive cars without material spillage | | |
| 2814/035 | . . . Feeding or discharging devices adapted to car shapes | | |
| 2814/0352 | . . . Feeding or discharging devices operated by cars | | |
| 2814/0353 | . . . the load being lifted and the cars being moved beneath the load | | |
| 2814/0355 | . . . the car floor and subframe being tilted or removed | | |
| 2814/0356 | . . . the whole car being tilted | | |
| 2814/0358 | by means of tilting rails | | |
| 2814/0359 | by means of car tippers | | |
| 2814/0361 | Accessories | | |
| 2814/0362 | locking or unlocking cars in the tippers | | |
| 2814/0364 | Means for loading or unloading cars in the tippers | | |
| 2814/0365 | Moving devices for tippers | | |
| 2814/0367 | Lifting means | | |
| 2814/0368 | Means enhancing unloading | | |
| 2814/037 | using a tipping platform incorporated in a ring-like rotating structure | | |
| 2814/0371 | Driving means therefor | | |
| 2814/0373 | the rotation resulting from power driven displacement of the structure | | |
| 2814/0374 | the rotation resulting from the car weight only | | |
| 2814/0376 | with relative movement between platform and structure | | |
| 2814/0377 | with simultaneous tipping of several cars above or beside each other | | |
| 2814/0379 | using a tipping platform without ring-like structure | | |
| 2814/038 | Driving means therefor | | |
| 2814/0382 | Fluid-operated lifting means | | |
| 2814/0383 | Lifting means with suspended platforms | | |
| 2814/0385 | the platform tipping around a single axis | | |
| 2814/0386 | the axis remaining in a fixed position | | |
| 2814/0388 | the axis being parallel with the car longitudinal axis | | |
| 2814/0389 | the axis being parallel with the car transverse axis | | |
| 2814/0391 | the axis being moved parallel with itself | | |
| 2814/0392 | the platform tipping around several axes | | |
| 2814/0394 | around parallel axes | | |
| 2814/0395 | around crossing axes | | |
| 2814/0397 | . . for ships | | |
| 2814/0398 | . . for aircraft | | |