

CPC COOPERATIVE PATENT CLASSIFICATION

C CHEMISTRY; METALLURGY

(NOTES omitted)

CHEMISTRY

C08 ORGANIC MACROMOLECULAR COMPOUNDS; THEIR PREPARATION OR CHEMICAL WORKING-UP; COMPOSITIONS BASED THEREON (manufacture or treatment of artificial threads, fibres, bristles or ribbons [D01](#))

C08G MACROMOLECULAR COMPOUNDS OBTAINED OTHERWISE THAN BY REACTIONS ONLY INVOLVING UNSATURATED CARBON-TO-CARBON BONDS

NOTES

- In this subclass, group [C08G 18/00](#) takes precedence over the other groups. A further classification is given if the polymers are obtained by reactions forming specific linkages for which an appropriate group is provided.
- Within each main group of this subclass, in the absence of an indication to the contrary, classification is made in the last appropriate place.
- In groups [C08G 61/00](#) - [C08G 79/00](#), in the absence of an indication to the contrary, macromolecular compounds obtained by reactions forming two different linkages in the main chain are classified only according to the linkage present in excess.
- This subclass covers also compositions based on monomers which from macromolecular compounds classifiable in this subclass. In this subclass:
 - if the monomers are defined, classification is made in groups [C08G 2/00](#) - [C08G 79/00](#), [C08G 83/00](#) according to the polymer to be formed;
 - if the monomers are defined in a way that a composition cannot be classified within one main group of this subclass, the composition is classified in group [C08G 85/00](#);
 - if the compounding ingredients are of interest per se, classification is also made in subclass [C08K](#).

WARNING

The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

C08G 14/067 , C08G 14/073 , C08G 14/09	covered by	C08G 14/06
C08G 59/16 , C08G 59/17	covered by	C08G 59/14
C08G 63/49	covered by	C08G 63/48
C08G 65/28	covered by	C08G 65/26
C08G 73/04	covered by	C08G 73/02

2/00	Addition polymers of aldehydes or cyclic oligomers thereof or of ketones; Addition copolymers thereof with less than 50 molar percent of other substances	2/30	. Chemical modification by after-treatment
		2/32	. . by esterification
		2/34	. . by etherification
2/02	. Polymerisation initiated by wave energy or by particle radiation	2/36	. . by depolymerisation
2/04	. Polymerisation by using compounds which act upon the molecular weight, e.g. chain-transferring agents	2/38	. Block or graft polymers prepared by polymerisation of aldehydes or ketones on to macromolecular compounds
2/06	. Catalysts (Catalysts in general B01J)		
2/08	. Polymerisation of formaldehyde	4/00	Condensation polymers of aldehydes or ketones with polyalcohols; Addition polymers of heterocyclic oxygen compounds containing in the ring at least once the grouping —O—C—O— (of cyclic oligomers of aldehydes C08G 2/00)
2/10	. Polymerisation of cyclic oligomers of formaldehyde		
2/12	. Polymerisation of acetaldehyde or cyclic oligomers thereof	6/00	Condensation polymers of aldehydes or ketones only
2/14	. Polymerisation of single aldehydes not provided for in groups C08G 2/08 - C08G 2/12	6/02	. of aldehydes with ketones
2/16	. Polymerisation of single ketones		
2/18	. Copolymerisation of aldehydes or ketones	8/00	Condensation polymers of aldehydes or ketones with phenols only
2/20	. . with other aldehydes or ketones	8/02	. of ketones
2/22	. . with epoxy compounds	8/04	. of aldehydes
2/24	. . with acetals	8/06	. . of furfural
2/26	. . with compounds containing carbon-to-carbon unsaturation		
2/28	. Post-polymerisation treatments		

8/08	. . of formaldehyde, e.g. of formaldehyde formed <u>in situ</u>	12/30	. . . with substituted triazines
8/10	. . . with phenol	12/32 Melamines
8/12	. . . with monohydric phenols having only one hydrocarbon substituent ortho or para to the OH group, e.g. p-tert.-butyl phenol	12/34	. . . and acyclic or carbocyclic compounds
8/14	. . . with halogenated phenols	12/36 Ureas; Thioureas
8/16	. . . with amino- or nitrophenols	12/38 and melamines
8/18	. . . with phenols substituted by carboxylic or sulfonic acid groups	12/40	. . Chemically modified polycondensates
8/20	. . . with polyhydric phenols	12/42	. . . by etherifying
8/22 Resorcinol	12/421 {of polycondensates based on acyclic or carbocyclic compounds}
8/24	. . . with mixtures of two or more phenols which are not covered by only one of the groups C08G 8/10 - C08G 8/20	12/422 {based on urea or thiourea}
8/26	. from mixtures of aldehydes and ketones	12/424 {of polycondensates based on heterocyclic compounds}
8/28	. Chemically modified polycondensates	12/425 {based on triazines}
8/30	. . by unsaturated compounds, e.g. terpenes	12/427 {Melamine}
8/32	. . by organic acids or derivatives thereof, e.g. fatty oils	12/428 {of polycondensates based on heterocyclic and acyclic or carbocyclic compounds}
8/34	. . by natural resins or resin acids, e.g. rosin	12/44	. . . by esterifying
8/36	. . by etherifying	12/46	. Block or graft polymers prepared by polycondensation of aldehydes or ketones on to macromolecular compounds
8/38	. Block or graft polymers prepared by polycondensation of aldehydes or ketones onto macromolecular compounds	14/00	Condensation polymers of aldehydes or ketones with two or more other monomers covered by at least two of the groups C08G 8/00 - C08G 12/00
10/00	Condensation polymers of aldehydes or ketones with aromatic hydrocarbons or halogenated aromatic hydrocarbons only	14/02	. of aldehydes
10/02	. of aldehydes	14/04	. . with phenols
10/04	. . Chemically-modified polycondensates	14/06	. . . and monomers containing hydrogen attached to nitrogen
10/06	. Block or graft polymers prepared by polycondensation of aldehydes or ketones onto macromolecular compounds	14/08 Ureas; Thioureas
12/00	Condensation polymers of aldehydes or ketones with only compounds containing hydrogen attached to nitrogen (aminophenols C08G 8/16)	14/10 Melamines
12/02	. of aldehydes	14/12	. . . Chemically modified polycondensates
12/04	. . with acyclic or carbocyclic compounds	14/14	. Block or graft polymers prepared by polycondensation of aldehydes or ketones on to macromolecular compounds
12/043	. . . {with at least two compounds covered by more than one of the groups C08G 12/06 - C08G 12/24 }	16/00	Condensation polymers of aldehydes or ketones with monomers not provided for in the groups C08G 4/00 - C08G 14/00 (with polynitriles C08G 69/38)
12/046 {one being urea or thiourea}	16/02	. of aldehydes
12/06	. . . Amines	16/0206	. . {with inorganic compounds}
12/08 aromatic	16/0212	. . {with acyclic or carbocyclic organic compounds}
12/10	. . . with acyclic compounds having the moiety $X=C(-N<)_2$ in which X is O, S or —N	16/0218	. . . {containing atoms other than carbon and hydrogen}
12/12 Ureas; Thioureas	16/0225 {containing oxygen}
12/14 Dicyandiamides; Dicyandiamidines; Guanidines; Biguanidines; Biuret; Semicarbazides	16/0231 {containing nitrogen}
12/16 Dicyandiamides	16/0237 {containing sulfur}
12/18	. . . with cyanamide	16/0243 {containing phosphorus}
12/20	. . . with urethanes or thiourethanes	16/025	. . {with heterocyclic organic compounds}
12/22	. . . with carboxylic acid amides (reaction of polyamides with aldehydes C08G 69/50)	16/0256	. . . {containing oxygen in the ring}
12/24	. . . with sulfonic acid amides	16/0262 {Furfuryl alcohol}
12/26	. . with heterocyclic compounds	16/0268	. . . {containing nitrogen in the ring}
12/263	. . . {with at least two compounds covered by more than one of the groups C08G 12/28 - C08G 12/32 }	16/0275	. . . {containing sulfur in the ring}
12/266 {one being melamine}	16/0281	. . . {containing phosphorus in the ring}
12/28	. . . with substituted diazines, diazoles or triazoles	16/0287	. . {with organometallic or metal-containing organic compounds}
		16/0293	. . {with natural products, oils, bitumens, residues}
		16/04	. Chemically modified polycondensates
		16/06	. Block or graft polymers prepared by polycondensation of aldehydes or ketones on to macromolecular compounds

- 18/00 Polymeric products of isocyanates or isothiocyanates** (preparatory processes of porous or cellular materials, in which the monomers or catalysts are not specific [C08J](#))
- 18/003 . {with epoxy compounds having no active hydrogen (with epoxy resins containing active hydrogen [C08G 18/58](#))}
- 18/006 . {with aldehydes}
- 18/02 . of isocyanates or isothiocyanates only
- 18/022 . . {the polymeric products containing isocyanurate groups}
- 18/025 . . {the polymeric products containing carbodiimide groups}
- 18/027 . . {the polymeric products containing urethodione groups}
- 18/04 . with vinyl compounds
- 18/06 . with compounds having active hydrogen
- 18/08 . . Processes
- 18/0804 . . . {Manufacture of polymers containing ionic or ionogenic groups}
- NOTE**
- Polymers prepared from unsaturated low-molecular-weight compounds having active hydrogen or isocyanate or isothiocyanate groups are classified in the respective [C08G 18/67](#) and [C08G 18/81](#) groups, according to the notes after [C08G 18/67](#) and [C08G 18/81](#)
- 18/0809 {containing cationic or cationogenic groups}
- 18/0814 {containing ammonium groups or groups forming them}
- 18/0819 {containing anionic or anionogenic groups}
- 18/0823 {containing carboxylate salt groups or groups forming them}
- 18/0828 {containing sulfonate groups or groups forming them}
- 18/0833 {containing cationic or cationogenic groups together with anionic or anionogenic groups}
- 18/0838 . . . {Manufacture of polymers in the presence of non-reactive compounds (preparation of compositions [C08L 75/00](#))}
- 18/0842 {in the presence of liquid diluents ([C08G 18/0804](#) takes precedence)}
- 18/0847 {in the presence of solvents for the polymers}
- 18/0852 {the solvents being organic}
- 18/0857 {the solvent being a polyol}
- 18/0861 {in the presence of a dispersing phase for the polymers or a phase dispersed in the polymers}
- 18/0866 {the dispersing or dispersed phase being an aqueous medium}
- 18/0871 {the dispersing or dispersed phase being organic}
- 18/0876 {the dispersing or dispersed phase being a polyol}
- 18/088 . . . {Removal of water or carbon dioxide from the reaction mixture or reaction components}
- 18/0885 {using additives, e.g. absorbing agents}
- 18/089 . . . {Reaction retarding agents}
- 18/0895 {Manufacture of polymers by continuous processes ([C08G 18/0838](#) takes precedence)}
- NOTES**
1. After the symbols [C08G 18/10](#) and [C08G 18/12](#) and separated by a "," sign, are indicated the reactive components of a second or following step by one of the symbols [C08G 18/2805](#), [C08G 18/30 - C08G 18/38](#), [C08G 18/40 - C08G 18/64](#) without subnotations, [C08G 18/65 - C08G 18/66](#), [C08G 18/70 - C08G 18/80](#)
2. After the symbols [C08G 18/10](#) and [C08G 18/12](#) and separated by a "," sign are indicated the oligomerisation of isocyanate- or isothiocyanate groups in the prepolymers or in the added reactive components involving reaction of at least a part of the isocyanate- or isothiocyanate groups with each other in the reaction mixture by the symbols [C08G 18/02](#) or [C08G 18/09](#) respectively or by subnotations thereof
- 18/09 comprising oligomerisation of isocyanates or isothiocyanates involving reaction of a part of the isocyanate or isothiocyanate groups with each other in the reaction mixture (use of preformed oligomers [C08G 18/79](#))
- 18/092 {oligomerisation to isocyanurate groups}
- 18/095 {oligomerisation to carbodiimide or uretone-imine groups}
- 18/097 {oligomerisation to urethdione groups}
- 18/10 Prepolymer processes involving reaction of isocyanates or isothiocyanates with compounds having active hydrogen in a first reaction step ([C08G 18/0838](#) takes precedence); masked polyisocyanates [C08G 18/80](#))
- 18/12 using two or more compounds having active hydrogen in the first polymerisation step
- 18/14 {Manufacture of cellular products}
- 18/16 Catalysts (catalysts in general [B01J](#))
- 18/161 {containing two or more components to be covered by at least two of the groups [C08G 18/166](#), [C08G 18/18](#) or [C08G 18/22](#)}
- 18/163 {covered by [C08G 18/18](#) and [C08G 18/22](#)}
- 18/165 {covered by [C08G 18/18](#) and [C08G 18/24](#)}
- 18/166 {Catalysts not provided for in the groups [C08G 18/18 - C08G 18/26](#)}
- 18/168 {Organic compounds}
- 18/18 containing secondary or tertiary amines or salts thereof
- 18/1808 {having alkylene polyamine groups}
- 18/1816 {having carbocyclic groups}
- 18/1825 {having hydroxy or primary amino groups}
- 18/1833 {having ether, acetal, or orthoester groups}
- 18/1841 {having carbonyl groups which may be linked to one or more nitrogen or oxygen atoms}
- 18/185 {having cyano groups}
- 18/1858 {having carbon-to-nitrogen double bonds}

18/1866 {having carbon-to-carbon unsaturated bonds}	18/2825 {having at least 6 carbon atoms}
18/1875 {containing ammonium salts or mixtures of secondary of tertiary amines and acids}	18/283 {Compounds containing ether groups, e.g. oxyalkylated monohydroxy compounds}
18/1883 {having heteroatoms other than oxygen and nitrogen}	18/2835 {having less than 5 ether groups}
18/1891 {in vaporous state}	18/284 {Compounds containing ester groups, e.g. oxyalkylated monocarboxylic acids}
18/20 Heterocyclic amines; Salts thereof	18/2845 {Monohydroxy epoxy compounds}
18/2009 {containing one heterocyclic ring}	18/285 {Nitrogen containing compounds}
18/2018 {having one nitrogen atom in the ring}	18/2855 {Lactams}
18/2027 {having two nitrogen atoms in the ring}	18/286 {Oximes}
18/2036 {having at least three nitrogen atoms in the ring}	18/2865 {Compounds having only one primary or secondary amino group; Ammonia}
18/2045 {containing condensed heterocyclic rings}	18/287 {Imine compounds}
18/2054 {having one nitrogen atom in the condensed ring system}	18/2875 {Monohydroxy compounds containing tertiary amino groups}
18/2063 {having two nitrogen atoms in the condensed ring system}	18/288 {Compounds containing at least one heteroatom other than oxygen or nitrogen}
18/2072 {having at least three nitrogen atoms in the condensed ring system}	18/2885 {containing halogen atoms}
18/2081 {containing at least two non-condensed heterocyclic rings}	18/289 {containing silicon}
18/209 {having heteroatoms other than oxygen and nitrogen in the ring}	18/2895 {Compounds containing active methylene groups}
18/22 containing metal compounds	18/30 Low-molecular-weight compounds {(C08G 18/2805 takes precedence)}
18/222 {metal compounds not provided for in groups C08G 18/225 - C08G 18/26}	18/302 {Water}
18/225 {of alkali or alkaline earth metals}	18/305 {creating amino end groups}
18/227 {of antimony, bismuth or arsenic}	18/307 {Atmospheric humidity}
18/24 of tin	18/32 Polyhydroxy compounds; Polyamines; Hydroxyamines
18/242 {organometallic compounds containing tin-carbon bonds}	18/3203 {Polyhydroxy compounds}
18/244 {tin salts of carboxylic acids}	18/3206 {aliphatic}
18/246 {containing also tin-carbon bonds}	18/3209 {Aliphatic aldehyde condensates and hydrogenation products thereof}
18/248 {inorganic compounds of tin}	18/3212 {containing cycloaliphatic groups}
18/26 of lead	18/3215 {containing aromatic groups or benzoquinone groups}
18/28	. . . characterised by the compounds used containing active hydrogen	18/3218 {containing cyclic groups having at least one oxygen atom in the ring}
	NOTE	18/3221 {hydroxylated esters of carboxylic acids other than higher fatty acids}
	For the purpose of groups C08G 18/28 - C08G 18/69, the addition of water for the preparation of cellular materials is not taken into consideration (except in the case, wherein water is the only compound having active hydrogen C08G 18/302. When there is attributed a class in C08G 18/00 for a specific monomer or a catalyst, the addition of water as the sole blowing agent is indicated by indexing code C08G 2101/0083. Moreover specific aggregation forms of water, e.g. absorbed water and water of crystallisation are also classified in C08J 9/02}	18/3225 {Polyamines}
		18/3228 {acyclic}
		18/3231 {Hydrazine or derivatives thereof}
		18/3234 {cycloaliphatic}
		18/3237 {aromatic (C08G 18/3234 takes precedence)}
18/2805	. . . {Compounds having only one group containing active hydrogen (vinylpolymers having terminal groups containing active hydrogen C08G 18/62)}	18/324 {containing only one aromatic ring}
18/281 {Monocarboxylic acid compounds}	18/3243 {containing two or more aromatic rings}
18/2815 {Monohydroxy compounds}	18/3246 {heterocyclic, the heteroatom being oxygen or nitrogen in the form of an amino group}
18/282 {Alkanols, cycloalkanols or arylalkanols including terpenealcohols}	18/325 {containing secondary or tertiary amino groups (C08G 18/3228, C08G 18/3234, C08G 18/3246 take precedence)}
		18/3253 {being in latent form}
		18/3256 {Reaction products of polyamines with aldehydes or ketones}
		18/3259 {Reaction products of polyamines with inorganic or organic acids or derivatives thereof other than metallic salts}
		18/3262 {with carboxylic acids or derivatives thereof}

18/3265 {with carbondioxide or sulfur dioxide}	18/3855 {having sulfur}
18/3268 {Salt complexes of polyamines}	18/3857 {having nitrogen in addition to sulfur}
18/3271 {Hydroxyamines}	18/3859 {containing -N-C=S groups}
18/3275 {containing two hydroxy groups}	18/3861 {containing sulfonamide and/or sulfonylhydrazide groups}
18/3278 {containing at least three hydroxy groups}	18/3863 {containing groups having sulfur atoms between two carbon atoms, the sulfur atoms being directly linked to carbon atoms or other sulfur atoms}
18/3281 {containing three hydroxy groups}	18/3865 {containing groups having one sulfur atom between two carbon atoms}
18/3284 {containing four hydroxy groups}	18/3868 {the sulfur atom belonging to a sulfide group}
18/3287 {containing cycloaliphatic groups}	18/387 {in addition to a perfluoroalkyl group}
18/329 {containing aromatic groups}	18/3872 {the sulfur atom belonging to a sulfoxide or sulfone group}
18/3293 {containing heterocyclic groups}	18/3874 {containing heterocyclic rings having at least one sulfur atom in the ring}
18/3296 {being in latent form}	18/3876 {containing mercapto groups}
18/34 Carboxylic acids; Esters thereof with monohydroxyl compounds	18/3878 {having phosphorus}
18/341 {Dicarboxylic acids, esters of polycarboxylic acids containing two carboxylic acid groups}	18/388 {having phosphorus bound to carbon and/or to hydrogen}
18/343 {Polycarboxylic acids having at least three carboxylic acid groups}	18/3882 {having phosphorus bound to oxygen only}
18/345 {having three carboxylic acid groups}	18/3885 {Phosphate compounds}
18/346 {having four carboxylic acid groups}	18/3887 {Phosphite compounds}
18/348 {Hydroxycarboxylic acids}	18/3889 {having nitrogen in addition to phosphorus}
18/36 Hydroxylated esters of higher fatty acids	18/3891 {having sulfur in addition to phosphorus}
18/38 having heteroatoms other than oxygen (C08G 18/32 takes precedence)	18/3893 {containing silicon}
18/3802 {having halogens}	18/3895 {Inorganic compounds, e.g. aqueous alkalimetal silicate solutions; Organic derivatives thereof containing no direct silicon-carbon bonds}
18/3804 {Polyhydroxy compounds}	18/3897 {containing heteroatoms other than oxygen, halogens, nitrogen, sulfur, phosphorus or silicon}
18/3806 {having chlorine and/or bromine atoms}	18/40 High-molecular-weight compounds (C08G 18/2805 takes precedence)
18/3808 {having chlorine atoms}	18/4009 {Two or more macromolecular compounds not provided for in one single group of groups C08G 18/42 - C08G 18/64}
18/381 {having bromine atoms}	18/4018 {Mixtures of compounds of group C08G 18/42 with compounds of group C08G 18/48}
18/3812 {having fluorine atoms}	18/4027 {Mixtures of compounds of group C08G 18/54 with other macromolecular compounds}
18/3814 {Polyamines}	18/4036 {Mixtures of compounds of group C08G 18/56 with other macromolecular compounds}
18/3817 {Hydroxylated esters of higher fatty acids}	18/4045 {Mixtures of compounds of group C08G 18/58 with other macromolecular compounds}
18/3819 {having nitrogen}	18/4054 {Mixtures of compounds of group C08G 18/60 with other macromolecular compounds}
18/3821 {Carboxylic acids; Esters thereof with monohydroxyl compounds}	18/4063 {Mixtures of compounds of group C08G 18/62 with other macromolecular compounds}
18/3823 {containing -N-C=O groups}		
18/3825 {containing amide groups (C08G 18/3821 takes precedence)}		
18/3827 {Bicyclic amide acetals and derivatives thereof}		
18/3829 {containing ureum groups}		
18/3831 {containing urethane groups}		
18/3834 {containing hydrazide or semi-carbazide groups}		
18/3836 {containing azo groups}		
18/3838 {containing cyano groups}		
18/384 {containing nitro groups}		
18/3842 {containing heterocyclic rings having at least one nitrogen atom in the ring}		
18/3844 {containing one nitrogen atom in the ring}		
18/3846 {containing imide groups (C08G 18/3821 takes precedence)}		
18/3848 {containing two nitrogen atoms in the ring}		
18/3851 {containing three nitrogen atoms in the ring}		
18/3853 {containing cyanurate and/or isocyanurate groups}		

18/4072	{Mixtures of compounds of group C08G 18/63 with other macromolecular compounds}	18/4261	{prepared by oxyalkylation of polyesterpolyols}
18/4081	{Mixtures of compounds of group C08G 18/64 with other macromolecular compounds}	18/4263	{containing carboxylic acid groups}
18/409	{Dispersions of polymers of C08G in organic compounds having active hydrogen}	18/4266	{prepared from hydroxycarboxylic acids and/or lactones}
18/42	Polycondensates having carboxylic or carbonic ester groups in the main chain	18/4269	{Lactones}
18/4202	{Two or more polyesters of different physical or chemical nature (C08G 18/44 takes precedence)}	18/4272	{Privalolactone}
18/4205	{containing cyclic groups}	18/4275	{Valcrolactone and/or substituted valcrolactone}
18/4208	{containing aromatic groups}	18/4277	{Caprolactone and/or substituted caprolactone}
18/4211	{derived from aromatic dicarboxylic acids and dialcohols}	18/428	{Lactides}
18/4213	{from terephthalic acid and dialcohols}	18/4283	{Hydroxycarboxylic acid or ester}
18/4216	{from mixtures or combinations of aromatic dicarboxylic acids and aliphatic dicarboxylic acids and dialcohols}	18/4286	{prepared from a combination of hydroxycarboxylic acids and/or lactones with polycarboxylic acids or ester forming derivatives thereof and polyhydroxy compounds}
18/4219	{from aromatic dicarboxylic acids and dialcohols in combination with polycarboxylic acids and/or polyhydroxy compounds which are at least trifunctional}	18/4288	{modified by higher fatty oils or their acids or by resin acids}
18/4222	{derived from aromatic polyhydroxy compounds and polycarboxylic acids}	18/4291	{prepared from polyester forming components containing monoepoxy compounds (C08G 18/4266 takes precedence)}
18/4225	{derived from residues obtained from the manufacture of dimethylterephthalate and from polyhydroxy compounds}	18/4294	{prepared from polyester forming components containing polyepoxy compounds (C08G 18/4266 takes precedence)}
18/4227	{derived from aromatic polycarboxylic acids containing at least two aromatic rings and polyhydroxy compounds}	18/4297	{prepared from polyester forming components containing aliphatic aldehyde condensates or hydrogenation products thereof having at least two hydroxy groups}
18/423	{containing cycloaliphatic groups}	18/44	Polycarbonates
18/4233	{derived from polymerised higher fatty acids or alcohols}	18/46	having heteroatoms other than oxygen
18/4236	{containing only aliphatic groups}	18/4607	{having halogens}
18/4238	{derived from dicarboxylic acids and dialcohols}	18/4615	{containing nitrogen}
18/4241	{from dicarboxylic acids and dialcohols in combination with polycarboxylic acids and/or polyhydroxy compounds which are at least trifunctional}	18/4623	{containing primary or secondary terminal aminogroups}
18/4244	{containing oxygen in the form of ether groups}	18/463	{containing nitro groups}
18/4247	{derived from polyols containing at least one ether group and polycarboxylic acids}	18/4638	{containing heterocyclic rings having at least one nitrogen atom in the ring}
18/425	{the polyols containing one or two ether groups}	18/4646	{containing one nitrogen atom in the ring}
18/4252	{derived from polyols containing polyether groups and polycarboxylic acids}	18/4653	{containing two nitrogen atoms in the ring}
18/4255	{derived from polyols containing oxyalkylated carbocyclic groups and polycarboxylic acids}	18/4661	{containing three nitrogen atoms in the ring}
18/4258	{derived from polycarboxylic acids containing at least one ether group and polyols}	18/4669	{Addition products of unsaturated polyesters with amino compounds}
			18/4676	{containing sulfur}
			18/4684	{containing phosphorus}
			18/4692	{containing silicon}
			18/48	Polyethers
			18/4804	{Two or more polyethers of different physical or chemical nature}
			18/4808	{Mixtures of two or more polyetherdiols}
			18/4812	{Mixtures of polyetherdiols with polyetherpolyols having at least three hydroxy groups}
			18/4816	{mixtures of two or more polyetherpolyols having at least three hydroxy groups}

18/482	{Mixtures of polyethers containing at least one polyether containing nitrogen}	18/5054	{containing heterocyclic rings having at least one nitrogen atom in the ring}
18/4825	{Polyethers containing two hydroxy groups (C08G 18/4833 - C08G 18/5096 take precedence)}	18/5057	{containing one nitrogen atom in the ring}
18/4829	{Polyethers containing at least three hydroxy groups (C08G 18/4833 - C08G 18/5096 take precedence)}	18/506	{containing two nitrogen atoms in the ring}
18/4833	{Polyethers containing oxyethylene units}	18/5063	{containing three nitrogen atoms in the ring}
18/4837	{and other oxyalkylene units}	18/5066	{having halogens in addition to nitrogen}
18/4841	{containing oxyethylene end groups}	18/5069	{prepared from polyepoxy compounds}
18/4845	{containing oxypropylene or higher oxyalkylene end groups}	18/5072	{containing sulfur}
18/485	{containing mixed oxyethylene-oxypropylene or oxyethylene-higher oxyalkylene end groups}	18/5075	{having phosphorus}
18/4854	{Polyethers containing oxyalkylene groups having four carbon atoms in the alkylene group}	18/5078	{having phosphorus bound to carbon and/or to hydrogen}
18/4858	{Polyethers containing oxyalkylene groups having more than four carbon atoms in the alkylene group}	18/5081	{having phosphorus bound to oxygen only}
18/4862	{containing at least a part of the ether groups in a side chain}	18/5084	{Phosphate compounds}
18/4866	{having a low unsaturation value}	18/5087	{Phosphite compounds}
18/487	{Polyethers containing cyclic groups}	18/509	{having nitrogen in addition to phosphorus}
18/4875	{containing cycloaliphatic groups}	18/5093	{having sulfur in addition to phosphorus}
18/4879	{containing aromatic groups}	18/5096	{containing silicon}
18/4883	{containing cyclic groups having at least one oxygen atom in the ring}	18/52	Polythioethers
18/4887	{containing carboxylic ester groups derived from carboxylic acids other than acids of higher fatty oils or other than resin acids}	18/54	Polycondensates of aldehydes
18/4891	{modified with higher fatty oils or their acids or by resin acids}	18/542	{with phenols}
18/4895	{prepared from polyepoxy compounds}	18/544	{with nitrogen compounds}
18/50	having heteroatoms other than oxygen	18/546	{Oxyalkylated polycondensates of aldehydes}
18/5003	{having halogens}	18/548	{Polycondensates of aldehydes with ketones}
18/5006	{having chlorine and/or bromine atoms}	18/56	Polyacetals
18/5009	{having chlorine atoms}	18/58	Epoxy resins {(C08G 18/42 , C08G 18/48 take precedence; reaction products of epoxy resins with at least equivalent amounts of compounds containing active hydrogen C08G 18/6407 , with at least equivalent amounts of amines C08G 18/6415 ; polymeric products of isocyanates or isothiocyanates with epoxy compounds having no active hydrogen C08G 18/003)}
18/5012	{having bromine atoms}	18/581	{Reaction products of epoxy resins with less than equivalent amounts of compounds containing active hydrogen added before or during the reaction with the isocyanate component (with amines C08G 18/584)}
18/5015	{having fluorine atoms}	18/582	{having halogens}
18/5018	{having iodine atoms}	18/584	{having nitrogen}
18/5021	{having nitrogen}	18/585	{having sulfur}
18/5024	{containing primary and/or secondary amino groups}	18/587	{having phosphorus}
18/5027	{directly linked to carbocyclic groups}	18/588	{having silicon}
18/503	{being in latent form}	18/60	Polyamides or polyester-amides
18/5033	{containing carbocyclic groups (C08G 18/5024 takes precedence)}	18/603	{Polyamides}
18/5036	{containing -N-C=O groups}	18/606	{Polyester-amides}
18/5039	{containing amide groups}	18/61	Polysiloxanes
18/5042	{containing ureum groups}	18/615	{containing carboxylic acid groups}
18/5045	{containing urethane groups}	18/62	Polymers of compounds having carbon-to-carbon double bonds
18/5048	{Products of hydrolysis of polyether-urethane prepolymers containing isocyanate groups}	18/6204	{Polymers of olefins (unsaturated polymers of conjugated dienes C08G 18/69)}
18/5051	{containing cyano groups}			

- 18/6208 {Hydrogenated polymers of conjugated dienes}
- 18/6212 {Polymers of alkenylalcohols; Acetals thereof; Oxyalkylation products thereof}
- 18/6216 {Polymers of alpha-beta ethylenically unsaturated carboxylic acids or of derivatives thereof}
- 18/622 {Polymers of esters of alpha-beta ethylenically unsaturated carboxylic acids}
- 18/6225 {Polymers of esters of acrylic or methacrylic acid}
- 18/6229 {Polymers of hydroxy groups containing esters of acrylic or methacrylic acid with aliphatic polyalcohols}
- 18/6233 {the monomers or polymers being esterified with carboxylic acids or lactones}
- 18/6237 {Polymers of esters containing glycidyl groups of alpha-beta ethylenically unsaturated carboxylic acids; reaction products thereof}
- 18/6241 {Polymers of esters containing hydroxy groups of alpha-beta ethylenically unsaturated carboxylic acids with epoxy compounds other than alkylene oxides and hydroxyglycidyl compounds (esterification during or after polymerization [C08G 18/6258](#))}
- 18/6245 {Polymers having terminal groups containing active hydrogen}
- 18/625 {Polymers of alpha-beta ethylenically unsaturated carboxylic acids; hydrolyzed polymers of esters of these acids}
- 18/6254 {Polymers of alpha-beta ethylenically unsaturated carboxylic acids and of esters of these acids containing hydroxy groups}
- 18/6258 {the acid groups being esterified with polyhydroxy compounds or epoxy compounds during or after polymerization}
- 18/6262 {Polymers of nitriles derived from alpha-beta ethylenically unsaturated carboxylic acids}
- 18/6266 {Polymers of amides or imides from alpha-beta ethylenically unsaturated carboxylic acids}
- 18/627 {Polymers of hydroxylated esters of unsaturated higher fatty acids}
- 18/6275 {Polymers of halogen containing compounds having carbon-to-carbon double bonds; halogenated polymers of compounds having carbon-to-carbon double bonds ([C08G 18/6212](#) takes precedence)}
- 18/6279 {containing fluorine atoms}
- 18/6283 {Polymers of nitrogen containing compounds having carbon-to-carbon double bonds ([C08G 18/6262](#), [C08G 18/6266](#) take precedence)}
- 18/6287 {Polymers of sulfur containing compounds having carbon-to-carbon double bonds}
- 18/6291 {Polymers of phosphorus containing compounds having carbon-to-carbon double bonds}
- 18/6295 {Polymers of silicon containing compounds having carbon-to-carbon double bonds}
- 18/63 Block or graft polymers obtained by polymerising compounds having carbon-to-carbon double bonds on to polymers
- 18/631 {onto polyesters and/or polycarbonates}
- 18/632 {onto polyethers}
- 18/633 {onto polymers of compounds having carbon-to-carbon double bonds}
- 18/635 {onto unsaturated polymers}
- 18/636 {characterised by the presence of a dispersion-stabiliser}
- 18/637 {characterised by the *in situ* polymerisation of the compounds having carbon-to-carbon double bonds in a reaction mixture of saturated polymers and isocyanates}
- 18/638 {characterised by the use of compounds having carbon-to-carbon double bonds other than styrene and/or olefinic nitriles}
- 18/64 Macromolecular compounds not provided for by groups [C08G 18/42](#) - [C08G 18/63](#)
- 18/6407 {Reaction products of epoxy resins with at least equivalent amounts of compounds containing active hydrogen (with amines [C08G 18/643](#); [C08G 18/42](#), [C08G 18/48](#) take precedence)}
- 18/6415 {having nitrogen}
- 18/6423 {Polyalkylene polyamines; polyethylenimines; Derivatives thereof (polyamides or polyesteramides [C08G 18/60](#))}
- 18/643 {Reaction products of epoxy resins with at least equivalent amounts of amines}
- 18/6438 {Polyimides or polyesterimides}
- 18/6446 {Proteins and derivatives thereof}
- 18/6453 {having sulfur}
- 18/6461 {having phosphorus}
- 18/6469 {having silicon}
- 18/6476 {Bituminous materials, e.g. asphalt, coal tar, pitch; derivatives thereof}
- 18/6484 {Polysaccharides and derivatives thereof}
- 18/6492 {Lignin containing materials; Wood resins; Wood tars; Derivatives thereof}
- 18/65 Low-molecular-weight compounds having active hydrogen with high-molecular-weight compounds having active hydrogen ([C08G 18/2805](#) takes precedence)}
- 18/6505 {the low-molecular compounds being compounds of group [C08G 18/32](#) or polyamines of [C08G 18/38](#)}
- 18/6511 {compounds of group [C08G 18/3203](#)}
- 18/6517 {having at least three hydroxy groups}
- 18/6523 {Compounds of group [C08G 18/3225](#) or [C08G 18/3271](#) or polyamines of [C08G 18/38](#)}
- 18/6529 {Compounds of group [C08G 18/3225](#) or polyamines of [C08G 18/38](#)}

18/6535	{Compounds of group C08G 18/3271 }	18/6666	{Compounds of group C08G 18/48 or C08G 18/52 }
18/6541	{the low-molecular compounds being compounds of group C08G 18/34 }	18/667	{with compounds of group C08G 18/32 or polyamines of C08G 18/38 }
18/6547	{the low-molecular compounds being compounds of group C08G 18/36 or hydroxylated esters of higher fatty acids of C08G 18/38 }	18/6674	{with compounds of group C08G 18/3203 }
18/6552	{Compounds of group C08G 18/63 }	18/6677	{having at least three hydroxy groups}
18/6558	{with compounds of group C08G 18/32 or polyamines of C08G 18/38 }	18/6681	{with compounds of group C08G 18/32 or C08G 18/3271 and/or polyamines of C08G 18/38 }
18/6564	{with compounds of group C08G 18/3203 }	18/6685	{with compounds of group C08G 18/3225 or polyamines of C08G 18/38 }
18/657	{with compounds of C08G 18/3225 or C08G 18/3271 or polyamines of C08G 18/38 }	18/6688	{with compounds of group C08G 18/3271 }
18/6576	{Compounds of group C08G 18/69 }	18/6692	{with compounds of group C08G 18/34 }
18/6582	{with compounds of group C08G 18/32 or polyamines of C08G 18/38 }	18/6696	{with compounds of group C08G 18/36 or hydroxylated esters of higher fatty acids of C08G 18/38 }
18/6588	{with compounds of group C08G 18/3203 }	18/67	. . .	Unsaturated compounds having active hydrogen
18/6594	{with compounds of C08G 18/3225 or C08G 18/3271 or polyamines of C08G 18/38 }			NOTES
18/66	Compounds of groups C08G 18/42 , C08G 18/48 , or C08G 18/52			1. After the symbols C08G 18/67 and C08G 18/671 - C08G 18/679 and separated by a "," sign is indicated the manufacture of polymers containing ionic or ionogenic groups from unsaturated low-molecular-weight compounds having active hydrogen by one of the symbols C08G 18/0804 - C08G 18/0833
18/6603	{with compounds of group C08G 18/32 or polyamines of C08G 18/38 }			2. After the symbols C08G 18/671 - C08G 18/672 and separated by a "," sign are indicated the polymer-backbone forming high-molecular-weight compounds containing active hydrogen or their combination with low-molecular-weight compounds by one of the symbols C08G 18/40 - C08G 18/64 without subnotations, C08G 18/65 - C08G 18/66 , C08G 18/6705 and C08G 18/6795 - C08G 18/69 . This note does not apply for the symbols C08G 18/6725 and C08G 18/673
18/6607	{with compounds of group C08G 18/3203 }			
18/6611	{having at least three hydroxy groups}	18/6705	{Unsaturated polymers not provided for in the groups C08G 18/671 , C08G 18/6795 , C08G 18/68 or C08G 18/69 }
18/6614	{with compounds of group C08G 18/3225 or C08G 18/3271 and/or polyamines of C08G 18/38 }	18/671	{Unsaturated compounds having only one group containing active hydrogen (takes precedence on groups C08G 18/675 - C08G 18/69)}
18/6618	{with compounds of group C08G 18/3225 or polyamines of C08G 18/38 }	18/6715	{Unsaturated monofunctional alcohols or amines}
18/6622	{with compounds of group C08G 18/3271 }	18/672	{Esters of acrylic or alkyl acrylic acid having only one group containing active hydrogen}
18/6625	{with compounds of group C08G 18/34 }	18/6725	{containing ester groups other than acrylate or alkylacrylate ester groups}
18/6629	{with compounds of group C08G 18/36 or hydroxylated esters of higher fatty acids of C08G 18/38 }	18/673	{containing two or more acrylate or alkylacrylate ester groups}
18/6633	{Compounds of group C08G 18/42 }	18/6735	{Unsaturated compounds containing the unsaturation at least partially in a non-aromatic carbocyclic ring}
18/6637	{with compounds of group C08G 18/32 or polyamines of C08G 18/38 }			
18/664	{with compounds of group C08G 18/3203 }			
18/6644	{having at least three hydroxy groups}			
18/6648	{with compounds of group C08G 18/3225 or C08G 18/3271 and/or polyamines of C08G 18/38 }			
18/6651	{with compounds of group C08G 18/3225 or polyamines of C08G 18/38 }			
18/6655	{with compounds of group C08G 18/3271 }			
18/6659	{with compounds of group C08G 18/34 }			
18/6662	{with compounds of group C08G 18/36 or hydroxylated esters of higher fatty acids of C08G 18/38 }			

- 18/674 {Unsaturated compounds containing the unsaturation at least partially in a cyclic ring having at least one oxygen atom in the ring}
- 18/6745 {Acetylenic compounds}
- 18/675 {Low-molecular-weight compounds}
- 18/6755 {Unsaturated carboxylic acids}
- 18/676 {containing the unsaturation at least partially in a non-aromatic carbocyclic ring}
- 18/6765 {containing the unsaturation at least partially in a cyclic ring having at least one oxygen atom in the ring}
- 18/677 {containing heteroatoms other than oxygen and the nitrogen of primary or secondary amino groups}
- 18/6775 {containing halogen}
- 18/678 {containing nitrogen}
- 18/6785 {containing phosphorus}
- 18/679 {Acetylenic compounds}
- 18/6795 {Unsaturated polyethers}
- 18/68 Unsaturated polyesters
- 18/683 {containing cyclic groups}
- 18/686 {containing cycloaliphatic groups}
- 18/69 Polymers of conjugated dienes
{(hydrogenated polymers of conjugated dienes [C08G 18/6208](#))}
- 18/692 {containing carboxylic acid groups}
- 18/694 {containing carboxylic ester groups}
- 18/696 {containing heteroatoms other than oxygen and other than the heteroatoms of copolymerised vinyl monomers}
- 18/698 {Mixtures with compounds of group [C08G 18/40](#)}
- 18/70 . . characterised by the isocyanates or isothiocyanates used
- 18/701 . . . {Compounds forming isocyanates or isothiocyanates in situ ([C08G 18/80](#) takes precedence)}
- 18/702 . . . {Isocyanates or isothiocyanates containing compounds having carbon-to-carbon double bonds; Telomers thereof}
- 18/703 . . . {Isocyanates or isothiocyanates transformed in a latent form by physical means}
- 18/705 {Dispersions of isocyanates or isothiocyanates in a liquid medium ([C08G 18/702](#) takes precedence)}
- 18/706 {the liquid medium being water}
- 18/707 {the liquid medium being a compound containing active hydrogen not comprising water}
- 18/708 . . . {Isocyanates or isothiocyanates containing non-reactive high-molecular-weight compounds}
- 18/71 . . . Monoisocyanates or monoisothiocyanates
- 18/711 {containing oxygen in addition to isocyanate oxygen}
- 18/712 {containing halogens}
- 18/714 {containing nitrogen in addition to isocyanate or isothiocyanate nitrogen}
- 18/715 {containing sulfur in addition to isothiocyanate sulfur}
- 18/717 {containing phosphorus}
- 18/718 {containing silicon}
- 18/72 . . . Polyisocyanates or polyisothiocyanates
- 18/721 {Two or more polyisocyanates not provided for in one single group [C08G 18/73 - C08G 18/80](#)}
- 18/722 {Combination of two or more aliphatic and/or cycloaliphatic polyisocyanates}
- 18/724 {Combination of aromatic polyisocyanates with (cyclo)aliphatic polyisocyanates}
- 18/725 {Combination of polyisocyanates of [C08G 18/78](#) with other polyisocyanates}
- 18/727 {comprising distillation residues or non-distilled raw phosgenation products}
- 18/728 {Polymerisation products of compounds having carbon-to-carbon unsaturated bonds and having isocyanate or isothiocyanate groups or groups forming isocyanate or isothiocyanate groups}
- 18/73 acyclic
- 18/735 {containing one isocyanate or isothiocyanate group linked to a primary carbon atom and at least one isocyanate or isothiocyanate group linked to a tertiary carbon atom}
- 18/74 cyclic
- 18/75 cycloaliphatic
- 18/751 {containing only one cycloaliphatic ring}
- 18/752 {containing at least one isocyanate or isothiocyanate group linked to the cycloaliphatic ring by means of an aliphatic group}
- 18/753 {containing one isocyanate or isothiocyanate group linked to the cycloaliphatic ring by means of an aliphatic group having a primary carbon atom next to the isocyanate or isothiocyanate group}
- 18/755 {and at least one isocyanate or isothiocyanate group linked to a secondary carbon atom of the cycloaliphatic ring, e.g. isophorone diisocyanate}
- 18/756 {and at least one isocyanate or isothiocyanate group linked to a tertiary carbon atom of the cycloaliphatic ring}
- 18/757 {containing at least two isocyanate or isothiocyanate groups linked to the cycloaliphatic ring by means of an aliphatic group}
- 18/758 {containing two or more cycloaliphatic rings}
- 18/76 aromatic
- 18/7607 {Compounds of [C08G 18/7614](#) and of [C08G 18/7657](#)}
- 18/7614 {containing only one aromatic ring}
- 18/7621 {being toluene diisocyanate including isomer mixtures}
- 18/7628 {containing at least one isocyanate or isothiocyanate group linked to the aromatic ring by means of an aliphatic group}

18/7635 {containing one isocyanate or isothiocyanate group linked to the aromatic ring by means of an aliphatic group and at least one isocyanate or isothiocyanate group directly linked to the aromatic ring, e.g. isocyanatobenzylisocyanate}	18/7893 {having three nitrogen atoms in the ring}
18/7642 {containing at least two isocyanate or isothiocyanate groups linked to the aromatic ring by means of an aliphatic group having a primary carbon atom next to the isocyanate or isothiocyanate groups, e.g. xylylene diisocyanate or homologues substituted on the aromatic ring}	18/79 characterised by the polyisocyanates used, these having groups formed by oligomerisation of isocyanates or isothiocyanates
18/765 {alpha, alpha, alpha', alpha', -tetraalkylxylylene diisocyanate or homologues substituted on the aromatic ring}	18/791 {containing isocyanurate groups}
18/7657 {containing two or more aromatic rings}	18/792 {formed by oligomerisation of aliphatic and/or cycloaliphatic isocyanates or isothiocyanates}
18/7664 {containing alkylene polyphenyl groups}	18/794 {formed by oligomerisation of aromatic isocyanates or isothiocyanates}
18/7671 {containing only one alkylene bisphenyl group}	18/795 {formed by oligomerisation of mixtures of aliphatic and/or cycloaliphatic isocyanates or isothiocyanates with aromatic isocyanates or isothiocyanates}
18/7678 {containing condensed aromatic rings}	18/797 {containing carbodiimide and/or uretone-imine groups}
18/7685 {containing two or more non-condensed aromatic rings directly linked to each other}	18/798 {containing urethdione groups}
18/7692 {containing at least one isocyanate or isothiocyanate group linked to an aromatic ring by means of an aliphatic group}	18/80 Masked polyisocyanates
18/77 having heteroatoms in addition to the isocyanate or isothiocyanate nitrogen and oxygen or sulfur	18/8003 {masked with compounds having at least two groups containing active hydrogen}
18/771 {oxygen}	18/8006 {with compounds of C08G 18/32 }
18/773 {halogens}	18/8009 {with compounds of C08G 18/3203 }
18/775 {sulfur}	18/8012 {with diols}
18/776 {phosphorus}	18/8016 {Masked aliphatic or cycloaliphatic polyisocyanates}
18/778 {silicon}	18/8019 {Masked aromatic polyisocyanates}
18/78 Nitrogen {(C08G 18/775, C08G 18/776 take precedence)}	18/8022 {with polyols having at least three hydroxy groups}
18/7806 {containing -N-C=O groups}	18/8025 {Masked aliphatic or cycloaliphatic polyisocyanates}
18/7812 {containing amide groups}	18/8029 {Masked aromatic polyisocyanates}
18/7818 {containing ureum or ureum derivative groups}	18/8032 {Masked aliphatic or cycloaliphatic polyisocyanates not provided for in one single of the groups C08G 18/8016 and C08G 18/8025 }
18/7825 {containing ureum groups}	18/8035 {Masked aromatic polyisocyanates not provided for in one single of the groups C08G 18/8019 and C08G 18/8029 }
18/7831 {containing biuret groups}	18/8038 {with compounds of C08G 18/3225 }
18/7837 {containing allophanate groups}	18/8041 {with compounds of C08G 18/3271 }
18/7843 {containing urethane groups}	18/8045 {with water}
18/785 {containing tertiary amino groups}	18/8048 {with compounds of C08G 18/34 }
18/7856 {containing azo groups}	18/8051 {with compounds of C08G 18/36 }
18/7862 {containing cyano groups or aldimine or ketimine groups}	18/8054 {with compounds of C08G 18/38 }
18/7868 {containing nitro groups}	18/8058 {with compounds of C08G 18/3819 }
18/7875 {containing heterocyclic rings having at least one nitrogen atom in the ring}	18/8061 {masked with compounds having only one group containing active hydrogen}
18/7881 {having one nitrogen atom in the ring}	18/8064 {with monohydroxy compounds}
18/7887 {having two nitrogen atoms in the ring}	18/8067 {phenolic compounds}
		18/807 {with nitrogen containing compounds}
		18/8074 {Lactams}
		18/8077 {Oximes}
		18/808 {Monoamines}
		18/8083 {with compounds containing at least one heteroatom other than oxygen or nitrogen}
		18/8087 {containing halogen atoms}

18/809 {containing silicon}	18/833	. . . {by nitrogen containing compounds (by azo compounds C08G 18/85)}
18/8093 {Compounds containing active methylene groups}	18/834	. . . {by compounds containing a thiol group}
18/8096 {with two or more compounds having only one group containing active hydrogen}	18/835 {Unsaturated polymers modified by compounds containing a thiol group}
18/81	. . . Unsaturated isocyanates or isothiocyanates	18/836	. . . {by phosphorus containing compounds}
	NOTES	18/837	. . . {by silicon containing compounds}
	1. After the symbols	18/838	. . . {by compounds containing heteroatoms other than oxygen, halogens, nitrogen, sulfur, phosphorus or silicon}
	C08G 18/81 - C08G 18/8191 and separated by a "," sign is indicated the manufacture of polymers containing ionic or ionogenic groups by one of the symbols C08G 18/0804 - C08G 18/0833	18/84	. . . by aldehydes
	2. After the symbols	18/85	. . . by azo compounds
	C08G 18/8158 - C08G 18/8175 and separated by a "," sign are indicated the polymer-backbone forming high-molecular-weight compounds containing active hydrogen or their combination with low-molecular-weight compounds by one of the symbols C08G 18/40 - C08G 18/64 without subnotations,	18/86	. . . by peroxides
	C08G 18/65 - C08G 18/66 , C08G 18/6705 and C08G 18/6795 - C08G 18/69	18/87	. . . by sulfur
18/8108 {having only one isocyanate or isothiocyanate group}	59/00	Polycondensates containing more than one epoxy group per molecule (low-molecular-weight polyepoxy compounds C07); Macromolecules obtained by polymerising compounds containing more than one epoxy group per molecule using curing agents or catalysts which react with the epoxy groups
18/8116 {esters of acrylic or alkylacrylic acid having only one isocyanate or isothiocyanate group}	59/02	. Polycondensates containing more than one epoxy group per molecule
18/8125 {having two or more isocyanate or isothiocyanate groups}	59/022	. . {characterised by the preparation process or apparatus used}
18/8133 {having acetylenic groups}	59/025	. . {characterised by the purification methods used}
18/8141 {masked}	59/027	. . {obtained by epoxydation of unsaturated precursor, e.g. polymer or monomer}
18/815 {Polyisocyanates or polyisothiocyanates masked with unsaturated compounds having active hydrogen}	59/04	. . of polyhydroxy compounds with epihalohydrins or precursors thereof
18/8158 {with unsaturated compounds having only one group containing active hydrogen}	59/06	. . . of polyhydric phenols
18/8166 {with unsaturated monofunctional alcohols or amines}	59/063 {with epihalohydrins}
18/8175 {with esters of acrylic or alkylacrylic acid having only one group containing active hydrogen}	59/066 {with chain extension or advancing agents}
18/8183 {with unsaturated compounds containing the unsaturation at least partially in a cyclic ring having at least one oxygen atom in the ring}	59/08 from phenol-aldehyde condensates
18/8191 {with acetylenic compounds having active hydrogen}	59/10	. . of polyamines with epihalohydrins or precursors thereof
18/82	. . Post-polymerisation treatment	59/12	. . of polycarboxylic acids with epihalohydrins or precursors thereof
18/83	. . Chemically modified polymers	59/14	. Polycondensates modified by chemical after-treatment
18/831	. . . {by oxygen-containing compounds inclusive of carbonic acid halogenides, carboxylic acid halogenides and epoxy halides (by aldehydes C08G 18/84 , by peroxides C08G 18/86)}	59/1405	. . {with inorganic compounds}
18/832 {by water acting as hydrolizing agent (reaction of isocyanates with water C08G 18/302 ; reaction of isocyanate prepolymers with water C08G 18/10 + C08G 18/302)}	59/1411	. . . {containing sulfur}
		59/1416 {Hydrogen sulfide}
		59/1422	. . . {containing phosphorus}
		59/1427	. . . {with water, e.g. hydrolysis}
		59/1433	. . {with organic low-molecular-weight compounds}
		59/1438	. . . {containing oxygen}
		59/1444 {Monoalcohols}
		59/145 {Compounds containing one epoxy group}
		59/1455 {Monocarboxylic acids, anhydrides, halides, or low-molecular-weight esters thereof}
		59/1461 {Unsaturated monoacids}
		59/1466 {Acrylic or methacrylic acids}
		59/1472 {Fatty acids}
		59/1477	. . . {containing nitrogen}
		59/1483	. . . {containing sulfur}
		59/1488	. . . {containing phosphorus}
		59/1494	. . {followed by a further chemical treatment thereof}

- 59/18 . . . Macromolecules obtained by polymerising compounds containing more than one epoxy group per molecule using curing agents or catalysts which react with the epoxy groups {; e.g. general methods of curing}
- 59/182 . . {using pre-adducts of epoxy compounds with curing agents}
- 59/184 . . . {with amines}
- 59/186 . . . {with acids}
- 59/188 . . {using encapsulated compounds}
- 59/20 . . characterised by the epoxy compounds used
- NOTE**
- Preparation and curing of epoxy polycondensates, in which the epoxy polycondensate is not exclusively low-molecular-weight compound and in which the method of curing is not important, are classified only in groups [C08G 59/02](#) - [C08G 59/12](#).
- 59/22 . . . Di-epoxy compounds
- 59/223 {together with monoepoxy compounds}
- 59/226 {Mixtures of di-epoxy compounds}
- 59/24 carbocyclic
- 59/245 {aromatic}
- 59/26 heterocyclic
- 59/28 containing acyclic nitrogen atoms
- 59/30 containing atoms other than carbon, hydrogen, oxygen and nitrogen
- 59/302 {containing sulfur}
- 59/304 {containing phosphorus}
- 59/306 {containing silicon}
- 59/308 {containing halogen atoms}
- 59/32 . . . Epoxy compounds containing three or more epoxy groups
- 59/3209 {obtained by polymerisation of unsaturated mono-epoxy compounds}
- 59/3218 {Carbocyclic compounds}
- 59/3227 {Compounds containing acyclic nitrogen atoms}
- 59/3236 {Heterocyclic compounds}
- 59/3245 {containing only nitrogen as a heteroatom}
- 59/3254 {containing atoms other than carbon, hydrogen, oxygen or nitrogen}
- 59/3263 {containing sulfur}
- 59/3272 {containing phosphorus}
- 59/3281 {containing silicon}
- 59/329 {containing halogen atoms}
- 59/34 obtained by epoxidation of an unsaturated polymer
- 59/36 together with mono-epoxy compounds
- 59/38 together with di-epoxy compounds
- 59/40 . . characterised by the curing agents used
- 59/4007 . . . {Curing agents not provided for by the groups [C08G 59/42](#) - [C08G 59/66](#)}
- 59/4014 {Nitrogen containing compounds}
- 59/4021 {Ureas; Thioureas; Guanidines; Dicyandiamides}
- 59/4028 {Isocyanates; Thioisocyanates}
- 59/4035 {Hydrazines; Hydrazides}
- 59/4042 {Imines; Imides}
- 59/405 {Oximes}
- 59/4057 {Carbamates}
- 59/4064 {sulfur containing compounds ([C08G 59/4021](#), [C08G 59/4028](#) take precedence)}
- 59/4071 {phosphorus containing compounds}
- 59/4078 {boron containing compounds}
- 59/4085 {silicon containing compounds}
- 59/4092 {titanium containing compounds}
- 59/42 . . . Polycarboxylic acids; Anhydrides, halides or low molecular weight esters thereof
- 59/4207 {aliphatic}
- 59/4215 {cycloaliphatic}
- 59/4223 {aromatic}
- 59/423 {containing an atom other than oxygen belonging to a functional groups to [C08G 59/42](#), carbon and hydrogen}
- 59/4238 {heterocyclic}
- 59/4246 {polymers with carboxylic terminal groups}
- 59/4253 {Rubbers}
- 59/4261 {Macromolecular compounds obtained by reactions involving only unsaturated carbon-to-carbon bindings ([C08G 59/4253](#) takes precedence)}
- 59/4269 {Macromolecular compounds obtained by reactions other than those involving unsaturated carbon-to-carbon bindings ([C08G 59/4253](#) takes precedence)}
- 59/4276 {Polyesters}
- 59/4284 {together with other curing agents}
- 59/4292 {together with monocarboxylic acids}
- 59/44 . . . Amides
- 59/442 {Thioamides}
- 59/444 {Sulfonamides}
- 59/446 {Phosphoramides}
- 59/448 {Lactames}
- 59/46 together with other curing agents
- 59/48 with polycarboxylic acids, or with anhydrides, halides or low-molecular-weight esters thereof
- 59/50 . . . Amines
- 59/5006 {aliphatic}
- 59/5013 {containing more than seven carbon atoms, e.g. fatty amines}
- 59/502 {Polyalkylene polyamines}
- 59/5026 {cycloaliphatic}
- 59/5033 {aromatic}
- 59/504 {containing an atom other than nitrogen belonging to the amine group, carbon and hydrogen}
- 59/5046 {heterocyclic}
- 59/5053 {containing only nitrogen as a heteroatom}
- 59/506 {having one nitrogen atom in the ring}
- 59/5066 {Aziridines or their derivatives}
- 59/5073 {having two nitrogen atoms in the ring}
- 59/508 {having three nitrogen atoms in the ring}
- 59/5086 {Triazines; Melamines; Guanamines}
- 59/5093 {Complexes of amines}
- 59/52 Amino carboxylic acids
- 59/54 Amino amides>
- 59/56 together with other curing agents
- 59/58 with polycarboxylic acids or with anhydrides, halides, or low-molecular-weight esters thereof

- 59/60 with amides
- 59/62 . . . Alcohols or phenols
- 59/621 {Phenols}
- 59/623 {Aminophenols}
- 59/625 {Hydroxyacids}
- 59/626 {Lactones}
- 59/628 {Phenolcarboxylic acids}
- 59/64 Amino alcohols
- 59/66 . . . Mercaptans
- 59/68 . . characterised by the catalysts used
- 59/681 . . . {Metal alcoholates, phenolates or carboxylates}
- 59/682 {Alcoholates}
- 59/683 {Phenolates}
- 59/685 {Carboxylates}
- 59/686 . . . {containing nitrogen}
- 59/687 . . . {containing sulfur}
- 59/688 . . . {containing phosphorus}
- 59/70 . . . Chelates
- 59/72 . . . Complexes of boron halides
- 61/00 Macromolecular compounds obtained by reactions forming a carbon-to-carbon link in the main chain of the macromolecule (C08G 2/00 - C08G 16/00 take precedence)**
- NOTE**
- In this group, it is desirable to add the indexing codes C08G 2261/00 - C08G 2261/964
- 61/02 . . Macromolecular compounds containing only carbon atoms in the main chain of the macromolecule, e.g. polyxylylenes
- 61/025 . . {Polyxylylenes}
- 61/04 . . only aliphatic carbon atoms
- 61/06 . . . prepared by ring-opening of carbocyclic compounds
- 61/08 of carbocyclic compounds containing one or more carbon-to-carbon double bonds in the ring
- 61/10 . . only aromatic carbon atoms, e.g. polyphenylenes
- 61/12 . . Macromolecular compounds containing atoms other than carbon in the main chain of the macromolecule
- 61/121 . . {derived from organic halides}
- 61/122 . . {derived from five- or six-membered heterocyclic compounds, other than imides}
- 61/123 . . . {derived from five-membered heterocyclic compounds}
- 61/124 {with a five-membered ring containing one nitrogen atom in the ring}
- 61/125 {with a five-membered ring containing one oxygen atom in the ring}
- 61/126 {with a five-membered ring containing one sulfur atom in the ring}
- 61/127 . . {derived from carbon dioxide, carbonyl halide, carboxylic acids or their derivatives}
- 61/128 . . {derived from other compounds}
- 63/00 Macromolecular compounds obtained by reactions forming a carboxylic ester link in the main chain of the macromolecule (polyester-amides C08G 69/44; polyester-imides C08G 73/16)**
- NOTE**
- Compounds characterised by the chemical constitution of the polyesters are classified in the groups for the type of polyester compound. Compounds characterised by the preparation process of the polyesters are classified in the groups for the process employed (groups C08G 63/78 - C08G 63/87). Compounds characterised both by the chemical constitution and by the preparation process are classified according to each of these aspects.
- 63/005 . . {Polyesters prepared from ketenes}
- 63/02 . . Polyesters derived from hydroxycarboxylic acids or from polycarboxylic acids and polyhydroxy compounds
- 63/06 . . derived from hydroxycarboxylic acids
- 63/065 . . . {the hydroxy and carboxylic ester groups being bound to aromatic rings}
- 63/08 . . . Lactones or lactides
- 63/12 . . derived from polycarboxylic acids and polyhydroxy compounds
- 63/123 . . . the acids or hydroxy compounds containing carbocyclic rings
- 63/127 Acids containing aromatic rings
- 63/13 containing two or more aromatic rings
- 63/133 Hydroxy compounds containing aromatic rings
- 63/137 Acids or hydroxy compounds containing cycloaliphatic rings
- 63/16 . . . Dicarboxylic acids and dihydroxy compounds
- 63/18 the acids or hydroxy compounds containing carbocyclic rings
- 63/181 Acids containing aromatic rings
- 63/183 Terephthalic acids
- 63/185 containing two or more aromatic rings
- 63/187 containing condensed aromatic rings
- 63/189 containing a naphthalene ring
- 63/19 Hydroxy compounds containing aromatic rings
- 63/191 Hydroquinones
- 63/193 containing two or more aromatic rings
- 63/195 Bisphenol A
- 63/197 containing condensed aromatic rings
- 63/199 Acids or hydroxy compounds containing cycloaliphatic rings
- 63/20 Polyesters having been prepared in the presence of compounds having one reactive group or more than two reactive groups
- 63/21 in the presence of unsaturated monocarboxylic acids or unsaturated monohydric alcohols or reactive derivatives thereof
- 63/40 . . . Polyesters derived from ester-forming derivatives of polycarboxylic acids or of polyhydroxy compounds, other than from esters thereof
- 63/42 Cyclic ethers (C08G 59/00 takes precedence); Cyclic carbonates; Cyclic sulfites; Cyclic orthoesters
- 63/44 Polyamides; Polynitriles
- 63/46 . . . Polyesters chemically modified by esterification (C08G 63/20 takes precedence; by after-treatment C08G 63/91)
- 63/47 by unsaturated monocarboxylic acids or unsaturated monohydric alcohols or reactive derivatives thereof

- 63/48 by unsaturated higher fatty oils or their acids; by resin acids
- 63/50 by monohydric alcohols
- 63/52 . . . Polycarboxylic acids or polyhydroxy compounds in which at least one of the two components contains aliphatic unsaturation
- 63/54 the acids or hydroxy compounds containing carbocyclic rings
- 63/547 Hydroxy compounds containing aromatic rings
- 63/553 Acids or hydroxy compounds containing cycloaliphatic rings, e.g. Diels-Alder adducts
- 63/56 Polyesters derived from ester-forming derivatives of polycarboxylic acids or of polyhydroxy compounds other than from esters thereof
- 63/58 Cyclic ethers ([C08G 59/00 takes precedence](#)); Cyclic carbonates; Cyclic sulfites {; Cyclic orthoesters}
- 63/60 . . derived from the reaction of a mixture of hydroxy carboxylic acids, polycarboxylic acids and polyhydroxy compounds
- 63/605 . . . {the hydroxy and carboxylic groups being bound to aromatic rings}
- 63/64 . Polyesters containing both carboxylic ester groups and carbonate groups
- 63/66 . Polyesters containing oxygen in the form of ether groups ([C08G 63/42](#), [C08G 63/58 take precedence](#))
- 63/664 . . derived from hydroxy carboxylic acids
- 63/668 . . derived from polycarboxylic acids and polyhydroxy compounds
- 63/672 . . . Dicarboxylic acids and dihydroxy compounds
- 63/676 . . . in which at least one of the two components contains aliphatic unsaturation
- 63/68 . Polyesters containing atoms other than carbon, hydrogen and oxygen ([C08G 63/64 takes precedence](#))
- 63/681 . . {containing elements not provided for by groups [C08G 63/682](#) - [C08G 63/698](#)}
- 63/682 . . containing halogens
- 63/6822 . . . {derived from hydroxy carboxylic acids}
- 63/6824 . . . {derived from polycarboxylic acids and polyhydroxy compounds}
- 63/6826 {Dicarboxylic acids and dihydroxy compounds}
- 63/6828 {Polycarboxylic acids and polyhydroxy compounds in which at least one of the two components contains aliphatic unsaturation}
- 63/685 . . containing nitrogen
- 63/6852 . . . {derived from hydroxy carboxylic acids}
- 63/6854 . . . {derived from polycarboxylic acids and polyhydroxy compounds}
- 63/6856 {Dicarboxylic acids and dihydroxy compounds}
- 63/6858 {Polycarboxylic acids and polyhydroxy compounds in which at least one of the two components contains aliphatic unsaturation}
- 63/688 . . containing sulfur
- 63/6882 . . . {derived from hydroxy carboxylic acids}
- 63/6884 . . . {derived from polycarboxylic acids and polyhydroxy compounds}
- 63/6886 {Dicarboxylic acids and dihydroxy compounds}
- 63/6888 {Polycarboxylic acids and polyhydroxy compounds in which at least one of the two components contains aliphatic unsaturation}
- 63/692 . . containing phosphorus
- 63/6922 . . . {derived from hydroxy carboxylic acids}
- 63/6924 . . . {derived from polycarboxylic acids and polyhydroxy compounds}
- 63/6926 {Dicarboxylic acids and dihydroxy compounds}
- 63/6928 {Polycarboxylic acids and polyhydroxy compounds in which at least one of the two components contains aliphatic unsaturation}
- 63/695 . . containing silicon
- 63/6952 . . . {derived from hydroxycarboxylic acids}
- 63/6954 . . . {derived from polycarboxylic acids and polyhydroxy compounds}
- 63/6956 {Dicarboxylic acids and dihydroxy compounds}
- 63/6958 {Polycarboxylic acids and polyhydroxy compounds in which at least one of the two components contains aliphatic unsaturation}
- 63/698 . . containing boron
- 63/6982 . . . {derived from hydroxy carboxylic acids}
- 63/6984 . . . {derived from polycarboxylic acids and polyhydroxy compounds}
- 63/6986 {Dicarboxylic acids and dihydroxy compounds}
- 63/6988 {Polycarboxylic acids and polyhydroxy compounds in which at least one of the two components contains aliphatic unsaturation}
- 63/78 . . Preparation processes
- 63/785 . . {characterised by the apparatus used}
- 63/79 . . Interfacial processes, i.e. processes involving a reaction at the interface of two non-miscible liquids
- 63/80 . . Solid-state polycondensation
- 63/81 . . using solvents ([C08G 63/79 takes precedence](#))
- 63/82 . . characterised by the catalyst used
- 63/823 . . . {for the preparation of polylactones or polylactides}
- 63/826 . . . {Metals not provided for in groups [C08G 63/83](#) - [C08G 63/86](#) ([C08G 63/823 takes precedence](#))}
- 63/83 . . . Alkali metals, alkaline earth metals, beryllium, magnesium, copper, silver, gold, zinc, cadmium, mercury, manganese, or compounds thereof ([C08G 63/823 takes precedence](#))}
- 63/84 . . . Boron, aluminium, gallium, indium, thallium, rare-earth metals, or compounds thereof ([C08G 63/823 takes precedence](#))}
- 63/85 . . . Germanium, tin, lead, arsenic, antimony, bismuth, titanium, zirconium, hafnium, vanadium, niobium, tantalum, or compounds thereof ([C08G 63/823 takes precedence](#))}
- 63/86 Germanium, antimony, or compounds thereof
- 63/863 {Germanium or compounds thereof}
- 63/866 {Antimony or compounds thereof}
- 63/87 . . . Non-metals or inter-compounds thereof ([boron C08G 63/84](#))
- 63/88 . . Post-polymerisation treatment
- 63/89 . . Recovery of the polymer
- 63/90 . . Purification; Drying
- 63/91 . . Polymers modified by chemical after-treatment

- 63/912 . . {derived from hydroxycarboxylic acids}
- 63/914 . . {derived from polycarboxylic acids and polyhydroxy compounds}
- 63/916 . . . {Dicarboxylic acids and dihydroxy compounds}
- 63/918 . . . {Polycarboxylic acids and polyhydroxy compounds in which at least one of the two components contains aliphatic unsaturation}
- 64/00 Macromolecular compounds obtained by reactions forming a carbonic ester link in the main chain of the macromolecule (polycarbonate-amides [C08G 69/44](#); polycarbonate-imides [C08G 73/16](#))**
- NOTE**
- Polymers containing both carboxylic ester groups and carbonate groups are always classified in group [C08G 63/64](#), even when the carbonate groups are present in excess.
- 64/02 . Aliphatic polycarbonates
- 64/0208 . . {saturated}
- 64/0216 . . . {containing a chain-terminating or -crosslinking agent}
- 64/0225 . . . {containing atoms other than carbon, hydrogen or oxygen}
- 64/0233 {containing halogens}
- 64/0241 {containing nitrogen}
- 64/025 {containing sulfur}
- 64/0258 {containing phosphorus}
- 64/0266 {containing silicon}
- 64/0275 {containing boron}
- 64/0283 {containing other elements}
- 64/0291 . . {unsaturated}
- 64/04 . Aromatic polycarbonates
- 64/045 . . {containing aliphatic unsaturation}
- 64/06 . . not containing aliphatic unsaturation
- 64/08 . . . containing atoms other than carbon, hydrogen or oxygen
- 64/081 {containing sulfur}
- 64/083 {containing phosphorus}
- 64/085 {containing silicon}
- 64/086 {containing boron}
- 64/088 {containing other elements}
- 64/10 containing halogens
- 64/12 containing nitrogen
- 64/14 . . . containing a chain-terminating or -crosslinking agent
- 64/16 . Aliphatic-aromatic or araliphatic polycarbonates
- 64/1608 . . {saturated}
- 64/1616 . . . {containing a chain-terminating or -crosslinking agent}
- 64/1625 . . . {containing atoms other than carbon, hydrogen or oxygen}
- 64/1633 {containing halogens}
- 64/1641 {containing nitrogen}
- 64/165 {containing sulfur}
- 64/1658 {containing phosphorus}
- 64/1666 {containing silicon}
- 64/1675 {containing boron}
- 64/1683 {containing other elements}
- 64/1691 . . {unsaturated}
- 64/18 . Block or graft polymers
- 64/183 . . {containing polyether sequences}
- 64/186 . . {containing polysiloxane sequences}
- 64/20 . General preparatory processes
- 64/205 . . {characterised by the apparatus used}
- 64/22 . . using carbonyl halides
- 64/223 . . . {and cyclic ethers}
- 64/226 . . . {and alcohols}
- 64/24 . . . and phenols
- 64/26 . . using halocarbonates
- 64/263 . . . {and cyclic ethers}
- 64/266 . . . {and alcohols}
- 64/28 . . . and phenols
- 64/30 . . using carbonates
- 64/302 . . . {and cyclic ethers}
- 64/305 . . . {and alcohols}
- 64/307 . . . {and phenols}
- 64/32 . . using carbon dioxide
- 64/323 . . . {and alcohols}
- 64/326 . . . {and phenols}
- 64/34 . . . and cyclic ethers
- 64/36 . . using carbon monoxide
- 64/38 . . using other monomers
- 64/40 . Post-polymerisation treatment
- 64/403 . . {Recovery of the polymer}
- 64/406 . . {Purifying; Drying}
- 64/42 . Chemical after-treatment
- 65/00 Macromolecular compounds obtained by reactions forming an ether link in the main chain of the macromolecule**
- 65/002 . {from unsaturated compounds (unsaturated oxiranes [C08G 65/14](#))}
- 65/005 . . {containing halogens}
- 65/007 . . . {containing fluorine}
- 65/02 . from cyclic ethers by opening of the heterocyclic ring
- 65/04 . . from cyclic ethers only
- 65/06 . . . Cyclic ethers having no atoms other than carbon and hydrogen outside the ring
- 65/08 Saturated oxiranes
- 65/10 characterised by the catalysts used
- 65/105 {Onium compounds}
- 65/12 containing organo-metallic compounds or metal hydrides
- 65/14 Unsaturated oxiranes
- 65/16 Cyclic ethers having four or more ring atoms
- 65/18 Oxetanes
- 65/20 Tetrahydrofuran
- 65/22 . . . Cyclic ethers having at least one atom other than carbon and hydrogen outside the ring
- 65/223 {containing halogens (epihalohydrins [C08G 65/24](#))}
- 65/226 {containing fluorine}
- 65/24 Epihalohydrins
- 65/26 . . from cyclic ethers and other compounds
- 65/2603 . . . {the other compounds containing oxygen}
- 65/2606 {containing hydroxyl groups}
- 65/2609 {containing aliphatic hydroxyl groups}
- 65/2612 {containing aromatic or arylaliphatic hydroxyl groups}
- 65/2615 {the other compounds containing carboxylic acid, ester or anhydride groups}
- 65/2618 . . . {the other compounds containing nitrogen}
- 65/2621 {containing amine groups}

65/2624 {containing aliphatic amine groups}	65/329	. . . with organic compounds
65/2627 {containing aromatic or arylaliphatic amine groups}	65/331 containing oxygen {(cyclic ether compounds C08G 65/26)}
65/263 {containing heterocyclic amine groups}	65/3311 {containing a hydroxy group}
65/2633 {the other compounds containing amide groups}	65/3312 {acyclic}
65/2636	. . . {the other compounds containing sulfur}	65/3314 {cyclic}
65/2639	. . . {the other compounds containing elements other than oxygen, nitrogen or sulfur}	65/3315 {aromatic}
65/2642	. . . {characterised by the catalyst used}	65/3317 {phenolic}
		65/3318 {heterocyclic}
		65/332 containing carboxyl groups, or halides, or esters thereof
		65/3322 {acyclic}
		65/3324 {cyclic}
		65/3326 {aromatic}
		65/3328 {heterocyclic}
		65/333 containing nitrogen
		65/33303 {containing amino group}
		65/33306 {acyclic}
		65/3331 {cyclic}
		65/33313 {aromatic}
		65/33317 {heterocyclic}
		65/3332 {containing carboxamide group}
		65/33324 {acyclic}
		65/33327 {cyclic}
		65/33331 {containing imide group}
		65/33334 {acyclic}
		65/33337 {cyclic}
		65/33341 {aromatic}
		65/33344 {containing carbamate group}
		65/33348 {containing isocyanate group}
		65/33351 {acyclic}
		65/33355 {cyclic}
		65/33358 {aromatic}
		65/33362 {heterocyclic}
		65/33365 {containing cyano group}
		65/33368 {acyclic}
		65/33372 {acrylonitrile}
		65/33375 {cyclic}
		65/33379 {containing nitro group}
		65/33382 {acyclic}
		65/33386 {cyclic}
		65/33389 {aromatic}
		65/33393 {heterocyclic}
		65/33396 {having oxygen in addition to nitrogen}
		65/334 containing sulfur
		65/3342 {having sulfur bound to carbon and hydrogen}
		65/3344 {containing oxygen in addition to sulfur}
		65/3346 {having sulfur bound to carbon and oxygen}
		65/3348 {containing nitrogen in addition to sulfur}
		65/335 containing phosphorus
		65/3351 {having phosphorus bound to carbon and hydrogen}
		65/3353 {containing oxygen in addition to phosphorus}
		65/3355 {having phosphorus bound to carbon and oxygen}
		65/3356 {having nitrogen in addition to phosphorus}
		65/3358 {having sulfur in addition to phosphorus}
		65/336 containing silicon
65/2645 {Metals or compounds thereof, e.g. salts}		
65/2648 {Alkali metals or compounds thereof}		
65/2651 {Alkaline earth metals or compounds thereof}		
65/2654 {Aluminium or boron; Compounds thereof}		
65/2657 {Aluminosilicates; Clays; Zeolites}		
65/266 {Metallic elements not covered by group C08G 65/2648 - C08G 65/2645, or compounds thereof}		
65/2663 {Metal cyanide catalysts, i.e. DMC's}		
65/2666 {Hetero polyacids}		
65/2669 {Non-metals or compounds thereof (boron C08G 65/2654)}		
65/2672 {Nitrogen or compounds thereof}		
65/2675 {Phosphorus or compounds thereof}		
65/2678 {Sulfur or compounds thereof}		
65/2681 {Silicon or compounds thereof (silicates C08G 65/2657)}		
65/2684 {Halogens or compounds thereof}		
65/2687 {Elements not covered by groups C08G 65/2672 - C08G 65/2684 or compounds thereof}		
65/269 {Mixed catalyst systems, i.e. containing more than one reactive component or catalysts formed in-situ}		
65/2693 {Supported catalysts}		
65/2696	. . . {characterised by the process or apparatus used}		
65/30	. . Post-polymerisation treatment, e.g. recovery, purification, drying		
65/32	. . Polymers modified by chemical after-treatment		
65/321	. . . with inorganic compounds		
65/322 containing hydrogen		
65/323 containing halogens		
65/3233 {Molecular halogen}		
65/3236 {Fluorine}		
65/324 containing oxygen		
65/3245 {Carbondioxide}		
65/325 containing nitrogen		
65/3255 {Ammonia}		
65/326 containing sulfur		
65/3265 {Sulfurdioxide}		
65/327 containing phosphorus		
65/328 containing other elements		

NOTES

1. In this group classification is made according to the metal in the compounds, if any
2. In this group boron is considered a metal and magnesium as an alkaline earth metal

- 65/337 containing other elements ([organic compounds containing halogens only as halides of a carboxyl group C08G 65/332](#))
- 65/338 . . . with inorganic and organic compounds
- 65/34 . from hydroxy compounds or their metallic derivatives ([C08G 65/26 takes precedence](#))
- 65/36 . . Furfuryl alcohol
- 65/38 . . derived from phenols
- 65/40 . . . from phenols (I) and other compounds (II), e.g. OH-Ar-OH + X-Ar-X, where X is halogen atom, i.e. leaving group
- 65/4006 [{\(I\) or \(II\) containing elements other than carbon, oxygen, hydrogen or halogen as leaving group \(X\)}](#)
- 65/4012 [{Other compound \(II\) containing a ketone group, e.g. X-Ar-C\(=O\)-Ar-X for polyetherketones}](#)
- 65/4018 [{\(I\) or \(II\) containing halogens other than as leaving group \(X\)}](#)
- 65/4025 [{\(I\) or \(II\) containing fluorine other than as leaving group \(X\)}](#)
- 65/4031 [{\(I\) or \(II\) containing nitrogen}](#)
- 65/4037 [{in ring structure, e.g. pyridine group}](#)
- 65/4043 [{\(I\) or \(II\) containing oxygen other than as phenol or carbonyl group}](#)
- 65/405 [{in ring structure, e.g. phenolphthalein}](#)
- 65/4056 [{\(I\) or \(II\) containing sulfur \(as the sulfone group C08G 75/23\)}](#)
- 65/4062 [{in ring structure}](#)
- 65/4068 [{\(I\) or \(II\) containing elements not covered by groups C08G 65/4018 - C08G 65/4056}](#)
- 65/4075 [{from self-polymerisable monomers, e.g. OH-Ar-X}](#)
- 65/4081 [{forming cyclic polymers or oligomers}](#)
- 65/4087 [{characterised by the catalyst used}](#)
- 65/4093 [{characterised by the process or apparatus used}](#)
- 65/42 Phenols and polyhydroxy ethers
- 65/44 . . . by oxidation of phenols
- 65/46 . . Post-polymerisation treatment, e.g. recovery, purification, drying
- 65/48 . . Polymers modified by chemical after-treatment
- 65/485 . . . [{Polyphenylene oxides}](#)
- 67/00** **Macromolecular compounds obtained by reactions forming in the main chain of the macromolecule a linkage containing oxygen or oxygen and carbon, not provided for in groups [C08G 2/00 - C08G 65/00](#)**
- 67/02 . Copolymers of carbon monoxide and aliphatic unsaturated compounds
- 67/04 . Polyanhydrides
- 69/00** **Macromolecular compounds obtained by reactions forming a carboxylic amide link in the main chain of the macromolecule (products obtained from isocyanates or isothiocyanates [C08G 18/00](#); polyamide-imides [C08G 73/14](#))**
- 69/02 . Polyamides derived from amino-carboxylic acids or from polyamines and polycarboxylic acids
- 69/04 . . Preparatory processes
- 69/06 . . . Solid state polycondensation
- 69/08 . . derived from amino-carboxylic acids
- 69/10 . . . Alpha-amino-carboxylic acids [{\(polysuccinimides C08G 73/1092\)}](#)
- 69/12 . . . with both amino and carboxylic groups aromatically bound
- 69/14 . . . Lactams
- 69/16 Preparatory processes
- 69/18 Anionic polymerisation
- 69/20 characterised by the catalysts used
- 69/22 Beta-lactams
- 69/24 Pyrrolidones or piperidones
- 69/26 . . derived from polyamines and polycarboxylic acids
- 69/265 . . . [{from at least two different diamines or at least two different dicarboxylic acids}](#)
- 69/28 . . . Preparatory processes
- 69/30 Solid state polycondensation
- 69/32 . . . from aromatic diamines and aromatic dicarboxylic acids with both amino and carboxylic groups aromatically bound
- 69/34 . . . using polymerised unsaturated fatty acids
- 69/36 . . derived from amino acids, polyamines and polycarboxylic acids
- 69/38 . Polyamides prepared from aldehydes and polynitriles
- 69/40 . Polyamides containing oxygen in the form of ether groups ([C08G 69/12](#), [C08G 69/32 take precedence](#))
- 69/42 . Polyamides containing atoms other than carbon, hydrogen, oxygen, and nitrogen ([C08G 69/12](#), [C08G 69/32 take precedence](#))
- 69/44 . Polyester-amides
- 69/46 . Post-polymerisation treatment
- 69/48 . Polymers modified by chemical after-treatment
- 69/50 . . with aldehydes
- 71/00** **Macromolecular compounds obtained by reactions forming a ureide or urethane link, otherwise, than from isocyanate radicals in the main chain of the macromolecule**
- 71/02 . Polyureas
- 71/04 . Polyurethanes
- 73/00** **Macromolecular compounds obtained by reactions forming a linkage containing nitrogen with or without oxygen or carbon in the main chain of the macromolecule, not provided for in groups [C08G 12/00 - C08G 71/00](#) (polycarbodiimides prepared from isocyanates [C08G 18/025](#), [C08G 18/797](#))**
- 73/02 . Polyamines
- 73/0206 . . [{Polyalkylene\(poly\)amines}](#)
- 73/0213 . . . [{Preparatory process}](#)
- 73/022 [{from polyamines and epihalohydrins}](#)
- 73/0226 [{Quaternisation of polyalkylene\(poly\)amines}](#)
- 73/0233 . . [{\(Polyamines derived from \(poly\)oxazolines, \(poly\)oxazines or having pendant acyl groups\)}](#)
- 73/024 . . [{\(Polyamines containing oxygen in the form of ether bonds in the main chain\)}](#)
- 73/0246 . . [{\(Polyamines containing other atoms than carbon, hydrogen, nitrogen or oxygen in the main chain\)}](#)
- 73/0253 . . . [{\(Polyamines containing sulfur in the main chain\)}](#)
- 73/026 . . [{Wholly aromatic polyamines}](#)
- 73/0266 . . . [{Polyanilines or derivatives thereof}](#)

- 73/0273 . . {Polyamines containing heterocyclic moieties in the main chain}
- 73/028 . . {Polyamidoamines}
- 73/0286 . . . {Preparatory process from polyamidoamines and epihalohydrins}
- 73/0293 . . . {Quaternisation of polyamidoamines}
- 73/06 . Polycondensates having nitrogen-containing heterocyclic rings in the main chain of the macromolecule
- NOTES**
1. In this subgroup, "spiro" and "bridged" compounds are considered as condensed
 2. Heterocyclic rings containing both nitrogen and sulfur are classified in subgroups [C08G 75/00](#) - [C08G 75/32](#)
- 73/0605 . . {Polycondensates containing five-membered rings, not condensed with other rings, with nitrogen atoms as the only ring hetero atoms}
- 73/0611 . . . {with only one nitrogen atom in the ring, e.g. polypyrroles (polysuccinimides [C08G 73/1092](#))}
- 73/0616 . . . {with only two nitrogen atoms in the ring}
- 73/0622 . . {Polycondensates containing six-membered rings, not condensed with other rings, with nitrogen atoms as the only ring hetero atoms}
- 73/0627 . . . {with only one nitrogen atom in the ring}
- 73/0633 . . . {with only two nitrogen atoms in the ring}
- 73/0638 . . . {with at least three nitrogen atoms in the ring}
- 73/0644 {Poly(1,3,5)triazines}
- 73/065 {Preparatory processes}
- 73/0655 {from polycyanurates}
- 73/0661 {characterised by the catalyst used}
- 73/0666 . . {Polycondensates containing five-membered rings, condensed with other rings, with nitrogen atoms as the only ring hetero atoms}
- 73/0672 . . . {with only one nitrogen atom in the ring}
- 73/0677 . . . {with only two nitrogen atoms in the ring}
- 73/0683 . . {Polycondensates containing six-membered rings, condensed with other rings, with nitrogen atoms as the only ring hetero atoms}
- 73/0688 . . . {with only one nitrogen atom in the ring, e.g. polyquinolines}
- 73/0694 . . . {with only two nitrogen atoms in the ring, e.g. polyquinoxalines}
- 73/08 . . Polyhydrazides; Polytriazoles; Polyaminotriazoles; Polyoxadiazoles
- 73/10 . . Polyimides; Polyester-imides; Polyamide-imides; Polyamide acids or similar polyimide precursors
- 73/1003 . . . {Preparatory processes}
- 73/1007 {from tetracarboxylic acids or derivatives and diamines}
- 73/101 {containing chain terminating or branching agents}
- 73/1014 {in the form of (mono)anhydrid}
- 73/1017 {in the form of (mono)amine}
- 73/1021 {characterised by the catalyst used}
- 73/1025 {polymerised by radiations}
- 73/1028 {characterised by the process itself, e.g. steps, continuous}
- 73/1032 {characterised by the solvent(s) used}
- 73/1035 {from tetracarboxylic acids or derivatives and diisocyanates}
- 73/1039 {comprising halogen-containing substituents}
- 73/1042 {Copolyimides derived from at least two different tetracarboxylic compounds or two different diamino compounds}
- 73/1046 {Polyimides containing oxygen in the form of ether bonds in the main chain}
- 73/105 {with oxygen only in the diamino moiety}
- 73/1053 {with oxygen only in the tetracarboxylic moiety}
- 73/1057 {Polyimides containing other atoms than carbon, hydrogen, nitrogen or oxygen in the main chain}
- 73/106 {containing silicon}
- 73/1064 {containing sulfur}
- 73/1067 {Wholly aromatic polyimides, i.e. having both tetracarboxylic and diamino moieties aromatically bound}
- 73/1071 {Wholly aromatic polyimides containing oxygen in the form of ether bonds in the main chain}
- 73/1075 {Partially aromatic polyimides}
- 73/1078 {wholly aromatic in the diamino moiety}
- 73/1082 {wholly aromatic in the tetracarboxylic moiety}
- 73/1085 {Polyimides with diamino moieties or tetracarboxylic segments containing heterocyclic moieties}
- 73/1089 {Polyisoimides}
- 73/1092 {Polysuccinimides}
- 73/1096 {containing azo linkage in the main chain}
- 73/12 Unsaturated polyimide precursors
- 73/121 {Preparatory processes from unsaturated precursors and polyamines}
- 73/122 {containing chain terminating or branching agents}
- 73/123 {the unsaturated precursors comprising halogen-containing substituents}
- 73/124 {the unsaturated precursors containing oxygen in the form of ether bonds in the main chain}
- 73/125 {the unsaturated precursors containing atoms other than carbon, hydrogen, oxygen or nitrogen in the main chain}
- 73/126 {the unsaturated precursors being wholly aromatic}
- 73/127 {containing oxygen in the form of ether bonds in the main chain}
- 73/128 {the unsaturated precursors containing heterocyclic moieties in the main chain}
- 73/14 . . . Polyamide-imides
- 73/16 . . . Polyester-imides
- 73/18 . . Polybenzimidazoles
- 73/20 . . Pyrroles
- 73/22 . . Polybenzoxazoles
- 73/24 . Copolymers of a fluoronitroso organic compound and another fluoro organic compound, e.g. nitroso rubbers
- 73/26 . . of trifluoronitrosomethane with a fluoro-olefin
- 75/00 Macromolecular compounds obtained by reactions forming a linkage containing sulfur with or without nitrogen, oxygen, or carbon in the main chain of the macromolecule**
- 75/02 . Polythioethers

75/0204 . . Polyarylenethioethers

NOTES

- In this group, macromolecular compounds are classified for the inventive aspects which are relevant in any of the following sets of groups:
 - [C08G 75/0209-C08G 75/0245](#);
 - [C08G 75/025-C08G 75/0268](#);
 - [C08G 75/0277-C08G 75/0281](#);
 - [C08G 75/0286-C08G 75/0295](#).
- Within each set of groups mentioned in Note (1), the last place priority rule is applied, i.e. at each hierarchical level, in the absence of an indication to the contrary, classification is made in the last appropriate place.

WARNING

Groups [C08G 75/0204-C08G 75/0281](#) are incomplete pending reclassification of documents from groups [C08G 75/04](#) and [C08G 75/045](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 75/0209 . . . derived from monomers containing one aromatic ring
- 75/0213 containing elements other than carbon, hydrogen or sulfur
- 75/0218 {containing oxygen}
- 75/0222 containing nitrogen
- 75/0227 . . . derived from monomers containing two or more aromatic rings
- 75/0231 . . . containing chain-terminating or chain-branching agents
- 75/0236 . . . containing atoms other than carbon or sulfur in a linkage between arylene groups
- 75/024 containing carbonyl groups
- 75/0245 . . . Block or graft polymers

WARNING

Group [C08G 75/0245](#) is incomplete pending reclassification of documents from group [C08G 75/12](#).

Groups [C08G 75/12](#) and [C08G 75/0245](#) should be considered in order to perform a complete search.

- 75/025 . . . Preparatory processes
- 75/0254 using metal sulfides
- 75/0259 metal hydrogensulfides
- 75/0263 using elemental sulfur
- 75/0268 using disulfides
- 75/0272 {using other sulfur sources}

75/0277 . . . Post-polymerisation treatment ([chemical after-treatment C08G 75/0286](#))**WARNING**

Groups [C08G 75/0277](#) and [C08G 75/0281](#) are incomplete pending reclassification of documents from groups [C08G 75/04](#) and [C08G 75/045](#). Groups [C08G 75/0277](#) and [C08G 75/0281](#) are also impacted by reclassification into groups [C08G 75/0286-C08G 75/0295](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 75/0281 Recovery or purification
- 75/0286 . . . Chemical after-treatment

WARNING

Groups [C08G 75/0286-C08G 75/0295](#) are incomplete pending reclassification of documents from groups [C08G 75/0277](#), [C08G 75/0281](#), [C08G 75/04](#), and [C08G 75/045](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 75/029 Modification with organic compounds
- 75/0295 Modification with inorganic compounds
- 75/04 . . from mercapto compounds or metallic derivatives thereof ([C08G 75/0204 takes precedence](#))

WARNING

Groups [C08G 75/04](#) and [C08G 75/045](#) are impacted by reclassification into groups [C08G 75/0204-C08G 75/0295](#).

All groups listed in this Warning should be considered in order to perform a complete search.

- 75/045 . . . from mercapto compounds and unsaturated compounds
- 75/06 . . from cyclic thioethers
- 75/08 . . . from thiiranes
- 75/10 . . from sulfur or sulfur-containing compounds and aldehydes or ketones
- 75/12 . Polythioether-ethers ([C08G 75/0245 takes precedence](#))

WARNING

Group [C08G 75/12](#) is impacted by reclassification into group [C08G 75/0245](#).

Groups [C08G 75/12](#) and [C08G 75/0245](#) should be considered in order to perform a complete search.

- 75/14 . Polysulfides
- 75/16 . . by polycondensation of organic compounds with inorganic polysulfides
- 75/18 . Polysulfoxides
- 75/20 . Polysulfones
- 75/205 . . Copolymers of sulfur dioxide with unsaturated organic compounds
- 75/22 . . . Copolymers of sulfur dioxide with unsaturated aliphatic compounds

- 75/23 . . Polyethersulfones
- 75/24 . Polysulfonates
- 75/26 . Polythioesters
- 75/28 . Polythiocarbonates
- 75/30 . Polysulfonamides; Polysulfonimides
- 75/32 . Polythiazoles; Polythiadiazoles
- 77/00 Macromolecular compounds obtained by reactions forming a linkage containing silicon with or without sulfur, nitrogen, oxygen or carbon in the main chain of the macromolecule**
- 77/02 . Polysilicates
- 77/04 . Polysiloxanes
- 77/045 . . {containing less than 25 silicon atoms}
- 77/06 . . Preparatory processes {(C08G 77/045 takes precedence)}
- 77/08 . . . characterised by the catalysts used
- 77/10 . . . Equilibration processes
- 77/12 . . containing silicon bound to hydrogen {(C08G 77/045 takes precedence)}
- 77/14 . . containing silicon bound to oxygen-containing groups {(C08G 77/045 takes precedence)}
- 77/16 . . . to hydroxyl groups
- 77/18 . . . to alkoxy or aryloxy groups
- 77/20 . . containing silicon bound to unsaturated aliphatic groups {(C08G 77/045 takes precedence)}
- 77/22 . . containing silicon bound to organic groups containing atoms other than carbon, hydrogen and oxygen {(C08G 77/045 takes precedence)}
- 77/24 . . . halogen-containing groups
- 77/26 . . . nitrogen-containing groups
- 77/28 . . . sulfur-containing groups
- 77/30 . . . phosphorus-containing groups
- 77/32 . . Post-polymerisation treatment {(C08G 77/045 takes precedence) chemical after-treatment C08G 77/38}
- 77/34 . . . Purification
- 77/36 . . . Fractionation
- 77/38 . . Polysiloxanes modified by chemical after-treatment {(C08G 77/045 takes precedence)}
- 77/382 . . . containing atoms other than carbon, hydrogen, oxygen or silicon
- 77/385 containing halogens
- 77/388 containing nitrogen
- 77/392 containing sulfur
- 77/395 containing phosphorus
- 77/398 containing boron or metal atoms
- 77/42 . Block-or graft-polymers containing polysiloxane sequences (polymerising aliphatic unsaturated monomers on to a polysiloxane C08F 283/12)
- 77/44 . . containing only polysiloxane sequences
- 77/442 . . containing vinyl polymer sequences
- 77/445 . . containing polyester sequences
- 77/448 . . . containing polycarbonate sequences
- 77/452 . . containing nitrogen-containing sequences
- 77/455 . . . containing polyamide, polyesteramide or polyimide sequences
- 77/458 . . containing polyurethane sequences
- 77/46 . . containing polyether sequences
- 77/48 . in which at least two but not all the silicon atoms are connected by linkages other than oxygen atoms (C08G 77/42 takes precedence)
- 77/485 . . {containing less than 25 silicon atoms}
- 77/50 . . by carbon linkages {(C08G 77/485 takes precedence)}
- 77/52 . . . containing aromatic rings
- 77/54 . . Nitrogen-containing linkages {(C08G 77/485 takes precedence)}
- 77/56 . . Boron-containing linkages {(C08G 77/485 takes precedence)}
- 77/58 . . Metal-containing linkages {(C08G 77/485 takes precedence)}
- 77/60 . in which all the silicon atoms are connected by linkages other than oxygen atoms
- 77/62 . . Nitrogen atoms
- 77/70 . {Siloxanes defined by use of the MDTQ nomenclature}
- 77/80 . {Siloxanes having aromatic substituents, e.g. phenyl side groups}
- 79/00 Macromolecular compounds obtained by reactions forming a linkage containing atoms other than silicon, sulfur, nitrogen, oxygen, and carbon {with or without the latter elements in the main chain of the macromolecule}**
- 79/02 . a linkage containing phosphorus
- 79/025 . . Polyphosphazenes
- 79/04 . . Phosphorus linked to oxygen or to oxygen and carbon
- 79/06 . . Phosphorus linked to carbon only
- 79/08 . a linkage containing boron
- 79/10 . a linkage containing aluminium
- 79/12 . a linkage containing tin
- 79/14 . a linkage containing two or more elements other than carbon, oxygen, nitrogen, sulfur and silicon
- 81/00 Macromolecular compounds obtained by interreacting polymers in the absence of monomers, e.g. block polymers (involving only carbon-to-carbon unsaturated bond reactions C08F 299/00 {; polyester-amides C08G 69/44; polyester-imides C08G 73/16; polyamides-imides C08G 73/14; block- or graft polymers containing polysiloxane sequences C08G 77/42})**
- 81/02 . at least one of the polymers being obtained by reactions involving only carbon-to-carbon unsaturated bonds
- 81/021 . . {Block or graft polymers containing only sequences of polymers of C08C or C08F}
- 81/022 . . . {containing sequences of polymers of conjugated dienes and of polymers of alkenyl aromatic compounds}
- 81/024 . . {Block or graft polymers containing sequences of polymers of C08C or C08F and of polymers of C08G}
- 81/025 . . . {containing polyether sequences}
- 81/027 . . . {containing polyester or polycarbonate sequences}
- 81/028 . . . {containing polyamide sequences}
- 83/00 Macromolecular compounds not provided for in groups C08G 2/00 - C08G 81/00**
- 83/001 . {Macromolecular compounds containing organic and inorganic sequences, e.g. organic polymers grafted onto silica}
- 83/002 . {Dendritic macromolecules}
- 83/003 . . {Dendrimers}
- 83/004 . . . {After treatment of dendrimers}

- 83/005 . . {Hyperbranched macromolecules}
- 83/006 . . . {After treatment of hyperbranched macromolecules}
- 83/007 . {Polyrotaxanes; Polycatenanes}
- 83/008 . {Supramolecular polymers}
- 85/00 General processes for preparing compounds provided for in this subclass**
- 85/002 . {Post-polymerisation treatment}
- 85/004 . {Modification of polymers by chemical after-treatment}
- 85/006 . {Scale prevention in polymerisation reactors}
- 85/008 . {Cleaning reaction vessels using chemicals (mechanical methods [B08B 9/08](#))}
- 2101/00 Foams**
- 2101/0008 . {flexible}
- 2101/0016 . {semi-rigid}
- 2101/0025 . {rigid}
- 2101/0033 . {having integral skins}
- 2101/0041 . {having specified density}
- 2101/005 . . {< 50 kg/m}
- 2101/0058 . . {> 50 and < 150 kg/m}
- 2101/0066 . . {> 150 Kg/m including microcellular foams}
- 2101/0075 . {prepared with an isocyanate index of 60 or lower}
- 2101/0083 . {prepared using water as the sole blowing agent}
- 2101/0091 . {Aerogels; Xerogels}
- 2105/00 Oligomerisation**
- 2105/02 . to isocyanurate groups
- 2105/06 . to carbodiimide or uretone-imine groups
- 2120/00 Compositions for reaction injection moulding processes**
- 2125/00 Compositions for processes using internal mould release agents**
- 2130/00 Compositions of compatibilising agents used in mixtures of high-molecular-weight compounds having active hydrogen with other compounds having active hydrogen**
- 2140/00 Compositions for moulding powders**
- 2150/00 Compositions for coatings (not used)**
- 2150/20 . Compositions for powder coatings
- 2150/50 . Compositions for coatings applied by spraying at least two streams of reaction components
- 2150/60 . Compositions for foaming; Foamed or intumescent coatings
- 2150/90 . Compositions for anticorrosive coatings
- 2170/00 Compositions for adhesives (not used)**
- 2170/20 . Compositions for hot melt adhesives
- 2170/40 . Compositions for pressure-sensitive adhesives
- 2170/60 . Compositions for foaming; Foamed or intumescent adhesives
- 2170/80 . Compositions for aqueous adhesives
- 2170/90 . Compositions for adhesives used in footwear
- 2190/00 Compositions for sealing or packing joints**
- 2210/00 Compositions for preparing hydrogels**
- 2220/00 Compositions for preparing gels other than hydrogels, aerogels and xerogels**
- 2230/00 Compositions for preparing biodegradable polymers**
- 2250/00 Compositions for preparing crystalline polymers**
- 2261/00 Macromolecular compounds obtained by reactions forming a carbon-to-carbon link in the main chain of the macromolecule**
- 2261/10 . Definition of the polymer structure
- 2261/11 . . Homopolymers
- 2261/12 . . Copolymers
- 2261/122 . . . statistical
- 2261/124 . . . alternating
- 2261/126 . . . block
- 2261/128 . . . graft
- 2261/13 . . Morphological aspects
- 2261/131 . . . dendritic
- 2261/132 . . . branched or hyperbranched
- 2261/133 . . . Rod-like building block
- 2261/1332 Non-ladder-type, e.g. polyphenylenes, PPVs or polythiophenes
- 2261/1334 Step-ladder-type, e.g. polyfluorenes or polycarbazoles
- 2261/1336 Ladder-type, e.g. ladder-poly-p-phenylenes
- 2261/134 . . . Rod and coil building blocks
- 2261/135 . . . Cross-linked structures
- 2261/136 . . . Comb-like structures
- 2261/14 . . Side-groups
- 2261/141 . . . Side-chains having aliphatic units
- 2261/1412 Saturated aliphatic units
- 2261/1414 Unsaturated aliphatic units
- 2261/142 . . . Side-chains containing oxygen
- 2261/1422 containing OH groups
- 2261/1424 containing ether groups, including alkoxy
- 2261/1426 containing carboxy groups (COOH) and/or -C(=O)O-moieties
- 2261/1428 containing acyl groups
- 2261/143 . . . Side-chains containing nitrogen
- 2261/1432 containing amide groups
- 2261/1434 containing triarylamine moieties
- 2261/144 . . . Side-chains containing silicon
- 2261/145 . . . Side-chains containing sulfur
- 2261/1452 containing sulfonyl or sulfonate-groups
- 2261/146 . . . Side-chains containing halogens
- 2261/147 . . . Side-chains with other heteroatoms in the side-chain
- 2261/148 . . . Side-chains having aromatic units
- 2261/149 . . . Side-chains having heteroaromatic units
- 2261/15 . . . conjugated side-chains
- 2261/152 . . . comprising metal complexes
- 2261/1522 of alkali metals or alkaline-earth metals
- 2261/1523 of rare earth metals, i.e. Sc, Y or lanthanides
- 2261/1524 of Ti, V, Cr, Zr, Nb, Mo, Hf, Ta or W
- 2261/1526 of Os, Ir, Pt, Ru, Rh or Pd
- 2261/1528 of Al
- 2261/1529 of Fe, Co or Ni
- 2261/16 . . End groups
- 2261/162 . . . comprising metal complexes
- 2261/1621 of alkali metals or alkaline-earth metals
- 2261/1622 of rare earth metals, i.e. Sc, Y or lanthanides
- 2261/1623 of Ti, V, Cr, Zr, Nb, Mo, Hf, Ta or W
- 2261/1624 of Os, Ir, Pt, Ru, Rh or Pd
- 2261/1625 of Al

- 2261/1626 of Fe, Co or Ni
- 2261/164 . . . comprising organic end groups
- 2261/1642 comprising reactive double bonds or triple bonds
- 2261/1644 comprising other functional groups, e.g. OH groups, NH groups, COOH groups or boronic acid
- 2261/1646 comprising aromatic or heteroaromatic end groups
- 2261/17 . . Dendritic core
- 2261/18 . . conjugated
- 2261/19 . . partially conjugated
- 2261/20 . . non-conjugated
- 2261/21 . . Stereochemical aspects
- 2261/212 . . . Regioregularity
- 2261/214 . . . Chirality
- 2261/216 . . . Cis-trans isomerism
- 2261/22 . . Molecular weight
- 2261/222 . . . monodisperse
- 2261/224 . . . polydisperse
- 2261/226 . . . Oligomers, i.e. up to 10 repeat units
- 2261/228 . . . Polymers, i.e. more than 10 repeat units
- 2261/30 . Monomer units or repeat units incorporating structural elements in the main chain
- 2261/31 . . incorporating aromatic structural elements in the main chain
- 2261/312 . . . Non-condensed aromatic systems, e.g. benzene
- 2261/314 . . . Condensed aromatic systems, e.g. perylene, anthracene or pyrene
- 2261/3142 fluorene-based, e.g. fluorene, indenofluorene, or spirobifluorene
- 2261/316 . . . bridged by heteroatoms, e.g. N, P, Si or B
- 2261/3162 Arylamines
- 2261/32 . . incorporating heteroaromatic structural elements in the main chain
- 2261/322 . . . non-condensed
- 2261/3221 containing one or more nitrogen atoms as the only heteroatom, e.g. pyrrole, pyridine or triazole
- 2261/3222 containing one or more oxygen atoms as the only heteroatom, e.g. furan
- 2261/3223 containing one or more sulfur atoms as the only heteroatom, e.g. thiophene
- 2261/3224 containing one or more Si atoms as the only heteroatom
- 2261/3225 containing one or more Se atoms as the only heteroatom
- 2261/3226 containing one or more Te atoms as the only heteroatom
- 2261/3227 containing only one kind of heteroatoms other than N, O, S, Si, Se, Te
- 2261/3228 containing nitrogen and oxygen as heteroatoms
- 2261/3229 containing nitrogen and sulfur as heteroatoms
- 2261/323 containing combinations of different heteroatoms other than nitrogen and oxygen or nitrogen and sulfur
- 2261/324 . . . condensed
- 2261/3241 containing one or more nitrogen atoms as the only heteroatom, e.g. carbazole
- 2261/3242 containing one or more oxygen atoms as the only heteroatom, e.g. benzofuran
- 2261/3243 containing one or more sulfur atoms as the only heteroatom, e.g. benzothiophene
- 2261/3244 containing only one kind of heteroatoms other than N, O, S
- 2261/3245 containing nitrogen and oxygen as heteroatoms
- 2261/3246 containing nitrogen and sulfur as heteroatoms
- 2261/3247 containing combinations of different heteroatoms other than nitrogen and oxygen or nitrogen and sulfur
- 2261/33 . . incorporating non-aromatic structural elements in the main chain
- 2261/332 . . . containing only carbon atoms
- 2261/3321 derived from cyclopentene
- 2261/3322 derived from cyclooctene
- 2261/3323 derived from other monocyclic systems
- 2261/3324 derived from norbornene
- 2261/3325 derived from other polycyclic systems
- 2261/3326 alkane-based
- 2261/3327 alkene-based
- 2261/3328 alkyne-based
- 2261/334 . . . containing heteroatoms
- 2261/3342 derived from cycloolefins containing heteroatoms
- 2261/34 . . incorporating partially-aromatic structural elements in the main chain
- 2261/342 . . . containing only carbon atoms
- 2261/3422 conjugated, e.g. PPV-type
- 2261/3424 non-conjugated, e.g. paracyclophanes or xylenes
- 2261/344 . . . containing heteroatoms
- 2261/3442 Polyetherketones
- 2261/3444 Polyethersulfones
- 2261/35 . . Macromonomers, i.e. comprising more than 10 repeat units
- 2261/352 . . . containing only carbon atoms
- 2261/354 . . . containing hetero atoms
- 2261/36 . . Oligomers, i.e. comprising up to 10 repeat units
- 2261/362 . . . containing only carbon atoms
- 2261/364 . . . containing hetero atoms
- 2261/37 . . Metal complexes
- 2261/371 . . . of alkali metals and alkaline-earth metals
- 2261/372 . . . of rare earth metals, i.e. Sc, Y, lanthanides
- 2261/373 . . . of Ti, V, Cr, Zr, Nb, Mo, Hf, Ta, W
- 2261/374 . . . of Os, Ir, Pt, Ru, Rh, Pd
- 2261/375 . . . of Al
- 2261/376 . . . of Fe, Co, Ni
- 2261/40 . Polymerisation processes
- 2261/41 . . Organometallic coupling reactions
- 2261/411 . . . Suzuki reactions
- 2261/412 . . . Yamamoto reactions
- 2261/413 . . . Heck reactions
- 2261/414 . . . Stille reactions
- 2261/415 . . . Sonogashira / Hagihara reactions
- 2261/416 . . . zinc-based, e.g. Rieke reactions
- 2261/417 . . . magnesium-based, e.g. Grignard or McCullough reactions
- 2261/418 . . . Ring opening metathesis polymerisation [ROMP]
- 2261/419 . . . Acyclic diene metathesis [ADMET]

- 2261/42 . . Non-organometallic coupling reactions, e.g. Gilch-type or Wessling-Zimmermann type
- 2261/43 . . Chemical oxidative coupling reactions, e.g. with FeCl₃
- 2261/44 . . Electrochemical polymerisation, i.e. oxidative or reductive coupling
- 2261/45 . . Friedel-Crafts-type
- 2261/46 . . Diels-Alder reactions
- 2261/50 . Physical properties
- 2261/51 . . Charge transport
- 2261/512 . . . Hole transport
- 2261/514 . . . Electron transport
- 2261/516 . . . ion-conductive
- 2261/52 . . Luminescence
- 2261/522 . . . fluorescent
- 2261/5222 electrofluorescent
- 2261/524 . . . phosphorescent
- 2261/5242 electrophosphorescent
- 2261/526 . . . used as active layer in lasers
- 2261/53 . . liquid-crystalline
- 2261/54 . . electrochromatic
- 2261/55 . . thermoelectric
- 2261/56 . . thermochromic
- 2261/57 . . photorefractive, e.g. change of refractive index
- 2261/58 . . corrosion-inhibiting
- 2261/59 . . Stability
- 2261/592 . . . against heat
- 2261/594 . . . against light, i.e. electromagnetic radiation
- 2261/596 . . . against oxidation
- 2261/598 . . . Chemical stability
- 2261/60 . . Glass transition temperature
- 2261/61 . . Permeability
- 2261/612 . . . for gases
- 2261/614 . . . for liquids
- 2261/62 . . Mechanical aspects
- 2261/63 . . Viscosity
- 2261/64 . . Solubility
- 2261/65 . . Electrical insulator
- 2261/70 . Post-treatment
- 2261/71 . . Purification
- 2261/712 . . . Catalyst removal
- 2261/72 . . Derivatisation
- 2261/722 . . . Sulfonation
- 2261/724 . . . Hydrogenation
- 2261/726 . . . Silylation
- 2261/728 . . . Acylation
- 2261/73 . . Depolymerisation
- 2261/74 . . Further polymerisation of the obtained polymers, e.g. living polymerisation to obtain block-copolymers
- 2261/75 . . Reaction of polymer building blocks for the formation of block-copolymers
- 2261/76 . . crosslinking
- 2261/77 . . grafting
- 2261/78 . . Complexation
- 2261/79 . . doping
- 2261/792 . . . with low-molecular weight dopants
- 2261/794 . . . with polymeric dopants
- 2261/80 . . Functional group cleavage, e.g. removal of side-chains or protective groups
- 2261/90 . Applications
- 2261/91 . . Photovoltaic applications
- 2261/92 . . TFT applications
- 2261/93 . . Applications in textiles, fabrics and yarns
- 2261/94 . . Applications in sensors, e.g. biosensors
- 2261/95 . . Use in organic luminescent diodes
- 2261/96 . . coating of particles
- 2261/962 . . . coating of organic particles
- 2261/964 . . . coating of inorganic particles
- 2270/00** **Compositions for creating interpenetrating networks**
- 2280/00** **Compositions for creating shape memory**
- 2290/00** **Compositions for creating anti-fogging**
- 2310/00** **Agricultural use or equipment**
- 2330/00** **Thermal insulation material (not used)**
- 2330/50 . Evacuated open-celled polymer material
- 2340/00** **Filter material**
- 2350/00** **Acoustic or vibration damping material**
- 2380/00** **Tyres**
- 2390/00** **Containers**
- 2390/40 . Inner coatings for containers
- 2410/00** **Soles**
- 2650/00** **Macromolecular compounds obtained by reactions forming an ether link in the main chain of the macromolecule**
- 2650/02 . characterized by the type of post-polymerisation functionalisation
- 2650/04 . . End-capping
- 2650/06 . . Epoxy-capping
- 2650/08 . . . Epoxy- capping used as a source of hydroxy groups
- 2650/10 . . characterized by the catalyst used in the post-polymerisation functionalisation step
- 2650/12 . . Depolymerisation, e.g. to reform the monomer
- 2650/14 . . De-esterification, e.g. of polythf-diesters
- 2650/16 . . Photopolymerisation
- 2650/18 . . Photodegradation
- 2650/20 . . Cross-linking
- 2650/22 . characterised by the initiator used in polymerisation
- 2650/24 . . Polymeric initiators
- 2650/26 . . Sugars or saccharides used as initiators
- 2650/28 . characterised by the polymer type
- 2650/30 . . branched
- 2650/32 . . . dendritic or similar
- 2650/34 . . Oligomeric, e.g. cyclic oligomeric
- 2650/36 . . Pre-polymer
- 2650/38 . . containing oxygen in addition to the ether group
- 2650/40 . . . containing ketone groups, e.g. polyarylethylketones, PEEK or PEK
- 2650/42 . . . containing orthoester groups
- 2650/44 . . . containing acetal or formal groups
- 2650/46 . . containing halogen
- 2650/48 . . . containing fluorine, e.g. perfluoropolyethers
- 2650/50 . . containing nitrogen, e.g. polyetheramines or Jeffamines(r)
- 2650/52 . . obtained by dehydration of polyhydric alcohols
- 2650/54 . . . Polyglycerols
- 2650/56 . . Polyhydroxyethers, e.g. phenoxy resins

C08G

- 2650/58 . . Ethylene oxide or propylene oxide copolymers,
e.g. pluronics
- 2650/60 . . containing acetylenic group
- 2650/62 . . characterised by the nature of monomer used
- 2650/64 . . Monomer containing functional groups not
involved in polymerisation
- 2650/66 . . Oligomeric monomers
- 2650/68 . . Especially purified monomers