

CPC COOPERATIVE PATENT CLASSIFICATION

D TEXTILES; PAPER

TEXTILES OR FLEXIBLE MATERIALS NOT OTHERWISE PROVIDED FOR

D03 WEAVING

D03C SHEDDING MECHANISMS; PATTERN CARDS OR CHAINS; PUNCHING OF CARDS; DESIGNING PATTERNS

WARNING

The following IPC groups are not in the CPC scheme. The subject matter for these IPC groups is classified in the following CPC groups:

[D03C 9/04](#)

covered by

[D03C 9/028](#)

1/00	Dobbies	3/04	. . of open-shed type
1/005	. { Electronic dobbies }	3/06	. Double-lift jacquards
1/02	. Single-lift dobbies, i.e. dobbies in which the same draw-knife or equivalent operates for every pick (D03C 1/10 takes precedence)	3/08	. . of open-shed type
1/04	. . Open-shed single-lift dobbies	3/10	. Centre-shed jacquards
1/06	. Double-lift dobbies, i.e. dobbies in which separate draw-knives or equivalent operate on alternate picks	3/12	. Multiple-shed jacquards, i.e. jacquards which move warp threads to several different heights, e.g. for weaving pile fabrics
1/08	. . reversible, i.e. correct sheds open automatically when the loom is driven backwards	3/14	. Jacquards not employing lifting-hooks, e.g. employing knotted cords in conjunction with keyhole slots
1/10	. Centre-shed dobbies, i.e. shed formed by lifting some threads and lowering the others from central shed-closed position	3/16	. Verdol or other jacquards having intermediate power-operated needles between reading needles and lifting-hooks
1/12	. Dobbies employing toothed gearing instead of draw-knives	3/18	. Selvedge jacquards
1/14	. Features common to dobbies of different types (stop motions acting on defective operation of shedding mechanisms D03D 51/46)	3/20	. Electrically-operated jacquards
1/142	. . { Leveling mechanisms }	3/205	. . { Independently actuated lifting cords }
1/144	. . { linking to the heald frame }	3/22	. Fluid-operated jacquards
1/146	. . { Independent drive motor }	3/22	. Features common to jacquards of different types
1/148	. . { Eccentrics }	3/26	. . General arrangements of jacquards, or disposition in relation to loom
1/16	. . Arrangements of dobbie in relation to loom	3/28	. . Pick-finding arrangements; Arrangements for preventing next shed from being opened during stopping of loom
1/18	. . Knives; Knife frames	3/30	. . Arrangements wherein hooks are positively operated to close shed
1/20	. . Hooks; Lifters	3/32	. . Jacquard driving mechanisms
1/22	. . Needles; Needle boxes; Needle boards	3/34	. . . Cylinder operating mechanisms
1/24	. . Cylinders; Cylinder battens	3/36	. . . Griffe operating mechanisms
1/26	. . Facilitating engagement of lifting-hooks with draw-knives	3/38	. . Comber boards
1/28	. . . by creating and then eliminating back-lash between hooks and knives	3/40	. . Constructions of lifting-cords
1/30	. . . wherein all the hooks are disengaged from the knives, and selected hooks then re-engaged	3/42	. . Arrangements of lifting-cords
1/32	. . . wherein all the hooks are engaged with the knives, and unselected hooks then disengaged	3/44	. . Lingoies
1/34	. . Arrangements wherein warp threads pass one another at different heights to avoid congestion	5/00	Cam or other direct-acting shedding mechanisms, i.e. operating heald frames without intervening power-supplying devices
1/36	. . Card- or chain-saving arrangements, e.g. cross-border dobbies	5/005	. { Leveling mechanisms }
3/00	Jacquards (controlling jacquard by scanning design D03C 17/06 ; for gripper Axminster looms D03D 39/08)	5/02	. operated by rotating cams
3/02	. Single-lift jacquards	5/04	. . Construction or shape of cams (cams in general F16H 53/00)
		5/06	. operated by cam devices other than rotating cams
		7/00	Leno or similar shedding mechanisms
		7/005	. { Combined leno and patterned shedding motion }

- 7/02 . Gauze healds
- 7/04 . Mechanisms having discs oscillating about a weftwise axis and having apertures for warp threads
- 7/06 . Mechanisms having eyed needles for moving warp threads from side to side of other warp threads
- 7/08 . Devices for twisting warp threads repeatedly in the same direction
- 9/00 Healds; Heald frames (for leno shedding [D03C 7/00](#))**
 - 9/02 . Healds
 - 9/022 . . {anti-buckling}
 - 9/024 . . {Eyelets}
 - 9/026 . . {Material used}
 - 9/028 . . . {Metal}
 - 2009/04 . . {Metal healds}
 - 9/06 . Heald frames
 - 9/0608 . . {Construction of frame parts}
 - 9/0616 . . . {Horizontal upper or lower rods}
 - 9/0625 {Composition or used material}
 - 9/0633 {Heald bars or their connection to other frame parts}
 - 9/0641 {Distance guides for keeping distance to the next frame}
 - 9/065 . . . {Side stays}
 - 9/0658 . . . {Intermediate supports or their connection to other frame parts}
 - 9/0666 . . {Connection of frame parts ([D03C 9/0633](#) and [D03C 9/0658](#) take precedence)}
 - 9/0675 . . . {Corner connections between horizontal rods and side stays}
 - 9/0683 . . {Arrangements or means for the linking to the drive system}
 - 9/0691 . . {Arrangements of means for damping or noise reduction}
- 11/00 Selvedge shedding mechanisms not forming part of main shedding mechanism (selvedge jacquards [D03C 3/18](#); leno selvedge mechanism [D03C 7/00](#))**
- 13/00 Shedding mechanisms not otherwise provided for**
 - 13/02 . {with independent drive motors ([D03C 1/146](#) and [D03C 3/205](#) take precedence)}
 - 13/025 . . {with independent frame drives}
- 15/00 Pattern cards or chains**
 - 15/02 . Chains of metal, wood, or similar material with projecting pattern-indicating elements
 - 15/04 . Cards or paper perforated to indicate pattern
 - 15/06 . Apparatus for setting pegs in, or removing pegs from, pattern cards
 - 15/08 . Apparatus for interconnecting, e.g. by lacing, or disconnecting pattern cards
- 17/00 Card-punching apparatus (marking record carriers in digital fashion [G06K](#))**
 - 17/02 . manually-controlled, i.e. holes to be punched determined by the operator
 - 17/04 . . power-operated
 - 17/06 . automatic, i.e. design scanned optically or otherwise to control punching apparatus or to control loom jacquard directly
- 19/00 Miscellaneous methods or devices concerned with designing or making patterns**
 - 19/005 . {Electronic}
- 2700/00 Shedding mechanisms**
 - 2700/01 . Shedding mechanisms using heald frames
 - 2700/0105 . . Cam-driven heald frame movement
 - 2700/0111 . . . Devices for levelling the heald frames; Coupling and uncoupling the drive for the heald frames; Devices for holding the shed open
 - 2700/0116 . . . Arrangements in which warp threads pass one another at different heights
 - 2700/0122 . . . Devices for adjusting the geometric and time parameters of shed opening
 - 2700/0127 . . Programme-controlled heald frame movement
 - 2700/0133 . . . with mechanical transmission
 - 2700/0138 using hooks or lifters
 - 2700/0144 Single-lift mechanisms
 - 2700/015 of closed-shed type
 - 2700/0155 Double-lift mechanisms
 - 2700/0161 of negatively-driven type
 - 2700/0166 of positively-driven type
 - 2700/0172 Constructional details
 - 2700/0177 . . . Devices for levelling the heald frames; Coupling and uncoupling the drive for the heald frames; Devices for holding the shed open
 - 2700/0183 . . . Devices for adjusting the geometric and time parameters of shed opening
 - 2700/0188 . . Heald frame return devices
 - 2700/0194 . . Frame-operating devices for ribbon looms
 - 2700/14 . . Heald frame lifting devices