CPC COOPERATIVE PATENT CLASSIFICATION

D TEXTILES; PAPER

TEXTILES OR FLEXIBLE MATERIALS NOT OTHERWISE PROVIDED FOR

D05 SEWING; EMBROIDERING; TUFTING

D05B SEWING (appliances for the tailoring trade <u>A41H</u>; sewing tables <u>A47B 29/00</u>; sewing in bookbinding <u>B42B 2/00</u>; sewing machines modified for knitting <u>D04B 39/08</u>)

NOTE

3/10

. for making piped openings

In this subclass, the groups designating sewing apparatus or machines cover also sewing processes dependent on their use, and the thread seams produced thereby

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	General types of sewing apparatus or machines without mechanism for lateral movement of the	3/12 3/14	• for fastening articles by sewing
	needle or the work or both	3/14	perforated or press buttonsshank buttons
1/02	for making single-thread seams	3/18	hooks or eyelets
1/04	Running-stitch seams	3/10	labels (labelling fabrics otherwise than by sewing
1/06	Single chain-stitch seams	3/20	<u>B65C 5/00</u> ; labels or securing means therefor, in
1/08	for making multi-thread seams		general G09F 3/00)
1/10	Double chain-stitch seams	3/22	Article-, e.g. button-, feed mechanisms therefor
1/12	Lock-stitch seams		{(work-handling elements for attaching small
1/14	Combined or alternative chain-stitch and lock-		textile pieces <u>D05B 35/066</u>)}
	stitch seams	3/24	 formed by general-purpose sewing machines
1/16	Pseudo-lock-stitch seams in which the thread		modified by attachments, e.g. by detachable devices
	loops do not positively interlock (shoe or welt	3/243	• • {for embroidering, e.g. monograms}
	sewing machines <u>D05B 15/02</u>)	3/246	• • {for darning}
1/18	Seams for protecting or securing edges (zig-zag sewing machines <u>D05B 3/02</u> , <u>D05B 3/04</u>)	5/00	Sewing machines for temporarily connecting articles, e.g. pairs of socks
1/20	Overedge seams	- 100	·
1/22	combined with joining or securing seams	7/00	Linking machines, e.g. for joining knitted fabrics
1/24	for making blind-stitch seams	9/00	Hem-stitch sewing machines
1/26	 for making fluid-tight seams (sewing machines for concurrently making thread and welded seams D05B 17/00) 	11/00	Machines for sewing quilts or mattresses (control of workpiece-holding frames, or of sewing machines, in order to obtain particular seam configuration
Special-pur	Special-purpose or automatic sewing apparatus or machines		D05B 21/00)
	wing machines <u>A61B 17/0491</u>)}	11/005	• {for sewing the edges of mattresses}
3/00	Cowing apparatus on machines with machanism		
3/00	Sewing apparatus or machines with mechanism for lateral movement of the needle or the	13/00	Machines for sewing sacks
	work or both for making ornamental pattern seams, for sewing buttonholes, for reinforcing	13/02	 for closing filled bags or sacks (combined with bag- or sack-filling apparatus <u>B65B</u>)
	openings, or for fastening articles, e.g. buttons,	15/00	Machines for sewing leather goods (making pseudo-
	by sewing (programme-controlled sewing machines		lock-stitch seams <u>D05B 1/16</u>)
	<u>D05B 19/00</u> ; with devices for automatically	15/005	 {Corner sewing of suitcases or bags}
	controlling movement of work-carrier D05B 21/00)	15/005 15/02	{Corner sewing of suitcases or bags}Shoe sewing machines
3/02	controlling movement of work-carrier <u>D05B 21/00</u>) • with mechanisms for needle-bar movement		
3/02 3/025	 controlling movement of work-carrier <u>D05B 21/00</u>) with mechanisms for needle-bar movement {with a pair of needles mounted on the needlebar} 	15/02	Shoe sewing machines
	 controlling movement of work-carrier <u>D05B 21/00</u>) with mechanisms for needle-bar movement {with a pair of needles mounted on the needlebar} with mechanisms for work feed 	15/02 15/025	 Shoe sewing machines {for sewing moccasin-type seams} for lock-stitch work (D05B 15/08 takes)
3/025	 controlling movement of work-carrier D05B 21/00) with mechanisms for needle-bar movement {with a pair of needles mounted on the needlebar} with mechanisms for work feed for sewing buttonholes ({detachable devices 	15/02 15/025 15/04	 Shoe sewing machines {for sewing moccasin-type seams} for lock-stitch work (<u>D05B 15/08</u> takes precedence)
3/025 3/04	 controlling movement of work-carrier <u>D05B 21/00</u>) with mechanisms for needle-bar movement {with a pair of needles mounted on the needlebar} with mechanisms for work feed 	15/02 15/025 15/04 15/06	 Shoe sewing machines {for sewing moccasin-type seams} for lock-stitch work (<u>D05B 15/08</u> takes precedence) Welt sewing machines

CPC - 2024.01

17/00	Sewing machines for concurrently making thread and welded seams (for making non-welded fluid-	Sewing-machine elements for feeding, positioning, handling, or treating the work	
	tight seams <u>D05B 1/26</u>)	27/00	Work-feeding means
19/00	Programme-controlled sewing machines (with devices for automatically controlling movement of	27/02	 with feed dogs having horizontal and vertical movements
	work-carrier <u>D05B 21/00</u> ; devices for stopping drive	27/04	arranged above the workpieces
	when sewing tools have reached a predetermined	27/06	arranged above and below the workpieces
	position <u>D05B 69/22</u>)	27/08	• • with differential feed motions
19/003	 {Zig-zag sewing machines with electric or 	27/10	with rotary circular feed members
	electronic programming}	27/12	• rotating continuously
19/006	• {Control knobs or display means (<u>D05B 19/085</u> ,	27/14	 rotating discontinuously
10/02	D05B 19/105 take precedence)}	27/16	with differential feed motions
19/02	Sewing machines having electronic memory or missaggreeness control unit	27/18	Feed cups
19/04	microprocessor control unit	27/185	{Guides or supports for the work presented to
19/04	characterised by memory aspectsPhysical exchange of memory		the feed cups, e.g. uncurling guides}
19/08	Arrangements for inputting stitch or pattern	27/20	 constituted by sewing needles
19/06	data to memory {; Editing stitch or pattern	27/22	 with means for setting length of stitch
	data}	27/24	 Feed-dog lifting and lowering devices
19/085	• • • {Physical layout of switches or displays; Switches co-operating with the display}	27/26	in machines for sewing leather
19/10	Arrangements for selecting combinations of	29/00	Pressers; Presser feet (for feeding D05B 27/04)
19/10	stitch or pattern data from memory {; Handling	29/02	Presser-control devices
	data in order to control stitch format, e.g. size,	29/04	Pressers in machines for sewing leather
	direction, mirror image}	29/06	• Presser feet
19/105	{Physical layout of switches or displays;	29/08	comprising relatively-movable parts
	Switches co-operating with the display}	29/10	. with rollers
19/12	characterised by control of operation of machine	29/12	Presser-foot attachment
19/14	Control of needle movement, e.g. varying amplitude or period of needle movement	31/00	Workpiece holders or hold-downs in machines for sewing leather
19/16	Control of workpiece movement, e.g.	31/02	. Welt guides
	modulation of travel of feed dog	22/00	Devices in commenced discounting mechines for
21/00	Sewing machines with devices for automatically	33/00	Devices incorporated in sewing machines for supplying or removing the work
	controlling movement of work-carrier relative to stitch-forming mechanism in order to obtain	33/003	• {by equal steps of adjustable length, e.g. for automatically positioning successive buttonhole
	particular configuration of seam, e.g. programme-		locations}
	controlled for sewing collars, for attaching pockets	33/006	• {Feeding workpieces separated from piles, e.g.
21/002	• {consisting of lateral displacement of the workpieces by a feed-dog or a fluted presser foot}	33/02	unstacking } and connected, for synchronous operation, with the
21/005	• {to obtain spiral seams (fixed or adjustable pin holding the work for spiral stitching D05B 35/107)}	33/02	work-feeding devices of the sewing machine
21/007	• {to obtain circular or elliptical seams (fixed or	35/00	Work-feeding or -handling elements not otherwise
	adjustable pin holding the work for circular stitching		provided for
-2/00	<u>D05B 35/107</u>)}	35/02	• for facilitating seaming; Hem-turning elements; Hemmers {(<u>D05B 35/062</u> takes precedence)}
23/00	Sewing apparatus or machines not otherwise	35/04	• with movable tools
22/001	provided for (for making zip closures <u>A44B 19/00</u>)	35/06	• for attaching bands, ribbons, strips, or tapes or for
23/001 23/002	 {Straw hat sewing machines} {Hat hemming sewing machines}	25/0/2	binding
23/002	 {Frat heliming sewing machines} {Sewing machines for straw cases, wisps of straw or 	35/062	• • {with hem-turning (<u>D05B 35/066</u> takes
	canvas shoes}	35/064	precedence)}• {for attaching slide fasteners (connection of
23/004	• {Sewing machines for ribbing corsets}		the interlocking member to the stringer tape
23/005	• {Sewing machines specially adapted for binding or		<u>A44B 19/40</u>)}
22/006	uniting carpets}	35/066	• • {for attaching small textile pieces, e.g. labels, belt
23/006	• {Sewing machines for making cylindrical articles}	25/069	loops}
23/007	 {Sewing units for assembling parts of knitted panties or closing the stocking toe part} 	35/068 35/08	• • { for attaching belt loops }
23/008	• • {Line closers, i.e. sewing units for forming the	35/08	 for ruching, gathering, casing, or filling lace, ribbons, or bindings; Pleating devices; Cuttlers;
25/000	body portion of the panty hose}		Gathering feet; Crimpers; Curlers; Rufflers
23/009	• • {Toe closers}	35/085	• • {for making folds transversely to the sewing
		22,000	direction}
25/00	Sewing units consisting of combinations of several	35/10	. Edge guides
	sewing machines	35/102	• • {Edge guide control systems with edge sensors}

CPC - 2024.01 2

35/105	• • {Guiding while stretching the workpiece, e.g. by means of weighted clips}	55/12	with provision for varying the distance between the needles
35/107	• • {Fixed or adjustable pin holding the work, e.g. for	55/14	Needle-bar drives
35/12	circular or spiral stitching } . Indicators for positioning work, e.g. with graduated	55/16	with provision for disengaging individual needle bars
30,12	scales		
2=100		57/00	Loop takers, e.g. loopers
37/00	Devices incorporated in sewing machines for	57/02	 for chain-stitch sewing machines, e.g. oscillating
	slitting, grooving, or cutting (severing sewing-	57/04	• · rotary
25/02	threads <u>D05B 65/00</u>)	57/06	 for overedge-stitch sewing machines
37/02	Slitting or grooving devices	57/08	 for lock-stitch sewing machines
37/04	• Cutting devices	57/10	Shuttles
37/06	with oscillating tools	57/12	oscillating
37/063	• • • {in synchronism with the movement of the	57/14	• • • with rotary hooks
	needle bar or the work-feeding means}	57/143	• • • {Vertical axis type}
37/066	· · · · {Pinking}	57/146	{Inclined axis type}
37/08	• with rotatable tools	57/16	with bobbin casings guided in tracks
37/085	· · · {Pinking}	57/18	with bobbin casings held by removable caps
37/10	• with heated tools	57/20	with bobbin casings held by magnetic forces
39/00	Workpiece carriers (for automatically controlling	57/22	• • with spool-size bobbin for lower thread
	movement of work-carrier to obtain particular	57/24	with lower-thread packages mounted for
	configuration of seam <u>D05B 21/00</u> ; in general		controlled sliding movements
	A41H 15/00)	57/26	. Bobbin holders or casings; Bobbin holder or case
39/005	• {Quilting frames}		guards; Bobbin discharge devices
		57/265	• • {for looptakers with vertical axis}
41/00	Work-collecting devices	57/28	• Applications of bobbins for storing the lower thread
Sawing mad	hine elements for supplying, handling, or treating	57/30	Driving-gear for loop takers
thread mate		57/32	in chain-stitch sewing machines
mired mare	1.101	57/34	in overedge-stitch sewing machines
43/00	Spool-pin assemblies incorporated in sewing	57/36	in lock-stitch sewing machines
	machines	57/38	Shuttle drives
45/00	Applications of measuring devices for determining the length of threads used in sewing machines (measuring devices in embroidery machines <u>D05C</u> , in	59/00	Applications of bobbin-winding or -changing devices; Indicating or control devices associated
	general <u>G01B</u>)	59/02	therewithDevices for determining or indicating the length of
47/00	Needle-thread tensioning devices; Applications of		thread still on the bobbin
	tensometers	59/04	 Devices for changing the bobbin
47/02	 Manually-controlled tensioning devices 	61/00	Loop holders; Loop spreaders; Stitch-forming
47/04	Automatically-controlled tensioning devices	01/00	fingers
47/06	Applications of tensometers (application of tension		
	indicators in handling thin or filamentary material	63/00	Devices associated with the loop-taker thread, e.g.
	B65H 59/40; for embroidery machines D05C 11/08;		for tensioning
	tensometers in general <u>G01L</u>)	63/02	. Loop-taker thread take-up levers
49/00	Take-up devices, e.g. levers, for the needle thread	63/04	 Loop-taker thread guards
49/02	operated by cams or linkages	65/00	Devices for severing the needle or lower thread
49/02	· rotary	65/003	• {the thread being engaged manually against the
49/04	 for machines for sewing leather 	32, 332	cutting edge of a fixedly arranged knife}
49/00	• 101 machines for sewing leadier	65/006	• {with heated tools}
51/00	Applications of needle-thread guards; Thread-	65/02	controlled by the sewing mechanisms
	break detectors (for embroidery machines		$\{(\underline{D05B 65/006} \text{ takes precedence})\}$
	<u>D05C 11/00</u>)	65/04	• controlled by the workpieces {(D05B 65/006 takes
53/00	Thread- or cord-laying mechanisms; Thread		precedence)}
	fingers	65/06	 and for disposing of the severed thread end {; Catching or wiping devices for the severed thread}
55/00	Needle holders; Needle bars (needles <u>D05B 85/00</u>)	<i>(7)</i> 00	Davidas in comparated in section and the feet
55/02	 Devices for fastening needles to needle bars 	67/00	Devices incorporated in sewing machines for lubricating, waxing, or colouring the threads
55/04	• Devices for inserting needles		indicating, waxing, or colouring the threads
55/06	• Needle guides; Needle protectors (finger-protecting	Driving-gea	r, control, lubricating, or cooling devices for sewing
	devices <u>D05B 83/00</u>)	machines	
55/08	Driving arrangements for curved needles	CO/00	Dutaing goon Control designs
55/10	Needle bars for multiple-needle sewing machines	69/00 69/02	Driving-gear; Control devices . Mechanical drives

CPC - 2024.01 3

69/04	Manual drives	83/00	Guards or like devices for preventing injury to
69/06	Pedal drives		operator (machine safety devices in general <u>F16P</u>)
69/08	• Fluid drives, e.g. pneumatic	Noodlos: Nood	lle threaders; Seam-ripping devices
69/10	Electrical or electromagnetic drives	incedies, inced	me un eauers, Seam-ripping devices
69/12	• using rotary electric motors	85/00	Needles (surgical needles A61B 17/06; manufacture
69/125	{Arrangement of clutch-brake construction}		of needles <u>B21G 1/00</u>)
69/14	Devices for changing speed or for reversing direction of rotation	85/003	• {with two tips and an eye in the middle}
69/16	mechanical	85/006	• {Hooked needles}
69/18	• electric {, e.g. foot pedals}	85/02	• with slotted eyes {, i.e. with a slit leading to the eye
69/20	• Control devices responsive to the number of stitches	85/04	for thread insertion}
03/20	made	85/06	 Spring or bearded needles Curved needles
69/22	. Devices for stopping drive when sewing tools have	85/08	Flexible needles
	reached a predetermined position (electric motor	85/10	Hollow needles
	control systems in general <u>H02P</u>)	85/12	Coated needles
69/24	 Applications of devices for indicating or 	85/14	Latch needles
	ascertaining sewing-tool position		
69/26	• • with automatic means to reduce speed of drive,	87/00	Needle- {or looper-} threading devices
(0/29	e.g. in one or more steps	87/02	with mechanical means for moving thread through
69/28	 Applications of servo devices for tool-positioning purposes 	97/04	needle {or looper} eye
69/30	 Details (work-feeding drives <u>D05B 27/00</u>; 	87/04	with optical devices to assist threading
09/30	needle-bar drives <u>D05B 55/14</u> ; loop-taker drives	89/00	Seam-ripping devices
	D05B 57/30)		
69/32	Vibration-minimising devices	Hand sewing	
69/34	Hand-wheel clutches	91/00	Tools, implements, or accessories for hand sewing
69/36	 Devices for stopping drive when abnormal 		(needles, needle threaders <u>D05B 85/00</u> , <u>D05B 87/00</u> ;
	conditions occur, e.g. thread breakage		appliances for the tailoring trade <u>A41H</u>)
71/00	Lubricating or cooling devices	91/02	• Bodkins
71/02	Loop-taker lubricating devices	91/04	• Thimbles; Finger shields; Palm protectors
71/04	Needle cooling devices	91/06	• Work holders or supports
		91/08	Mushrooms; Darning eggs
	ports, covers, or accessories for sewing machines;	91/10	• Hoops or frames (for embroidery <u>D05C</u>)
Sewing machines combined with auxiliary devices serving		91/12 91/14	Tool receptaclesThread-spool pins
purposes oth	er than sewing	91/14	Thread-spool pins Thread-spool receptacles
73/00	Casings	<i>)</i> 1/10	• Tillead-spool receptacies
73/005	• {Doors or covers for accessing inner parts of the	93/00	Stitches; Stitch seams
	machine; Security devices therefor}	93/02	• strengthened by auxiliary elements, e.g. rivets,
73/02	• Upper casings		staples
73/04	. Lower casings	95/00	Preparatory or finishing operations in connection
73/06	• • for free-arm sewing machines		with hand sewing
73/08	for column-type sewing machines	95/04	Softening material prior to sewing
73/10	 Devices for converting free-arm sewing machines into flat-bed machines 	95/06	• Flattening, pounding, or pressing stitched seams (in
73/12	Slides; Needle plates		shoemaking A43D 8/44)
	•	97/00	Hand sewing processes or apparatus for special
75/00	Frames, stands, tables, or other furniture adapted		work or not otherwise provided for
	to carry sewing machines (furniture aspects <u>A47B</u> ,	97/02	 Hand-guided apparatus
75/02	A47C)for drop-head sewing machines	97/04	• for darning
75/02	with noise-suppressing devices	97/06	using apparatus with latch or bearded needles
75/04	 Arrangements, e.g. hinges, for mounting sewing- 	97/08	using special threads or wires
75/00	machine casings to frames, stands, or tables	97/10	• for attaching buttons or fasteners
		97/12	. for attaching patches or like small pieces of fabric
77/00	Covers, or portable enclosures, for sewing machines		
79/00	Incorporations or adaptations of lighting		
	equipment		
81/00	Sewing machines incorporating devices serving purposes other than sewing, e.g. for blowing air, for grinding		

CPC - 2024.01 4