

CPC COOPERATIVE PATENT CLASSIFICATION

D TEXTILES; PAPER

TEXTILES OR FLEXIBLE MATERIALS NOT OTHERWISE PROVIDED FOR

D07 ROPES; CABLES OTHER THAN ELECTRIC

D07B ROPES OR CABLES IN GENERAL (joining ropes or cables to one another or to other objects [B65H 69/00](#), [F16G 11/00](#); {mountaineering ropes [A63B 29/02](#)}; mechanical finishing or dressing of ropes [D02J](#); {braiding [D04C](#)}; decorative ropes or cords [D04D](#); suspension cables for bridges [E01D 19/16](#); specially adapted for driving, or for being driven by, pulleys or other gearing elements [F16G 9/00](#); electric cables or joints insofar as electrical aspects are essential [H01B](#), [H01R](#))

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Constructional features of ropes or cables	1/10	. . . with a core of wires arranged parallel to the centre line
1/005	. {Composite ropes, i.e. ropes built-up from fibrous or filamentary material and metal wires}	1/12	. Ropes or cables with a hollow core
1/02	. Ropes built-up from fibrous or filamentary material, e.g. of vegetable origin, of animal origin, regenerated cellulose, plastics	1/14	. Ropes or cables with incorporated auxiliary elements, e.g. for marking, extending throughout the length of the rope or cable
1/025	. . {comprising high modulus, or high tenacity, polymer filaments or fibres, e.g. liquid-crystal polymers}	1/141	. . {comprising liquid, pasty or powder agents, e.g. lubricants or anti-corrosive oils or greases}
1/04	. . with a core of fibres or filaments arranged parallel to the centre line	1/142	. . . {for ropes or rope components built-up from fibrous or filamentary material}
1/06	. Ropes or cables built-up from metal wires, e.g. of section wires around a hemp core	1/144	. . . {for cables or cable components built-up from metal wires}
1/0606	. . {Reinforcing cords for rubber or plastic articles}	1/145	. . {comprising elements for indicating or detecting the rope or cable status}
1/0613	. . . {the reinforcing cords being characterised by the rope configuration}	1/147	. . {comprising electric conductors or elements for information transfer (D07B 1/145 takes precedence)}
1/062	. . . {the reinforcing cords being characterised by the strand configuration}	1/148	. . {comprising marks or luminous elements}
1/0626 {the reinforcing cords consisting of three core wires or filaments and at least one layer of outer wires or filaments, i.e. a 3+N configuration}	1/16	. Ropes or cables with an enveloping sheathing or inlays of rubber or plastics (D07B 1/04 , D07B 1/10 take precedence)
1/0633 {having a multiple-layer configuration}	1/162	. . {characterised by a plastic or rubber enveloping sheathing}
1/064 {the reinforcing cords being twisted and with at least one wire exchanging place with another wire}	1/165	. . {characterised by a plastic or rubber inlay}
1/0646	. . . {comprising longitudinally preformed wires}	1/167	. . . {having a predetermined shape}
1/0653 {in the core}	1/18	. Grommets {(slings B66C 1/12)}
1/066	. . . {the wires being made from special alloy or special steel composition}	1/185	. . {characterised by the eye construction}
1/0666	. . . {the wires being characterised by an anti-corrosive or adhesion promoting coating}	1/20	. Buoyant ropes, e.g. with air-filled cellular cores; Accessories therefor
1/0673	. . {having a rope configuration}	1/22	. Flat or flat-sided ropes; Sets of ropes consisting of a series of parallel ropes
1/068	. . . {characterised by the strand design}		
1/0686	. . . {characterised by the core design}		
1/0693	. . {having a strand configuration}		
1/08	. . the layers of which are formed of profiled interlocking wires, i.e. the strands forming concentric layers {(D07B 1/0606 takes precedence)}		
		<u>Manufacture of ropes or cables</u>	
		3/00	General-purpose machines or apparatus for producing twisted ropes or cables from component strands of the same or different material
		3/005	. {with alternating twist directions}

- 3/02 . . . in which the supply reels rotate about the axis of the rope or cable {or in which a guide member rotates about the axis of the rope or cable to guide the component strands away from the supply reels in fixed position}
- 3/04 . . . and are arranged in tandem along the axis of the machine {, e.g. tubular or high-speed type stranding machine}
- 3/045 . . . {with the reels axially aligned, their common axis coinciding with the axis of the machine}
- 3/06 . . . and are spaced radially from the axis of the machine {, i.e. basket or planetary-type stranding machine}
- 3/08 . . . in which the take-up reel rotates about the axis of the rope or cable {or in which a guide member rotates about the axis of the rope or cable to guide the rope or cable on the take-up reel in fixed position} and the supply reels are fixed in position
- 3/085 . . . {in which a guide member rotates about the axis of the rope or cable to guide the rope or cable on the take-up reel in fixed position}
- 3/10 . . . with provision for imparting more than one complete twist to the ropes or cables for each revolution of the take-up reel {or of the guide member}
- 3/103 . . . {characterised by the bow construction}
- 3/106 . . . {characterised by comprising two bows, both guiding the same bundle to impart a twist}
- 3/12 . . . operating with rotating loops of filaments
- 3/14 . . . hand-operated
- 5/00 Making ropes or cables from special materials or of particular form**
- 5/002 . . . {Making parallel wire strands}
- 5/005 . . . {characterised by their outer shape or surface properties}
- WARNING**
- Group [D07B 5/005](#) is impacted by reclassification into group [D07B 5/006](#).
- Groups [D07B 5/005](#) and [D07B 5/006](#) should be considered in order to perform a complete search.
- 5/006 . . . {by the properties of an outer surface polymeric coating}
- WARNING**
- Group [D07B 5/006](#) is incomplete pending reclassification of documents from group [D07B 5/005](#).
- Groups [D07B 5/005](#) and [D07B 5/006](#) should be considered in order to perform a complete search.
- 5/007 . . . {comprising postformed and thereby radially plastically deformed elements}
- 5/02 . . . from straw or like vegetable material
- 5/04 . . . Rope bands
- 5/06 . . . from natural or artificial staple fibres
- 5/08 . . . agglutinated by adhesives
- 5/10 . . . from strands of non-circular cross-section
- 5/12 . . . of low twist or low tension by processes comprising setting or straightening treatments
- 7/00 Details of, or auxiliary devices incorporated in, rope- or cable-making machines; Auxiliary apparatus associated with such machines**
- 7/02 . . . Machine details; Auxiliary devices
- 7/022 . . . {Measuring or adjusting the lay or torque in the rope}
- 7/025 . . . {Performing the wires or strands prior to closing}
- 7/027 . . . {Postforming of ropes or strands}
- 7/04 . . . Devices for imparting reverse rotation to bobbin- or reel cages
- 7/06 . . . Bearing supports or brakes for supply bobbins or reels
- 7/08 . . . Alarms or stop motions responsive to exhaustion or breakage of filamentary material fed from supply reels or bobbins
- 7/10 . . . Devices for taking-up or winding the finished rope or cable
- 7/12 . . . for softening, lubricating or impregnating ropes, cables, or component strands thereof
- 7/14 . . . for coating or wrapping ropes, cables, or component strands thereof ([applying liquids or other fluent materials to surfaces in general B05](#); [wrapping elongated cores in general B65H 81/06](#))
- 7/145 . . . {Coating or filling-up interstices}
- 7/16 . . . Auxiliary apparatus
- WARNING**
- Group [D07B 7/16](#) is impacted by reclassification into group [D07B 7/169](#).
- Groups [D07B 7/16](#) and [D07B 7/169](#) should be considered in order to perform a complete search.
- 7/162 . . . {Vices or clamps for bending or holding the rope or cable during splicing}
- 7/165 . . . {for making slings}
- 7/167 . . . {for joining rope components}
- 7/169 . . . {for interconnecting two cable or rope ends, e.g. by splicing or sewing (fixation or holding of the ends prior to or during splicing [D07B 7/162](#); joining the rope or cable components individually or joining the rope ends by permanent means such as welding, gluing or crimp sleeve [D07B 7/167](#); preparing the splice by opening the ends [D07B 7/18](#))}
- WARNING**
- Group [D07B 7/169](#) is incomplete pending reclassification of documents from group [D07B 7/16](#).
- Groups [D07B 7/16](#) and [D07B 7/169](#) should be considered in order to perform a complete search.
- 7/18 . . . for spreading or untwisting ropes or cables into constituent parts for treatment or splicing purposes
- WARNING**
- Group [D07B 7/18](#) is impacted by reclassification into groups [D07B 7/182](#), [D07B 7/185](#), and [D07B 7/187](#).
- All groups listed in this Warning should be considered in order to perform a complete search.

- 7/182 . . . {for spreading ropes or cables by hand-operated tools for splicing purposes, e.g. needles or spikes}

WARNING

Group [D07B 7/182](#) is incomplete pending reclassification of documents from groups [D07B 7/18](#).

Groups [D07B 7/18](#) and [D07B 7/182](#) should be considered in order to perform a complete search.

- 7/185 . . . {for temporarily untwisting ropes or cables into constituent parts for applying a coating}

WARNING

Group [D07B 7/185](#) is incomplete pending reclassification of documents from group [D07B 7/18](#).

Groups [D07B 7/18](#) and [D07B 7/185](#) should be considered in order to perform a complete search.

- 7/187 . . . {for forming bulbs in ropes or cables}

WARNING

Group [D07B 7/187](#) is incomplete pending reclassification of documents from group [D07B 7/18](#).

Groups [D07B 7/18](#) and [D07B 7/187](#) should be considered in order to perform a complete search.

9/00 Binding or sealing ends, e.g. to prevent unravelling

- 2201/1068 having the same lay direction
- 2201/1072 . . . Compact winding, i.e. S/S or Z/Z
- 2201/1076 . . . Open winding
- 2201/108 Cylinder winding, i.e. S/Z or Z/S
- 2201/1084 Different twist pitch
- 2201/1088 . . false twisted
- 2201/1092 . . Parallel strands
- 2201/1096 . . braided
- 2201/20 . . Rope or cable components
- 2201/2001 . . Wires or filaments
- 2201/2002 . . . characterised by their cross-sectional shape
- 2201/2003 flat
- 2201/2004 triangular
- 2201/2005 oval
- 2201/2006 . . . characterised by a value or range of the dimension given
- 2201/2007 . . . characterised by their longitudinal shape
- 2201/2008 wavy or undulated
- 2201/2009 . . . characterised by the materials used
- 2201/201 . . . characterised by a coating
- 2201/2011 comprising metals
- 2201/2012 comprising polymers
- 2201/2013 comprising multiple layers
- 2201/2014 . . . Compound wires or compound filaments
- 2201/2015 . . Strands
- 2201/2016 . . . characterised by their cross-sectional shape
- 2201/2017 triangular
- 2201/2018 oval
- 2201/2019 . . . pressed to shape
- 2201/202 . . . characterised by a value or range of the dimension given
- 2201/2021 . . . characterised by their longitudinal shape
- 2201/2022 . . . coreless
- 2201/2023 . . . with core
- 2201/2024 . . . twisted
- 2201/2025 characterised by a value or range of the pitch parameter given
- 2201/2026 Pitch changing over length
- 2201/2027 Compact winding
- 2201/2028 having the same lay direction and lay pitch
- 2201/2029 Open winding
- 2201/203 Cylinder winding, i.e. S/Z or Z/S
- 2201/2031 Different twist pitch
- 2201/2032 compared with the core
- 2201/2033 . . . Parallel wires
- 2201/2034 . . . comprising crossing wires or filaments in the same layer
- 2201/2035 . . . false twisted
- 2201/2036 . . . characterised by the use of different wires or filaments
- 2201/2037 regarding the dimension of the wires or filaments
- 2201/2038 . . . characterised by the number of wires or filaments
- 2201/2039 three to eight wires or filaments respectively forming a single layer
- 2201/204 nine or more wires or filaments respectively forming multiple layers
- 2201/2041 . . . characterised by the materials used
- 2201/2042 . . . characterised by a coating
- 2201/2043 comprising metals
- 2201/2044 comprising polymers

2201/00 Ropes or cables

- 2201/10 . . Rope or cable structures
- 2201/1004 . . General structure or appearance
- 2201/1008 . . . Several parallel ropes
- 2201/1012 . . characterised by their internal structure
- 2201/1014 . . . characterised by being laid or braided from several sub-ropes or sub-cables, e.g. hawsers
- 2201/1016 . . . characterised by the use of different strands
- 2201/102 . . . including a core
- 2201/1024 . . Structures that change the cross-sectional shape
- 2201/1028 . . characterised by the number of strands
- 2201/1032 . . . three to eight strands respectively forming a single layer
- 2201/1036 . . . nine or more strands respectively forming multiple layers
- 2201/104 . . twisted
- 2201/1044 . . . characterised by a value or range of the pitch parameter given
- 2201/1048 . . . using regular lay, i.e. the wires or filaments being parallel to rope axis
- 2201/1052 . . . using lang lay, i.e. the wires or filaments being inclined relative to the rope axis
- 2201/1056 . . . using alternate lay, i.e. the wires or filaments in the strands being oppositely inclined relative to the rope axis
- 2201/106 . . . Pitch changing over length
- 2201/1064 . . . characterised by lay direction of the strand compared to the lay direction of the wires in the strand

2201/2045	comprising multiple layers	2201/2098	characterized by special properties or the arrangements of the binding wire
2201/2046	. . .	comprising fillers			
2201/2047	. .	Cores	2205/00	Rope or cable materials	
2201/2048	. . .	characterised by their cross-sectional shape	2205/10	. Natural organic materials	
2201/2049	having protrusions extending radially functioning as spacer between strands or wires	2205/103	. . Animal and plant materials	
			2205/106	. . . Manila, hemp or sisal	
2201/2051	. . .	characterised by a value or range of the dimension given	2205/20	. Organic high polymers	
2201/2052	. . .	characterised by their structure	2205/2003	. . Thermoplastics	
2201/2053	being homogeneous	2205/2007	. . Duroplastics	
2201/2054	comprising foam material	2205/201	. . Polyolefins	
2201/2055	comprising filaments or fibers	2205/2014	. . . High performance polyolefins, e.g. Dyneema or Spectra	
2201/2056	arranged parallel to the axis	2205/2017	. . Polystyrenes	
2201/2057	resulting in a twisted structure	2205/2021	. . Polyvinyl halides	
2201/2058	comprising fillers	2205/2025	. . Polyvinyl acetates	
2201/2059	comprising wires	2205/2028	. . Polyvinyl alcohols	
2201/206	arranged parallel to the axis	2205/2032	. . Polyacrylics	
2201/2061	resulting in a twisted structure	2205/2035	. . Polyacetals	
2201/2062	comprising fillers	2205/2039	. . Polyesters	
2201/2063	being hollow	2205/2042	. . . High performance polyesters, e.g. Vectran	
2201/2064	being discontinuous in the longitudinal direction	2205/2046	. . Polyamides, e.g. nylons	
2201/2065	comprising a coating	2205/205	. . . Aramides	
2201/2066	. . .	characterised by the materials used	2205/2053 Polybenzimidazol [PBI]	
2201/2067	. . .	characterised by the elongation or tension behaviour	2205/2057	. . Phenol resins	
			2205/206	. . Epoxy resins	
2201/2068	having a load bearing function	2205/2064	. . Polyurethane resins	
2201/2069	being elastic	2205/2067	. . Viscose or regenerated cellulose, e.g. Rayon	
2201/207	being viscous	2205/2071	. . Fluor resins	
2201/2071	. .	Spacers	2205/2075	. . Rubbers, i.e. elastomers	
2201/2072	. . .	characterised by the materials used	2205/2078	. . . being of natural origin	
2201/2073	. . .	in circumferencial direction	2205/2082	. . . being of synthetic nature, e.g. chloroprene	
2201/2074	. . .	in radial direction	2205/2085	. . having particular high polymer characteristics	
2201/2075	. .	Fillers	2205/2089	. . . showing heat contraction	
2201/2076	. . .	having a lubricant function	2205/2092	. . . related to water solubility	
2201/2077	. . .	having an anti-corrosive function	2205/2096	. . Poly-p-phenylenebenzo-bisoxazole [PBO]	
2201/2078	. . .	having a load bearing function	2205/30	. Inorganic materials	
2201/2079	. . .	characterised by the kind or amount of filling	2205/3003	. . Glass	
2201/208	having an open structure	2205/3007	. . Carbon	
2201/2081	having maximum filling	2205/301	. . Ceramics	
2201/2082	. . .	characterised by the materials used	2205/3014	. . Asbestos	
2201/2083	. .	Jackets or coverings	2205/3017	. . Silicon carbides	
2201/2084	. . .	characterised by their shape	2205/3021	. . Metals	
2201/2085	concerning the internal shape	2205/3025	. . . Steel	
2201/2086	concerning the external shape	2205/3028 Stainless steel	
2201/2087	. . .	being of the coated type	2205/3032 Austenite	
2201/2088	. . .	having multiple layers	2205/3035 Pearlite	
2201/2089	. . .	comprising wrapped structures	2205/3039 Martensite	
2201/209	. . .	comprising braided structures	2205/3042 Ferrite	
2201/20903	. . .	comprising woven structures	2205/3046 characterised by the carbon content	
2201/20907	. . .	comprising knitted structures	2205/305 having a low carbon content, e.g. below 0,5 percent respectively NT wires	
2201/2091	. . .	being movable relative to the internal structure	2205/3053 having a medium carbon content, e.g. greater than 0,5 percent and lower than 0.8 percent respectively HT wires	
2201/2092	. . .	characterised by the materials used	2205/3057 having a high carbon content, e.g. greater than 0,8 percent respectively SHT or UHT wires	
2201/2093	being translucent			
2201/2094	being luminescent or reflective			
2201/2095	. .	Auxiliary components, e.g. electric conductors or light guides	2205/306	. . . Aluminium (Al)	
2201/2096	. . .	Light guides	2205/3064	. . . Chromium (Cr)	
2201/2097	. . .	Binding wires	2205/3067	. . . Copper (Cu)	
			2205/3071	. . . Zinc (Zn)	

- 2205/3075 . . . Tin (Sn)
- 2205/3078 . . . Lead (Pb)
- 2205/3082 . . . Tungsten (W)
- 2205/3085 . . . Alloys, i.e. non ferrous
- 2205/3089 Brass, i.e. copper (Cu) and zinc (Zn) alloys
- 2205/3092 Zinc (Zn) and tin (Sn) alloys
- 2205/3096 . . . Amorphous metals
- 2205/40 . Superconductive materials
- 2205/405 . . Ceramic superconductor
- 2205/50 . Lubricants
- 2205/502 . . Oils
- 2205/505 . . Greases
- 2205/507 . . Solid lubricants
- 2207/00 Rope or cable making machines**
- 2207/20 . Type of machine
- 2207/201 . . Manually operated systems
- 2207/202 . . Double twist unwinding
- 2207/203 . . . comprising flyer
- 2207/204 . . Double twist winding
- 2207/205 . . . comprising flyer
- 2207/206 . . . with means for providing less than double twist, e.g. counter rotating means
- 2207/207 . . Sequential double twisting devices
- 2207/208 . . . characterised by at least partially unwinding the twist of the upstream double twisting step
- 2207/209 . . Tubular strander
- 2207/40 . Machine components
- 2207/4004 . . Unwinding devices
- 2207/4009 . . . over the head
- 2207/4013 . . . comprising flyer
- 2207/4018 . . Rope twisting devices
- 2207/4022 . . . characterised by twisting die specifics
- 2207/4027 including a coating die
- 2207/4031 . . Winding device
- 2207/4036 . . . comprising traversing means
- 2207/404 . . Heat treating devices; Corresponding methods
- 2207/4045 . . . to change the crystal structure of the load bearing material
- 2207/405 . . . to heat towards the glass transition temperature of the load bearing material
- 2207/4054 . . . to soften the load bearing material
- 2207/4059 . . . to soften the filler material
- 2207/4063 . . . for stress relief
- 2207/4068 . . . for curing
- 2207/4072 . . Means for mechanically reducing serpentineing or mechanically killing of rope
- 2207/4077 . . Safety devices
- 2207/4081 . . . comprising means for stopping or shutting down the machine
- 2207/4086 . . . providing warnings
- 2207/409 . . Drives
- 2207/4095 . . . Control means therefor
- 2301/00 Controls**
- 2301/10 . Open loop
- 2301/15 . Closed loop
- 2301/155 . . being of the extended closed loop control system type, e.g. using models or more than one signal in the feedback loop
- 2301/20 . Controller types
- 2301/201 . . proportional
- 2301/202 . . integrative
- 2301/204 . . differential
- 2301/205 . . Programmable controllers; Calculating or controlling methods
- 2301/207 . . . Fuzzy logic
- 2301/208 . . . using timing functions
- 2301/25 . System input signals, e.g. set points
- 2301/251 . . Twist
- 2301/252 . . Temperature
- 2301/253 . . . Temperature profile or sequence
- 2301/254 . . Amount of material
- 2301/255 . . Power consumption of drive
- 2301/256 . . Pressure
- 2301/257 . . Force
- 2301/258 . . Tensile stress
- 2301/259 . . Strain or elongation
- 2301/30 . Signals indicating failure or excessive conditions, e.g. overheating
- 2301/302 . . Temperature
- 2301/305 . . Wear or friction
- 2301/307 . . Breakage of wire or strand or rope
- 2301/35 . System output signals
- 2301/3508 . . Twist
- 2301/3516 . . Temperature
- 2301/3525 . . . Temperature profile or sequence
- 2301/3533 . . Amount of material
- 2301/3541 . . Power consumption of drive
- 2301/355 . . Pressure
- 2301/3558 . . Force
- 2301/3566 . . Tensile stress
- 2301/3575 . . Strain or elongation
- 2301/3583 . . Rotational speed
- 2301/3591 . . Linear speed
- 2301/40 . Feedback signal in closed loop controls
- 2301/4008 . . Twist
- 2301/4016 . . Temperature
- 2301/4025 . . . Temperature profile or sequence
- 2301/4033 . . Amount of material
- 2301/4041 . . Power consumption of drive
- 2301/405 . . Pressure
- 2301/4058 . . Force
- 2301/4066 . . Tensile stress
- 2301/4075 . . Strain or elongation
- 2301/4083 . . Rotational speed
- 2301/4091 . . Linear speed
- 2301/45 . for diagnosing ([signals indicating failure or excessive conditions D07B 2301/30](#))
- 2301/50 . User Interface or value setting
- 2301/55 . Sensors
- 2301/5504 . . characterised by their arrangement
- 2301/5509 . . . being movable
- 2301/5513 . . . being of the reflective type
- 2301/5518 Transducers therefor
- 2301/5522 . . . being of the barrier type
- 2301/5527 . . . comprising an array or multiple sensors
- 2301/5531 . . using electric means or elements
- 2301/5536 . . . for measuring electrical current
- 2301/554 . . . for measuring variable resistance
- 2301/5545 . . . and piezoelectric phenomenons
- 2301/555 . . . for measuring magnetic properties
- 2301/5554 . . . for measuring capacitance
- 2301/5559 . . . for measuring inductance

D07B

- 2301/5563 . . . for measuring temperature, i.e. thermocouples
- 2301/5568 . . . acoustic or ultrasonic
- 2301/5572 . . . optical
- 2301/5577 . . . using light guides
- 2301/5581 . . . using cameras
- 2301/5586 . . . using lasers
- 2301/559 . . . for pressure
- 2301/5595 . . . for force

2401/00 Aspects related to the problem to be solved or advantage

- 2401/20 . related to ropes or cables
- 2401/2005 . . Elongation or elasticity
- 2401/201 . . . regarding structural elongation
- 2401/2015 . . Killing or avoiding twist
- 2401/202 . . Environmental resistance
- 2401/2025 . . . avoiding corrosion
- 2401/203 . . . Low temperature resistance
- 2401/2035 . . . High temperature resistance
- 2401/204 . . . Moisture handling
- 2401/2045 . . Avoiding longitudinal load for covering
- 2401/205 . . Avoiding relative movement of components
- 2401/2055 . . Improving load capacity
- 2401/206 . . Improving radial flexibility
- 2401/2065 . . Reducing wear
- 2401/207 . . . internally
- 2401/2075 . . . externally
- 2401/208 . . Enabling filler penetration
- 2401/2085 . . Adjusting or controlling final twist
- 2401/209 . . . comprising compensation of rope twist in strand twist
- 2401/2095 . . Improving filler wetting respectively or filler adhesion
- 2401/40 . related to rope making machines
- 2401/401 . . Reducing wear
- 2401/403 . . Reducing vibrations
- 2401/405 . . Addressing space constraints
- 2401/406 . . Increasing speed
- 2401/408 . . Increasing rope length, e.g. on drum

2501/00 Application field

- 2501/20 . related to ropes or cables
- 2501/2007 . . Elevators
- 2501/2015 . . Construction industries
- 2501/2023 . . . Concrete enforcements
- 2501/203 . . . Bridges
- 2501/2038 . . Agriculture, forestry and fishery
- 2501/2046 . . Tire cords
- 2501/2053 . . . for wheel rim attachment
- 2501/2061 . . Ship moorings
- 2501/2069 . . Climbing or tents
- 2501/2076 . . Power transmissions
- 2501/2084 . . Mechanical controls, e.g. door lashes
- 2501/2092 . . Evacuation lines or lifelines
- 2501/40 . related to rope or cable making machines
- 2501/403 . . for making belts
- 2501/406 . . for making electrically conductive cables

2801/00 Linked indexing codes associated with indexing codes or classes of D07B

NOTE

The following indexing codes are applied as linked indexing codes associated to other indexing codes or classes of [D07B](#), with the following restrictions:

- [D07B 2801/10](#), [D07B 2801/14](#) -[D07B 2801/22](#) are only to be used as linked indexing codes with [D07B 2205/00](#) and lower hierarchy
- [D07B 2801/12](#) and [D07B 2801/24](#) are only to be used as linked indexing codes with [D07B 2205/00](#) and lower hierarchy or [D07B 2201/2047](#) and lower hierarchy
- [D07B 2801/60](#) and [D07B 2801/62](#) are only to be used as linked indexing codes with [D07B 2207/404](#) and lower hierarchy
- [D07B 2801/90](#) is only used as linked indexing code with any class or indexing code of [D07B](#) and defines that the classified feature belongs to the general knowledge.

- 2801/10 . Smallest elementary entity of a rope or strand, i.e. wire, filament, fiber or yarn
- 2801/12 . Strand
- 2801/14 . Core
- 2801/16 . Filler
- 2801/18 . Coating
- 2801/20 . Spacer
- 2801/22 . Jacket or covering
- 2801/24 . Rope
- 2801/60 . Method
- 2801/62 . Device
- 2801/90 . General knowledge