

CPC COOPERATIVE PATENT CLASSIFICATION

G PHYSICS

(NOTES omitted)

INSTRUMENTS

G01 MEASURING; TESTING

(NOTES omitted)

G01J MEASUREMENT OF INTENSITY, VELOCITY, SPECTRAL CONTENT, POLARISATION, PHASE OR PULSE CHARACTERISTICS OF INFRA-RED, VISIBLE OR ULTRA-VIOLET LIGHT; COLORIMETRY; RADIATION PYROMETRY (light sources [F21](#), [H01J](#), [H01K](#), [H05B](#); investigating properties of materials by optical means [G01N](#))

NOTES

1. This subclass covers the detection of the presence or absence of infra-red, visible, or ultra-violet light, not otherwise provided for.
2. Attention is drawn to the Notes following the title of class [G01](#).

WARNING

In this subclass non-limiting references (in the sense of paragraph 39 of the Guide to the IPC) may still be displayed in the scheme.

1/00	Photometry, e.g. photographic exposure meter (spectrophotometry G01J 3/00 ; specially adapted for radiation pyrometry G01J 5/00 {; exposure meters built in cameras G03B 17/06 })	2001/0276	. . . {Protection}
		2001/028	. . . {against liquid}
		2001/0285	. . . {against laser damage}
		1/029	. . . {Multi-channel photometry}
1/02	. Details	1/0295	. . . {Constructional arrangements for removing other types of optical noise or for performing calibration}
1/0204	. . {Compact construction}	1/04	. . . Optical or mechanical part {supplementary adjustable parts}
1/0209	. . . {Monolithic}	1/0403	. . . {Mechanical elements; Supports for optical elements; Scanning arrangements}
1/0214	. . {Constructional arrangements for removing stray light}	1/0407	. . . {Optical elements not provided otherwise, e.g. manifolds, windows, holograms, gratings}
1/0219	. . {Electrical interface; User interface}	1/0411 {using focussing or collimating elements, i.e. lenses or mirrors; Aberration correction}
1/0223	. . {Sample holders for photometry}	1/0414 {using plane or convex mirrors, parallel phase plates, or plane beam-splitters}
1/0228	. . {Control of working procedures; Failure detection; Spectral bandwidth calculation}	1/0418 {using attenuators}
1/0233	. . {Handheld}	1/0422 {using light concentrators, collectors or condensers}
1/0238	. . {making use of sensor-related data, e.g. for identification of sensor or optical parts}	1/0425 {using optical fibers}
1/0242	. . {Control or determination of height or angle information of sensors or receivers; Goniophotometry}	1/0429 {using polarisation elements}
1/0247	. . {using a charging unit}	1/0433 {using notch filters}
1/0252	. . {Constructional arrangements for compensating for fluctuations caused by, e.g. temperature, or using cooling or temperature stabilization of parts of the device; Controlling the atmosphere inside a photometer; Purge systems, cleaning devices (protection against electromagnetic interferences G01J 2001/0276)}	1/0437 {using masks, aperture plates, spatial light modulators, spatial filters, e.g. reflective filters}
2001/0257	. . {portable}	1/044 {using shutters}
2001/0261	. . . {Pocket size; Card size}	1/0444 {using means for replacing an element by another, e.g. for replacing a filter or grating}
1/0266	. . {Field-of-view determination; Aiming or pointing of a photometer; Adjusting alignment; Encoding angular position; Size of the measurement area; Position tracking; Photodetection involving different fields of view for a single detector}	1/0448 {Adjustable, e.g. focussing}
1/0271	. . {Housings; Attachments or accessories for photometers}	1/0451 {using means for illuminating a slit efficiently, e.g. entrance slit of a photometer or entrance face of fiber}

1/0455 {having a throughhole enabling the optical element to fulfil an additional optical function, e.g. a mirror or grating having a through-hole for a light collecting or light injecting optical fibre}	2001/1652 {one detector being transparent before the other one}
1/0459 {using an optical amplifier of light or coatings to improve optical coupling}	2001/1657 {one signal being spectrally modified, e.g. for UV}
1/0462 {Slit arrangements}	2001/1663 {two detectors of different sensitivity}
1/0466 {with a sighting port}	2001/1668 {the measuring signal itself varying in time, e.g. periodic, for example blood pulsation}
1/047 {using extension/expansion of solids or fluids, change of resonant frequency or extinction effect}	2001/1673 {using a reference sample}
1/0474 {Diffusers (cavities G01J 2001/0481)}	2001/1678 {Comparing time separated signals, i.e. chopped}
1/0477 {Prisms, wedges}	2001/1684 {and selecting also a DC level from the signal}
2001/0481 {Preset integrating sphere or cavity}	2001/1689 {one separated signal being processed differently}
2001/0485 {Cosinus correcting or purposely modifying the angular response of a light sensor}	2001/1694 {with a signal from on/off switched light source}
1/0488 {with spectral filtering}	1/18 using comparison with a reference electric value
1/0492 {using at least two different filters}	2001/182 {with SH sample and hold circuits}
2001/0496 {using fiber Bragg gratings}	2001/184 {on a succession of signals}
1/06 Restricting the angle of incident light	2001/186 {Comparison or correction from an electric source within the processing circuit}
2001/061 {Baffles}	2001/188 {on pulse train}
2001/062 {by fibre-optic packed bundle}	1/20 intensity of the measured or reference value being varied to equalise their effects at the detectors, e.g. by varying incidence angle
2001/063 {with selectable field of view}	1/22 using a variable element in the light-path, e.g. filter, polarising means (G01J 1/34 takes precedence)
2001/065 {by changing elements}	1/24 using electric radiation detectors
2001/066 {with an aiming optical device}	2001/242 {Filter wheel, i.e. absorption filter series graduated}
2001/067 {for angle scan}	2001/245 {with two or more separate attenuated steps}
2001/068 {by diaphragm or the like}	2001/247 {of spectral wedge type}
1/08 Arrangements of light sources specially adapted for photometry {standard sources, also using luminescent or radioactive material}	1/26 adapted for automatic variation of the measured or reference value (regulation of light intensity G05D 25/00)
2001/083 {Testing response of detector}	1/28 using variation of intensity or distance of source (G01J 1/34 takes precedence)
2001/086 {Calibrating drift correction}	1/30 using electric radiation detectors
1/10 by comparison with reference light or electric value {provisionally void}	1/32 adapted for automatic variation of the measured or reference value (regulation of light intensity G05D 25/00)
1/12 using wholly visual means (G01J 1/20 takes precedence)	1/34 using separate light paths used alternately or sequentially, e.g. flicker
1/122 {Visual exposure meters for determining the exposure time in photographic recording or reproducing}	1/36 using electric radiation detectors
1/124 {based on the comparison of the intensity of measured light with a comparison source or comparison illuminated surface}	2001/363 {Chopper stabilisation}
1/126 {for enlarging apparatus}	2001/366 {Balancing two paths}
1/128 {for copy- or printing apparatus}	1/38 using wholly visual means (G01J 1/10 takes precedence)
1/14 using comparison with a surface of graded brightness, {(e.g. for view taking; for analytical applications G01N 21/293)}	1/40 using limit or visibility or extinction effect
1/16 using electric radiation detectors (G01J 1/20 takes precedence)	1/42 using electric radiation detectors (optical or mechanical part G01J 1/04; by comparison with a reference light or electric value G01J 1/10)
2001/1605 {Null method}	1/4204 {with determination of ambient light (solar light G01J 2001/4266)}
2001/161 {Ratio method, i.e. I_m/I_r }	1/4209 {Photoelectric exposure meters for determining the exposure time in recording or reproducing}
2001/1615 {Computing a difference/sum ratio, i.e. $(I_m - I_r) / (I_m + I_r)$ }	1/4214 {specially adapted for view-taking apparatus}
2001/1621 {Comparing a duty ratio of pulses}	1/4219 {specially adapted for enlargers}
1/1626 {Arrangements with two photodetectors, the signals of which are compared}	1/4223 {specially adapted for copy - or printing apparatus}
2001/1631 {Bridge circuit}		
2001/1636 {one detector directly monitoring the source, e.g. also impulse time controlling}		
2001/1642 {and acting on the detecting circuit}		
2001/1647 {one signal maintained constant}		

- 1/4228 . . {arrangements with two or more detectors, e.g. for sensitivity compensation}
- 2001/4233 . . . {with selection of detector}
- 2001/4238 . . {Pulsed light}
- 2001/4242 . . {Modulated light, e.g. for synchronizing source and detector circuit}
- 2001/4247 . . {for testing lamps or other light sources}
- 2001/4252 . . . {for testing LED's}
- 1/4257 . . {applied to monitoring the characteristics of a beam, e.g. laser beam, headlamp beam (monitoring arrangements for lasers in general H01S 3/0014)}
- 2001/4261 . . . {Scan through beam in order to obtain a cross-sectional profile of the beam}
- 2001/4266 . . {for measuring solar light}
- 2001/4271 . . . {Pyrrheliometer}
- 2001/4276 . . . {Solar energy integrator over time}
- 2001/428 . . . {for sunlight scattered by atmosphere}
- 2001/4285 . . . {Pyranometer, i.e. integrating over space}
- 1/429 . . {applied to measurement of ultraviolet light (using counting tubes G01T)}
- 2001/4295 . . {using a physical effect not covered by other subgroups of G01J 1/42}
- 1/44 . . Electric circuits {(for command of an exposure part G03B 7/02)}
- 2001/4406 . . . {Plural ranges in circuit, e.g. switchable ranges; Adjusting sensitivity selecting gain values}
- 2001/4413 . . . {Type}
- 2001/442 {Single-photon detection or photon counting}
- 2001/4426 {with intensity to frequency or voltage to frequency conversion [IFC or VFC]}
- 2001/4433 {Peak sensing}
- 2001/444 . . . {Compensating; Calibrating, e.g. dark current, temperature drift, noise reduction or baseline correction; Adjusting}
- 2001/4446 . . . {Type of detector}
- 2001/4453 {PMT}
- 2001/446 {Photodiode}
- 2001/4466 {Avalanche}
- 2001/4473 {Phototransistor}
- 2001/448 {Array [CCD]}
- 2001/4486 {Streak tube}
- 2001/4493 {with image intensifier tube [IIT]}
- 1/46 . . . using a capacitor
- 1/48 . . using chemical effects
- 1/50 . . using change in colour of an indicator, e.g. actinometer
- 1/52 . . using photographic effects
- 1/54 . . by observing photo-reactions between gases
- 1/56 . . using radiation pressure or radiometer effect
- 1/58 . . using luminescence generated by light
- 1/60 . . by measuring the pupil of the eye
- 3/00 Spectrometry; Spectrophotometry; Monochromators; Measuring colours**
- 2003/003 . . {Comparing spectra of two light sources}
- 2003/006 . . {Fundamentals or review articles}
- 3/02 . . Details
- 3/0202 . . {Mechanical elements; Supports for optical elements}
- 3/0205 . . {Optical elements not provided otherwise, e.g. optical manifolds, diffusers, windows}
- 3/0208 {using focussing or collimating elements, e.g. lenses or mirrors; performing aberration correction}
- 3/021 {using plane or convex mirrors, parallel phase plates, or particular reflectors}
- 3/0213 {using attenuators}
- 3/0216 {using light concentrators or collectors or condensers}
- 3/0218 {using optical fibers}
- 3/0221 {the fibers defining an entry slit}
- 3/0224 {using polarising or depolarising elements}
- 3/0227 {using notch filters}
- 3/0229 {using masks, aperture plates, spatial light modulators or spatial filters, e.g. reflective filters}
- 3/0232 {using shutters}
- 3/0235 {using means for replacing an element by another, for replacing a filter or a grating}
- 3/0237 {Adjustable, e.g. focussing}
- 3/024 {using means for illuminating a slit efficiently (e.g. entrance slit of a spectrometer or entrance face of fiber)}
- 3/0243 {having a through-hole enabling the optical element to fulfil an additional optical function, e.g. a mirror or grating having a throughhole for a light collecting or light injecting optical fiber}
- 3/0245 {using an optical amplifier of light, e.g. doped fiber}
- 3/0248 {using a sighting port, e.g. camera or human eye}
- 3/0251 {Colorimeters making use of an integrating sphere}
- 3/0254 {Spectrometers, other than colorimeters, making use of an integrating sphere}
- 3/0256 . . . {Compact construction}
- 3/0259 {Monolithic}
- 3/0262 . . . {Constructional arrangements for removing stray light}
- 3/0264 . . . {Electrical interface; User interface}
- 3/0267 . . . {Sample holders for colorimetry}
- 3/027 . . . {Control of working procedures of a spectrometer; Failure detection; Bandwidth calculation}
- 3/0272 . . . {Handheld}
- 3/0275 . . . {making use of sensor-related data, e.g. for identification of sensor parts or optical elements}
- 3/0278 . . . {Control or determination of height or angle information for sensors or receivers}
- 2003/0281 . . . {slitless}
- 3/0283 . . . {using a charging unit}
- 3/0286 . . . {Constructional arrangements for compensating for fluctuations caused by temperature, humidity or pressure, or using cooling or temperature stabilization of parts of the device; Controlling the atmosphere inside a spectrometer, e.g. vacuum}
- 3/0289 . . . {Field-of-view determination; Aiming or pointing of a spectrometer; Adjusting alignment; Encoding angular position; Size of measurement area; Position tracking}
- 3/0291 . . . {Housings; Spectrometer accessories; Spatial arrangement of elements, e.g. folded path arrangements}

- 3/0294 . . {Multi-channel spectroscopy}
- 3/0297 . . {Constructional arrangements for removing other types of optical noise or for performing calibration}
- 3/04 . . Slit arrangements {slit adjustment}
- 2003/042 . . . {Slit wheel}
- 2003/045 . . . {Sequential slits; Multiple slits}
- 2003/047 . . . {Configuration of two or more entry or exit slits for predetermined delta-lambda}
- 3/06 . . Scanning arrangements {arrangements for order-selection}
- 2003/061 . . . {Mechanisms, e.g. sine bar}
- 2003/062 . . . {motor-driven}
- 2003/063 {Step motor}
- 2003/064 . . . {Use of other elements for scan, e.g. mirror, fixed grating}
- 2003/065 {Use of fibre scan for spectral scan}
- 2003/066 . . . {Microprocessor control of functions, e.g. slit, scan, bandwidth during scan}
- 2003/067 . . . {Use of plane parallel plate, e.g. small scan, wobble}
- 2003/068 . . . {tuned to preselected wavelengths}
- 2003/069 . . . {Complex motion, e.g. rotation of grating and correcting translation}
- 3/08 . . Beam switching arrangements
- 3/10 . . Arrangements of light sources specially adapted for spectrometry or colorimetry
- 2003/102 {Plural sources}
- 2003/104 {Monochromatic plural sources}
- 2003/106 {the two sources being alternating or selectable, e.g. in two ranges or line:continuum}
- 3/108 . . . {for measurement in the infra-red range}
- 3/12 . Generating the spectrum; Monochromators
- 2003/1204 . . {Grating and filter}
- 2003/1208 . . {Prism and grating}
- 2003/1213 . . {Filters in general, e.g. dichroic, band}
- 2003/1217 . . . {Indexed discrete filters or choppers}
- 2003/1221 . . . {Mounting; Adjustment}
- 2003/1226 . . {Interference filters}
- 2003/123 . . . {Indexed discrete filters}
- 2003/1234 . . . {Continuously variable IF [CVIF]; Wedge type}
- 2003/1239 . . . {and separate detectors}
- 2003/1243 . . . {Pivoting IF or other position variation}
- 2003/1247 . . . {Tuning}
- 2003/1252 . . . {Using "resonance cell", e.g. Na vapor}
- 3/1256 . . {using acousto-optic tunable filter; (acousto-optic elements or systems [G02F 1/11](#), [G02F 1/33](#))}
- 2003/126 . . {Focal isolation type}
- 2003/1265 . . {the wavelengths being separated in time, e.g. through optical fibre array}
- 2003/1269 . . {Electrooptic filter}
- 2003/1273 . . {Order selection}
- 2003/1278 . . {Mask with spectral selection}
- 2003/1282 . . {Spectrum tailoring}
- 2003/1286 . . {Polychromator in general}
- 2003/1291 . . {polarised, birefringent}
- 2003/1295 . . {Plural entry slits, e.g. for different incidences}
- 3/14 . . using refracting elements, e.g. prisms ([G01J 3/18](#), [G01J 3/26](#) take precedence {prisms [per se](#) [G02B 5/04](#)})
- 2003/145 . . . {Prism systems for straight view}
- 3/16 . . . with autocollimation
- 3/18 . . using diffraction elements, e.g. grating ([gratings per se](#) [G02B](#))
- 3/1804 . . . {Plane gratings}
- 3/1809 . . . {Echelle gratings}
- 2003/1814 . . . {Double monochromator}
- 2003/1819 {Double pass monochromator}
- 2003/1823 {subtractive}
- 2003/1828 . . . {with order sorter or prefilter}
- 3/1833 . . . {Grazing incidence}
- 3/1838 . . . {Holographic gratings}
- 2003/1842 . . . {Types of grating}
- 2003/1847 {Variable spacing}
- 2003/1852 {Cylindric surface}
- 2003/1857 {Toroid surface}
- 2003/1861 {Transmission gratings}
- 2003/1866 . . . {Monochromator for three or more wavelengths}
- 2003/1871 {Duochromator}
- 2003/1876 {Polychromator}
- 2003/188 . . . {Constant deviation}
- 2003/1885 . . . {Holder for interchangeable gratings, e.g. at different ranges of wavelengths}
- 3/189 . . . {using at least one grating in an off-plane configuration}
- 3/1895 . . . {using fiber Bragg gratings or gratings integrated in a waveguide}
- 3/20 . . . Rowland circle spectrometers
- 3/22 . . . Littrow mirror spectrometers
- 3/24 . . . using gratings profiled to favour a specific order
- 3/26 . . using multiple reflection, e.g. Fabry-Perot interferometer, variable interference filters
- 2003/262 . . . {Double pass; Multiple pass}
- 2003/265 . . . {Read out, e.g. polychromator}
- 2003/267 . . . {of the SISAM type}
- 3/28 . Investigating the spectrum ([using colour filters](#) [G01J 3/51](#))
- 3/2803 . . {using photoelectric array detector}
- 2003/2806 . . . {Array and filter array}
- 2003/2809 {Array and correcting filter}
- 2003/2813 . . . {2D-array}
- 2003/2816 . . . {Semiconductor laminate layer}
- 2003/282 . . . {Modified CCD or like}
- 3/2823 . . {Imaging spectrometer}
- 2003/2826 . . . {Multispectral imaging, e.g. filter imaging}
- 2003/283 . . {computer-interfaced}
- 2003/2833 . . . {and memorised spectra collection}
- 2003/2836 . . . {Programming unit, i.e. source and date processing}
- 2003/284 . . . {Spectral construction}
- 2003/2843 . . . {Processing for eliminating interfering spectra}
- 3/2846 . . {using modulation grid; Grid spectrometers}
- 2003/285 . . . {Hadamard transformation}
- 2003/2853 . . {Averaging successive scans or readings}
- 2003/2856 . . . {and calculation of standard deviation}
- 2003/2859 . . {Peak detecting in spectrum}
- 2003/2863 . . . {and calculating peak area}
- 2003/2866 . . {Markers; Calibrating of scan}
- 2003/2869 . . . {Background correcting}
- 2003/2873 . . . {Storing reference spectrum}
- 2003/2876 . . . {Correcting linearity of signal}

- 2003/2879 . . . {Calibrating scan, e.g. Fabry Perot interferometer}
- 2003/2883 . . . {Correcting overlapping}
- 2003/2886 . . {Investigating periodic spectrum}
- 3/2889 . . {Rapid scan spectrometers; Time resolved spectrometry}
- 2003/2893 . . . {with rotating grating}
- 2003/2896 . . {Vidicon, image intensifier tube}
- 3/30 . . Measuring the intensity of spectral lines directly on the spectrum itself ([G01J 3/42](#), [G01J 3/44](#) take precedence)
- 3/32 . . . Investigating bands of a spectrum in sequence by a single detector
- 2003/323 {Comparing line:background}
- 2003/326 {Scanning mask, plate, chopper, e.g. small spectrum interval}
- 3/36 . . . Investigating two or more bands of a spectrum by separate detectors
- 3/40 . . Measuring the intensity of spectral lines by determining density of a photograph of the spectrum; Spectrography ([G01J 3/42](#), [G01J 3/44](#) take precedence)
- 3/42 . . Absorption spectrometry; Double beam spectrometry; Flicker spectrometry; Reflection spectrometry (beam switching arrangements [G01J 3/08](#))
- 2003/421 . . . {Single beam}
- 2003/423 . . . {Spectral arrangements using lasers, e.g. tunable}
- 2003/425 . . . {Reflectance}
- 3/427 . . . Dual wavelengths spectrometry
- 2003/4275 {Polarised dual wavelength spectrometry}
- 3/433 . . . Modulation spectrometry; Derivative spectrometry
- 2003/4332 {frequency-modulated}
- 2003/4334 {by modulation of source, e.g. current modulation}
- 2003/4336 {by magnetic modulation, e.g. Zeeman effect}
- 3/4338 {Frequency modulated spectrometry}
- 3/44 . . Raman spectrometry; Scattering spectrometry (; Fluorescence spectrometry)
- 3/4406 . . . {Fluorescence spectrometry}
- 3/4412 . . . {Scattering spectrometry (particle sizing by light scattering [G01N 15/0205](#); optical velocimetry of particles [G01P 5/20](#), [G01P 5/26](#))}
- 2003/4418 {Power spectrum}
- 2003/4424 . . . {Fluorescence correction for Raman spectrometry}
- 3/443 . . Emission spectrometry
- 2003/4435 . . . {Measuring ratio of two lines, e.g. internal standard}
- 3/447 . . Polarisation spectrometry
- 3/45 . . Interferometric spectrometry
- 2003/451 . . . {Dispersive interferometric spectrometry}
- 2003/452 . . . {with recording of image of spectral transformation, e.g. hologram}
- 3/453 . . . by correlation of the amplitudes
- 3/4531 {Devices without moving parts}
- 3/4532 {Devices of compact or symmetric construction ([G01J 3/4531](#) takes precedence)}
- 2003/4534 {Interferometer on illuminating side}
- 3/4535 {Devices with moving mirror ([G01J 3/4532](#) takes precedence)}
- 3/4537 {Devices with refractive scan}
- 2003/4538 {Special processing}
- 3/457 . . Correlation spectrometry, e.g. of the intensity ([G01J 3/453](#) takes precedence)
- 3/46 . . Measurement of colour; Colour measuring devices, e.g. colorimeters (measuring colour temperature [G01J 5/60](#))
- 3/461 . . {with colour spinners}
- 3/462 . . {Computing operations in or between colour spaces; Colour management systems}
- 3/463 . . {Colour matching}
- 3/465 . . {taking into account the colour perception of the eye; using tristimulus detection}
- 2003/466 . . {Coded colour; Recognition of predetermined colour; Determining proximity to predetermined colour}
- 2003/467 . . {Colour computing}
- 2003/468 . . {of objects containing fluorescent agent}
- 3/50 . . using electric radiation detectors
- 3/501 . . . {Colorimeters using spectrally-selective light sources, e.g. LEDs}
- 3/502 . . . {using a dispersive element, e.g. grating, prism}
- 2003/503 . . . {Densitometric colour measurements}
- 3/504 . . . {Goniometric colour measurements, for example measurements of metallic or flake based paints}
- 3/505 . . . {measuring the colour produced by lighting fixtures other than screens, monitors, displays or CRTs}
- 3/506 . . . {measuring the colour produced by screens, monitors, displays or CRTs}
- 2003/507 . . . {the detectors being physically selective}
- 3/508 . . . {measuring the colour of teeth}
- 3/51 . . . using colour filters
- 3/513 {having fixed filter-detector pairs}
- 2003/516 {with several stacked filters or stacked filter-detector pairs}
- 3/52 . . using colour charts
- 3/522 . . . {circular colour charts}
- 3/524 . . . {Calibration of colorimeters}
- 3/526 . . . {for choosing a combination of different colours, e.g. to produce a pleasing effect for an observer}
- 3/528 {using colour harmony theory}
- 4/00** **Measuring polarisation of light**
- 4/02 . . Polarimeters of separated-field type; Polarimeters of half-shadow type
- 4/04 . . Polarimeters using electric detection means ([G01J 4/02](#) takes precedence)
- 5/00** **Radiation pyrometry, e.g. infrared or optical thermometry**
- WARNING**
- Group [G01J 5/00](#) is impacted by reclassification into group [G01J 5/90](#).
- Groups [G01J 5/00](#) and [G01J 5/90](#) should be considered in order to perform a complete search.

- 5/0003 . . {for sensing the radiant heat transfer of samples, e.g. emittance meter}
- 5/0007 . . {of wafers or semiconductor substrates, e.g. using Rapid Thermal Processing}
- 5/0011 . . {Ear thermometers ([G01J 5/021](#) and [G01J 5/049](#) take precedence)}
- 5/0014 . . {for sensing the radiation from gases, flames}
- 5/0018 . . {Flames, plasma or welding}
- 5/0022 . . {for sensing the radiation of moving bodies}
- 5/0025 . . {Living bodies (ear thermometers [G01J 5/0011](#); detecting, measuring or recording for diagnostic purposes [A61B 5/00](#))}
- 2005/0029 . . {Sheet}
- 2005/0033 . . {Wheel}
- 5/0037 . . {for sensing the heat emitted by liquids}
- 5/004 . . {by molten metals}
- 5/0044 . . {Furnaces, ovens, kilns ([G01J 5/0007](#), [G01J 5/004](#) take precedence)}
- 5/0066 . . {for hot spots detection}
- 5/007 . . {for earth observation}
- 2005/0074 . . {having separate detection of emissivity}
- 2005/0077 . . {Imaging}
- 5/0088 . . {in turbines}
- 2005/0092 . . {Temperature by averaging, e.g. by scan (thermography [G01J 5/48](#))}
- 5/0096 . . {for measuring wires, electrical contacts or electronic systems}
- 5/02 . . Constructional details
- WARNING**
- Group [G01J 5/02](#) is impacted by reclassification into group [G01J 5/05](#).
- Groups [G01J 5/02](#) and [G01J 5/05](#) should be considered in order to perform a complete search.
- 5/0205 . . {Mechanical elements; Supports for optical elements}
- 5/021 . . {Probe covers for thermometers, e.g. tympanic thermometers; Containers for probe covers; Disposable probes}
- 5/0215 . . {Compact construction}
- 5/022 . . {Monolithic}
- 5/0225 . . {Shape of the cavity itself or of elements contained in or suspended over the cavity}
- 5/023 . . {Particular leg structure or construction or shape; Nanotubes}
- 5/0235 . . {Spacers, e.g. for avoidance of stiction}
- 5/024 . . {Special manufacturing steps or sacrificial layers or layer structures}
- 5/0245 . . {for performing thermal shunt}
- 5/025 . . {Interfacing a pyrometer to an external device or network; User interface}
- 5/0255 . . {Sample holders for pyrometry; Cleaning of sample (using a gas purge [G01J 5/051](#))}
- 5/026 . . {Control of working procedures of a pyrometer, other than calibration; Bandwidth calculation; Gain control}
- WARNING**
- Group [G01J 5/026](#) is impacted by reclassification into group [G01J 5/90](#).
- Groups [G01J 5/026](#) and [G01J 5/90](#) should be considered in order to perform a complete search.
- 5/0265 . . {Handheld, portable (ear thermometers [G01J 5/049](#))}
- 5/027 . . {making use of sensor-related data, e.g. for identification of sensor parts or optical elements}
- 5/0275 . . {Control or determination of height or distance or angle information for sensors or receivers}
- 5/028 . . {using a charging unit or battery}
- 5/0295 . . {Nulling devices or absolute detection}
- 5/03 . . Arrangements for indicating or recording specially adapted for radiation pyrometers
- 5/04 . . Casings
- 5/041 . . {Mountings in enclosures or in a particular environment}
- 5/042 . . {High-temperature environment ([G01J 5/0007](#), [G01J 5/0044](#), [G01J 5/0088](#) and [G01J 5/004](#) take precedence)}
- 5/044 . . {Environment with strong vibrations or shocks}
- 5/045 . . {Sealings; Vacuum enclosures; Encapsulated packages; Wafer bonding structures; Getter arrangements (getter arrangements per se [H01L 23/26](#) and [H01L 21/3221](#))}
- 5/046 . . {Materials; Selection of thermal materials}
- 5/047 . . {Mobile mounting; Scanning arrangements}
- 5/048 . . {Protective parts}
- 5/049 . . {Casings for tympanic thermometers}
- 5/05 . . Means for preventing contamination of the components of the optical system; Means for preventing obstruction of the radiation path
- WARNING**
- Group [G01J 5/05](#) is incomplete pending reclassification of documents from group [G01J 5/02](#).
- Groups [G01J 5/02](#) and [G01J 5/05](#) should be considered in order to perform a complete search.
- 5/051 . . {using a gas purge}
- 5/06 . . Arrangements for eliminating effects of disturbing radiation; Arrangements for compensating changes in sensitivity (for adjusting of solid angle of collected radiation [G01J 5/07](#); means for wavelength selection [G01J 5/0801](#))
- 5/061 . . by controlling the temperature of the apparatus or parts thereof, e.g. using cooling means or thermostats
- 2005/062 . . {Peltier}
- 2005/063 . . {Heating; Thermostating}

- 5/064 . . . {Ambient temperature sensor; Housing temperature sensor; Constructional details thereof}
- WARNING**
- Group [G01J 5/064](#) is impacted by reclassification into group [G01J 5/70](#).
- Groups [G01J 5/064](#) and [G01J 5/70](#) should be considered in order to perform a complete search.
- 2005/065 . . . {by shielding}
- 2005/066 . . . {Differential arrangement, i.e. sensitive/not sensitive}
- 5/068 . . . by controlling parameters other than temperature
- 5/07 . . Arrangements for adjusting the solid angle of collected radiation, e.g. adjusting or orienting field of view, tracking position or encoding angular position ([optical collimating elements G01J 5/0806](#))
- 5/08 . . Optical arrangements
- WARNING**
- Group [G01J 5/08](#) is impacted by reclassification into groups [G01J 5/0801](#) and [G01J 5/0803](#).
- Groups [G01J 5/08](#), [G01J 5/0801](#), and [G01J 5/0803](#) should be considered in order to perform a complete search.
- 5/0801 . . . Means for wavelength selection or discrimination
- WARNING**
- Group [G01J 5/0801](#) is incomplete pending reclassification of documents from groups [G01J 5/08](#) and [G01J 5/0803](#).
- Groups [G01J 5/08](#), [G01J 5/0803](#), and [G01J 5/0801](#) should be considered in order to perform a complete search.
- 5/0802 Optical filters
- 5/08021 {Notch filters}
- 5/0803 . . . Arrangements for time-dependent attenuation of radiation signals
- WARNING**
- Group [G01J 5/0803](#) is incomplete pending reclassification of documents from groups [G01J 5/08](#) and [G01J 5/0816](#).
- Group [G01J 5/0803](#) is also impacted by reclassification into groups [G01J 5/0801](#) and [G01J 5/0879](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 5/0804 Shutters
- WARNING**
- Group [G01J 5/0804](#) is impacted by reclassification into group [G01J 5/0805](#).
- Groups [G01J 5/0804](#) and [G01J 5/0805](#) should be considered in order to perform a complete search.
- 5/0805 Means for chopping radiation
- WARNING**
- Group [G01J 5/0805](#) is incomplete pending reclassification of documents from group [G01J 5/0804](#).
- Groups [G01J 5/0804](#) and [G01J 5/0805](#) should be considered in order to perform a complete search.
- 5/0806 . . . Focusing or collimating elements, e.g. lenses or concave mirrors
- 5/0808 . . . Convex mirrors
- WARNING**
- Group [G01J 5/0808](#) is impacted by reclassification into groups [G01J 5/0813](#) and [G01J 5/0814](#).
- All groups listed in this Warning should be considered in order to perform a complete search.
- 5/0813 . . . Planar mirrors; Parallel phase plates
- WARNING**
- Group [G01J 5/0813](#) is incomplete pending reclassification of documents from group [G01J 5/0808](#).
- Groups [G01J 5/0808](#) and [G01J 5/0813](#) should be considered in order to perform a complete search.
- 5/0814 . . . {Particular reflectors, e.g. faceted or dichroic mirrors}
- WARNING**
- Group [G01J 5/0814](#) is incomplete pending reclassification of documents from group [G01J 5/0808](#).
- Groups [G01J 5/0808](#) and [G01J 5/0814](#) should be considered in order to perform a complete search.
- 5/0815 . . . {Light concentrators, collectors or condensers}
- 5/0816 . . . {using attenuators}
- WARNING**
- Group [G01J 5/0816](#) is impacted by reclassification into group [G01J 5/0803](#).
- Groups [G01J 5/0816](#) and [G01J 5/0803](#) should be considered in order to perform a complete search.
- 5/0818 . . . Waveguides
- 5/0821 Optical fibres
- 5/0831 . . . Masks; Aperture plates; Spatial light modulators
- 5/0837 . . . {Microantennas, e.g. bow-tie}
- 5/084 . . . {Adjustable or slidable}
- 5/0843 {Manually adjustable}
- 5/0846 . . . {having multiple detectors for performing different types of detection, e.g. using radiometry and reflectometry channels}

- 5/085 . . . {having a through-hole enabling the optical elements to fulfil an additional optical function, e.g. mirrors or gratings having a through-hole for a light collecting or light injecting optical fiber}
- 5/0853 . . . {having infrared absorbers other than the usual absorber layers deposited on infrared detectors like bolometers, wherein the heat propagation between the absorber and the detecting element occurs within a solid}
- 5/0856 . . . {Slit arrangements}
- 5/0859 . . . {Sighting arrangements, e.g. cameras}
- 5/0865 . . . {having means for replacing an element of the arrangement by another of the same type, e.g. an optical filter}
- 5/0868 . . . {Means for illuminating a slit or a surface efficiently, e.g. entrance slit of a pyrometer or entrance face of a fiber}
- 5/0871 . . . {Beam switching arrangements; Photodetection involving different fields of view for a single detector}
- 5/0875 . . . Windows; Arrangements for fastening thereof
- 5/0878 . . . {Diffusers}
- 5/0879 . . . {Optical elements not provided otherwise, e.g. optical manifolds, holograms, cubic beamsplitters, non-dispersive prisms or particular coatings}
- WARNING**
- Group [G01J 5/0879](#) is incomplete pending reclassification of documents from group [G01J 5/0803](#).
- Groups [G01J 5/0803](#) and [G01J 5/0879](#) should be considered in order to perform a complete search.
- 5/0881 . . . {Compact construction}
- 5/0884 . . . {Monolithic}
- 5/0887 . . . {Integrating cavities mimicking black bodies, wherein the heat propagation between the black body and the measuring element does not occur within a solid; Use of bodies placed inside the fluid stream for measurement of the temperature of gases; Use of the reemission from a surface, e.g. reflective surface; Emissivity enhancement by multiple reflections}
- 5/0893 . . . {Arrangements to attach devices to a pyrometer, i.e. attaching an optical interface; Spatial relative arrangement of optical elements, e.g. folded beam path ([G01J 5/049 takes precedence](#))}
- 5/0896 . . . {using a light source, e.g. for illuminating a surface}
- 5/10 . . . using electric radiation detectors
- 2005/103 . . . {Absorbing heated plate or film and temperature detector}
- 2005/106 . . . {Arrays}
- 5/12 . . . using thermoelectric elements, e.g. thermocouples
- 2005/123 . . . {Thermoelectric array}
- 2005/126 . . . {Thermoelectric black plate and thermocouple}
- 5/14 . . . Electrical features thereof
- 5/16 Arrangements with respect to the cold junction; Compensating influence of ambient temperature or other variables
- 5/20 . . . using resistors, thermistors or semiconductors sensitive to radiation, e.g. photoconductive devices
- 2005/202 . . . {Arrays}
- 2005/204 {prepared by semiconductor processing, e.g. VLSI}
- 2005/206 . . . {on foils}
- 2005/208 . . . {superconductive}
- 5/22 . . . Electrical features thereof
- 5/24 Use of specially adapted circuits, e.g. bridge circuits
- 5/28 . . . using photoemissive or photovoltaic cells
- 2005/283 . . . {Array}
- 2005/286 {Arrangement of conductor thereof}
- 5/30 . . . Electrical features thereof
- 5/34 . . . using capacitors, e.g. pyroelectric capacitors
- WARNING**
- Group [G01J 5/34](#) is impacted by reclassification into group [G01J 5/35](#).
- Groups [G01J 5/34](#) and [G01J 5/35](#) should be considered in order to perform a complete search.
- 2005/345 . . . {Arrays}
- 5/35 . . . Electrical features thereof
- WARNING**
- Group [G01J 5/35](#) is incomplete pending reclassification of documents from group [G01J 5/34](#).
- Groups [G01J 5/34](#) and [G01J 5/35](#) should be considered in order to perform a complete search.
- 5/36 . . . using ionisation of gases
- 5/38 . . . using extension or expansion of solids or fluids
- 5/40 . . . using bimaterial elements
- 5/42 . . . using Goly cells
- 2005/425 . . . {Microarray}
- 5/44 . . . using change of resonant frequency, e.g. of piezoelectric crystals
- 5/46 . . . using radiation pressure or radiometer effect
- 5/48 . . . Thermography; Techniques using wholly visual means
- 5/485 . . . {Temperature profile}
- 5/52 . . . using comparison with reference sources, e.g. disappearing-filament pyrometer
- 2005/526 . . . {Periodic insertion of emissive surface}
- 2005/528 . . . {Periodic comparison}
- 5/53 . . . Reference sources, e.g. standard lamps; Black bodies
- 5/532 . . . {using a reference heater of the emissive surface type, e.g. for selectively absorbing materials}
- 5/54 . . . Optical arrangements
- 5/56 . . . Electrical features thereof
- 5/58 . . . using absorption; using extinction effect
- 2005/583 . . . {Interferences, i.e. fringe variation with temperature}
- 5/59 . . . using polarisation; Details thereof
- 5/60 . . . using determination of colour temperature
- 5/601 . . . {using spectral scanning}

- 5/602 . . {using selective, monochromatic or bandpass filtering}
 - 2005/604 . . . {bandpass filtered}
 - 5/605 . . {using visual determination}
 - 2005/607 . . {on two separate detectors}
 - 2005/608 . . {Colour temperature of light sources}
 - 5/70 . Passive compensation of pyrometer measurements, e.g. using ambient temperature sensing or sensing of temperature within housing
- WARNING**
- Group [G01J 5/70](#) is incomplete pending reclassification of documents from group [G01J 5/064](#).
- Groups [G01J 5/064](#) and [G01J 5/70](#) should be considered in order to perform a complete search.
- 5/80 . Calibration (using comparison with reference sources [G01J 5/52](#))
 - 5/802 . . {by correcting for emissivity}
 - 5/804 . . {using atmospheric correction}
 - 5/806 . . {by correcting for reflection of the emitter radiation}
 - 5/808 . . {using linearising circuits}
 - 5/90 . Testing, inspecting or checking operation of radiation pyrometers
- WARNING**
- Group [G01J 5/90](#) is incomplete pending reclassification of documents from group [G01J 5/00](#).
- Groups [G01J 5/00](#) and [G01J 5/90](#) should be considered in order to perform a complete search.
- 7/00 Measuring velocity of light**
- 9/00 Measuring optical phase difference (devices or arrangements for controlling the phase of light beams [G02F 1/01](#)); Determining degree of coherence; Measuring optical wavelength (spectrometry [G01J 3/00](#))**
- 2009/002 . {Wavefront phase distribution}
 - 2009/004 . {Mode pattern}
 - 2009/006 . {using pulses for physical measurements}
 - 2009/008 . . {using decay time in cavity}
 - 9/02 . by interferometric methods (using interferometers for measuring optically the linear dimensions of objects [G01B 9/02](#))
 - 2009/0203 . . {Phased array of beams}
 - 2009/0207 . . {Double frequency, e.g. Zeeman}
 - 2009/0211 . . {for measuring coherence}
 - 9/0215 . . {by shearing interferometric methods}
 - 2009/0219 . . . {using two or more gratings}
 - 2009/0223 . . {Common path interferometry; Point diffraction interferometry}
 - 2009/0226 . . {Fibres}
 - 2009/023 . . . {of the integrated optical type}
 - 2009/0234 . . {Measurement of the fringe pattern}
 - 2009/0238 . . . {the pattern being processed optically, e.g. by Fourier transformation}
 - 2009/0242 . . {Compensator}
 - 9/0246 . . {Measuring optical wavelength}
 - 2009/0249 . . {with modulation}
 - 2009/0253 . . . {of wavelength}
 - 2009/0257 . . {multiple, e.g. Fabry Perot interferometer}
 - 2009/0261 . . {polarised}
 - 2009/0265 . . . {with phase modulation}
 - 2009/0269 . . {Microscope type}
 - 2009/0273 . . {Ring interferometer}
 - 2009/0276 . . {Stellar interferometer, e.g. Sagnac}
 - 2009/028 . . {Types}
 - 2009/0284 . . . {Michelson}
 - 2009/0288 . . . {Machzehnder}
 - 2009/0292 . . . {Fizeau; Wedge}
 - 2009/0296 . . . {achromatic}
 - 9/04 . by beating two waves of a same source but of different frequency and measuring the phase shift of the lower frequency obtained
- 11/00 Measuring the characteristics of individual optical pulses or of optical pulse trains**
- 2011/005 . {Streak cameras}