

## G08G

**Traffic control systems (guiding railway traffic, ensuring the safety of railway traffic B61L; arrangement of road signs or traffic signals E01F9/00; radar or analogous systems, sonar systems, lidar systems specially adapted for traffic control G01S13/91, G01S15/88, G01S17/88; [N: radar or analogous systems, sonar systems, lidar systems specially adapted for anti-collision purposes G01S13/93, G01S15/93, G01S17/93 ])**

### Definition statement

*This subclass/group covers:*

Traffic control; traffic monitoring.

Identification of traffic offenders.

Anti-collision systems.

Navigation systems wherein the calculation of the navigation route takes into account traffic situation. The navigation route can be carried out onboard or offboard.

### Relationship between large subject matter areas

Subclass [G08G](#) covers arrangements, located in land, water, air or space vehicles or on the ground, for controlling road vehicles, marine craft or aircraft within a traffic environment, e.g. anti-collision systems.

This subclass does not cover arrangements for the control of position, course, altitude or attitude of land, water, air or space vehicles, not being specific to a traffic environment, e.g. automatic pilots, unmanned vehicles, which are covered by group [G05D 1/00](#).

Radar or analogous systems, sonar systems or lidar systems specially adapted for traffic control or anti-collision systems are covered by specific groups of subclass [G01S](#) (see below).

### References relevant to classification in this subclass

*This subclass/group does not cover:*

Control of position, course, altitude or attitude of land, water, air or space vehicles, not being specific to a traffic environment, e.g. automatic pilots	<a href="#">G05D 1/00</a>
Guiding railway traffic, ensuring the safety of railway traffic	<a href="#">B61L</a>

Radar or analogous systems, sonar systems or lidar systems specially adapted for traffic control	<a href="#">G01S 13/91</a> <a href="#">G01S 15/88</a> <a href="#">G01S 17/88</a>
Radar or analogous systems, sonar systems or lidar systems specially adapted for anti-collision purposes	<a href="#">G01S 13/93</a> , <a href="#">G01S 15/93</a> , <a href="#">G01S 17/93</a>

## Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Combined instruments indicating more than one navigational value	<a href="#">G01C 23/00</a>
Head-up displays	<a href="#">G02B 27/01</a>
Image analysis	<a href="#">G06T 7/00</a>
Maps, route diagrams	<a href="#">G09B 29/00</a>
Navigation, i.e. determining the position and course of land vehicles, ships, aircrafts or space vehicles	<a href="#">G01C 21/00</a>
Pattern recognition	<a href="#">G06K 9/00</a>
Services making use of the location of users or terminals, specially adapted for wireless communication networks	<a href="#">H04W 4/02</a>

## Glossary of terms

*In this subclass/group, the following terms (or expressions) are used with the meaning indicated:*

Fleet	Designates (land, water, air or space) vehicles belonging to a group for a specific purpose and monitored by a common central station
-------	---

## G08G 1/00

### Traffic control systems for road vehicles (automatic vehicle control B62D)

#### Definition statement

*This subclass/group covers:*

Arrangements for controlling road vehicles within a traffic environment, e.g. anti-collision systems.

Traffic signal control.

Traffic lights per se.

Vehicle position monitoring for fleet management.

Management of passenger vehicles circulating according to a fixed time schedule, e.g. buses, trains or trams. Indication of free spaces in parking areas.

Platooning, i.e. the control of the admission or release of vehicles to or from a platoon (a synonym for "convoy", see Glossary). This includes the organisation of vehicles within platoons, involving an exchange of information between the control system and the vehicles, i.e. the number of vehicles, acceptance or refusal of new vehicles in the platoon, and where in the platoon the new vehicle may be inserted.

#### Relationship between large subject matter areas

Group [B60W 30/00](#) covers drive control systems using conjoint control of vehicle sub-units for road vehicles under the drive of a human being, whereby the control is of single vehicles. Examples are: drive control systems for predicting or avoiding probable or impending collision otherwise than by control of a particular sub-unit, covered by group [B60W 30/08](#); cruise control, covered by group [B60W 30/14](#); and cruise control of distance between vehicles, e.g. keeping a distance to preceding vehicle, covered by [B60W 30/16](#).

This group covers traffic lights per se (under [G08G 1/095](#)). Mechanical aspects of light devices for fixed installations are covered by group [F21S 8/00](#), advertising or display means on roads are covered by group [G09F 19/22](#), circuits arrangements for electric light sources in general are covered by group [H05B 37/00](#).

#### References relevant to classification in this group

*This subclass/group does not cover:*

Arrangement of road signs or traffic signals	<a href="#">E01F 9/00</a>
--	---------------------------

Arrangements for measuring levels and bearings for surveillance and navigation	<a href="#">G01C</a>
Automatic vehicles	<a href="#">G05D</a>
Details of display instrumentation	<a href="#">G09F</a> , <a href="#">G09G</a>
Guiding railway traffic, ensuring the safety of railway traffic	<a href="#">B61L</a>
Radio navigation systems, e.g. for locating, measuring distances or velocity	<a href="#">G01S</a>
Road pricing or congestion charging of vehicles or vehicle users	<a href="#">G07B 15/06</a>

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Advertising or display means on roads	<a href="#">G09F 19/22</a>
Arrangement of road signs or traffic signals	<a href="#">E01F 9/00</a>
Arrangements or adaptations of optical signalling or lightning devices	<a href="#">B60Q 1/00</a>
Arrangements or fittings on vehicles for protecting or preventing injuries to occupants or pedestrians in case of accidents or other traffic risks	<a href="#">B60R 21/00</a>
Circuits arrangements for electric light sources in general	<a href="#">H05B 37/00</a>
Cruise control of distance between road vehicles, e.g. keeping a distance to preceding vehicle	<a href="#">B60W 30/16</a>
Light devices intended for fixed installation	<a href="#">F21S 8/00</a>

Optical viewing arrangements for cars	<a href="#">B60R 1/00</a>
Parking meters	<a href="#">G07F 17/24</a>
Radar or analogous systems, sonar systems, lidar systems specially adapted for traffic control	<a href="#">G01S 13/91</a> <a href="#">G01S 15/88</a> <a href="#">G01S 17/88</a>
Radar or analogous systems, sonar systems, lidar systems specially adapted for anti-collision purposes	<a href="#">G01S 13/93</a> , <a href="#">G01S 15/93</a> , <a href="#">G01S 17/93</a>
Registering or indicating the working of vehicles	<a href="#">G07C 5/00</a>
Road vehicle cruise control, e.g. for controlling the distance between vehicles	<a href="#">B60W 30/14</a>
Road vehicle drive control systems for predicting or avoiding probable or impending collision otherwise than by control of a particular sub-unit	<a href="#">B60W 30/08</a>
Safety devices for propulsion-unit control, specially adapted for or arranged in vehicles	<a href="#">B60K 28/00</a>
Steering controls	<a href="#">B62D 1/00</a>
Vehicle brake control system	<a href="#">B60T</a>
Vehicle fittings for automatically controlling vehicle speed	<a href="#">B60K 31/00</a>
Vehicle fittings for preventing or indicating unauthorised use or theft of vehicles	<a href="#">B60R 25/00</a>

## Glossary of terms

*In this subclass/group, the following terms (or expressions) are used with the meaning indicated:*

C onvoy / platoon	means a group of vehicles which is
-------------------	------------------------------------

	controlled as a whole by exchange of data or information between the vehicles themselves (i.e. inter#vehicle communication) or with one or more external sources (i.e. central source or distributed sources)
--	---

## **G08G 1/005**

**including pedestrian guidance indicator**

### **Definition statement**

*This subclass/group covers:*

Devices for pedestrians in road traffic situations.

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Aiding invalids to walk about with electronic detecting means	<a href="#">A61H 3/061</a> , <a href="#">G09B 21/00</a>
Counting means; controlling and registering access of persons to restricted areas or devices	<a href="#">G07C 9/00</a>
The pass performing a presence indicating function	<a href="#">G07C 9/00111</a>

## **G08G 1/01**

**Detecting movement of traffic to be counted or controlled (G08G1/07 (Controlling traffic signals ) to G08G1/14 (Indicating individual free spaces in parking areas) take precedence)**

### **References relevant to classification in this group**

*This subclass/group does not cover:*

	<a href="#">G08G 1/07</a> (Controlling traffic signals ) to <a href="#">G08G 1/14</a> (Indicating individual free spaces in parking areas)
--	--

---

---

## Informative references

Attention is drawn to the following places, which may be of interest for search:

Arrangements or apparatus for collecting fares, tolls or entrance fees at a control point	<a href="#">G07B 15/00</a>
---	----------------------------

## G08G 1/0104

### Measuring and analyzing of parameters relative to traffic conditions

#### Definition statement

*This subclass/group covers:*

Statistic measurements by means of data collection.

Traffic data analysis by means of mathematical methods.

Floating car (FCD): the data is collected by the vehicle and it is then transferred to a central station.

#### Informative references

Attention is drawn to the following places, which may be of interest for search:

Communicating information to a remotely located station	<a href="#">G07C 5/008</a>
In which a programme is changed according to experience gained by the computer itself during a complete run; Learning machines	<a href="#">G06F 15/18</a>
Locating users or terminals	<a href="#">H04W 64/00</a>
Registering or indicating the working of vehicles	<a href="#">G07C 5/00:</a>
With additional information processing	<a href="#">H04W 64/006</a>

## Glossary of terms

*In this subclass/group, the following terms (or expressions) are used with the meaning indicated:*

FCD	Floating Car Data
xFCD	extended Floating Car Data

### G08G 1/015

**with provision for distinguishing between two or more types of vehicles, e.g. between motor-cars and cycles**

#### Definition statement

*This subclass/group covers:*

to distinguish between car, bus, truck and different categories of vehicles being able to make a distinction between the type of vehicles.

### G08G 1/017

**identifying vehicles (G08G1/015, G08G1/054 take precedence)**

#### Definition statement

*This subclass/group covers:*

To identify a specific car, for example plate number, driver, colour etc. How to recognize specific vehicles overtrading a highway rule.

Identifying the specific vehicle, plate number, colour etc.

#### References relevant to classification in this subclass/group

*This subclass/group does not cover:*

Distinguishing between two or more types of vehicles	<a href="#">G08G 1/015</a>
Photographing over speeding vehicles	<a href="#">G08G 1/054</a>

#### Informative references

Attention is drawn to the following places, which may be of interest for search:

Gantries or semi-gantries	<a href="#">E01F 9/0113</a>
Image acquisition, target detection	<a href="#">G06K 9/3241</a>
Individual entry or exit registers	<a href="#">G07C 9/00</a>
Toll systems	<a href="#">G07B 15/00B2</a>

### **Glossary of terms**

In this subclass/group, the following terms (or expressions) are used with the meaning indicated:

AVI	Automatic Vehicle Identification
-----	----------------------------------

### **G08G 1/02**

**using treadles built into the road (pads or other sensitive devices responsive to passage of vehicles E01F11/00 )**

### **Informative references**

Attention is drawn to the following places, which may be of interest for search:

Pads or other sensitive devices responsive to passage of vehicles	<a href="#">E01F 11/00</a>
Piezo-electric devices; electrostrictive devices; magnetostrictive devices	<a href="#">H01L 41/00</a>
Road surface markings, informing road users e.g. illuminated	<a href="#">E01F 9/04</a>
Sensors	<a href="#">H01L 41/113</a>

### **G08G 1/04**

**using optical or ultrasonic detectors**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Closed TV Systems	<a href="#">H04N 7/18</a>
For detecting the presence of an object	<a href="#">G01S 17/026</a>
For detecting the presence of an object	<a href="#">G01S 17/026</a>
Housing arrangements	<a href="#">G01S 7/4813:</a>
Imaging using radar	<a href="#">G01S 13/89</a>
Interferometer, Doppler SAR	<a href="#">G01S 13/90</a>
Recognising traffic patterns	<a href="#">G06K 9/00785</a>
Systems using the reflection or reradiating of electromagnetic waves other than radio waves	<a href="#">G01S 17/00</a>
Systems using the reflection or reradiating of electromagnetic waves other than radio waves	<a href="#">G01S 17/00</a>
Television	<a href="#">H04N 1/38</a>
Video recorder in combination with video camera	<a href="#">G07C 5/0891</a>

## **G08G 1/042**

**using inductive or magnetic detectors**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Antennas in association with traffic control	<a href="#">H01Q 1/3225</a>
Electric or magnetic prospecting or detecting	<a href="#">G01V 3/00:</a>
Operating with magnetic or electric	<a href="#">G01V 3/08</a>

fields produced or modified by objects or geological structures or by detecting devices	
Using induction coils	<a href="#">G01V 3/10</a>

## **G08G 1/048**

**with provision for compensation of environmental or other condition, e.g. snow, vehicle stopped at detector**

### **Definition statement**

*This subclass/group covers:*

with the aim that the identification systems work properly

To ensure the proper functioning of the device.

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Meteorology	<a href="#">G01W 1/00</a>
-------------	---------------------------

## **G08G 1/052**

**with provision for determining speed or overspeed**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Cameras for overspeed	<a href="#">H04N 5/232</a>
Controlling speed by externally generated signals	<a href="#">B60K 31/0058</a>
Including a device to audibly, visibly or otherwise signal the existence of unusual or unintended speed	<a href="#">B60K 31/18</a>
Speed measuring in general	<a href="#">G01P</a>
Velocity or direction measurement	<a href="#">G01S 13/92</a>

instrument designed for traffic control	
---	--

## **G08G 1/07**

### **Controlling traffic signals**

#### **Definition statement**

*This subclass/group covers:*

For crossings or accesses to highways.

Refers especially to traffic lights / for control or monitoring of a multiplicity of traffic signals and not individual ones

Cycle: of traffic light, i.e. red/green/yellow / Green wave etc.

## **G08G 1/075**

### **Ramp control**

#### **Definition statement**

*This subclass/group covers:*

Access to highways: e.g. monitoring driving on the wrong way, warning when entering in the wrong direction etc.

#### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Road crossings on different levels; interconnections between roads on different levels; Structure of roads	<a href="#">E01C 1/04</a>
--	---------------------------

## **G08G 1/085**

### **using a free-running cyclic timer**

#### **Definition statement**

*This subclass/group covers:*

Fixed frequency without external triggers.

## G08G 1/087

### Override of traffic control, e.g. by signal transmitted by an emergency vehicle

#### Definition statement

*This subclass/group covers:*

When emergency vehicle brakes the cycle for passing and in this way it changes the light of traffic lights to prevent collisions with emergency vehicle

Changing the green light cycles so that emergency vehicles find the traffic lights always in green and avoid possible accidents.

## G08G 1/09

**Arrangements for giving variable traffic instructions ([N: railroad crossing signals B61L; reflectors E01F, G08B]; indicating arrangements for variable information by selection or combination of individual elements G09F9/00 : Indicating arrangements for variable information in which the information is built-up on a support by selection or combination of individual elements)**

#### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Adapted for handsfree use in a vehicle	<a href="#">H04M 1/6075</a>
Arrangements for executing specific programmes	<a href="#">G06F 9/44</a>
By interfacing with the vehicle audio system	<a href="#">H04M 1/6083</a>
Electric circuits in a car	<a href="#">B60R 16/02</a>
Including a wireless interface	<a href="#">H04M 1/6091</a>
Indicating arrangements for variable information by selection or combination of individual elements	<a href="#">G09F 9/00</a>
Information retrieval	<a href="#">G06F 17/30</a>
Information retrieval	<a href="#">G06F 17/30</a>

Radio transmission systems, i.e. using radiation field	<a href="#">H04B 7/00</a>
Railroad crossing signals	<a href="#">B61L</a>
Reflectors	<a href="#">E01F G08B</a>
Road surface markings	<a href="#">E01F 9/04</a> , <a href="#">E01F 9/08</a> , <a href="#">E01F 9/093</a>
Specially adapted for audible or vibrational signalling, e.g. rumble strips across a lane, or for enforcing reduced speed, e.g. speed	<a href="#">E01F 9/047</a>
Systems or methods specially adapted for administrative, commercial, financial, managerial, supervisory or forecasting purposes, not involving significant data processing.	<a href="#">G06Q 90/00</a>
Traffic signs	<a href="#">G09F 7/00</a> , <a href="#">G09F 9/00</a> , <a href="#">G09F 11/00</a>

## **G08G 1/091**

### **Traffic information broadcasting (broadcasting communication H04H)**

#### **Definition statement**

*This subclass/group covers:*

Structure and reception of radio messages such as RDS, TMC.

#### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Broadcasting communication	<a href="#">H04H</a>
Broadcasting communication, signal waveform	<a href="#">H04H 1/00A2R</a>
Construction details of receivers to be used in vehicles	<a href="#">H04B 1/082</a>

Digital broadcasting	<a href="#">H04H 1/00D</a>
----------------------	----------------------------

## Glossary of terms

*In this subclass/group, the following terms (or expressions) are used with the meaning indicated:*

DAB	Digital Audio Broadcasting
RDS-TMC	Traffic Message Control

## G08G 1/095

### Traffic lights

#### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Appliances for aiding invalids to walk about	<a href="#">A61H 3/00</a>
Arrangement of road signs or traffic signals. Only for mechanical aspects	<a href="#">E01F 9/00</a>
Arrangements for obstructing or restricting traffic, e.g. gates, barricades (for railway crossings <a href="#">B61L</a> ); preventing passage of vehicles of selected category or dimensions ( <a href="#">E01F 13/12</a> , <a href="#">E01F 13/126</a> take precedence)]	<a href="#">E01F 13/00</a>
Audible signalling systems	<a href="#">G08B 3/00</a>
Audible signalling systems; Audible personal calling systems	<a href="#">G08B 3/00</a>
Combination of elements; lights composed of LED's. No lightning, more arrangement	<a href="#">G09F 9/33</a>
Combined visual and audible advertising or displaying	<a href="#">G09F 27/00</a>

Combined visual and audible advertising or displaying, e.g. for public address	<a href="#">G09F 27/00</a>
Control	<a href="#">G08G 1/07</a>
Detecting lamp failure, circuits for controlling signals. lightning	<a href="#">H05B 37/03</a> , <a href="#">H05B 37/04</a>
Eclairage (lighting)	<a href="#">F21Q 3/00B</a>
Electric light sources using a combination of different types of light generation.	<a href="#">H05B 35/00</a>
Electroluminescent light sources.	<a href="#">H05B 33/00</a>
For supporting on, or attaching to, an object, e.g. tree, gate, window-frame, cycle	<a href="#">F16M 13/02</a>
free-standing; portable, e.g. for guarding open manholes	<a href="#">E01F 13/02</a>
Illuminated signs / luminous advertising	<a href="#">G09F 13/00</a>
Including a panel or array of photoelectric cells, e.g. solar cells	<a href="#">H01L 31/042</a>
LEDs	<a href="#">H05B 33/00</a>
Lights composed of LEDs	<a href="#">G09F 9/33</a>
Lights composed of LEDS	<a href="#">G09F 9/33</a>
Miscellaneous advertising or display means not provided for elsewhere	<a href="#">G09F 19/00</a>
Mobile luminous signs	<a href="#">E01F 9/016</a>
Optical elements other than lenses	<a href="#">G02B 5/00</a>
Semiconductor devices sensitive to infra-red radiation, light, electromagnetic radiation of shorter	<a href="#">H01L 31/00</a>

wavelength or corpuscular radiation and adapted either for the conversion of the energy of such radiation into electrical energy or for the control of electrical energy by such radiation.	
Signalling systems according to more than one of groups	<a href="#">G08B 7/00</a>
Signalling systems according to more than one of groups, personal calling systems.	<a href="#">G08B 7/00</a>
Supervision	<a href="#">G08G 1/097</a>
Traffic lights, pillar shaped lights	<a href="#">F21S 8/00Q4</a>
Traffic lights; devices intended for fixed installation; pillar shaped lights; lights arranged on top of each other	<a href="#">F21S 8/00Q4</a>
Using special optical effects	<a href="#">G09F 19/12</a>
With means for preventing ghost images	<a href="#">G02B 27/0018</a>

## **G08G 1/096**

**provided with indicators in which a mark progresses showing the time elapsed, e.g. of green phase**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Advertising or display means on roads, walls, or similar surfaces, e.g. illuminated	<a href="#">G09F 19/22</a>
Illuminated signs in general	<a href="#">G09F 13/00</a>

## **G08G 1/0962**

## having an indicator mounted inside the vehicle, e.g. giving voice messages

### Definition statement

*This subclass/group covers:*

Management of the information to be presented to the driver. Docs in this group cover two possible aspects:

- The information is neither traffic nor navigation information, since we have 0967 and 0968 for these. "Other" information such as events, advertisements, weather, emails, agenda, music, films, games etc. It can also be the combination of different kinds of information and how the information is outputted e.g. definition of priority, factors for selecting information.
- Details on the output of information to the driver. e.g. on the display using map (not for navigation route! for route display use [G08G 1/0969](#)), highlighting, acoustic, haptic etc. Documents concerning the display of information to the driver, from a general perspective. Also the voice information provided.

### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Instruments for indicating weather conditions	<a href="#">G01W 1/02</a>
---	---------------------------

## **G08G 1/0967**

**Systems involving transmission of highway information, e.g. weather, speed limits (transmission of navigation instructions to the vehicle G08G1/0968)**

### Informative references

*Attention is drawn to the following places, which may be of interest for search:*

For measuring distance travelled or combinations of speed and distance	<a href="#">G01C</a>
Controlling speed by externally generated signals	<a href="#">B60K 31/0058</a>
Devices for measuring speed or acceleration	<a href="#">G01P</a>

Engine indicators	<a href="#">G01L</a>
Registering or indicating the working of vehicles	<a href="#">G07C 5/00</a>
Transmission of navigation instructions to the vehicle	<a href="#">G08G 1/0968</a>

## **G08G 1/096775**

where the origin of the information is a central station

## **G08G 1/0968**

**Systems involving transmission of navigation instructions to the vehicle [N: (navigation or navigational instruments specially adapted for navigation in a road network G01C21/26 )]**

### **Definition statement**

*This subclass/group covers:*

Navigation systems where traffic info is being transmitted or taken into account for the route

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Beacons or beacon systems transmitting signals having a characteristic or characteristics capable of being detected by non-directional receivers and defining directions, positions, or position lines fixed relatively to the beacon transmitters	<a href="#">G01S 1/00</a>
Combinations of GPS with other systems, e.g. in vehicle navigation or position reporting systems, aircraft landing aids	<a href="#">G01S 5/14B3</a>
Control of position, course, altitude or attitude of vehicles	<a href="#">G05D 1/00</a>

Dashboard	<a href="#">B60K 37/00</a>
Digital computing/ forecasting purposes / optimization / routes	<a href="#">G06F 17/60C</a>
GPS NAVSTAR	<a href="#">G01S 5/145</a>
Input/output arrangements for on-board computers	<a href="#">G01C 21/36</a>
Locate: mobile terminal for navigation through cellular network	<a href="#">H04Q</a>
Map- or contour-matching	<a href="#">G01C 21/30</a>
Measuring distance traversed on the ground by a vehicle	<a href="#">G01C 22/00</a>
Measuring linear or angular speed or acceleration	<a href="#">G01P</a>
Navigation or navigational instruments specially adapted for navigation in a road network	<a href="#">G01C 21/26</a>
Navigation; Navigational instruments not provided for in preceding groups	<a href="#">G01C 21/00</a>
Optimisation	<a href="#">G06Q 10/00B4</a>
Route searching; Route guidance	<a href="#">G01C 21/34</a>
Structuring or formatting of map data	<a href="#">G01C 21/32</a>
With correlation of data from several navigational instruments	<a href="#">G01C 21/28</a>

## **G08G 1/096855**

where the output is provided in a suitable form to a driver

### **Definition statement**

*This subclass/group covers:*

"Suitable" means in this context route instructions readable and understandable by a driver, contrary to coded information which should be interpreted.

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Details on I/O arrangements for onboard navigation computers	<a href="#">G01C 21/36</a>
--	----------------------------

### G08G 1/096877

where the input to the navigation device is provided by a suitable I/O arrangement (details on I/O arrangements for onboard navigation computers G01C21/36 )

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Details of I/O arrangements for onboard navigation computers	<a href="#">G01C 21/36</a>
I/O arrangements for general purpose computers	<a href="#">G06F 3/00</a>

### G08G 1/0969

having a display in the form of a map

### Definition statement

*This subclass/group covers:*

Systems with display appearance of the route in the navigation systems (e.g. bird's eye view, division of the display into different areas, way of representing an arrow).

### Informative references

Attention is drawn to the following places, which may be of interest for search:

2D image generation	<a href="#">G06T 11/00</a>
3D modeling	<a href="#">G06T 17/00</a>

advertisements	<a href="#">G06Q 30/00A</a>
dashboards	<a href="#">B60K 37/00</a>
data computing in geographical databases	<a href="#">G06F 17/30241</a>
electronic maps	<a href="#">G09B 29/106</a>
head-up displays	<a href="#">G02B 27/01</a>
input and output arrangements for transferring data into a form capable to be handled	<a href="#">G06F 3/00</a>

## **G08G 1/097**

**Supervising of traffic control systems, e.g. by giving an alarm if two crossing streets have green light simultaneously**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Detecting lamp failure	<a href="#">H05B 37/03</a> , <a href="#">H05B 37/04</a>
------------------------	---

## **G08G 1/123**

**indicating the position of vehicles, e.g. scheduled vehicles; Managing passenger vehicles circulating according to a fixed timetable, e.g. buses, trains, trams (transmission of navigation instructions to vehicles G08G1/0968)**

### **Definition statement**

*This subclass/group covers:*

for public transport, scheduled vehicles (bus, trams, information transmitted to trains, vehicles using scheduled routes AND scheduled times, bus stop and time table related devices)

### **References relevant to classification in this group**

*This subclass/group does not cover:*

Non-scheduled vehicles	<a href="#">G08G 1/123M</a>
------------------------	-----------------------------

### Informative references

Attention is drawn to the following places, which may be of interest for search:

Bus stop signs (constructional details)	<a href="#">E01F 9/011</a>
Digital computing (Traveller information; waiting times)	<a href="#">G06F 17/60</a>
Location of subscribers	<a href="#">H04Q 7/3855</a>
Position-fixing by co-ordinating two or more direction or position line determinations; Position-fixing by co-ordinating two or more distance determinations	<a href="#">G01S 5/00</a>

## G08G 1/123M

**Monitoring the location of vehicles belonging to a group, e.g. fleet of vehicles, countable or determined number of vehicles**

### Definition statement

*This subclass/group covers:*

Fleet: vehicles responding to one or several criterias, e.g. vehicle under a common authority, vehicles in a determined area.

### References relevant to classification in this group

*This subclass/group does not cover:*

This is a group which should be outside of <a href="#">G08G 1/123</a> but for historical reasons it was made a two dot group and we have to cope with this structure.	<a href="#">G08G 1/123</a>
---	----------------------------

### Informative references

Attention is drawn to the following places, which may be of interest for search:

ACC	<a href="#">B60W 3/02</a>
By at least one leading vehicle of the fleet	<a href="#">G05D 1/0295</a>
By controlling means in a control room]	<a href="#">G05D 1/0297</a>
Cargo logistics / routing	<a href="#">G06Q 10/00</a>
Combination of GPS with other systems	<a href="#">G01S 5/14B3</a>
Communication control / in which the network application is adapted for the location of the user terminal	<a href="#">H04L 29/08657</a>
Convoy travelling	<a href="#">G05D 1/0293</a>
Cordless telephones	<a href="#">H04M 1/725</a>
Distance control	<a href="#">B60W 3/04</a>
Emergency signalling	<a href="#">G08B 25/016</a>
Fleet control	<a href="#">G05D 1/0291</a>
Mobile subscribers locations	<a href="#">H04Q 7/3855</a>
Organisation	<a href="#">G06Q</a>
Organisation (data processing systems or methods, specially adapted for administrative, commercial, financial, managerial, supervisory or forecasting purposes)	<a href="#">G06Q</a>
Services specially adapted for wireless communication networks making use of the location of users or terminals	<a href="#">H04W 4/02</a>
Simulators for teaching or training purposes	<a href="#">G09B 9/04</a>
stolen cars	<a href="#">B60R 25/10D2</a>

Systems or methods specially adapted for administrative, commercial, financial, managerial, supervisory or forecasting purposes, not involving significant data processing.	<a href="#">G06Q 90/00</a>
Telephonic communication system with fire, police, burglar or other alarm systems	<a href="#">H04M 11/04</a>
Transmission of location from mobile stations to central station	<a href="#">G01S 5/0018</a>
Transmission of position information	<a href="#">G01S 2205/001</a>
Transmission of position information	<a href="#">G01S 2205/001</a>
Transmitting operation measurements to the central station	<a href="#">G07C 5/008</a>
Wireless LANs	<a href="#">H04L 12/28W</a>

## **G08G 1/127**

**to a central station; indicators in a central station**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Adapted for proprietary or special purpose networking environments	<a href="#">H04L 29/08558</a>
Ad-hoc network	<a href="#">H04W 84/18</a>
Arrangements or apparatus for collecting fares, tolls or entrance fees at a control point with provision for taking into account a variable factor such as distance or time, e.g. for passenger transport (RENTAL)	<a href="#">G07B 15/02</a>
Combination of GPS with their systems	<a href="#">G01S 5/14B3</a>

Communicating information to a remotely located station	<a href="#">G06F 17/60C5</a>
Communicating information to a remotely located station	<a href="#">G07C 5/008</a>
Details of containers	<a href="#">B67D 5/01</a>

Devices in which the computing operation is performed by varying electric or magnetic quantities

/ analogue computers / for direction-finding, locating, velocity	<a href="#">G06G 7/78</a>
Emergency signalling	<a href="#">G08B 25/016</a>
Freight tracking	<a href="#">G06Q 10/00D</a> , <a href="#">G06F 17/30017</a>
Organising the distribution of goods	<a href="#">G06F 17/60C5</a>
Subscribers connected via radiolinks or inductive links: supplementary selecting services	<a href="#">H04Q 7/221</a>
Transmission from mobile station to base station	<a href="#">G01S 5/0018</a>
Transmission of position information	<a href="#">S01S 205/00RS01S</a> 205/00 <a href="#">F21S</a> 01S205/00R22
Transmission of position of a stolen car to a central station	<a href="#">B60R 25/10D2</a>
Wireless LAN (WAN)	<a href="#">H04L 12/28W</a>

## **G08G 1/14**

**Indicating individual free spaces in parking areas**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Coin-free apparatus for payments	<a href="#">G07F 17/24</a>
----------------------------------	----------------------------

Collecting fares, tolls	<a href="#">G07B 15/00</a>
Parking meter	<a href="#">G07C 1/30</a>
Parking time	<a href="#">G07C 5/02</a>
Parking in general as buildings	<a href="#">E04H 6/42</a>
Using electronic distance sensors	<a href="#">B60Q 1/48B</a>
Vehicle fittings for preventing or indicating unauthorized use or theft of vehicles	<a href="#">B60R 25/00</a>

## **G08G 1/16**

**Anti-collision systems (road vehicle drive control systems for predicting or avoiding probable or impending collision otherwise than by control of a particular sub-unit B60W30/08 )**

### **Definition statement**

*This subclass/group covers:*

Stand-alone systems, like for example distance regulating systems or parking. Anti-collision when a real danger exists

Collision with another vehicle or an obstacle.

### **References relevant to classification in this subclass/group**

*This subclass/group does not cover:*

Parking aids	<a href="#">B60Q 1/48</a> , <a href="#">B60D 15/02H</a>
--------------	---

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

3D modeling	<a href="#">G06T 17/00</a>
Action on the steering wheel; steering control; changing direction of vehicle	<a href="#">B62D 1/28</a>
Adaptative cruise control (ACC),	<a href="#">B60K 31/0008</a>

including means for detecting potential obstacles in vehicle path, speed control (distance)	
Alarms for ensuring the safety of persons	<a href="#">G08B 21/02</a>
Alarms responsive to a single specified undesired or abnormal operating condition and not elsewhere provided for 718 status alarms	<a href="#">G08B 21/00</a>
Arrangements for adjusting wheel-braking force to meet varying vehicular or ground-surface conditions	<a href="#">B60T 8/00</a>
Arrangements or adaptations of optical signalling or lighting devices.	<a href="#">B60Q 1/00</a>
Arrangements or fittings on vehicles for protecting or preventing injuries to occupants or pedestrians in case of accidents or other traffic risks	<a href="#">B60R 21/00</a>
Automatic changing of lane, e.g. for passing another vehicle]	<a href="#">B62D 15/0255</a>
Automatic obstacle avoidance by steering]	<a href="#">B62D 15/0265</a>
Brake-action initiating means	<a href="#">B60T 7/00</a>
Burglar, theft, or intruder alarms / using television cameras	<a href="#">G08B 13/196</a>
Closed circuit television systems, i.e. systems in which the signal is not broadcast	<a href="#">H04N 7/18</a>
Combined with automatic distance control, i.e. electronic to bar]	<a href="#">B62D 15/026</a>
Control of position / involving a plurality of land vehicles, e.g. fleet or convoy travelling /	<a href="#">G05D 1/0287</a>

Electric or fluid circuits specially adapted for vehicles /for occupant comfort	<a href="#">B60R 16/037</a>
Extraction of features or characteristics of the image / Detecting partial patterns or configurations, e.g. loops, strokes, intersections] Image recognition	<a href="#">G06K 9/4604</a>
For automatic initiation; for initiation not subject to will of driver or passenger	<a href="#">B60T 7/12</a>
For land vehicles.	<a href="#">G01S 13/931</a>
For receiving images from a plurality of remote sources	<a href="#">H04N 7/181</a>
Head-up displays	<a href="#">G02B 27/01</a>
Image analysis, e.g. from bit-mapped to non bit-mapped Algorithms, mathematical calculations	<a href="#">G06T 7/00</a>
Indicating a condition of sleep, e.g. anti-dozing alarms	<a href="#">G08B 21/06</a>
Indicating risk of collision between vehicles (active). Signalling inside and outside the vehicle.	<a href="#">B60Q 1/525</a>
Measuring arrangements characterised by the use of optical means	<a href="#">G01B 11/00</a>
Measuring distances in light of sight (use of electric radiation detectors)	<a href="#">G01C 3/08</a>
Methods or arrangements for reading or recognizing printed or written characters or for recognizing	<a href="#">G06K 9/00785</a>
Optical viewing arrangements, mirrors	<a href="#">B60R 1/00</a>
Or traffic control, mobile tracking, guidance, surveillance or anti-collision	<a href="#">G01S 2205/002</a>

Position of lane controlled by optical means	<a href="#">G05D 1/03B</a>
Position on lane controlled by optical means (guidage action sur les commandes)	<a href="#">G05D 1/0231</a>
Position-fixing by co-ordinating two or more direction or position line determinations; Position-fixing by co-ordinating two or more distance determinations	<a href="#">G01S 2205/00</a>
Radars for anti-collision;	<a href="#">G01S 13/93</a>
Recognition of pedestrian obstacles	<a href="#">G06K 9/00369</a>
Recognition of scenes perceived from the perspective of a land vehicle (e.g.road recognition) (road lanes, markers, traffic signs; classifying obstacles)	<a href="#">G06K 9/00791</a>
Recognizing scenes under surveillance. (surveillance equipment installed on the infrastructure, not portable)	<a href="#">G06K 9/00771</a>
Recording in case of crash	<a href="#">G07C 5/08</a>
Registering or indicating the working of vehicles	<a href="#">G07C 5/00</a>
Responsive to centrifugal force acting on vehicle due to the path it is following	<a href="#">B60K 31/0083</a>
Responsive to externally generated signalling	<a href="#">B60K 31/0058</a>
Responsive to incapacity of driver	<a href="#">B60K 28/06</a>
Responsive to vehicle path curvature, speed control.	<a href="#">B60K 31/0066</a>
Responsive to vehicle steering angle	<a href="#">B60K 31/0075</a>

Road vehicle drive control systems for predicting or avoiding probable or impending collision otherwise than by control of a particular sub-unit	<a href="#">B60W 30/08</a>
Safety devices for propulsion-unit control, specially adapted for, or arranged in, vehicles, e.g. preventing fuel supply or ignition in the event of potentially dangerous conditions	<a href="#">B60K 28/00</a>
Simulators for teaching or training purposes/ for teaching control of vehicles or other craft	<a href="#">G09B 9/02</a>
Steering not otherwise provided for / parking aids	<a href="#">B62D 15/027</a>
Systems using the reflection or reradiating of acoustic waves, e.g. sonar systems	<a href="#">G01S 15/00</a>
Systems using the reflection or reradiation of electromagnetic waves other than radio waves, e.g. lidar systems	<a href="#">G01S 17/00</a>
Transmission between mobile stations, e.g. anti-collision systems	<a href="#">G01S 5/0072</a>
Transmission of position information to remote stations	<a href="#">G01S 2205/001</a>
Transmission of signals measuring vehicle parameters and indicating critical, abnormal or dangerous conditions	<a href="#">B60R 16/0232</a>
Travel path/likelihood collision	<a href="#">B60W 30/08F</a>
Use of optical means for parking	<a href="#">B60Q 1/48</a>
Using electronic distance sensors	<a href="#">B60Q 1/48B</a>
Vehicle fittings for automatically controlling, i.e. preventing speed from exceeding an arbitrarily established	<a href="#">B60K 31/00</a>

velocity or maintaining speed at a particular velocity, as selected by the vehicle operator	
With means for avoiding collisions between vehicles	<a href="#">G05D 1/0289</a>

### Special rules of classification within this group

To combine with Indexing Codes for stand-alone systems to monitor the surroundings of a vehicle.

### G08G 1/161

#### Decentralised systems, e.g. inter-vehicle communication

##### Definition statement

*This subclass/group covers:*

Two-way communication between vehicles.

### G08G 1/162

#### event-triggered

##### Definition statement

*This subclass/group covers:*

Two way communication between vehicles determined or triggered by an event like turning, braking, accident,...

Alerting surrounding vehicles of an accident situation: emission of signal to oncoming vehicles after first collision.

### G08G 3/00

#### Traffic control systems for marine craft (marking of navigational route B63B22/16, B63B51/00)

##### Definition statement

*This subclass/group covers:*

Arrangements, located in marine craft or in the sea, for controlling marine craft within a traffic environment, e.g. anti-collision systems.

## Informative references

Attention is drawn to the following places, which may be of interest for search:

Buoys specially adapted for marking a navigational route	<a href="#">B63B 22/16</a>
Marking of navigational route	<a href="#">B63B 22/16</a> , <a href="#">B63B 51/00</a>

## G08G 3/02

### Anti-collision systems

#### Definition statement

*This subclass/group covers:*

Warning to avoid collision with other vessels or fixed obstacles.

## Informative references

Attention is drawn to the following places, which may be of interest for search:

Arrangements of nautical instruments or navigational aids	<a href="#">B63B 49/00</a>
---	----------------------------

## G08G 5/00

### Traffic control systems for aircraft [N: e.g. air-traffic control [ATC]

#### Definition statement

*This subclass/group covers:*

This groups covers arrangements, located in the aircraft or on the ground, for controlling aircraft within a traffic environment, and anti-collision systems.

Automatic landing aids

Systems for air traffic control with exchange of information;

- Plurality of aircrafts
- Military including flight formation
- Exchange of information

- Stand-alone with multiple sources of information (e.g. for control)

## References relevant to classification in this subclass/group

*This subclass/group does not cover:*

Landing aids fitted in or to aircraft; safety measures fitted in or to aircraft to prevent collision with earth's surface	<a href="#">B64D 45/04</a>
Arrangements for control of position, course, altitude or attitude of aircraft not specific to a traffic environment, e.g. automatic pilots	<a href="#">G05D 1/00</a>
Visual or acoustic landing aids on the ground or on aircraft-carrier decks	<a href="#">B64F 1/18</a>

## Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Airborne radio transmission systems	<a href="#">H04B 7/185</a>
Airborne wireless networks	<a href="#">H04W 84/06</a>
Aircraft indicators	<a href="#">B64D 45/00</a> and subgroups
Altitude aircraft	<a href="#">G05D 1/042</a>
Attitude aircraft	<a href="#">G05D 1/0808</a> and subgroups
Combined instruments indicating more than one navigational value, e.g. for aircraft; Combined measuring devices for measuring two or more variables of movement, e.g. distance, speed, acceleration	<a href="#">G01C 23/00</a>
Communication protocol	<a href="#">H04L 29/02</a>
Devices specially adapted for the protection against criminal attack, e.g. anti-hijacking systems	<a href="#">B64D 45/0015</a>

Flight directors	<a href="#">G01C 23/005</a>
For transition from automatic pilot to manual pilot and vice versa	<a href="#">G05D 1/0061</a>
GPS	<a href="#">G01S 5/145</a>
Ground installations (lighting, etc)	<a href="#">B64F</a>
Lidar systems between aircrafts	<a href="#">G01S 17/933</a>
Mechanical aspects of equipment for fitting in or to aircraft combined instruments indicating more than one navigational value	<a href="#">B64D G01C 23/00</a>
Meteorology	<a href="#">G01W 1/00</a>
Optimisation of routes	<a href="#">G06Q 10/00B4</a>
Position of aircraft in 2D	<a href="#">G05D 1/0202</a>
Radar for anti-collision	<a href="#">G01S 13/93</a> and subgroups
Radar for meteorological use mounted on aircraft	<a href="#">G01S 13/953</a>
Radar for terrain avoidance	<a href="#">G01S 13/94</a> and subgroups
Radar for traffic control	<a href="#">G01S 13/91</a> and subgroups
Radio transmission via aircrafts	<a href="#">H04B 7/185</a> and subgroups
Refuelling during flight	<a href="#">B64D 39/00</a>
Rolling phase	<a href="#">G05D 1/0083</a>
With safety arrangements	<a href="#">G05D 1/0055</a>

## **Glossary of terms**

*In this subclass/group, the following terms (or expressions) are used with the meaning indicated:*

Air Traffic Control (ATC)	is a service provided by ground-based controllers who direct aircraft on the ground and in the air
TCAS	traffic collision avoidance system or traffic alert and collision avoidance system

## **G08G 5/0004**

**Transmission of traffic-related information to or from an aircraft (airborne radio transmission systems in general H04B7/185; airborne wireless networks H04W84/06 )**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Airborne network topologies	<a href="#">H04W 84/06</a>
Airborne radio transmission systems in general	<a href="#">H04B 7/185</a>
Arrangements or adaptations of instruments	<a href="#">B64D 43/00</a>
For indicating aircraft speed or stalling conditions	<a href="#">B64D 43/02</a>

## **G08G 5/0017**

**Arrangements for implementing traffic-related aircraft activities, e.g. arrangements for generating, displaying, acquiring or managing traffic information (head-up displays G02B27/01 ; ground or aircraft-carrier-deck-installations B64F)**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Head-up displays	<a href="#">G02B 27/01</a>
Ground or	<a href="#">B64F</a>

aircraft-carrier-deck-installations	
Arrangements or adaptations of instruments	<a href="#">B64D 43/00</a>
For indicating aircraft speed or stalling conditions	<a href="#">B64D 43/02</a>

## **G08G 5/0043**

**Traffic management of multiple aircrafts from the ground d (G08G5/003 takes precedence; data processing specially designed for resource management, e.g. scheduling or allocating time, human or machine resources G06Q10/00C)**

### **References relevant to classification in this subclass/group**

*This subclass/group does not cover:*

Flight plan management	<a href="#">G08G 5/003</a>
------------------------	----------------------------

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Data processing specially designed for resource management, e.g. scheduling or allocating time, human and machine resources	<a href="#">G06Q 10/00C</a>
---	-----------------------------

Navigation aids within the aircraft to help the pilots in a determined flight situation.

## **G08G 5/0047**

**Navigation or guidance aids for a single aircraft (details of equipment G08G5/0017: Navigation or guidance aids for a single aircraft) Definition statement**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Details of equipment	<a href="#">G08G 5/0017</a>
For aircraft positioning relative to other aircraft	<a href="#">G01S 2205/005</a>
For aircraft positioning relative to the ground	<a href="#">G01S 2205/003</a>
or traffic control, mobile tracking, guidance, surveillance or anti-collision	<a href="#">G01S 2205/002</a>
Position-fixing by co-ordinating two or more direction or position line determinations; Position-fixing by co-ordinating two or more distance determinations	<a href="#">G01S 2205/00</a>
Transmission of position information to remote stations	<a href="#">G01S 2205/001</a>

Cruising excludes the landing, take-off and taxiing phases.

## **G08G 5/0052**

**for cruising (combined instruments indicating more than one navigational value G01C23/00 ) Definition statement**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Combined instruments indicating more than one navigational value	<a href="#">G01C 23/00</a>
--	----------------------------

## **G08G 5/0073**

**Surveillance aids (Recognising scenes, i.e. recognition of a whole field of perception; recognising scene-specific objects G06K9/00624)**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Scene image recognition	<a href="#">G06K 9/00624</a>
-------------------------	------------------------------

Secondary surveillance radar (SSR) in general	<a href="#">G01S 13/781</a>
Systems using reradiation of radio waves, e.g. secondary radar systems; Analogous systems	<a href="#">G01S 13/74</a>
Systems using the reflection or reradiation of radio waves	<a href="#">G01S 13/00</a>

### **G08G 5/0078**

**for monitoring traffic from the aircraft (radar or analogous systems specially adapted for traffic control G01S13/91 )**

#### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Radar or analogous systems specially adapted for traffic control	<a href="#">G01S 13/91</a>
--	----------------------------

### **G08G 5/0082**

**for monitoring traffic from a ground station (radar or analogous systems specially adapted for traffic control G01S13/91)**

#### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Radar or analogous systems specially adapted for traffic control	<a href="#">G01S 13/91</a>
--	----------------------------

### **G08G 5/0086**

**for monitoring terrain (radar or analogous systems specially adapted for terrain avoidance G01S13/94 )**

#### **Informative references**

Attention is drawn to the following places, which may be of interest for search:

Radar or analogous systems specially adapted for terrain avoidance	<a href="#">G01S 13/94</a>
--	----------------------------

## **G08G 5/0091**

**for monitoring atmospheric conditions (radar or analogous systems specially adapted for meteorological use G01S13/95 ; meteorology G01W)**

### **Informative references**

Attention is drawn to the following places, which may be of interest for search:

Meteorology	<a href="#">G01W</a>
Radar or analogous systems specially adapted for meteorological use	<a href="#">G01S 13/95</a>

## **G08G 5/02**

**Automatic approach or landing aids, i.e. systems in which flight data of incoming planes are processed to provide landing data (landing aids fitted in or to aircraft B64D45/04; visual or acoustic landing aids B64F1/18 )**

### **Informative references**

Attention is drawn to the following places, which may be of interest for search:

Aircraft indicators or protectors not otherwise provided for / Devices specially adapted to indicate the position of a movable element of the aircraft, e.g. landing gear	<a href="#">B64D 45/0005</a>
Alighting gear for aircraft / brakes / hooks	<a href="#">B64C 25/00</a>
Automatic pilot	<a href="#">G05D 1/00</a>
Combinations of GPS with other systems, e.g. in vehicle navigation or position reporting systems, aircraft	<a href="#">G01S 5/14B3</a>

landing aids	
For landing purposes	<a href="#">G01S 13/913</a>
Ground or aircraft-carrier-deck-installations	<a href="#">B64F 1/00</a>
Landing aids fitted in or to aircraft	<a href="#">B64D 45/04</a>
Radar or analogous systems, designed for traffic	<a href="#">G01S 13/91</a>
Scheduling in real time	<a href="#">G06F 9/46C4</a>
To help an aircraft pilot in the rolling phase (dispositifs embarqués qui aident à optimiser la performance au décollage, notamment la longueur de piste parcourue, l'angle au décollage ...)	<a href="#">G05D 1/0083</a>
Visual or acoustic landing aids	<a href="#">B64F 1/18</a>

## **G08G 5/025**

**Navigation or guidance aids (radar or analogous systems specially adapted for landing purposes G01S13/913 )**

### **Informative references**

*Attention is drawn to the following places, which may be of interest for search:*

Radar or analogous systems specially adapted for landing purposes	<a href="#">G01S 13/913</a>
---	-----------------------------

## **G08G 5/04**

**Anti-collision systems**

### **Definition statement**

*This subclass/group covers:*

This subgroup covers arrangements, located in the aircraft or on the ground, for warning the crew about a collision to be avoided with other aircrafts or

flying entities.

## Informative references

Attention is drawn to the following places, which may be of interest for search:

Avoid collision with earth for plane	<a href="#">B64D 45/04</a>
Combined instruments indicating more than one navigational value, e.g. for aircraft; Combined measuring devices for measuring two or more variables of movement, e.g. distance, speed, acceleration	<a href="#">G01C 23/00</a>
Contour matching (correction of navigation data)	<a href="#">G01C 21/005</a>
Control of altitude for aircraft	<a href="#">G05D 1/0808</a>
Indicating value of two or more variables simultaneously	<a href="#">G01D 7/02</a>
Measuring height (altimeters for aircraft)	<a href="#">G01C 5/005</a>
Modification de trajectoire pour évitement.	<a href="#">G05D 1/00</a>
Radar for anti-collision between aircraft	<a href="#">G01S 13/9303</a>
Radars for terrain avoidance systems	<a href="#">G01S 13/94</a>
To ensure stability	<a href="#">G05D 1/0816</a>
To follow the profile of ground of aircraft	<a href="#">G05D 1/0646</a>

## **G08G 5/045**

**Navigation or guidance aids, e.g. determination of anti-collision maneuvers (radar or analogous systems specially adapted for anti-collision between aircraft G01S13/9303 )**

## Definition statement

*This subclass/group covers:*

Anti-collision systems where maneuver instructions are given to the pilots to avoid collision and not limited to a warning indication.

## Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Radar or analogous systems specially adapted for anti-collision between aircraft	<a href="#">G01S 13/9303</a>
--	------------------------------

## G08G 5/06

**for control when on the ground**

## Definition statement

*This subclass/group covers:*

This subgroup covers arrangements, located in the aircraft or on the ground, for controlling aircraft when on the ground, i.e. on the airport

## Informative references

*Attention is drawn to the following places, which may be of interest for search:*

Arrangement of optical beacons	<a href="#">B64F 1/20</a>
Ground or aircraft-carrier-deck-installations	<a href="#">B64F 1/00</a>
Rolling phase	<a href="#">G05D 1/0083</a>
Visual or acoustic landing aids	<a href="#">B64F 1/18</a>

## G08G 7/00

**Traffic control systems for simultaneous control of two or more different kinds of craft**

## G08G 9/00

**Traffic control systems for craft where the kind of craft is irrelevant or unspecified**

**G08G 99/00**

**Subject matter not provided for in other groups of this subclass**