1	AUTOMATIC CONTROL	38	.Structure
2	.Nonthermal automatic initiator	39	Extensible
3	Force initiated	40	WITH FILLER AND FILLER TYPE
4	Weight	41	.For roll type
5	Weather and/or light initiated	42	Between outrigged roll type
6	.Nonfusible thermal initiator	43	.Between parallel plane,
0 7	.With starting or driving means		relatively slidable panels
8	.With retarding means	44	WITH LIQUID SUPPLYING AND/OR
9	.With releasing means for		DRAINING MEANS
9	operator and/or counterbalance	45	WITH OUTRIGGERS (I.E., AWNINGS)
10	WITH SIGNAL, INDICATOR, OR SIGN	46	.Floor or ground engaging
10	WITH SIGNAL, INDICATOR, OR SIGN WITH WIPER OR CLEANER		outrigger
12	WITH WIPER OR CHEANER WITH INSECT EXITS	47	.With groove engaging mounting
			means
13	.Applied to slidably	48	.With rigid closure
	interconnected frames or	49	Movable rigid closure related
14	panels Rigger on animal surface	50	.With nonoutrigged flexible panel
14 15	.Zigzag or crimped surface	51	Convertible
	.Spaced or overlapping sections	52	With nonoutrigged roll type
16	.Conical, prismatic or other	53	.Umbrella type
1 🗆	protuberances	54	.Plural outrigged type
17	.Bar, grooved or apertured	55	One roll type
19	WITH HOOD, CANOPY, SHIELD STORAGE	56	.Nonplanar fabric arrangements
	CHAMBER, OR OUTRIGGED RIGID	57	Planar surface, with sides
2.0	PANEL	58.1	Sides foldable, rollable, or
20	.Outrigged rigid panel, with	J0.1	collapsible
01	flexible panel sides	59	.Multi-positional
21	.Changeable size	60	.Convertible
22	.For outrigged flexible panels	61	
00.1	(i.e., awnings)	01	.Plural strip, slat, or panel
23.1	.For roll type	62	type Mologgopig and/or collongible
24	Portable	63	Telescopic and/or collapsible .With fabric having diverse areas
25	With plural flexible or	64	.Adjustable size
0.0	portable panels	65	.With braced outrigger
26	Casement housed roll	66	.Roll type
27	Fabric free edge connected to		
~ ~	movable closure	67 68	Shiftable position roll
28	Fabric free edge connected to	68	Fabric free edge connected
0.0	movable closure	60	operator
29	Movable hood, canopy, shield,	69	Multi-part outrigger
	storage chamber, or outrigged	70	Two part, intermediate pivot
2.0	rigid panel	71	Telescopic
30	Mounted upon movable closure	72	Swinging outriggers
31	Combined with frame or	73	With pivotal motion preventing
20	demountable side guides		means
32	.For plural strip, slat, or panel	74	Sliding pivot
2.2	and/or pleating type	75	Sliding outriggers
33	Casement housed	76	.With fabric frame
34	Venetian blind and/or	77	Pivoted
25	collapsing	78	.Multi-part outrigger
35	Pleating or edge hinged	79	Two part, intermediate pivot
2.6	gathering type	80	Telescopic
36	Edge hinged, slidably mounted	81	.Swinging
37	.Slidable into storage chamber	82	With sliding pivot

160 - 2 CLASS 160 FLEXIBLE OR PORTABLE CLOSURE, PARTITION, OR PANEL

83.1 84.01	.Rigid or nonmovable PLEATING TYPE	106	Removably mounted over fabric in frame
84.02	.With power operating means	107	Plural strip, slat, or panel
84.03	.Multiple section unit	100	type
84.04	.With preformed pleats	108	Roll and hanging or drape type
84.05	Honeycomb type	100	only
84.06	.With slide guides	109	Shiftable position
84.07	.Fan type (e.g., for arched windows)	110	With extensible pole, roller, bar, or support therefor
84.08	.Plural panel type	111	Vertically slidable
84.09	.Lazy-tong links pivot about axes	112	With extensible pole, roller,
	transverse to panel		bar, or support therefor
84.11	.Lazy-tong links pivot about axes parallel to panel	113	.Plural strip, slat, or panel assemblies
85	PLURAL RUN TYPE	114	Nonplanar
86	.Endless	115	Multiple section unit
87	PLURAL AND/OR WITH RIGID CLOSURE	116	One closing passage through
88	.Nonplanar, nonparallel		another
	arrangement	117	Mounted on opposite sides of
89	.Diverse types	110	single opening
90	With rigid closure	118	Track guided
91	Diverse rigid closures	119	Mounted on opposite sides of
92	Swinging rigid closures		single support
93	Intermediate axis	120	.Roll type
94	With opposite, parallel,	121.1	Single roll
	offset flexible panels	122	Differently directed fabrics
95	Flexible or portable panel	123	.Hanging or draped type
	related to rigid closure	124	Side-by-side arranged, on
	operating or fastening means		single pole or track
96	Facing flexible or portable	125	Shiftable pole
	panel and mounted for optional	126	Laterally overlapping fabrics
	or conjoint movement		and/or co-elevational parallel
97	Flexible or portable panel		tracks
	complementary to form complete	127	COMBINED
	closure	128	CONVERTIBLE
98	Roll type flexible panel	129	.Plural movably interconnected
99	Connected to slidable rigid		strip, slat, or panel type
	closure	130	PLURAL STRIP, SLAT, OR PANEL TYPE
100	Fabric free edge connected	131	.Longitudinally crooked strip,
	closure		slat, or panel
101	Flexible panel between	132	Bow or U-shape, pivoted
	slidable parallel plane rigid		together at ends
	closures	133	.Roll type
102	Flexible panel connected to	134	.Fan type
	and moved by slidable rigid	135	.Portable
	closure	136	.Parallelogram type
103	Flexible or portable panel	137	Plural differently movable
	related to rigid closure	107	parallelogram section with a
	operating or fastening means		common side
104	Grille or shutter type	138	With operator
105	Flexible panel removably	139	Unit collapsing only
	mounted in slidable rigid	140	Diverse types of operators
	closure guides	141	One operator a spring
			···· one operator a spring

142	One operator a weight	176.1 P	Power operating means
143	Weighted parallelogram	176.1 V	Vertical type
	element extension	177 R	Units and subcombinations
144	Spring		thereof
145	In brace	177 V	Vertical type
146	Weight	178.1 R	Subcombinations or structure
147	Strand carried		thereof
148	Weighted parallelogram	178.1 V	Vertical type
	element extension	178.2	Cord lock
149	With gearing	178.3	Slat support (e.g., tape
150	With strand and pulley		ladder)
151	Unit carried operator	179	.Plural fabrics in a single frame
152	With means to hold unit in	180	.One closing opening in another
	partially collapsed or	181	.With mounting or supporting
	collapsed position		means
153	Combined tension and	182	Removable frame-type support
	compression means	183	Nonplanar nonparallel
154	Pivoted compression bar		arrangement on support
155	Friction catch	184	Strip, slat, or panel not
156	Tension members		interconnected for relative
157	Flexible member foreshortened		motion
	at end	185	Strip, slat, or panel
158	Friction catch		interconnected for diverse
159	Unit collapsing on guides		relative motions
160	Unit pivoted to support	186	Arranged to provide plural
161	Unit structures		passageways on opening
162	With additional set of plural	187	Strip, slat, or panel
	strips, slats or panels		pivotally interconnected
163	Plural diverse additional	188	With operating means
	sets	189	Counterbalance and additional
164	Additional set composed of		operator
	interconnected strips, slats	190	Counterbalance only
	or panels	191	Spring
165	Pivots parallel to unit plane	192	Spring
166.1	.Venetian blind type	193	Strand
167 R	Changeable position assemblies	194	Movably mounted track
167 V	Vertical type	195	Pivotally mounted
	With accumulating means	196.1	Unit hung from horizontal track
	Power operating means	197	Strips, slats, or panels
168.1 V	Vertical type		slidably interconnected
169	Accumulated at stationary end	198	Track parallel to axis of
170	Drum or roller wound strand		interconnection pivots
171	Axially traversed drum or	199	Strip, slat, or panel
	roller		constrained for pivotal
172 R	With side guides		folding
172 V	Vertical type	200	With independently movable
173 R	Units and subcombinations	0.01	strip, slat, or panel
	thereof	201	Track guided
173 V	Vertical type	202	Strips, slats, or panels
174 R	Adjustable strip, slat, or	2.0.2	slidably interconnected
	panel angle	203	Unit pivoted to support, pivot
174 V	Vertical type	204	displaced from unit plane
175	With latch or detent	204	Track parallel to
176.1 R	With angle adjusting means		interconnection pivot axis

160 - 4 CLASS 160 FLEXIBLE OR PORTABLE CLOSURE, PARTITION, OR PANEL

205	With independently movably strip, slat, or panel	236 237	.Strip or slat structure WITH FABRIC HAVING DIVERSE AREAS
206	Strip, slat, or panel	238	ROLL TYPE
	constrained for pivotal	239	.Framed
	folding	240	Adjustable size frame
207	Vertical track	241	.Plural roll
208	A single strip, slat, or panel	242	.Shiftable position roll
	connected to track	243	Roll translated for winding or
209	With means to force against		unwinding operation only
	mount or support	244	Fabric free edge adjustable
210	Pivotally mounted unit	245	Spring roller
211	Strips, slats, or panels	246	Straight line non-axial
	slidably interconnected	210	translation in fabric plane
212	Support pivot at angle to		only
	interconnection pivot axis	247	Center operated, roll support
213	Constrained for pivotal	248	Rack and pinion operated
220	folding	249	One side, nonstrand operated
214	Slidably mounted unit	249	Extensible roller and/or roll
215	Removable unit	230	
215	Strip, slat, or panel slidably		support Chan has about
210	interconnected	251	Step-by-step
217	Pivotal interconnection	252	Strand shifted
211		253	Pulley or drum lift on roller
	necessary to removal and insertion	254	Winding drum
218		255	With roll guide
	.Movably interconnected	256	Roll intermediate guides for
219	Unit having diverse areas		translating strands
220	Interconnected for plural	257	With position holding means
0.01	relative motions	258	Strand holder
221	Doubly extensible by sliding	259	Roll guided
	only	260	Roll guided
222	Slidably interconnected	261	With elevator rod
223	Plural individually	262	.Crooked roll, noncylindrical
	interconnected strips, slats,		flexible roller
	or panels	263	.Adjustable dimension roll
224	With operator and/or anti-	264	.With fabric reinforcements
	friction means	265	.With fabric free edge connected
225	With relative slidable motion		operator
	preventing means	266	.With guides or fabric edge
226	Embracing type		holders
227	Integral embracing means	267.1	Fabric side edge and stick
228	Tongue, bead, bolt, or dog	268.1	Fabric side edge
	into groove or slot	269	Clamping
229.1	Edge-to-edge interconnected	270	Slot or channel type
230	Single covering fabric	270	Fabric receiving
231.1	Interconnected by strand,	272	Guide mounted in a channel
	fabric, rubber, or plastic		
231.2	Interconnected by rubber or	273.1	With interlock between
	plastic	074	fabric and guide
232	Hollow, filled, or covered	274	Stick guided only
202	elements	275	With positive stop or detent
233	With relative pivotal motion	276	Reciprocable detent
	preventing means	277	Guides of bar or strand form
234	Acting to keep unit planar	278	With release mechanism
271	only	279	Guide strand axially through
235	By curled or bent side edges		or into stick
	Dy curred or Delic side edges		

280	Leading edge holders movable axially of stick	323.1	.With supporting or journaling means or with roller end
281	With release mechanism		structure
282	With guide engaging rollers and friction elements	324	With pintle clamping or holding means
283	And roll brake	325	With pintle journaled in rolled
284	With guide engaging rollers	326	With roller gudgeons
285	With guide engaging rollers	327	NONFRAMED PLURAL EDGED HELD
200	and friction elements		FABRIC
286	And roll brake	328	.With fabric stretching means
287	With guide engaging rollers	329	Resilient stretching means
288	With axially acting friction	330	HANGING OR DRAPE TYPE
	elements	331	.Motor operating means or
289 290.1	With friction elements .With fabric leading edge		electric or fluid pressure control
290.1	fastening means	332	.Chain, cable, and/or strand type
291	.With brake or stop	333	.Shiftable position pole
292	Plural	334	Plural motions
292	Limit of travel	335	Swingable
293.1		336	Vertical swing
	For spring operated roller	337	5
295	Screw operated brake or stop	338	With pole operating means
296	Speed limiting		Vertically shiftable
297	Ball or roller, form brake or	339	With strand operator
	stop	340	.With fabric operating means
298	Friction	341	Laterally gathered fabric
299	For spring operated roller	342	Lazy tongs
300	Pawl or detent	343	Spring or screw
301	For spring operated roller	344	Strand
302	Spring urged pawl or detent	345	Hollow or slotted track
303	Pawl or detent mounted off	346	With anti-friction means
	the roller	347	With anti-friction means
304.1	Sliding pawl or detent	348	.With pleating means
305	For spring operated roller	349.1	.With bottom or intermediate
306	With means to prevent uncoiling of spring on removal		holding, weighting, or draping means
	from support	349.2	Intermediate holding means
307	For strand operated roll	350	.Portable
308	Strand operated brake or stop	351	PORTABLE
309	.With rotating means	352	NONPLANAR (E.G., THREE DIMENSION)
310	Electric operation or control	353	WITH PLURAL FRAMES
311	_	354	WITH FLORAL FRAMES WITH NONRIGID FRAME OR BORDER
312	Motor or fluid pressure control Plural, diverse	554	ELEMENTS
313		368.1	WITH MOUNTING, FASTENING, OR
	Spring	200.I	SUPPORTING MEANS
314	External of roll	368.2	.Shiftable support for
315	With winding or tensioning means	300.2	overlooking shield; e.g.,
316	Nested helical springs		pillow sham type
317	Plural	369	.For framed type
318	With spring anchor	370	.With guide for strand
	with spring anchor	370.1	.Grain car type temporary closure
319		370.21	.Automobile windshield weather
320	With weight or handgrip	JIU.41	protector or sunshield
321	Endless	370.22	Roll type
322	With compensating and shock	370.22	Pleating type
	absorbing spring	510.23	reacting cype

160 - 6 CLASS 160 FLEXIBLE OR PORTABLE CLOSURE, PARTITION, OR PANEL

2 1 1		
371	FRAMED TYPE	
372	.Adjustable frame size	
373	With excess or extensible	
	fabric	CRO
374	Double extensible	
374.1	Expandable at corner joint	900
	(e.g., artistss canvas	901
	stretcher frame)	
375	Shiftable edge bar section only	902
376	With spring thrust	903
377	.Collapsible or knockdown	904
378	.Fabric stretching	
379	.With intermediate reinforcing	905
	bars, members, or braces	906
380	.Two superimposed frame elements,	907
	fabric clamping	
381	.With corner structure	908
382	FABRIC FASTENING MEANS	909
383	.To elongated element	910
384	Additional things fastened	911
385	With modified fabric	912
386	Plural layers in panel portion	913
387	With fabric hem	
388	With loops	
389	With strips or strands	
390	With fabric openings or	FOF
	pockets	
391	Longitudinally divided or with	FOF
	fabric receiving externally	1 01
	exposed channel or groove	
392	Internal fastener larger than	
	groove or channel fabric exit	DIG
393	\ldots .With end cap and/or sleeve	DIC
394	Sheet material elongated	DIC
	element	
395	Elongated fastener in channel	DIC
	or groove	DIC
396	With end cap and/or sleeve	DIC
397	Sheet material elongated	DIC
	element	DIC
398	With pointed, piercing, and/or	DIC
	hook elements	DIC
399	Externally applied clamp,	DIC
	clasp, sleeve, or end cap	DIC
400	Sheet or strand	DIC
401	By sleeve and/or end cap	DIC
402	By externally applied clamp or	DIC
	clasp	DIC
403	By elongated fastener	DIC
404	By pointed, piercing, and/or	DIC
	hook elements	DIC
405	MISCELLANEOUS AND PROCESSES OF	DIC
	USING	DIC

CROSS-REFERENCE ART COLLECTIONS

900	VERTICAL TYPE VENETIAN BLIND		
901	LAZY-TONG CONNECTED PLURAL		
	STRIPS, SLATS, OR PANELS		
902	VENETIAN BLIND TYPE BRACKET MEANS		
903	ROLL TYPE BRACKET MEANS		
904	ELECTRIC OR PNEUMATIC AWNING		
	OPERATOR		
905	LAZY-TONG-LINK AWNING OPERATOR		
906	SCREW-THREADED AWNING OPERATOR		
907	SPRING (OTHER THAN SPRING ROLLER)		
AWNING OPERATOR			
908	STRAND AWNING OPERATOR		
909	.Endless strand		
910	.Drum wound strand		
911	WORM GEAR AWNING OPERATOR		
912	RACK-AND-PINION AWNING OPERATOR		
913	GEAR AWNING OPERATOR		

FOREIGN ART COLLECTIONS

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS

DIGESTS

DIG	1	AUTO RADIATOR SCREENS
DIG	2	AUTO SCREENS AND MISCELLANEOUS
DIG	3	AUTO VISORS AND GLARE SHIELDS
DIG	4	AUTO SIDE AWNINGS
DIG	5	AWNING HEAD AND FRONT BARS
DIG	6	BATH CURTAINS
DIG	7	FABRIC
DIG	8	FLEXIBLE DOOR
DIG	9	FIREPLACE SCREEN
DIG	10	ROLL SCREEN
DIG	11	ROLL SCREEN IDLER ROLL
DIG	12	OVERLAPPING, ON WINDOWS
DIG	13	SUCTION CUP
DIG	14	STEP JOINTS
DIG	15	WEB-TO-TUBE FASTENERS
DIG	16	MAGNETIC
DIG	17	VENETIAN BLINDS, MOTOR DRIVEN
DIG	18	ZIPPER
DIG	19	STORM SASH