

| | | | |
|-----|--------------------------------|-----|---|
| 1 | MISCELLANEOUS | 52 |Lever |
| 1.5 | ADJUSTABLE BACKSET | 53 |Push or pull rod |
| 2 | BOLTS | 54 |Rigid |
| 3 | .Multiple | 55 |Screw |
| 4 | ..Sliding and rotary | 56 | .Swinging and hooked end, multiple head |
| 5 | ..Sliding and swinging | 57 | .Sliding and rotary |
| 6 | ...Combined motion | 58 | ..Combined motion |
| 7 |Lever-operating means | 59 | ..Multiple head |
| 8 | ..Sliding and hooked end | 60 | ..Spring projected |
| 9 | ..Sliding and roller | 61 | ...Combined motion |
| 10 | ..Sliding and spring arm | 62 | ..Spring retracted |
| 11 | ..Swinging and hooked end | 246 | .Loops |
| 12 | ..Swinging and roller | 247 | ..Sliding and swinging, lever- operating means |
| 13 | ..Swinging and spring arm | 248 | ..Sliding catch |
| 14 | ..Double acting | 249 | ..Spring-arm catch |
| 15 | ...Roller | 250 | ..Swinging catch |
| 16 | ...Sliding | 70 | .Double acting |
| 17 | ...Spring arm | 71 | ..Sliding and swinging |
| 18 | ...Swinging | 74 | ..Sliding |
| 19 | ..Spring arm | 75 | ...Roller |
| 20 | ...Combined motion | 76 | ..Spring arm |
| 21 | ..Emergency operating means | 77 | ...Roller |
| 22 | ..Gear | 78 | ..Swinging |
| 23 | ..Roller | 79 | ...Roller |
| 24 | ..Hooked end | 73 | ..Roller |
| 25 | ...Operating means | 63 | .Sliding and swinging |
| 26 |Link and lever | 64 | ..Operating means |
| 27 |Cam | 65 | ...Cam |
| 28 |Flexible | 66 | ...Lever |
| 29 |Lever | 67 | ...Rigid |
| 30 |Push or pull rod | 68 | ..Multiple head |
| 31 |Rigid | 69 | ..Spring retracted |
| 32 | ..Sliding | 80 | .Spring arm |
| 33 | ...Operating means | 81 | ..Operating means |
| 34 |Cam and lever | 82 | ...Link and lever |
| 35 |Lever and push or pull rod | 83 | ...Cam |
| 36 |Link and lever | 84 | ...Flexible |
| 37 |Cam | 85 | ...Lever |
| 38 |Flexible | 86 | ...Push or pull rod |
| 39 |Gear | 87 | ...Rigid |
| 40 |Lever | 88 |Seal catch |
| 41 |Push or pull rod | 89 |Swinging catch |
| 42 |Rigid | 90 | ...Screw |
| 43 |Screw | 91 | ..Multiple head |
| 44 | ..Swinging | 92 | .Emergency operating means |
| 45 | ...Operating means | 93 | ..Panel |
| 46 |Cam and lever | 94 | ..Platform |
| 47 |Link and cam | 95 | .Hooked end |
| 48 |Link and lever | 109 | ..Sliding and swinging |
| 49 |Cam | 110 | ...Operating means |
| 50 |Flexible | 111 |Cam |
| 51 |Gear | | |

| | | | |
|-----|--------------------------------|--------|---|
| 112 |Gear | 169 |Cam |
| 113 |Lever | 169.11 |Specifically related to vehicle closure |
| 114 |Rigid | 169.12 |Bolt disabled by contraretractive movement of inside handle |
| 115 |Screw | 169.13 |Auxiliary bolt |
| 116 | ..Multiple head | 169.14 |Bolt blocking or disabling means |
| 117 | ...Operating means | 169.15 |Involves rollback |
| 118 |Lever | 169.16 |Rollback members located on separate spindles |
| 119 |Push or pull rod | 169.17 |Discrete pivotable or rotatable actuator |
| 120 |Rigid | 169.18 |Discrete push or pull actuator |
| 121 | ..Spring projected | 169.19 |Bolt has ancillary projection spring |
| 122 | ...Operating means | 169.21 |Plural rollback elements directionally selectively effective |
| 123 |Link and lever | 169.22 |On separate spindles |
| 124 |Cam | 169.23 |On a tubular member |
| 125 |Flexible | 171 |Flexible |
| 126 |Lever | 172 |Gear |
| 127 |Push or pull rod | 173 |Lever |
| 128 |Rigid | 174 |Push or pull rod |
| 129 | ..Spring retracted | 175 |Rigid |
| 130 | ..Gravity actuated | 176 |Screw |
| 131 | ...Operating means | 177 | ..Spring retracted |
| 132 |Cam | 178 | ...Friction catch |
| 133 |Flexible | 179 | ...Sliding catch |
| 134 |Lever | 180 | ...Spring-arm catch |
| 135 |Push or pull rod | 181 | ...Swinging catch |
| 136 |Rigid | 182 | ...Cam-operating means |
| 96 | ..Operating means | 183 | ..Gravity actuated |
| 97 | ...Link and lever | 184 | ...Operating means |
| 98 | ...Cam | 185 |Cam and lever |
| 99 | ...Closure | 186 |Link and lever |
| 100 | ...Lever | 187 |Cam |
| 101 | ...Rigid | 188 |Lever |
| 102 |Closure catch | 189 |Rigid |
| 103 |Friction catch | 138 | ..Operating means |
| 104 |Padlock or seal catch | 139 | ...Link and lever |
| 105 |Screw catch | 140 | ...Cam |
| 106 |Sliding catch | 141 | ...Flexible |
| 107 |Spring-arm catch | 142 | ...Gear |
| 108 |Swinging catch | 143 | ...Lever |
| 137 | ..Sliding | 144 | ...Motor |
| 156 | ..Multiple head | 145 | ...Rigid |
| 157 | ...Operating means | 146 |Closure catch |
| 158 |Link and lever | 147 |Friction catch |
| 159 |Cam | 148 |Padlock or seal catch |
| 160 |Gear | | |
| 161 |Lever | | |
| 162 |Rigid | | |
| 163 | ..Spring projected | | |
| 164 | ...Operating means | | |
| 165 |Cam and lever | | |
| 166 |Lever and push or pull rod | | |
| 167 |Link and lever | | |
| 168 |Link and push or pull rod | | |
| 170 |Sliding cam | | |

| | | | |
|-----|--------------------------------|--------|---------------------------------------|
| 149 |Screw catch | 206 |Screw catch |
| 150 |Sliding catch | 207 |Sliding catch |
| 151 |Seal | 208 |Seal |
| 152 |Spring-arm catch | 209 |Spring-arm catch |
| 153 |Swinging catch | 210 |Swinging catch |
| 154 |Seal | 211 |Seal |
| 155 | ...Screw | 212 | ...Screw |
| 190 | ..Curved | 243 | .Seal-rupturing devices |
| 191 | ..End lever | 244 | .Reversible |
| 192 | ..Pivoted end | 245 | ..Cam and lever operating means |
| 193 | ..Roller | 251 | .Screw |
| 240 | .Swinging and camming | 251.5 | MAGNETIC |
| | ..Spring projected | 252 | BALL |
| 242 | ...Rigid operating means | 253 | BENDABLE SECURERS |
| 241 | ..Rigid operating means | | BOLT RELEASERS |
| 194 | .Swinging | 254 | .Free-end-engaging means |
| 213 | ..Multiple head | 255 | .Foot operated |
| 214 | ...Operating means | 256 | CLAMPS |
| 215 |Cam | 256.5 | .Hatch fastener |
| 216 |Closure | 256.6 | .Ring |
| 217 |Lever | 256.61 | ..Permanently deformed |
| 218 |Rigid | 256.63 | ..Resilient wedge |
| 219 | ..Spring projected | 256.65 | ..With expanding or contracting means |
| 220 | ...Operating means | 256.67 | ...Screw |
| 221 |Lever and push or pull rod | 256.69 | ...Toggle lever |
| 222 |Link and cam | 256.71 | .Screw against closure |
| 223 |Link and lever | 256.73 | .Screw and nut |
| 224 |Cam | 256.75 | ..Swingable |
| 225 |Flexible | 257 | .Cam-operating means |
| 226 |Lever | 258 | .Portable |
| 227 |Push or pull rod | 259 R | CROSS BARS |
| 228 |Rigid | 260 | .Screw-operating means |
| 229 | ..Spring retracted | 259 A | .Vehicle door latches |
| 230 | ..Gravity actuated | 261 | CYLINDER |
| 231 | ...Operating means | 262 | EXTENSION LINK |
| 232 |Cam and lever | 263 | .Multiple |
| 233 |Link and lever | 264 | .Chain |
| 234 |Cam | 265 | .Notched bar |
| 235 |Flexible | 266 | ..Sliding catch |
| 236 |Lever | 267 | ..Swinging catch |
| 237 |Push or pull rod | 268 | .Slotted bar |
| 238 |Rigid | 269 | ..Sliding catch |
| 239 | ...Roller | 270 | ..Swinging catch |
| 195 | ..Operating means | | .Slotted or notched keeper |
| 196 | ...Link and lever | 273 | ..Sliding catch |
| 197 | ...Cam | 274 | ..Swinging catch |
| 198 | ...Closure | 271 | .Notched keeper |
| 199 | ...Gear | 272 | .Slotted keeper |
| 200 | ...Lever | 275 | .Friction catch |
| 201 | ...Motor | 276 | .Screw catch |
| 202 | ...Rigid | 277 | .Sliding catch |
| 203 |Closure catch | 278 | .Swinging catch |
| 204 |Friction catch | | GEAR |
| 205 |Padlock or seal catch | | |

| | | | |
|-------|--|--------|--|
| 279 | .Sliding catch | 307 A | .Tag type |
| 280 | .Swinging catch | 307 B | .Encasing |
| 281 | HASPS | 327 | SEAL BOLTS |
| 283 | .Sliding catch | | SHACKLES |
| 284 | ..Seal | 329 | .Sliding catch, seal |
| 285 | .Swinging catch | 330 | .Swinging catch, seal |
| 286 | ..Seal | 328 | .Seal catch |
| 282 | .Seal catch | 331 | .Seal-rupturing devices |
| 287 | .Seal-rupturing devices | 332 | TRIPPERS |
| 288 | PORTABLE | 333 | .Sliding detent |
| 289 | PORTABLE SECURER PLATE OR BAR | 334 | .Spring-arm detent |
| 290 | .Sliding and swinging holding member | 335 | .Sliding bolt, swinging detent |
| 291 | .Screw-holding member | 336 | .Swinging bolt, swinging detent |
| 292 | .Sliding holding member | 336.3 | OPERATORS WITH KNOBS OR HANDLES |
| 293 | ..Screw-operating means | 336.5 | ROLLBACK AND SPINDLE CONNECTION |
| 294 | ..Screw catch | 337 | BOLT CASINGS |
| 295 | ..Sliding catch | 338 | BRACES |
| 296 | ..Swinging catch | 339 | .Portable |
| 297 | .Swinging holding member | 340 | KEEPERS |
| 298 | ..Catch devices | 341 | .Segment |
| 299 | RINGS | 341.11 | .With anti-friction means |
| 300 | RIGID ENGAGING MEANS | 341.12 | .With silencing or anti-rattle means |
| 301 | .Screw catch | 341.13 | ..Take-up |
| 302 | .Sliding catch | 341.14 | .Covers |
| 303 | .Spring-arm catch | 341.15 | .With movable dog, catch or striker |
| 304 | .Swinging catch | | |
| 305 | ROD CLAMPS | 341.16 | ..Motor controlled |
| 306 | .Friction-plate catch | 341.17 | ..Pivoted or swinging |
| 307 R | SEALS | 341.18 | .Adjustable |
| 308 | .Compressible disk | 341.19 | ..Vertically |
| 309 | ..Reinforced | 342 | WEDGES |
| 311 | ..Multiple | 343 | .Portable |
| 312 | ...Sheet metal | 344 | WEIGHTS |
| 313 | ...Hard and soft metal | 345 | BLIND-SLAT HOLDERS |
| 310 | ..Sheet metal | 346 | BOLT GUARDS |
| 314 | .Compressible rivets and eyelets | 347 | KNOBS |
| 315 | .Distorted shackle | 348 | KNOB-ATTACHING DEVICES |
| 316 | .Driving | 349 | .Friction |
| 317 | .Interengaging shackle ends, inclosing housing | 350 | .Screw |
| | .Rigid shackle ends | 351 | ..Guards |
| 319 | ..Resilient and rigid engaging means | 352 | .Sliding |
| 318 | ..Resilient engaging means | 353 | .Spring arm |
| | .Resilient shackle ends | 354 | .Swinging |
| 320 | ..Rigid engaging means | 355 | .Wedge |
| 321 | ..Resilient engaging means | 356 | KNOB BEARINGS |
| 322 | .Single piece, spring catch | 357 | KNOB ROSE PLATES |
| 323 | .Shiftable catch shackle operated | 358 | LATCH SPINDLES |
| 324 | .Split-ring catch, shackle operated | 359 | LATCH-SPINDLE CATCHES |
| 325 | .Strap-end fasteners | | |
| 326 | .Rigid disk, distorted shackle | | <u>FOREIGN ART COLLECTIONS</u> |

FOR 000 CLASS-RELATED FOREIGN DOCUMENTS

DIGESTS

| | | | |
|--------|---|--------|---|
| DIG 1 | AUTOMOBILE FENDER SHIELD FASTENERS | DIG 41 | DOOR LATCH SEPARATION PREVENTION |
| DIG 2 | AUXILIARY KNOB SLIP COVERS, GUARDS, ETC. | DIG 42 | TRUNK LATCHES |
| DIG 3 | AUTOMOBILE MULTIPLE DOOR LATCHES | DIG 43 | REAR DECK LID LATCHES |
| DIG 4 | AUTOMATIC RELEASE LATCHES | DIG 44 | EXTENSIBLE BOLTS |
| DIG 5 | AUTOMOBILE TOP LATCHES | DIG 45 | SLOT CLOSURE |
| DIG 6 | AUTOMOBILE WINDOW WING FASTENERS | DIG 46 | SLIDING DOOR FASTENERS |
| DIG 7 | DISC CAM; ALSO SWINGING WINDOWS, LOCKING AND OPERATING MEANS | DIG 47 | SASH FASTENERS |
| DIG 8 | BUFFER HANDLES | DIG 48 | TRAVELING BAG FRAME AND CAMERA COVER FASTENERS |
| DIG 9 | HINGE PLATE FASTENERS SECURED TO UPPER SASH | DIG 49 | TOGGLE CATCHES |
| DIG 10 | CUPPED DISC FASTENERS | DIG 50 | HANDBAG OR PURSE CLASPS |
| DIG 11 | COVER FASTENERS | DIG 51 | BOLT GUIDES |
| DIG 12 | CLOSURE OPERATORS | DIG 52 | ROLLBACKS |
| DIG 13 | COW PROOF LATCHES | DIG 53 | MOUNTING AND ATTACHMENT |
| DIG 14 | HOOD LATCHES | DIG 54 | ATTACHMENTS AND ADJUNCTS |
| DIG 15 | DOOR, CHECKS, FLOOR | DIG 55 | BOLT AND KEEPER ALIGNERS |
| DIG 16 | FLEXIBLE BOLTS | DIG 56 | SILENCERS |
| DIG 17 | HINGE EDGE LATCHES | DIG 57 | ANTI-FRICTION PROVISIONS |
| DIG 18 | GANG LOCKS | DIG 58 | LUBRICATION |
| DIG 19 | COMBINED DOOR HOLDER AND BUFFER | DIG 59 | INSULATION (HEAT AND ELECTRICAL) |
| DIG 20 | WINDOW FASTENERS | DIG 60 | ADJUSTMENT PROVISIONS |
| DIG 21 | INDIVIDUALLY LATCHED DOUBLE DOORS | DIG 61 | SPRING DEVICES |
| DIG 22 | INERTIA OPERATED | DIG 62 | LOST MOTION CONNECTIONS |
| DIG 23 | VEHICLE DOOR LATCHES | DIG 63 | FINGER OR HAND GRIP |
| DIG 24 | DOGGING MECHANISM FROM INSIDE OPERATING MEANS | DIG 64 | ASSEMBLY |
| DIG 25 | REMOTE CONTROL | DIG 65 | EMERGENCY OR SAFETY |
| DIG 26 | AUTOMATIC UNDOGGING OR RECONNECTING | DIG 66 | THERMALLY CONTROLLED MECHANISM |
| DIG 27 | DISCONNECTABLE HANDLE | DIG 67 | VEHICLE DOOR LATCHES FREE OF SASH OR PANE |
| DIG 28 | SUCTION CUP FASTENERS | DIG 68 | LOCKER LATCHES |
| DIG 29 | END GATE FASTENERS | DIG 69 | WASHING MACHINE OR STOVE CLOSURE LATCH |
| DIG 30 | LATCH AND HANDLE | DIG 70 | WEATHER STRIP AND SASH FASTENER COMBINED |
| DIG 31 | LEVER OPERATOR, FLUSH | DIG 71 | REFRIGERATOR LATCHES |
| DIG 32 | FREIGHT CAR DOOR FASTENERS | DIG 72 | STARTERS |
| DIG 33 | METALLIC CASEMENT WINDOW FASTENERS | DIG 73 | ANTI-RATTLERS |
| DIG 34 | NON-REFILLABLE CONTAINER COVER FASTENERS | | |
| DIG 35 | STORM SASH FASTENERS | | |
| DIG 36 | OVERHEAD DOOR LATCHES | | |
| DIG 37 | PUSH BUTTON OPERATORS | | |
| DIG 38 | PLASTIC LATCH PARTS | | |
| DIG 39 | DOVETAIL (DOOR ALIGNER) | | |
| DIG 40 | COMBINED DOVETAIL AND KEEPER | | |

