1	INCLUDING APERTURED BOARD AND ELEMENT HAMMERED INTO APERTURE	34	AERODYNAMICALLY SUPPORTED OR RETARDED
2	DOMINO EFFECT	35	.Ornithopter
3	INCLUDING VIBRATING OR HORIZONTALLY RECIPROCATING SUPPORT FOR TRAVELLING OBJECT	36 37	<pre>.Including rotary wing (e.g.,    helicopter, flying propeller,    autogyro, etc.)And means to rotate wing</pre>
	OR TRAVELLING OBJECT THEREFOR	38	Separable rotating means
4	HAVING PORTIONS KNOCKED APART OR	39	Including resilient actuator
_	AWRY BY IMPACT	40	Including flaccid pulling
5	.Including portion serving as	40	element
	<pre>container for diverse articles (e.g., pinata)</pre>	41	Having rewinding spring or
6	.Vehicle	4.1	plural discrete flaccid
6 7	SIMULATION OF VEHICLE COCKPIT OR		elements
/	OF VEHICLE CONTROL	42	Flaccid element wound about
8 9	TOY MONEY BOX .Having figure or mechanism		and in contact with portion which moves aloft
J	operated or released by coin	43	Including spiral actuator
10	.Having coin depositing mechanism	44	Including elastomeric actuator
11	Coin projector	45	And projector
12	Coin projectorCoin depositing figure	46	.Spinning disc (e.g., flying
13	.Having retractable coin slot or		saucer)
13	guard	47	With electric light or sounder
14	OPERATED BY INTRINSIC TEMPERATURE	48	Having through air passage
	CHANGE	49	.Parachute
15	HAVING MEANS FOR FORMING	50	Released from airplane or
	TRANSITORY BUBBLE		simulated airplane
16	.Including movably mounted means	51	Released from container
	to dip orificed member into solution	52	From rocket or simulated rocket
17	And mouthpiece	53	Container detached from
18	And variable size air chamber		parachute
19	.Including mouthpiece	54	And separable projector
20	And solution reservoir with	55	.Having retractable landing gear
	discrete intermediate passage	56	.Jet-propelled
	leading to bubble forming area	57	.Having motor-driven propeller
21	.Including variable size air chamber	58	Gear-driven or having plural propellers
22	SPARKING	59	Elastomeric motor (e.g., rubber
23	.Figure, wheeled, or simulated		band)
	weapon	60	Enclosed
24	SMOKING	61	.Glider
25	.Wheeled vehicle	62	Having folding wing
26	BODY-CARRIED OR WORN	63	And projector or launcher
27	.Facial, head or neck	64	Resiliently biased projector
28	.Torso	65	Including means to retain
29	STRADDLED		resilient propulsion member in
30	TETHERED FIXED-WING AIRCRAFT		stressed condition
31	.Tether-manipulated control or mechanism	66	Having adjustably mounted airfoil
32 33	Elevator control only .Including aircraft-carried	67	Having longitudinally folded or creased fuselage
	propulsion means	68	Having ballast feature

69	HAVING SEPARABLE NESTED PARTS	104	One part swingable about an
70	SAND CONSTRUCTION		axis extending along a side or
71	CONVERTIBLE FROM, OR SERVING AS		transversely through its end
-	DIVERSE ARTICLE	105	.Including post having plural
72	.Including figure toy		longitudinal slots for panel
73	Diverse article is container,		or strip
	holder, or support	106	.Including elongated element
74	Diverse article is fluid		having laterally opposed
	container or handbag		interlocking notches (e.g.,
75	.Including container or storing		log cabin type)
	toy parts	107	.Including longitudinally flexed
76	.Container having shape of		rod or strips
	specific article	108	.Including connectable panels or
77	.Including toy appurtenance		strips
	attachable to container	109	Folding panel, strip, or
78	Rollable wheel		connector
79	.Having severable portion (i.e.,	110	And door, window or perfecting
	score lineline)		structure for building
80	.Includng fold line (to convert	111	With separate diverse connector
	to toy)		between adjacent panels or
81	.Including sounding toy		strips
82	TOY THEATER	112	Connected panels or strips
83	.Including movable figure		having parallel edges and
84	Including marionette	440	mutually angled faces
85	CONSTRUCTION TOY	113	Extending transversely through
86	.With special tool or workholder	114	panel or strip
87	.For assembly into permanent form	114	Connected with adjacent edges
	(i.e., nonseparable)	445	transversely oriented
88	Vehicle (e.g., aircraft,	115	Connected panels or strips
	automobile)		having parallel edges and
89	.Includng fluid conduit	116	mutually angled faces
90	.Including motor	110	Having resilient interlocking
91	.Including electrical feature or	117	portions
	assembly	117	.Single column stacking .Including substrate for
92	.Including permanent magnet or	118	construction elements (e.g.,
	suction cup to secure elements		for array of tiles or pegs)
93	.Vehicle	119	.Including flaccid connector for
94	Alternative vehicular forms	119	joining plural elements
95	Wheeled	120	Resilient interlocking joint
96	And pulling member or	120	(e.g., snap joint)
	extrinsic guide	121	Resilient male member
97	.Figure	122	.Including abutting elements
98	Having attachable clothes	122	having slots or apertures
99	Alternative figures		receiving discrete transverse
100	Having detachable subordinate		connector
	part of face or head	123	Transverse member is separable
101	Plural mutually attachable	=	bolt or screw
102	.Having parts assembled for	124	.Interfitting elements
	relative movement	125	Including identically shaped
103	Including rotary gear, pulley,		interfitting portions
	or strand-winding member		

126	Including three rod-like	154	.Including remote control means
	elements projecting from a		or tether
	fourth element or common	155	For buoyancy control
	connector	156	.Including means to move figure
127	Joined by lateral sliding		or figure part
	(e.g., dovetail)	157	Including oar or paddle held by
128	Including element having plural		figure
	bosses for forming single	158	Mechanical motor within figure
	joint	159	Fluid operated means to move
129	HAVING PERMANENT MAGNET (NOT		figure or figure part
	MOTOR ASSOCIATED)	160	.Boat
130	.For operating valve, switch, or	161	Submersible
	clutch	162	Including mechanical
131	.Including loosely confined parts		propulsion motor
	moved relatively by magnetic	163	Having propulsion means
	field	164	Mechanical motor
132	.Manually held member for	165	And screw propeller rotated
	magnetic interaction with		by motor
	additional member having	166	OPERATED BY GRAVITY-FED FLUENT
	confined movements		MATERIAL
133	.And member movable in spaced	167	.For moving figure or figure
	relation to moving magnet		portion
134	Including interposed partition	168	INCLUDING UNATTACHED GRAVITY-FED
135	Magnet or member moves along		ROLLING, TUMBLING, OR ENERGY-
	partition surface		IMPARTING FALLING ELE ENT, OR
136	Including motor to move		PATHWAY THEREFOR (E.G., MARBLE
	member, magnet, or partition		RUNWAY)
137	.Contacting, mutually attracted	169	.For moving figure or figure
	members		portion
138	Contact maintained during	170	.Hand-supported or-manipulated
	relative movement		runway
139	Including figure or figure	171	.And means for automatically
	portion		recycling element
140	INCLUDING MEANS CREATING,	172	Hand-cranked element conveyer
	STORING, OR OPERATED BY	173	.For moving element-supporting
	STATICALLY INDUCED CHARGE		device
141	TELEPHONE	174	Wheeled element carrier
142	.Having electrical or voice	175	HAVING LIGHT-OR SOUND-RESPONSIVE
	feature		SWITCH OR CONTROL
143	HAVING KEYBOARD	176	OPERATED BY RELATIVELY MOVING
144	SIMULATED HAND OR POWER TOOL		FLUID OR PRESSURE DIFFERENTIAL
145	.Saw or drill	177	.Including suction cup
146	HAVING MEANS TO DRAW	178	.Including motorized fan
147	CHANGEABLE BOOK, CARD, OR PICTURE	179	Producing supporting air column
148	.Including device erected by	1,7	or cushion
	opening card or book, or	180	.Including variable-size fluid
	removing from cover	_00	chamber to move fluid
149	.Movable picture portion	181	Supplying compressed gas to
150	Moved by opening or closing		rupture sheet (e.g., film
	card or book		burster)
151	Including hand-manipulatable	182	Including means to feed sheet
	actuator	183	Squeezable figure
152	For moving pivoted portion	184	Sounding
153	AQUATIC	±0±	5041141119

185	Including external fluid-	215	Having tether for whirling
	operated accessory or means to	016	sounder
106	move figure portion	216	Whistle or siren
186	Contractable balloon for moving fluid	217	.Having fluid-driven rotatable radial blade (e.g., pinwheel)
187	Jet-propelled balloon	218	Rollable or having plural
188	Sounding	210	rotating bladed members
189	Wheel-actuated	219	HAVING CHEMILUMINESCENT LIGHT
190	And tearing, or having	217	SOURCE, OPTIC FIBER, MIRROR,
190	3,		OR LENS
	mechanism or manipulatable	220	
	means for moving figure	220	INFLATABLE
101	portion	221	.Having separately inflatable
191	Having electrical or wind-up		parts
	motor	222	.Including externally applied
192	Including motive power means		sealing element
	or hand manipulator for	223	.And means attachable to form a
	sounder		figure
193	And bellows or bulb	224	.Having check valve
194	Rotary or pivoted valve	225	.Simulated aerial or space
195	Reciprocating valve		vehicle
196	Including piston slidable	226	.Figure
	along central apertured member	227	INFANT'S TOY AND MEANS FOR
197	Bellows or bulb for moving	22,	RETAINING, ATTACHING, OR
	fluid		SUPPORTING TOY IN INFANT'S
198	To move figure or figure		ENVIRONMENT
100	portion	228	SUSPENDED FOR TRAVEL BELOW GUIDE
199	-	220	OR SUPPORT MEANS
199	.For changing or moving figure or	220	
200	figure part	229	.Including electrical or wind-up
200	Including mouthpiece for	0.2.0	propulsion motor
0.01	blowing or sucking	230	SIMULATED AIRCRAFT OR SPACE
201	Including fluid-driven rotary		VEHICLE (I.E., NON-
	blades		AERODYNAMIC)
202	.Including mouthpiece for blowing	231	.Space vehicle or rocket
		232	.Having means to rotate propeller
	or sucking	232	. maving means to rotate propertier
203	or suckingPlural differently operated	232	or rotor
203	5	232	
203	Plural differently operated	-	or rotor
	<ul><li>Plural differently operated sounders</li><li>Whistle or siren</li></ul>	233	or rotor  GYROSCOPIC
204	<ul><li>Plural differently operated sounders</li><li>Whistle or siren</li><li>Including discrete relatively</li></ul>	233 234	or rotor <b>GYROSCOPIC</b> .Having figure  .Having detachable cord for
204 205	<ul><li>Plural differently operated sounders</li><li>Whistle or siren</li><li>Including discrete relatively movable portions</li></ul>	233 234 235	or rotor  GYROSCOPIC  .Having figure  .Having detachable cord for spinning
204	<ul><li>Plural differently operated sounders</li><li>Whistle or siren</li><li>Including discrete relatively movable portions</li><li>Including distinct means for</li></ul>	233 234	or rotor  GYROSCOPIC  .Having figure  .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE
204 205 206	<ul> <li>Plural differently operated sounders</li> <li>Whistle or siren</li> <li>Including discrete relatively movable portions</li> <li>Including distinct means for enabling selection of pitch</li> </ul>	233 234 235	or rotor  GYROSCOPIC  .Having figure  .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE ROTATING PORTION (E.G.,
204 205 206 207	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounder	233 234 235	or rotor  GYROSCOPIC  .Having figure  .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT
204 205 206	<ul> <li>Plural differently operated sounders</li> <li>Whistle or siren</li> <li>Including discrete relatively movable portions</li> <li>Including distinct means for enabling selection of pitch</li> <li>Vibratory reed sounder</li> <li>Including distinct means for</li> </ul>	233 234 235 236	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT ROLLING)
204 205 206 207 208	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitch	233 234 235 236	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT ROLLING) .On wheeled support
204 205 206 207	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal	233 234 235 236	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE    ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT ROLLING) .On wheeled supportAnd having additional portion
204 205 206 207 208 209	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal portion (e.g., horn)	233 234 235 236	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE    ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT ROLLING) .On wheeled supportAnd having additional portion which reciprocates or
204 205 206 207 208 209 210	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal portion (e.g., horn) .Convection-operated	233 234 235 236	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE  ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT ROLLING) .On wheeled supportAnd having additional portion which reciprocates or oscillates, or which rotates
204 205 206 207 208 209 210 211	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal portion (e.g., horn) .Convection-operated .Having jet propulsion	233 234 235 236 237 238	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE    ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT ROLLING) .On wheeled supportAnd having additional portion which reciprocates or oscillates, or which rotates about distinct axis
204 205 206 207 208 209 210	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal portion (e.g., horn) .Convection-operated .Having jet propulsionAnd multiple stages or holder	233 234 235 236	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE    ROTATING PORTION (E.G.,    SPINNING OR WHIRLING, NOT ROLLING) .On wheeled supportAnd having additional portion which reciprocates or oscillates, or which rotates about distinct axis .Including corrugated support for
204 205 206 207 208 209 210 211 212	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal portion (e.g., horn) .Convection-operated .Having jet propulsionAnd multiple stages or holder for launching	233 234 235 236 237 238	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE    ROTATING PORTION (E.G.,    SPINNING OR WHIRLING, NOT ROLLING) .On wheeled supportAnd having additional portion which reciprocates or oscillates, or which rotates about distinct axis .Including corrugated support for imparting rotation
204 205 206 207 208 209 210 211	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal portion (e.g., horn) .Convection-operated .Having jet propulsionAnd multiple stages or holder	233 234 235 236 237 238	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE    ROTATING PORTION (E.G.,    SPINNING OR WHIRLING, NOT ROLLING) .On wheeled supportAnd having additional portion which reciprocates or oscillates, or which rotates about distinct axis .Including corrugated support imparting rotation .Including unattached rod for
204 205 206 207 208 209 210 211 212	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal portion (e.g., horn) .Convection-operated .Having jet propulsionAnd multiple stages or holder for launching	233 234 235 236 237 238	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE    ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT ROLLING) .On wheeled supportAnd having additional portion which reciprocates or oscillates, or which rotates about distinct axis .Including corrugated support for imparting rotation .Including unattached rod for manipulating toy
204 205 206 207 208 209 210 211 212 213	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal portion (e.g., horn) .Convection-operated .Having jet propulsionAnd multiple stages or holder for launching .Sounding	233 234 235 236 237 238	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE    ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT ROLLING) .On wheeled support . And having additional portion which reciprocates or oscillates, or which rotates about distinct axis .Including corrugated support for imparting rotation .Including unattached rod for manipulating toy .Including helically grooved or
204 205 206 207 208 209 210 211 212 213	Plural differently operated soundersWhistle or sirenIncluding discrete relatively movable portionsIncluding distinct means for enabling selection of pitchVibratory reed sounderIncluding distinct means for enabling selection of pitchAnd cone-shaped terminal portion (e.g., horn) .Convection-operated .Having jet propulsionAnd multiple stages or holder for launching .SoundingHaving twistable or	233 234 235 236 237 238	or rotor  GYROSCOPIC .Having figure .Having detachable cord for spinning  ROTATING OR HAVING VISIBLE    ROTATING PORTION (E.G., SPINNING OR WHIRLING, NOT ROLLING) .On wheeled supportAnd having additional portion which reciprocates or oscillates, or which rotates about distinct axis .Including corrugated support for imparting rotation .Including unattached rod for manipulating toy

242	.Including electric light or electric sounder	280	Including wheel-driven mechanism for moving figure or
243	.Including markings producing		figure portion
	<pre>visual effect (e.g., chromatic)</pre>	281	Plural relatively moving figures
244	Thaumatropic effect	282	Dependent movement or common
245	Cord impeller		component
246	.Including hand crank for	283	One figure mounted on
	imparting rotation		another figure
247	.Having attached cord for imparting rotation	284	Relatively moving portions of one figure
248	Wound about rotatable member	285	Having moving limb or foot to
249	Including spring to rewind		simulate walking
250	Bandalore	286	Figure movement simulates
251	Including sounder, figure, or		propulsion of wheeled support
	vehicle	287	Movement about vertical axis
252	Sounding		or by bent support wheel axle
253	Intertwistable flaccid strands	288	Including means to move figure
254	Including sounding means		or figure portion with respect
255	.Aerial (e.g., diabolo)		to wheeled support
256	.Top	289	Including axle through or
257	Plural tops		within figure
258	Including sounding means	290	Front and rear axles
259	And means for spinning	291	More than two axles
260	Spring impeller	292	Including wheel-driven
261	Cord impeller		mechanism for moving figure
262	Including holding means	0.00	portion or accessory
263	Separable	293	For moving limb or foot to
264	Having special tip or spindle	0.04	simulate walking
265	.Sounding	294	Having moving limb or foot to
200			
266	.Handle supported manually	205	walk or simulate walking
266	.Handle supported manually actuated rotating portion	295	.Having means to simulate
<ul><li>266</li><li>267</li></ul>		295	.Having means to simulate respiration, heartbeat, body
<ul><li>266</li><li>267</li><li>268</li></ul>	actuated rotating portion	295	.Having means to simulate respiration, heartbeat, body temperature, or specific
266 267 268 269	actuated rotating portion HAVING ENCLOSED LIQUID		.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness
266 267 268 269 270	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding means	295 296	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating
266 267 268 269	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently		.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical
266 267 268 269 270 271	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanism		.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor
266 267 268 269 270	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for		.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical
266 267 268 269 270 271	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure		.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care,
266 267 268 269 270 271	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portion	296	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.)
266 267 268 269 270 271	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of	296 297	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding means
266 267 268 269 270 271 272	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axis	296 297	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portion
266 267 268 269 270 271	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven	296 297 298	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move
266 267 268 269 270 271 272	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven mechanism for moving figure	296 297 298 299	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wire
266 267 268 269 270 271 272 273	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven mechanism for moving figure portion	296 297 298 299 300	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wireHead or head part movement
266 267 268 269 270 271 272 273 274	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven mechanism for moving figure portionVehicle and external figure	296 297 298 299 300	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wireHead or head part movementEye, eyelid, or mouth
266 267 268 269 270 271 272 273	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven mechanism for moving figure portionVehicle and external figureHaving moving limb or foot to	296 297 298 299 300 301	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wireHead or head part movementEye, eyelid, or mouth movement
266 267 268 269 270 271 272 273 274 275 276	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven mechanism for moving figure portionVehicle and external figureHaving moving limb or foot to simulate walking	296 297 298 299 300 301 302	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wireHead or head part movementEye, eyelid, or mouth movementPhonograph, tape, or wire
266 267 268 269 270 271 272 273 274	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven mechanism for moving figure portionVehicle and external figureHaving moving limb or foot to simulate walkingBy direct linkage to vehicle	296 297 298 299 300 301 302	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wireHead or head part movementEye, eyelid, or mouth movementPhonograph, tape, or wireAnd motive power means or hand
266 267 268 269 270 271 272 273 274 275 276 277	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven mechanism for moving figure portionVehicle and external figureHaving moving limb or foot to simulate walkingBy direct linkage to vehicle wheel or axle	296 297 298 299 300 301 302 303	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wireHead or head part movementEye, eyelid, or mouth movementPhonograph, tape, or wireAnd motive power means or hand crank
266 267 268 269 270 271 272 273 274 275 276	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven mechanism for moving figure portionVehicle and external figureHaving moving limb or foot to simulate walkingBy direct linkage to vehicle wheel or axleElongate figure having writhing	296 297 298 299 300 301 302 303 304	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wireHead or head part movementEye, eyelid, or mouth movementPhonograph, tape, or wireAnd motive power means or hand crank .Nursing, eating, or drinking
266 267 268 269 270 271 272 273 274 275 276 277 278	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently   recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure   portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven   mechanism for moving figure   portionVehicle and external figureHaving moving limb or foot to simulate walkingBy direct linkage to vehicle wheel or axleElongate figure having writhing or undulating movement	296 297 298 299 300 301 302 303 304 305	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wireHead or head part movementEye, eyelid, or mouth movementPhonograph, tape, or wireAnd motive power means or hand crank .Nursing, eating, or drinkingAnd tearing or wetting
266 267 268 269 270 271 272 273 274 275 276 277	actuated rotating portion  HAVING ENCLOSED LIQUID  FIGURE TOY OR ACCESSORY THEREFOR .RollableHaving sounding meansIncluding resiliently recovering striking mechanismAnd wheel-driven mechanism for moving figure or figure portionPivoted figure having center of gravity below pivot axisIncluding wheel-driven mechanism for moving figure portionVehicle and external figureHaving moving limb or foot to simulate walkingBy direct linkage to vehicle wheel or axleElongate figure having writhing	296 297 298 299 300 301 302 303 304 305 306	.Having means to simulate respiration, heartbeat, body temperature, or specific symptom of illness .Having means for simulating personal toilet or medical activity or device therefor (e.g., bathing, hair care, etc.) .Having sounding meansAnd internal mechanism to move figure portionPhonograph, tape, or wireHead or head part movementEye, eyelid, or mouth movementPhonograph, tape, or wireAnd motive power means or hand crank .Nursing, eating, or drinkingAnd tearing or wetting .Tearing

308	.Leaping or projected figure or accessory	338	And means to move or manipulate head
309	Figure	339	Changeable by hand-
310	From within enclosure (e.g.,		manipulatable means
310	"Jack-in-the-box")	340	Manipulatable means is
311	Self-projecting	340	different body portion
312	By impulse from moving limb	341	Including changeable eye
512	or foot	342	Movable eyelid
313	.Animal and rider	343	Movable eyelldMovable eye
314	.Including guide for ascending or	344	<del>-</del>
314		345	Universally movableAbout horizontal axis
315	descending figureAnd flaccid element for		
313		346	Independently movable eyes
316	supporting or moving figure	347	Incrementally closed by
210	.Constructed for walking down incline	2.4.0	rocking figure
217		348	Having end-mounted axle, or
317	.Including spring for returning		relatively pivoted or sliding
240	limb or foot during walking	2.40	anchoring portions
318	.Including musical instrument or simulation thereof	349	Having lock or drag for eye movement, or having spring
319	.Variable length hair		acting against axle in slot
320	.Enlargeable or elongatable	350	Adjustable eye spacing
	figure or figure portion	351	Operated by movably mounted
321	.Having selectively displayed		weight
	alternative faces, limbs, or bodies	352	Including motive-power means or hand-crank mechanism
322	.Seesawing or swinging (e.g.,	353	Motive-power means intrinsic
	jumping jack)		to figure
323	Including flaccid support or	354	Human figure having movably
	actuator for figure		attached arm or leg portion
324	.Tumbling	0.55	moved by motive power means
325	.Balanced or self-righting	355	Walking
326	Having relatively movable	356	Four moving supporting limbs
	section on balanced or self-		or feet
	righting portion	357	Plural relatively moving
327	.Having hand-or finger-		figures
	accommodating means in figure	358	Including extrinsic electric
328	Hand or finger forms visible		or wind-up motor
	part of figure	359	Including support or
329	And movable jaw		manipulator extrinsic to
330	.Having mechanism or		figure (e.g., marionette)
	manipulatable means to move	360	Relatively movable striking
	figure or figure portion		platform
331	Base-mounted figure and button-	361	Flaccid support or manipulator
	controlled flaccid element to	362	Plural flaccid elements to
	move figure or figure portion		manipulate plural body parts
332	Figure movable along endless	363	Hand-held overhead support
	path		for flaccid elements
333	Kicking	364	For drawing figure along
334	Fighting		surface
335	Including motive power means	365	Resiliently biased body
	or hand crank		portion
336	Striking	366	Rod-supported or -controlled
337	Having changeable facial		figure
	feature	367	Plural rods for manipulating
			plural body parts

368	.Reptile	405	.Having simulated weapon feature
369	.Fabric-covered stuffed figure		coordinated with sound
370	Having enclosed reinforcing or skeletal portion	406	Including finger trigger for sounder
371	Including hinge feature	407	Single report
371	connecting parts	408	Single lepoit .Simulated musical instrument,
372	Including facial or hair	400	radio, camera, or television
572	feature		device
373	.Having enclosed reinforcing or	409	.Including rolling or tumbling
373	skeletal portion	103	toy
374	Of non-recovering bendable	410	Toy locomotive
374	material	411	And rod, cable or tether as
375	Including pivoted joint		quide means
376	.Having movably joined body parts	412	Guide means secured centrally
377	Walking		of wheel
378	And locking means for retaining	413	Including wheel-carried
	body parts in adjusted		strikers for impacting non-
	position		rotating portion
379	Including separate resilient	414	Having belt-carried or rotary
	member		striker on vehicle
380	Elastomeric member	415	.Snapping sheet member (e.g.,
381	For joint allowing movement		cricket)
	about plural axes	416	.Voice-actuated diaphragm (e.g.,
382	By bendable or pliant material		kazoo)
	connecting parts	417	.Tick-tack
383	Including joint allowing	418	.Percussion
	movement about plural axes	419	Unsecured loosely confined
384	Swivelled head		percussive member (e.g.,
385	.Formed from specific material		rattle)
386	Edible material	420	Ratchet-actuated
387	Sheet material figure (e.g.,	421	Including handle for shaking,
	paper doll)	400	flipping, or flicking
388	Three-dimensional folded	422	Resiliently restored swinging
200	figure	423	percussive member  GARAGE
389	Eye	423	MATERIAL OR ARTICLE HANDLING
390	Limb, hand or foot	424	DEVICE DEVICE
391	Head	425	.Having load supporting swingable
392 393	Eye Eyelash	423	arm
394	Having hair	426	Horizontally swinging (e.g.,
395	Mouth feature		crane)
396	BALANCED OR SELF-RIGHTING (E.G.,	427	.On wheeled vehicle
330	ROCKING)	428	Having tiltable vehicle body
397	SOUNDING		portion for discharging
398	.Detonating		contents (e.g., dump truck)
399	Including projecting means	429	DISCRETE LAUNCHER, ACCELERATOR,
400	Projectile		OR RETARDER FOR TOY VEHICLE
401	Simulated weapon	430	.Including helical spring or
402	Cane or rod thrust		elastomeric strip
	longitudinally against surface	431	ROLLING OR TUMBLING (E.G.,
403	Including magazine		WHEELED)
404	.With means facilitating	432	.Fire apparatus
	combination with diverse art	433	Endless track vehicle
	device	434	.Tractor or trailer

435	.Vehicle and means for freeing or launching object therefrom	466	Wheels vertically movable relative to chassis
436	.Including changeable program	467	Railroad locomotive simulation
	carried by vehicle	468	Having means permitting turning
437	.Including means for causing		of wheel for steering
	erratic movement	469	Having specific means for
438	.Including illumination means		mounting axle to chassis
439	And battery holder on rolling	470	Having specific body structure
	or tumbling toy	471	Demountable
440	.Motorcycle, tricycle or bicycle	472	SIMULATED MEDICAL OR TOILET
441	.Including vehicle-carried		DEVICE
	control mechanism activated or	473	SIMULATED WEAPON OR PROTECTOR
	deactivated in response to	474	SIMULATED CLOTHES OR FABRIC
	contact with extrinxic	1,1	WORKING OR CLEANING
	structure	475	INCLUDING DISPENSER
442	Reversing	476	BUILDING, TOWER, BRIDGE OR
443	.Having reversible drive	470	HABITATION
444	.Including extrinsic guide or	477	.Including electrical feature
	means cooperable with	477	
	extrinsic guide	_	.Folding or collapsible
445	Cooperable traction means on	479	BUILDING FURNISHING OR APPLIANCE
<b>11</b> 0	vehicle and roadway	480	.Simulated fireplace
446	By guide surface below running	481	.Simulated stove, heater, or
440	surface		cooking device
117		482	.Chair, table, desk, cabinet or
447	Vehicle having flanged wheel		bed
448	.Including wheel- or axle-	483	SIMULATED DISPENSER OR PUMP
4.4.0	operated device	484	ELECTRIC
449	Operated by belt drive or by	485	.With lamp
450	tangential contact with wheel	486	RESILIENT TOY OR ACTUATOR
450	.Including handle, rod or tether	487	FOLDABLE, COLLAPSIBLE, OR HAVING
	for physically guiding or		PIVOTED PORTION
	propelling (e.g., trundle,	488	.Sheet material folded to form
454	hoop, etc.)		object
451	Plural wheels	489	INCLUDING SLIDING OR GUIDING
452	Guide means secured centrally		ELEMENT OR PORTION
	of wheel	490	INCLUDING FLACCID ELEMENT OR
453	Including rolling element or		PORTION
	sliding or pivoted retainer	491	MISCELLANEOUS
	between rod and hoop or wheel		
454	.Remotely controlled		
455	Via conductor adjacent to		
	vehicle path	CPOSS-	REFERENCE ART COLLECTIONS
456	By radio signal	CROBB	REPERENCE ART COLLECTIONS
457	.Including intrinsic motive power	0.01	
	means for propulsion	901	DETACHABLY ADHESIVE
458	And eccentric weight		
459	Elastomeric (e.g., rubber band)		
460	Steering vehicle		
461	Having lock for rotary motor or	FOREIG	N ART COLLECTIONS
	transmission		
462	Having instrinsic energy-	FOR 00	O CLASS-RELATED FOREIGN DOCUMENTS
	storing battery or flywheel		
463	And clutch		
464	Flat spiral or torsion spring		
465	.Wheeled vehicle		