200	FLUID HANDLING OR TREATMENT EQUIPMENT	235	Pressure regulating or relieving
201	.Fountain	236	Ballcock or float type
202	.Storage tank	237	Check
203	Underground type (e.g., septic	238	Faucet fixture (7)
200	tank, etc.)	239	Combined (e.g., with
204	Substantially spherical		dishwashing brush, support
205	Cylindrical		therefor, etc.)
206	Element or attachment (1)	240	With soap dish or with
207	.Treatment		provision therefor
207	Sanitary fixture type (e.g.,	241	Plural flow controls or
200	deodorant holder, chemical		provision therefor
	dispenser, etc.)	242	Distinct (i.e., when mounted,
200			controls and spout are
209	Filter or strainer (2)		separated)
210	Immersion type (e.g., aquarium	243	Pivoting spout
011	filter, etc.)	244	Gate or butterfly type
211	.Lubricating can	245	Manual or visible mechanical
211.1	.Gasoline or fuel type can	210	control or with provision
211.2	With elongated neck		therefor (e.g., handle, lever,
212	.Watering can (3)		etc.)
213	.Dispersal (i.e., sprayer,	246	With gauge or dial (8)
	fogger, nozzle, aerator, etc.)	247	Symmetrical on two or more axes
	(4)	248	Symmetrical on one axis
214	Sprinkler for lawn,	249	Element or attachment
	agricultural irrigation or	250	Handle
	fire extinguishing (5)		
215	Simulative	251	Simulative
216	Oscillating	252	Offset from axis
217	With surface penetration means	253	Rim connected to hub by
218	Recessed type	0.5.4	spokes
219	Tracking type (i.e., sprinkler	254	With escutcheon
	follows hose, etc.)	255	Spout (9)
220	Plural rotating arms	256	Simulative
221	Base	257	With control for diverter or
222	Simulative		drain
223	Hand held or controlled type	258	Float or check
224	Direct piston or plunger	259	.Fitting (10)
	actuation (i.e., without	260	Cap, plug, vent or screen (11)
	trigger or lever)	261	Drain guard or strainer (12)
225	With material container (6)	262	Coupling or joint
226	Trigger, lever or button	263	Elbow or with flow direction
	actuation		change
227	Cover or guard	264	Adjustable (e.g., swivel,
228	Combined		etc.)
229	Provision for adjustment of	265	Clamp or bolt engagement
	spray pattern or flow	266	Pipe, tubing or hose
230	Ball and socket joint for	267	Gutter
	adjustment	268	Trap
231	.Hand or foot operated pump or	269	Gasket or packing
2 J 1	well curb	270	SANITARY FIXTURE OR HOUSING
232	Reciprocating lever actuated		THEREFOR
232		271	.Combined (13)
	.Valve or body therefor	272	Sink and stove or refrigerator
234	Hydrant		101119014001

## D23 - 2 CLASS D23 ENVIRONMENTAL HEATING AND COOLING; FLUID HANDLING AND SANITARY EQUIPMENT

273	Sink, water closet and bathing unit	316	.Liquid immersion type, e.g., aquarium, swimming pool, etc.
274	Sink and water closet or urinal		(24)
275	Bathtub and shower enclosure	317	.Mobile space heater, e.g.,
276	.Sitz bath (14)		wheeled blower type, etc.
277	.Bathtub (15)	318	.Domestic water heater or boiler
278	Infant type	319	Boiler
279	With door or provision for	320	With door or access panel
	external storage	321	With discharge valve or tap
280.1	Symmetrical (16)	322	Element
280.2	Having support handle	323	Heat exchange unit, e.g.,
280.3	Having antislip surface		coil, etc.
280.4	Footed	324	.Vehicle heating or cooling
283	.Shower or shower receptor (17)	325	Air conditioning
284	.Sink	326	Defroster
285	Simulative, or with radiating	327	With adjustable louver or door
203	striations	328	.Combined heating and cooling or
286	With cabinet or with provision	323	with diverse element
200	for storage	329	.Furnace
287	With drainboard (i.e., adjacent	330	.Radiator, e.g., spaced enclosed
207	recessed inclined surface)	330	heat exchangers
288	Corner type	331	Plant life or scroll type
289		331	ornamentation
209	Shampoo type (e.g., with	332	.Portable
	<pre>depression on rim for neck, etc.)</pre>	333	Air conditioner
290	Plural	334	
290		335	Animal or agricultural heaterHeating element protected by
291	With integral spout or hooded overflow	333	grille, grid, etc.
292		336	
292	Unitary singular support column	330	Circular or cylindrical
	Symmetrical (16)	227	housing
295	.Water closet, bidet or bowl therefor	337	Pedestal or pivoting head mount
296	Infant training type	338	Liquid fuel type, e.g.,
297	Simulative		kerosene, etc.
298	Simulative	339	Gas fired type
299	Self-contained (i.e., chemical	340	Quartz type
	or portable type)	341	Element
300	Wall mounted	342	.Stabile space heater
301	With water tank (18)	343	Fireplace or solid fuel heating
302	.Urinal (19)		stove (25)
303	.Element or attachment (20)	344	Fireplace insert
304	Bathtub or shower	345	Masonry or tile-like surround,
305	Surround, door or panel		e.g., architectural type
306	Front		fireplace
307	Splash shield	346	Ornate cast iron type (26)
308	Sink (21)	347	Element therefor, e.g., stove
309	Water closet or urinal		plate, etc.
310	Deflector (22)	348	Circular horizontal cross
311	Seat, or bowl cover (23)		section
312	Simulative	349	Simulative
313	Tank or tank cover	350	Symmetrical front
314	HEATING OR COOLING	351	.Air conditioner (27)
315	.Sauna or steam bath type	352	Circular housing

353	Window mount type	398	Fireplace type (30)
354	<pre>Element, e.g., front panel,   etc.</pre>	399	Hollow tube circulator with blower unit
355	.Air treatment	400	Perforated or expanded metal
356	Humidifier	401	Enclosed four sides
357	Wall or furnace mount	402	Stove or furnace type
358	Element	403	Fireplace element not elsewhere
359	Dehumidifier		specified
360	Vaporizer	404	Mantle or frame for opening
361	Wall mount	405	Lining or enclosure for
362	Circular container		opening (31)
363	Element	406	Screen
364	Air cleaner	407	Andiron or fire dog
365	Filter	408	Simulative
366	Deodorizer or ozonizer (28)	409	Artificial log burner element
367	Simulative	410	Coal scuttle or wood holder
368	With distinct hanger or	411	Fan element
	suction cup	412	Fan quard
369	Activated by moveable cover or	413	Fan or ventilator blade
	by piercing	414	With circumferential band
370	Fan or ventilator	415	Burner or heater coil
371	Exhaust type	416	Oil type
372	Range or oven	417	Electric
373	Roof or chimney	418	Element
374	Chimney	419	Radiant
375	Wind rotated, e.g., turbine	420	Ash pan or sifter
	type, etc.	421	Valve or control
376	Circular hood	422	Fire brick
377	Blade unit rotates on vertical	499	MISCELLANEOUS
	axis		
	axis		
378	Floor type on vertically		NOTES FOR CLASS D23
378		(1) For	cap or plug, see subclass 260. For
379	<pre>Floor type on vertically   elongated standWith exposed blade</pre>	(1) For underwa	cap or plug, see subclass 260. For ter breathing apparatus, valves, or
	<ul><li>Floor type on vertically elongated stand</li><li>With exposed blade</li><li>Plural impeller units, e.g.,</li></ul>	(1) For underwa	cap or plug, see subclass 260. For
379 380	<ul><li>Floor type on vertically elongated stand</li><li>With exposed blade</li><li>Plural impeller units, e.g., side by side, etc.</li></ul>	<ul><li>(1) For underwa regulat</li><li>(2) For</li></ul>	cap or plug, see subclass 260. For ter breathing apparatus, valves, or ors, see D24-110.5+.
379 380 381	<pre>Floor type on vertically   elongated standWith exposed bladePlural impeller units, e.g.,   side by side, etcWire protective grille</pre>	<ul><li>(1) For underwa regulat</li><li>(2) For</li></ul>	cap or plug, see subclass 260. For ter breathing apparatus, valves, or ors, see D24-110.5+.
379 380 381 382	<pre>Floor type on vertically   elongated standWith exposed bladePlural impeller units, e.g.,   side by side, etcWire protective grilleCircular grille</pre>	<ul><li>(1) For underwa regulat</li><li>(2) For</li></ul>	cap or plug, see subclass 260. For the breathing apparatus, valves, or ors, see D24-110.5+.  filter disclosed as part of a faute subclasses 238+ For aerator, see
379 380 381 382 383	<pre>Floor type on vertically   elongated standWith exposed bladePlural impeller units, e.g.,   side by side, etcWire protective grilleCircular grilleBlower</pre>	(1) For underwa regulat (2) For cet, se subclas	cap or plug, see subclass 260. For the breathing apparatus, valves, or ors, see D24-110.5+.  filter disclosed as part of a faute subclasses 238+ For aerator, see
379 380 381 382 383 384	<pre>Floor type on vertically   elongated standWith exposed bladePlural impeller units, e.g.,   side by side, etcWire protective grilleCircular grilleBlowerBellows</pre>	(1) For underwa regulat (2) For cet, se subclas	cap or plug, see subclass 260. For ster breathing apparatus, valves, or ors, see D24-110.5+.  filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub-
379 380 381 382 383 384 385	<pre>Floor type on vertically   elongated standWith exposed bladePlural impeller units, e.g.,   side by side, etcWire protective grilleCircular grilleBlower</pre>	(1) For underwa regulat (2) For cet, se subclas (3) For class 2	cap or plug, see subclass 260. For ster breathing apparatus, valves, or ors, see D24-110.5+.  filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub-
379 380 381 382 383 384	<pre>Floor type on vertically   elongated standWith exposed bladePlural impeller units, e.g.,   side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not</pre>	(1) For underwa regulat (2) For cet, se subclas (3) For class 2 (4) For	cap or plug, see subclass 260. For the ter breathing apparatus, valves, or tors, see D24-110.5+.  If filter disclosed as part of a faute subclasses 238+ For aerator, see as 213.  In battery water dispenser, see sub-100.
379 380 381 382 383 384 385 386	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specified	(1) For underwaregulat (2) For cet, se subclas (3) For class 2 (4) For faucet,	cap or plug, see subclass 260. For the ter breathing apparatus, valves, or tors, see D24-110.5+.  If filter disclosed as part of a faute subclasses 238+ For aerator, see as 213.  In battery water dispenser, see sub-100.  The aerator disclosed as part of a
379 380 381 382 383 384 385 386	<pre>Floor type on vertically   elongated standWith exposed bladePlural impeller units, e.g.,   side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not   elsewhere specifiedFlow director (29)</pre>	(1) For underwaregulat (2) For cet, se subclas (3) For class 2 (4) For faucet, head di	cap or plug, see subclass 260. For ster breathing apparatus, valves, or sors, see D24-110.5+.  filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub-100.  aerator disclosed as part of a see subclasses 238+. For shower
379 380 381 382 383 384 385 386 387 388	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specifiedFlow director (29)Register or diffuser	(1) For underwaregulat (2) For cet, se subclas (3) For class 2 (4) For faucet, head di see sub	cap or plug, see subclass 260. For ster breathing apparatus, valves, or ors, see D24-110.5+.  filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub- 00.  aerator disclosed as part of a see subclasses 238+. For shower sclosed with shower unit structure, oclass 283.
379 380 381 382 383 384 385 386 387 388 389	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specifiedFlow director (29)Register or diffuserBaseboard type	(1) For underwaregulat (2) For cet, se subclas (3) For class 2 (4) For faucet, head disee sub (5) For	cap or plug, see subclass 260. For ster breathing apparatus, valves, or ors, see D24-110.5+.  filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub-100.  aerator disclosed as part of a see subclasses 238+. For shower sclosed with shower unit structure,
379 380 381 382 383 384 385 386 387 388 389 390	<pre>Floor type on vertically    elongated standWith exposed bladePlural impeller units, e.g.,    side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not    elsewhere specifiedFlow director (29)Register or diffuserBaseboard typeCircular</pre>	(1) For underwa regulat (2) For cet, se subclas (3) For class 2 (4) For faucet, head di see sub (5) For see subclas (5)	cap or plug, see subclass 260. For ster breathing apparatus, valves, or sors, see D24-110.5+.  filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub-100.  aerator disclosed as part of a see subclasses 238+. For shower sclosed with shower unit structure, class 283.  hose nozzle or hand held sprayer,
379 380 381 382 383 384 385 386 387 388 389 390 391	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specifiedFlow director (29)Register or diffuserBaseboard typeCircularArched or curved top	(1) For underwa regulat (2) For cet, se subclas (3) For class 2 (4) For faucet, head di see sub (5) For see subsee sub	cap or plug, see subclass 260. For ster breathing apparatus, valves, or sors, see D24-110.5+.  filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub-100.  aerator disclosed as part of a see subclasses 238+. For shower sclosed with shower unit structure, oclass 283.  hose nozzle or hand held sprayer, oclasses 223+. For time or control,
379 380 381 382 383 384 385 386 387 388 389 390 391 392	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specifiedFlow director (29)Register or diffuserBaseboard typeCircularArched or curved topAdjustable louver or damper	(1) For underwa regulat (2) For cet, se subclas (3) For class 2 (4) For faucet, head di see sub (5) For see subsee sub	cap or plug, see subclass 260. For ther breathing apparatus, valves, or tors, see D24-110.5+.  filter disclosed as part of a faute subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub-100.  aerator disclosed as part of a see subclasses 238+. For shower sclosed with shower unit structure, oclass 283.  hose nozzle or hand held sprayer, oclass 245.  chainer must be shown in full or in
379 380 381 382 383 384 385 386 387 388 389 390 391	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specifiedFlow director (29)Register or diffuserBaseboard typeCircularArched or curved top	(1) For underwaregulat (2) For cet, se subclass (3) For class 2 (4) For faucet, head disee sub (5) For see sub see sub (6) Con broken (7) If	cap or plug, see subclass 260. For ster breathing apparatus, valves, or sors, see D24-110.5+.  filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub-100.  aerator disclosed as part of a see subclasses 238+. For shower sclosed with shower unit structure, sociass 283.  hose nozzle or hand held sprayer, sociasses 223+. For time or control, sociass 245.  tainer must be shown in full or in lines.  disclosed with sink, classified in
379 380 381 382 383 384 385 386 387 388 389 390 391 392	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specifiedFlow director (29)Register or diffuserBaseboard typeCircularArched or curved topAdjustable louver or damperVent, ductwork, or element thereof	(1) For underwaregulat (2) For cet, se subclass (3) For class 2 (4) For faucet, head disee sub (5) For see sub see sub (6) Con broken (7) If	cap or plug, see subclass 260. For ster breathing apparatus, valves, or sors, see D24-110.5+.  If filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  In battery water dispenser, see sub-100.  In aerator disclosed as part of a see subclasses 238+. For shower sclosed with shower unit structure, sclass 283.  In hose nozzle or hand held sprayer, sclasses 223+. For time or control, sclass 245.  Intainer must be shown in full or in lines.
379 380 381 382 383 384 385 386 387 388 389 390 391 392 393	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specifiedFlow director (29)Register or diffuserBaseboard typeCircularArched or curved topAdjustable louver or damperVent, ductwork, or element	(1) For underwa regulat (2) For cet, se subclass (3) For class 2 (4) For faucet, head di see sub (5) For see sub (6) Combroken (7) If subclass	cap or plug, see subclass 260. For ster breathing apparatus, valves, or sors, see D24-110.5+.  filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  battery water dispenser, see sub-100.  aerator disclosed as part of a see subclasses 238+. For shower sclosed with shower unit structure, sociass 283.  hose nozzle or hand held sprayer, sociasses 223+. For time or control, sociass 245.  tainer must be shown in full or in lines.  disclosed with sink, classified in
379 380 381 382 383 384 385 386 387 388 389 390 391 392 393	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specifiedFlow director (29)Register or diffuserBaseboard typeCircularArched or curved topAdjustable louver or damperVent, ductwork, or element thereofStovepipe	(1) For underwa regulat (2) For cet, se subclass (3) For class 2 (4) For faucet, head di see sub (5) For see sub (6) Combroken (7) If subclass	cap or plug, see subclass 260. For ster breathing apparatus, valves, or cors, see D24-110.5+.  If filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  In battery water dispenser, see subclasses 238+. For shower see subclasses 238+. For shower sclosed with shower unit structure, class 283.  In hose nozzle or hand held sprayer, classes 223+. For time or control, class 245.  Intainer must be shown in full or in lines.  disclosed with sink, classified in sees 284+.
379 380 381 382 383 384 385 386 387 388 389 390 391 392 393	elongated standWith exposed bladePlural impeller units, e.g., side by side, etcWire protective grilleCircular grilleBlowerBellowsWall or ceiling mount (24) .Element or attachment, not elsewhere specifiedFlow director (29)Register or diffuserBaseboard typeCircularArched or curved topAdjustable louver or damperVent, ductwork, or element thereofStovepipeRadiator cover or cabinet	(1) For underwa regulat (2) For cet, se subclass (3) For class 2 (4) For faucet, head di see sub (5) For see sub (6) Con broken (7) If subclass (8) For	cap or plug, see subclass 260. For ster breathing apparatus, valves, or cors, see D24-110.5+.  If filter disclosed as part of a fause subclasses 238+ For aerator, see so 213.  In battery water dispenser, see subclasses 238+. For shower see subclasses 238+. For shower sclosed with shower unit structure, class 283.  In hose nozzle or hand held sprayer, classes 223+. For time or control, class 245.  Intainer must be shown in full or in lines.  disclosed with sink, classified in sees 284+.

## D23 - 4 CLASS D23 ENVIRONMENTAL HEATING AND COOLING; FLUID HANDLING AND SANITARY EQUIPMENT

- (9) Includes spout with provision for diverter control. If provision is made for flow control handle, patent is classified as faucet in subclasses 238+.
- (10) Includes overflow fitting.
- (11) Includes sink stopper.
- (12) Includes urinal screen.
- (13) For faucet combined with sink and/or cabinet, see subclasses 284+.
- (14) For bidet, see subclass 295.
- (15) For front panel or sub-assembly, see subclasses 304+.
- (16) Exclusive of drain or overflow opening.
- (17) For bathtub surround, see subclass 305. For shower head, per se, or with associated plumbing only (such as valve), see subclass 213.
- (18) For tank, per se, see subclass 313.
- (19) For water closet attachment type, see subclass 310.
- (20) Includes leg or support For overflow fitting, see subclass 261 For drain stopper or screen see, respectively, subclasses 260 and 261.
- (21) For drain stopper or screen see, respectively, subclasses 260 and 261.
- (22) For drain screen, see subclass 261.
- (23) For infant training seat, see subclass 296. For seat lifter handle, see D8-307.
- (24) Includes element.
- (25) Stoves with upper and lower doors, e.g., for fuel supply and ash removal are included in this subclass.
- (26) Highly surface ornamented parlor or Franklin-type stoves of the late 19th and early 20th century variety. Ornamentation usually formed as part of the casting.
- (27) Includes cooling tower.
- (28) Includes all air freshener articles.
- (29) See air conditioner element, subclass 354 for additional flow director panels.
- (30) Search subclass 405 for grate combined with interior lining.
- (31) Decorative panel for season use.