

600	SIMULATIVE IN FORM OR MOTIF	651	.Jewel
601	.Animate	652	.Letter or number, embossed or in form only
602	..Bird	653	.Light source
603	...Rooster, hen, turkey or chick	654	.Luggage
604	...Web-footed	655	.Plant
605	..Dinosaur or dragon	656	..Wreath
606	..Fish	657	..Cone, acorn or the like
607	..Quadruped	658	..Individual leaf or spray
608	...Bear	659	..Tree or shrub
609	...Canine	660	...Trunk or log
610	...Elephant	661	..Flower
611	...Feline	662	...Daisy
612	...Horse, mule or zebra	663	...Rose
613	...Rabbit	664	...Fleur de lis
614	..Humanoid	665	.Musical instrument
615	...Clown	666	.Shell
616	...Ethnic costume	667	.Symbol or shield
617	...Christmas or holiday figure	668	.Sport goods
618	...Sport attire	669	.Star
619	...Uniform	670	.Textile
620	...Grotesque figure	671	.Timepiece
621	...Feminine figure	672	.Vehicle or component thereof
622	...With dress	673	..Aircraft or Spacecraft
623	..Masculine figure	674	...Rocket
624	...Appendage or body part	675	..Automobile
625Head	676	..Truck
626Skull	677	..Train
627Femine	678	..Ship or boat
628Masculine	679	.Tool
629Heart	680	.Weapon
630	..Insect	681	.Wickerwork or basket
631	.Apparel	682	WITH GAS PROPELLANT MEANS OR PUMP
632	..Hat or crown	683	.Bellows
633	.Barrel	684	.Divided or joined compartments
634	.Book	685	.Trigger type spray
635	.Bow	686	.Top, overcap or closure continues configuration of body
636	.Building or component	687	..And flat wall or detail
637	..Barn or log cabin	688	..Circular in plan
638	..Tower or skyscraper	689	...Tapered or rounded side wall
639	...Windmill	690	.Substantially circular in plan
640	..Architectural detail	691	..And tapered sidewall
641	...Column	692	..And vertical or horizontal detail
642	.Furniture	693	.Asymmetric
643	.Edible food or tobacco product	694	.Flat sidewall or detail
644	..Vegetable	695	COLLAPSIBLE TUBE
645	..Fruit	696	.Liquid capsule type
646	...Citrus	697	.Crimped end
647	...Grape	698	..And hanger
648	..Tobacco	699	..Curved or irregular crimp
649	.Geography (geographic feature or map)		
650	..Horseshoe		

700	SEWING KIT, NEEDLE OR BUTTON	746	...Visible thread or screw detail
701	MATCHBOOK TYPE		
702	BAG, POUCH, SLEEVE OR WRAPPER	747	...Three or more openings
703	.Bag or sack	748	.For razor or shaving accessory
704	..With bail type handle	749	..Open or tray type
705	..With closure	750	.For light bulb or light string
706	...Drawstring type	751	.For bottle, can or cup only
707	.Sealed pouch	752	..Engages rim or neck only
708	..With cap	753	..Includes projecting handle
709	..Re-sealable type	754	..Shroud type
710	..Curved side	755	..Open tray type
711	.Sleeve or tube	756	.Repeating identical compartment
712	..Cone shape	757	..For egg or ball shape
713	.Wrapper	758	...Open tray type
714	..With twist type closure	759	..Rectangular or square depression
715	COMBINED WITH DIVERSE ARTICLE		
716	.With cup	760	...Open tray type
717	.With eating utensil	761	.Food specific
718	.With tool	762	..With provision for egg or the like
719	.Bottle and diverse article		
720	.Bag and diverse article	763	CAN
721	.Box and diverse article	764	.With elongated neck
722	.Hanger or card and diverse article	765	.Vertical chime
		766	.Base shape merges into a different shape at container top
723	APPLICATOR TYPE		
724	.Pointed tip	767	..Circular or oval base
725	.Sponge tip	768	..Polygon base
726	.Ball or roller	769	...Triangular
727	.Stick type	770	...Rectangular or square
728	..With provision for pattern discharge	771	...Hexagonal
729	..With knob or dial	772	.Circular in plan
730	SEQUENTIAL DISCHARGE OF CONTENTS	773	..With distinct sidewall surface texture or detail
731	.Dial type	774	...Repeating vertical lines or grooves
732	.Blister type	775	...Repeating helical lines or grooves
733	.Gravity type	776	..Curved or undulating sidewall or detail
734	.For tissue or folded sheet material	777	..Having tapered body
735	.For cutting or razor blade	778	...Wide mouth
736	..Open tray type	779	..Wide mouth
737	COMPARTMENTED OR WITH DISTINCT SUPPORT AREAS	780	...And lid
738	.Bottle, jar or can	781	.Oval in plan
739	..Includes holder or detachable support	782	.Polygon in plan
740	..Includes integral horizontal connecting member	783	..Having tapered sides
741	..With plural opening or closure	500	UNIFORM CROSS-SECTION OR PERIPHERY AROUND AXIS
742	...And distinct handle		
743	...Interlocking	501	.Combined with holder, sheath, box or packaging container
744	...Nesting		
745	...Stacking	502	.Repeating horizontal ribs, grooves or steps

503	.With closure (25)	544	.Decanter type or with provision
504	..Closure conforms to and		for male type closure (i.e.,
	continues container		stopper) (7)
	configuration	545	..Substantially circular or oval
505	..Stopper type		body portion in plan
506	OPPOSED PERIMETRIC BEADS	546	..Three or more repeats around
507	.Front to rear opposition		body axis (8)
508	..Horizontally elongated	547	.Quantitative measurement
516	BOTTLE, JUG, OR JAR		indicator
517	.Combined with holder, box or	548	.Pedestal base (e.g., footed,
	packaging container		etc.)
518	.Pull tab or tear strip opening	549	.Substantially circular or oval
519	.Substantially spherical		body portion in plan
520	.With bottom surface detail (3)	550	..Specific area for product
521	..Pointed or downwardly rounded		identification, label or seal
	(i.e., nonstandable)	551	..Circular or oval surface detail
522	.Planar or concave side opposes	552	..Helical or sinuous surface
	convex side		detail
523	.Mouth, spout or pouring lip	553	..Triangular, square or diamond
	offset from center line		surface detail (9)
524	..Plural opening	554	..Irregular, random or contrast
525	..Spout rotated or flexed to use		textured surface pattern
	position	555	..Incised V-shaped grooves
526	..Oblique or perpendicular		defining pattern (i.e., cut
	relationship to base		glass type) (10)
527	..With handle, finger opening or	556	..Repeating adjacent ribs or
	provision therefor (4)		grooves
528	..With handle, finger opening or	557	...Straight and parallel to base
	provision therefor (4)		(11)
529	.Closure conforms to and	558	..Symmetrical on two axes
	continues container	559	.Three or more repeats around
	configuration (5)		body axis (12)
530	.Grip retentive form (e.g., with	560	..Four repeats or square in plan
	handle, opposed grip recesses,	561	..Three repeats or triangular in
	inwardly curved or tapered		plan
	body portion, etc.) (6)	562	.Stepped down body detail
531	..Handle, lug, hook or opening,	563	.Specific area for product
	or provision therefor (4)		identification, label or seal
532	...Bail type	564	.Circular or oval surface detail
533	...Plural	565	.Helical or sinuous surface
534	...Cantilevered (i.e., finger		detail
	grip is open at one end)	566	.Triangular, square or diamond
535	...Centrally disposed		surface detail (13)
536	...Applied to body portion having	567	.Irregular, random or contrast
	symmetry on two axes		textured surface pattern
537	..Substantially circular body	568	.Incised V-shaped grooves
	portion in plan		defining pattern (i.e., cut
538	...Three or more repeats around		glass type) (10)
	body axis	569	.Repeating adjacent ribs or
539	...Symmetrical on two axes		grooves
540	...Bilaterally symmetrical	570	..Straight and parallel to base
541	..Three or more repeats around		(11)
	body axis	571	.Arched surface detail
542	..Symmetrical on two axes	572	.Planar surface
543	..Bilaterally symmetrical	573	..Symmetrical on two axes

574 .Symmetrical on two axes
 575 .Bilaterally symmetrical
 414 **BOX OR PACKAGING CONTAINER**
 415 .With display or hanger panel
 (14)
 416 .Pull tab or tear strip opening
 417 .Specific flow director or spout
 418 .External display aperture,
 window, or magnifier
 419 .Ribbon, strip, or filament (1)
 420 .Swinging closure (2)
 421 ..Plural (15)
 422 ..Rotating into enclosure
 423 ..Planar top parallel to base
 424 .Molded or stamped type, i.e.,
 cast, vacuum formed, etc.
 425 ..Flanged
 426 ...Joined similar halves
 427 ...Perforated bottom
 428 ...Circular or oval
 429Plural ribs or grooves
 430 .Polygonal in plan
 431 ..Upwardly diverging or
 converging walls
 432 ..Rectangular or square
 433 .Folded or sheet material (16)
 434 **ELEMENT OR ATTACHMENT**
 435 .Closure, cover, or pouring
 attachment
 436 ..Combined with diverse article
 or having additional use (17)
 437 ...Cutter or punch
 438 ..With tear strip or pop top (18)
 439 ..Male type, i.e., stopper
 440 ..With pouring or dispensing
 feature (19)
 441 ...Simulative
 442 ..Collapsible tube type
 443 ..With distinct grip, handle, or
 clamping feature
 444 ..Sheath type
 445 ...Protector for closure, e.g.,
 overcap type
 446 ..Tethered type
 447 ..With pouring or dispensing
 feature
 448 ...Aerosol or pump type (20)
 449 ..With moveable or separable
 closure element
 450Rotated to use position
 451 ..Simulative (21)
 452 ..Repeating or uniform pattern
 around body axis

453 ...Vertical straight ribs or
 grooves
 454 ..Substantially circular (22)
 455 .Stand or holder (23)
 456 .Packing tray, separator, or
 insert
 457 .Display or backing card (24)
 499 **MISCELLANEOUS**

CROSS-REFERENCE ART COLLECTIONS

900 **DAUBER**
 901 **CONTAINER WITH TEAR STRIP OPENING**
 902 **CONTAINER WITH PULL TAB OPENING**
 MEMBER
 903 **CARBONATED BEVERAGE CAN**
 904 **CONTAINER WITH DISTINCT BOTTOM**
 SURFACE TEXTURE OR DETAIL
 905 **SHAKER TYPE**
 906 **PAINT CAN**
 907 **BAIL HANDLE OR PROVISION THEREFOR**

SEARCH NOTES FOR CLASS D9

(1) For adhesive or gummed tape dispenser,
 see D19-67+.
 (2) Blank excluded; see subclass 433.
 (3) Detail must be a design characteris-
 tic; normal recessed area, molding seam,
 etc. not considered. Bottom is considered
 to be the surface opposite to the opening
 or closure. Container having alternate
 bases, e.g., tiltable ink bottle, etc.,
 excluded; see following subclasses, par-
 ticularly subclass 526.
 (4) Finger opening must be provided for
 grip to be considered a handle.
 (5) Surface texture or ribs on the closure
 not considered.

- (6) Overall body shape must provide for the retention of grip; for example, included are articles with upwardly tapered or curved body portions providing for grip retention, but excluded are articles with annular rings, flanges or enlarged portions adjacent to otherwise nonretentive shapes such as cylinders, planar or parallel walls, etc. Includes containers with opposed longitudinal side finger channels or depressions. Ribs or grooves alone that provide frictional retention are excluded. Excludes containers with full inset or defined panels on the front or rear; those are considered to be areas for label placement and are therefore classified in subclasses 550 or 563.
- (7) Excludes containers having provision for another type of closure, such as crown cap
- (8) Exclusive of stopper.
- (9) Excludes pattern formed by incised v-shaped grooves; see subclass 555. If triangular, square, or diamond detail is part of a randomized array of forms, see subclass 554.
- (10) Each wall of the "V" must repeat (be a mirror image of) the opposing wall.
- (11) Excludes horizontal ribs or grooves that define body steps; see subclass 562.
- (12) Exclusive of closure.
- (13) Excludes pattern formed by incised V-shaped grooves; see subclass 567. If triangular, square or diamond detail is part of a randomized array of forms; see subclass 567.
- (14) For card per se, see subclass 457.
- (15) For package having distinct provision for plural article; see subclass 341.
- (16) Includes blank
- (17) Includes combination with measuring device. For fountain brush, see D4-114.
- (18) Includes tab per se, For can end closing provision for pouring only, see subclass 447.
- (19) For combination with measuring feature, see subclass 436.
- (20) See subclass 682.
- (21) Exclusive of pointer or arrow.
- (22) For circular closure having repeat or uniform pattern around axis, see subclass 452.
- (23) For combination of holder and container, see subclass 501 and 517.
- (24) For advertising card, see D20-40.
- (25) Closure may not conform to the uniform-section requirement.

